

FERVI

SELECTION 2021

International
Edition 02



21ALDI

chooses **FERVI**

[Signature]
21

OFFICIAL SPONSOR



Promotion valid until 31/12/2021, while stocks last - VAT not included

In this promo


Hardware



03

<i>Wrenches</i>	<i>p.03</i>
<i>Socket wrenches</i>	<i>p.07</i>
<i>Screwdrivers</i>	<i>p.09</i>
<i>Pliers</i>	<i>p.10</i>
<i>Fastening</i>	<i>p.11</i>
<i>Workshop furniture</i>	<i>p.12</i>
<i>Cabinets</i>	<i>p.13</i>

General tools



18

<i>Bench vices</i>	<i>p.18</i>
<i>Pneumatic equipment</i>	<i>p.19</i>
<i>Solders</i>	<i>p.23</i>
<i>Equipment for liquids</i>	<i>p.24</i>
<i>Lighting</i>	<i>p.24</i>


Machinery



28

<i>Lathes, mills and drills</i>	<i>p.28</i>
<i>Metal working machinery</i>	<i>p.31</i>
<i>Wood working machinery</i>	<i>p.35</i>
<i>Machinery for finishing</i>	<i>p.37</i>
<i>Presses</i>	<i>p.41</i>
<i>Car workshop</i>	<i>p.42</i>
<i>Lifting</i>	<i>p.46</i>

Machinery accessories



49

<i>Machine vices</i>	<i>p.49</i>
<i>Tables and dividers</i>	<i>p.51</i>
<i>Chucks and live centers</i>	<i>p.52</i>
<i>Machinery accessories</i>	<i>p.53</i>
<i>Turning and milling</i>	<i>p.53</i>

Cutting tools



54

<i>Inserts, lathe tools and bits</i>	<i>p.54</i>
<i>Drills and Hole saws</i>	<i>p.55</i>
<i>Milling tools</i>	<i>p.58</i>
<i>Taps and dies</i>	<i>p.59</i>
<i>Thread repair</i>	<i>p.59</i>

Measure



61

<i>Calipers and Rulers</i>	<i>p.61</i>
<i>Dial indicators</i>	<i>p.62</i>
<i>Micrometers</i>	<i>p.63</i>
<i>Measuring tools</i>	<i>p.64</i>
<i>Levels</i>	<i>p.64</i>
<i>Analogic and digital meters</i>	<i>p.65</i>
<i>Scales</i>	<i>p.67</i>

RATCHET FLEXIBLE HEAD
COMBINATION SPANNER SET

0690/07P

€91,62



€71,55

7 Pcs Cr-V Chromed Hanger

Sizes	8 - 10 - 11 - 13 - 15 - 17 - 19 mm
-------	------------------------------------

RATCHET FLEXIBLE HEAD
COMBINATION SPANNER SET

0690/12P

€146,72



€99,75

12 Pcs Cr-V Chromed Hanger

Sizes	8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm
-------	--

SATIN FINISH COMBINATION SPANNER SET

0546

€48,72




€33,45

Model	6 ÷ 22 mm
Sizes	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 17 - 19 - 22 mm

COMBINATION SPANNER SET

0544

€127,68



€106,30

25 Pcs Cr-V Satin finish

Model	6 ÷ 32 mm
Sizes	6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-30-32 mm

DOUBLE OPEN END MIRROR POLISH LONG
PATTERN WRENCH SET

0200

€29,57



€19,75

8 Pcs Cr-V Chromed DIN 3110

Model	6 ÷ 22 mm
Sizes	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm

DOUBLE OPEN END MIRROR POLISH LONG
PATTERN WRENCH SET

0201

€68,32



€42,50

12 Pcs Cr-V Chromed DIN 3110

Model	6 ÷ 32 mm
Sizes	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x27 25x28 30x32 mm

MIRROR POLISH LONG PATTERN
COMBINATION SPANNER SET

0199

€48,72



€35,75

12 Pcs Cr-V Chromed DIN 3113

Model	6 ÷ 22 mm
Sizes	6-7-8-9-10-11-12-13-14-17-19-22 mm

MIRROR POLISH LONG PATTERN
COMBINATION SPANNER SET

0208

€116,48



€89,45

25 Pcs Cr-V Chromed DIN 3113

Model	6 ÷ 32 mm
Sizes	6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-30-32 mm

MIRROR POLISH LONG PATTERN COMBINATION SPANNER SET

0204

€148,96



€126,70

6 Pcs Cr-V Chromed DIN 3113

Model	34 ÷ 50
Sizes	34-36-38-41-46-50 mm

MIRROR POLISH LONG PATTERN COMBINATION SPANNER SET

0199P

€57,57



€45,60

13 Cr-V Chromed DIN 3113

Model	1/4" ÷ 1"
Size	1/4" - 5/16" - 3/8" - 7/16" - 1/2" - 9/16" - 5/8" - 11/16" - 3/4" - 13/16" - 7/8" - 15/16" - 1"

DOUBLE OPEN END WRENCH SET

0221

€15,46



€12,80

8 Pcs Cr-V DIN 3110

Model	6 ÷ 22 mm
Sizes	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm

DOUBLE OPEN END WRENCH SET

0222

€37,41



€28,05

12 Cr-V DIN 3110

Model	6 ÷ 32 mm
Sizes	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x27 25x28 30x32 mm

COMBINATION SPANNER

0073

€16,80



€14,10

12 Pcs Cr-V DIN 3113

Model	6 ÷ 22 mm
Sizes	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 17 - 19 - 22 mm

COMBINATION SPANNER

0223

€66,30



€58,35

25 Pcs Cr-V DIN 3113

Model	6 ÷ 32 mm
Sizes	6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-30-32 mm

RING SPANNER SET

0477

€25,98



€22,80

8 Pcs Cr-V Chromed DIN 838

Model	6 ÷ 22 mm
Sizes	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm

RING SPANNER SET

0476

€59,58



€52,45

12 Pcs Cr-V Chromed DIN 838

Model	6 ÷ 32 mm
Sizes	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x27 25x28 30x32 mm

FLARE NUT WRENCH SET

0541S

€ 27,10

6 POINT FROM 8 mm TO 14 mm, 12
POINT FROM 17 mm TO 22 mm

16 Pcs Cr-V DIN 3118

Model 8 ÷ 22 mm
Sizes 140 - 8x10 mm, 150 - 9x11 mm, 175
- 11x13 mm, 175 - 12x14 mm, 210 -
17x19 mm, 220 - 19x22 mm



€ 25,05

HEXAGONAL TUBULAR SOCKET WRENCH SET

0540S

€ 17,14

LIGHT MODEL, WITH TOMMY BAR

8 Pcs

Model 6 ÷ 22 mm
Sizes 6x7 8x9 10x11 12x13
14x15 16x17 18x19
20x22 mm



€ 16,10

BALL POINT HEX KEY SET, LONG TYPE

0215x



Starting from € 8,10

9 Pcs Cr-V Satin finish

Size	Art.	€	Promo
1,5-2-2,5-3-4-5-6-8-10	0215	€ 10,98	€ 8,10
1/16" 5/64" 3/32" 1/8" 5/32" 3/16" 1/4" 5/16" 3/8"	0215P	€ 10,98	€ 7,75

HEX KEY SET WITH DIAMOND TIP

0558/EM

€ 16,24

THE DIAMOND TIP ALLOWS A PERFECT
GRIP, AVOIDING TO RUIN THE HEAD
OF THE SCREW. THIS TYPE OF TIP IS
ALSO VERY EFFECTIVE WITH ALREADY
RUINED SCREWS.



8 Pcs Cr-V S2 Hanger

Sizes 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 mm

€ 14,10

HEX KEY SET WITH DIAMOND TIP

0558/EP

€ 16,24

THE DIAMOND TIP ALLOWS A PERFECT
GRIP, AVOIDING TO RUIN THE HEAD
OF THE SCREW. THIS TYPE OF TIP IS
ALSO VERY EFFECTIVE WITH ALREADY
RUINED SCREWS.



€ 14,10

9 Pcs Cr-V S2 Hanger

Sizes 5/64" - 3/32" - 7/64" - 1/8" - 9/64" - 5/32" - 3/16" - 7/32" - 1/4"

HEX KEY SET

0558/GE

€ 12,88

WITH PH AND SLOT SCREWDRIVER
HEAD, WITH MULTIPURPOSE HANDLE
THAT CAN BE USED AS A T-HANDLE OR
AS A KEY EXTENSION.



€ 11,20

8 Pcs Cr-V Matte black Blister

Sizes 2-2,5-3-4-5-6-8-10 mm
Cross screwdriver PH0 (3mm) - PH1 (4mm) - PH2 (5mm)
Slotted screwdriver 6mm

MALE "T" HANDLE HEX WRENCH SET

0400

€ 61,60

WITH SLIDING BAR MAKING THEM
VERSATILE FOR USE IN DIFFICULT
SITUATIONS AND UNDER EXTREME
CONDITIONS



€ 58,80

7 Pcs Cr-V

Sizes 2 - 3 - 4 - 5 - 6 - 8 - 10 mm

3-WAY SPEEDY HEX KEY WRENCH SET

0190

€ 69,10

WITH PRACTICAL "SPEEDY" ROTATING
HANDLE FOR INCREASED WORKING
VELOCITY



€ 59,85

7 Pcs

Model 2 ÷ 10 mm
Sizes 2 - 3 - 4 - 5 - 6 - 8 - 10 mm

TORX KEY SET LONG TYPE

0220

 WITH TAMPER RESISTANT HEAD
(HOLE)

€12,99

€8,60

9 Pcs Cr-V Satin finish

Sizes T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50

TORX KEY SET WITH DIAMOND TIP

0558/TX

€16,24

 THE DIAMOND TIP ALLOWS A PERFECT
GRIP, AVOIDING TO RUIN THE HEAD
OF THE SCREW. THIS TYPE OF TIP IS
ALSO VERY EFFECTIVE WITH ALREADY
RUINED SCREWS.

€14,10

8 Pcs Cr-V S2 Hanger

Sizes T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40

ELECTRONIC DIGITAL TORQUE WRENCH

0809-

 ELECTRONIC DIGITAL TORQUE WRENCH, IT ALLOWS CW AND
CCW OPERATION AND A LED AND BUZER DIAGNOSTIC OF TORQUE
STATUS.


Starting from €88,85

Capacity	Dr.	Length	Art.	€	Promo
6 ÷ 30 Nm	1/4"	200 mm	0809/030	€ 98,00	€ 88,85
16 ÷ 80 Nm	3/8"	230 mm	0809/080	€ 104,50	€ 95,15
20 ÷ 100 Nm	1/2"	275 mm	0809/100	€ 110,10	€ 99,65

TORQUE WRENCH

0137

€56,45

€41,50

Cr-V

Dr.	1/2" - 3/8"
Capacity	28 ÷ 210 Nm
Extension	120 mm

COLORED TORX KEY SERIES

0545/TF

€32,70

€28,40

9 Pcs Mo-V Blister

Sizes T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50

CROSS RIM WRENCH

0080

€8,62

1/2" MALE DRIVE

€7,45

DIN 899 Zinc plated steel

 Sizes 17 - 19 - 21 mm
Dimensions 381 x 16 mm

DIGITAL TORQUE SCREWDRIVER

0806/020

€100,80

 CLOCKWISE AND ANTICLOCKWISE TIGHTENING,
SOUND AND VIBRATION DIAGNOSTICS OF THE
PRESET TORQUE REACHED.


€88,25

MEASURE UNITS:	Nm / lbft / lbin
Capacity	0 ÷ 20 Nm
Reading	0,01 Nm
Accuracy	±2%
Operation mode	Peak / Track
Hex drive	1/4"

TORQUE WRENCHES

0803-



Starting from €92,75

Cr-V

Capacity	Length	Shank	Art.	€	Promo
20 - 110 Nm	380 mm	3/8"	0803/110	€ 127,68	€ 92,75
40 - 210 Nm	535 mm	1/2"	0803/210	€ 183,68	€ 124,55
140 - 700 Nm	1085 mm	3/4"	0803/700	€ 596,96	€ 518,35

TORQUE MULTIPLIER

0360

€71,90

LABOR SAVING WHEEL WRENCH,
SUPPLIED IN PLASTIC CASE

€70,75

Plastic case

1" Dr. sockets	32 - 33 mm
Ratio	1 : 56
Maximum torque	3000 Nm
Operating torque	1000 Nm

ERGONOMIC RATCHET HANDLE

CN450Nx



Starting from € 17,75

Cr-V & Cr-Mo

Dr.	Length	Teeth	Art.	€	Promo
1/2"	250 mm	72	CN450N1/2A	€ 28,00	€ 21,60
1/4"	150 mm	72	CN450N1/4A	€ 23,41	€ 17,75
3/8"	205 mm	72	CN450N3/8A	€ 27,10	€ 21,45

ERGONOMIC RATCHET HANDLE

0439-

WITH 72 TEETH, 1/2" DR., WITH
HANGER

Starting from € 9,35

Cr-V & Cr-Mo Hanger

Dr.	Length	Teeth	Art.	€	Promo
1/2"	260 mm	72	0439/1/2	€ 27,10	€ 16,85
1/4"	155 mm	72	0439/1/4	€ 16,02	€ 9,35
3/8"	200 mm	72	0439/3/8	€ 22,62	€ 13,00

1/4" DR. SOCKET SET

0624

€60,59

46 Pcs Cr-V Chromed 1/4"

1/4" Dr. sockets	4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
Sockets with bits	1/4" : T8 - T10 - T15 - T20 - T25 - T30 - T40 - H3 - H4 - H5 - H6 - H7 - H8 - SL4 - SL5.5 - SL7 - PH1 - PH2 - PH3 - Pcs1 - Pcs2
Ratchet handle	1/4"
Flexible bar	1/4" - 150 mm
1/4" Dr. socket-bars	50 - 100 mm
Socket handle	1/4"
Universal joint	1/4"
Sliding T-bar	1/4"
Hex keys	1,27 - 1,5 - 2 - 2.5 mm



€57,75

1/2" DR. SOCKET SET

0620

€107,30

24 Pcs Cr-V Chromed 1/2"

1/2" Dr. sockets	10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 27 - 30 - 32 mm
Spark plug sockets sizes	1/2" : 21 mm
1/2" Dr. socket-bars	125 - 250 mm
Universal joint	1/2"
Sliding T-bar	1/2"
Ratchet handle	1/2"



€67,10

3/4" DR. SOCKET SET

0181

€143,36

20 Pcs Satin finish 3/4"

Sizes	19 - 21 - 22 - 23 - 24 - 26 - 27 - 30 - 32 - 34 - 36 - 38 - 41 - 46 - 48 - 50 mm
Ratchet handle	3/4"
Sliding T-bar	3/4"
Extension bars	3/4" : 100 - 200 mm



€116,20

1/4" & 1/2" DR. SOCKET SET

S108

€161,28

13 1/4" DR. SOCKETS, 8 1/4" DR. DEEP SOCKETS, 5 1/4" DR. DEEP SOCKETS, 17 1/2" DR. SOCKETS, 5 1/2" DR. DEEP SOCKETS, 8 1/2" DR. SOCKETS, 18 SOCKETS WITH BITS, 2 SPARK PLUG SOCKETS SIZES, 1 BITS HOLDER SOCKET, 17 BITS, 2 1/4" DR. SOCKET-BARS, 2 1/2" DR. SOCKET-BARS, 1 1/4" SOCKET HANDLE, 1 F. 3/8" - M. 1/2" ADAPTER, 1 1/4" UNIVERSAL JOINT, 1 1/2" UNIVERSAL JOINT, 1 1/4" SLIDING T-BAR, 1 1/4" RATCHET HANDLE, 1 1/2" RATCHET HANDLE, 3 HEX KEYS



€154,90

108 Pcs Cr-V Chromed

1/2" & 1/4" DR. SOCKET SET

0618

€178,08

13 1/4" DR. SOCKETS, 8 1/4" DR. DEEP SOCKETS, 1 MALE ADAPTER 1/4" DR. AND 1/4" HEX, 18 1/2" DR. SOCKETS, 4 1/2" DR. DEEP SOCKETS, 1 1/4" 150 mm FLEXIBLE BAR, 17 1/4" SOCKETS WITH BITS, 2 SPARK PLUG SOCKETS SIZES, 1 5/16" SOCKET FOR INSERTS, 15 5/16" BITS, 2 1/4" DR. SOCKET-BARS, 2 1/2" DR. SOCKET-BARS, 1 1/4" SOCKET HANDLE, 2 ADAPTER F3/8" - M. 1/2", 1 UNIVERSAL JOINT 1/4", 1 1/2" UNIVERSAL JOINT, 1 1/4" SLIDING T-BAR, 1 1/4" RATCHET HANDLE, 1 1/2" RATCHET HANDLE, 3 HEX KEYS



€138,65

94 Pcs Cr-V Chromed

1/4", 3/8" & 1/2" DR. SOCKET SET
S179
€276,64


 WITH 1/4", 3/8" AND 1/2" REVERSIBLE
RATCHET WRENCHES, EXTENSIONS,
INSERTS AND HEX KEYS.

179 Pcs Cr-V Chromed


€256,20
STANDARD & DEEP IMPACT SOCKET SET
I340
€211,68

40 Pcs Cr-Mo Phosphated 1/2"

1/2" Dr. sockets	9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 26 - 27 - 30 mm
1/2" Dr. deep sockets	9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 26 - 27 - 30 mm
Universal joint	1/2"
1/2" Dr. socket-bars	125 mm


€175,35
STANDARD IMPACT SOCKET SET
SI4E3N013
€53,42

€42,00

13 Pcs Cr-Mo Phosphated DIN 3129 1/2"

Socket 10, 11, 12, 13, 14, 16, 17, 19, 21, 22, 24, 27, 30 mm

IMPACT HEX BIT SOCKET SET
SI413M006
€46,78

€35,40

6 Pcs Cr-Mo Phosphated DIN 3129 1/2"

 Length 60 mm
Socket 8, 10, 12, 14, 17, 19 mm

DEEP IMPACT HEX SOCKET SET WITH PLASTIC SLEEVE
0341
€33,26

€28,70

3 Pcs Cr-Mo 1/2"

 Sizes 17 - 19 - 21 mm
Length 87 mm

IMPACT HEX SOCKET SET WITH PLASTIC SLEEVE
0341/5S
€46,78

€40,55

5 Pcs Cr-Mo 1/2"

 Sizes 17 - 19 - 21 - 22 - 24 mm
Length 87 mm

IMPACT HEX SOCKET SET WITH PLASTIC SLEEVE
0341/3LS
€51,38

€44,60

3 Pcs Cr-Mo 1/2"

 Sizes 17 - 19 - 21 mm
Length 150 mm

METRIC STANDARD IMPACT SOCKET SET
I217
€278,88

 17 PHOSPHATED SOCKETS, MADE OF
CR-MO, DR 3/4" FEMALE CONNECTION,
IN A BLACK PLASTIC BOX

€228,40

17 Pcs Cr-Mo Phosphated 3/4"

 Sizes 19 - 21 - 22 - 24 - 27 - 30 - 32 -
33 - 34 - 35 - 36 - 38 - 40 - 41 -
46 - 50 - 55 mm

2 JAW GEAR PULLER

E190-

Starting from € 24,65



Dimensions	Art.	€	Promo
Max Ø 80 mm - h 100 mm	E190/080	€ 26,99	€ 24,65
Max Ø 130 mm - h 100 mm	E190/130	€ 35,28	€ 25,65
Max Ø 160 mm - h 150 mm	E190/160	€ 43,46	€ 33,95
Max Ø 200 mm - h 150 mm	E190/200	€ 46,82	€ 37,25

DIAMOND TIP SCREWDRIVER SET

D880/006

€ 23,18

WITH BLACK BLADE AND TRICOMPONENT HANDLE MADE OF HIGHLY ELASTIC TPR RESIN AND OIL-RESISTANT POLYPROPYLENE MATERIAL. THE DIAMOND TIP ALLOWS A PERFECT GRIP, AVOIDING TO RUIN THE HEAD OF THE SCREW. THIS TYPE OF TIP IS ALSO VERY EFFECTIVE WITH ALREADY RUINED SCREWS.

6 Pcs S2 Mo-V Box display

Sizes Slot	(-) 4 x 100 mm, (-) 5 x 125 mm, (-) 6 x 150 mm
Cross	(+) PH 1 x 75 mm, (+) PH 2 x 100 mm, (+) PH 3 x 150 mm



€ 20,10

SCREWDRIVER SET

C880/006

€ 15,68

WITH BLACK PHOSPHATIZED MAGNETIC TIP, HANDLE MADE OF HIGH ELASTIC RESIN TPR AND POLYPROPYLENE MATERIAL OIL RESISTANT.



€ 14,45

6 Pcs 50 Cr-V Box display

AVAILABLE FROM SEPTEMBER

Sizes Slot	(-) 4 x 100 mm, (-) 5 x 125 mm, (-) 6 x 150 mm
Cross	(+) PH 1 x 75 mm, (+) PH 2 x 100 mm, (+) PH 3 x 150 mm

HAND RIVETER SET

S018

€ 84,88



€ 78,90

Case

Rivets	50 x ø2,4 mm - 50 x ø3,2 mm - 50 x ø4,0 mm - 50 x ø4,8 mm
Nut rivets	50 x M3 - 50 x M4 - 25 x M5 - 25 x M6 - 20 x M8

DOUBLE HAND NUT RIVETER

0455

€ 92,48

WITH 7 NOSEPIECES



€ 82,75

Case

Nosepieces	M3 - M4 - M5 - M6 - M8 - M10 - M12
Length	400 mm

HAND NUT RIVETER

0469

€ 51,38

WITH 4 NOSEPIECES. ERGONOMIC HANDLES



€ 47,40

Box

Nosepieces	M3 - M4 - M5 - M6
Length	200 mm

DOUBLE HAND RIVETER

0453

€ 41,44

LONG LEVERS FOR EFFORTLESS WORKING, EVEN WITH 6.4 mm RIVETS. PLASTIC CONTAINER, UNDER THE RIVETING TOOL, TO COLLECT THE PINS OF THE USED RIVETS TO BE RECYCLED



€ 35,40


Box

Rivets	Ø 3,2 - 4,0 - 4,8 - 6,4 mm
Length	400 mm

DIAGONAL SIDE CUTTING NIPPERS

0873/TL

€ 7,86



€ 4,95

Cr-V Hanger

Length	160 mm
Thickness	9 mm
Weight	210 g

RATCHET CRIMPING TOOL

0841

€20,50

WITH RELEASE LEVER



€19,35

Blister

For insulated terminals	Ø 0,8 ÷ 3,5 mm / 0,25 ÷ 6 mm ² AWG 22-10
Length	230 mm
Thickness	12 mm

WATER PUMP PLIERS

0118

€4,48

6 POSITIONS



€4,25

Hanger

Length	240 mm
--------	--------

AUTO REPAIRING PLIERS SET FOR CARS ZIP TIES

0603

€91,50



€84,60

9 Pcs Case

WATER PUMP PLIERS

0831-

7 POSITIONS, DOUBLE RACK



Starting from €4,85

Cr-V DIN ISO 8976/C Hanger

Length	Art.	€	Promo
175 mm	0831/175	€ 7,28	€ 4,85
250 mm	0831/250	€ 8,62	€ 5,45
300 mm	0831/300	€ 10,53	€ 9,75

ADJUSTABLE LOCK WRENCH

0119

€6,38



€4,55

Blister

Length	220 mm
--------	--------

DRIFT PIN SET WITH PLASTIC HOLDER

0126

€13,10



€10,80

6 Pcs Cr-V Blister

Dimensions	Ø 3-4-5-6-8-10 mm
Length	150 mm

CARVING CHISEL SET

0306

€56,45



€46,80

12 Pcs Wooden box

Length	215 mm
Hardness	HRC 58-60

FILE SET FOR METAL WITH ANATOMIC HANDLE

0160

€15,68



€13,85

5 Pcs Blister

Dimensions	200 mm - 8" mm
------------	----------------

SECURITY SNAP-OFF UTILITY
KNIFE, BLADES INCLUDED

0035

€5,82

€4,70



Standard blades 4
Trapezoidal blade 19 x 61 x 0,6 mm



ELECTRICIAN SCISSORS

0672

€7,06

WITH STAINLESS STEEL SERRATED
BLADE, AND ERGONOMIC HANDLE IN
ABS MATERIAL

€4,35



Length 5" 1/2 - 140 mm



ELECTRICIAN SCISSORS

0672/B

€9,63

WITH STAINLESS STEEL SERRATED
BLADE AND, BICOLOR NON-SLIP
ERGONOMIC HANDLE

€5,45



Length 140 mm



COPPER WASHER SET

0229

€14,67

30 PCS M6; 25 PCS M8; 20 PCS M10; 15
PCS M12; 10 PCS M14; 10 PCS M16;

€13,85

110 Pcs Plastic box NBR



COTTER PIN SET

0294

€10,42

€7,70

555 Pcs Plastic box



O-RING SET

0177

€10,19

€6,05

10 PCS 3/32" X 15/64"; 20 PCS 1/8" X
1/4"; 20 PCS 5/32" X 9/32"; 20 PCS 3/16"
X 5/16"; 15 PCS 7/32" X 11/32"; 15 PCS
1/4" X 3/8"; 10 PCS 9/16" X 3/4"; 10 PCS
5/8" X 13/16"; 10 PCS 11/16" X 7/8"; 10
PCS 3/4" X 15/16"; 10 PCS 3/4" X 1"; 10
PCS 13/16" X 11/16"; 15 PCS 5/16" X
7/16"; 10 PCS 3/8" X 1/2"; 10 PCS 5/8" X
3/4"; 10 PCS 3/8" X 9/16"; 10 PCS 7/16" X
5/8"; 10 PCS 1/2" X 11/16";

225 Pcs Plastic box



NYLON CABLE TIE SET

0876

€11,54

€11,00

650 Pcs

300 Pcs	2,5 x 100 mm
200 Pcs	3,6 x 150 mm
150 Pcs	4,8 x 200 mm



INSULATED TERMINAL SET

0293

€13,66

€11,20

15 PCS FDD1-110 2.8X0.5/0.8 mm; 15
PCS FDD1-187 4.75X0.5/0.8 mm; 10 PCS
FDD2-187 6.35X0.5/0.8 mm; 15 PCS
FDD1-250 4.75X0.5/0.8 mm; 10 PCS
FDD2-250 6.35X0.8 mm; 10 PCS FDD5-
250 6.35X0.8 mm; 10 PCS BV1; 10 PCS
BV2; 10 PCS BV5; 10 PCS MDD1-250;
10 PCS MDD2-250; 10 PCS MDD5-250;
10 PCS SVL1.25-3.7; 10 PCS SVL1.25-4;
10 PCS SVL1.25-5.3; 10 PCS SVM2-4;
10 PCS SVS2-5; 10 PCS SVL5-4; 10 PCS
SVL5.5-4;

200 Pcs Plastic box



WORKSHOP FURNITURE

The right solution for your every need




Wooden top (all codes A007-)

**CANNOT FIND THE CONFIGURATION
THAT IS RIGHT FOR YOU?**

*Check out the online
catalog and compose your
furniture.*















 A007A € 3964,80 € 3659,85 3920 x 498 x 2000h mm	 A007B € 3886,40 € 3587,45 3920 x 498 x 2000h mm	 A007D € 2665,60 € 2460,60 2640 x 498 x 2000h mm	 A007E € 2195,20 € 2026,35 2640 x 498 x 2000h mm	 A007F € 1027,04 € 948,05 864 x 864 x 2000h mm
 A008A € 4166,40 € 3845,95 2640 x 498 x 2000h mm	 A008B € 4065,60 € 3752,90 3500 x 2250 x 2000h mm Depth 498 mm	 A008D € 2788,80 € 2574,30 1960 x 498 x 2000h mm	 A008E € 2284,80 € 2109,05 2800 x 2800 x 2000h mm Depth 498 mm	 A008F € 1083,04 € 999,75 1360 x 498 x 2000h mm
 A007G € 2262,40 € 2088,40 2640 x 498 x 2000h mm	 A007H € 4289,60 € 3959,65 3500 x 2250 x 2000h mm Depth 498 mm	 A007I € 2049,60 € 1891,95 1960 x 498 x 2000h mm	 A007L € 4524,80 € 4176,75 2800 x 2800 x 2000h mm Depth 498 mm	 A007M € 1377,60 € 1271,65 1360 x 498 x 2000h mm
 A008G € 2385,60 € 2202,10 2640 x 498 x 2000h mm	 A008H € 4513,60 € 4166,40 3500 x 2250 x 2000h mm Depth 498 mm	 A008I € 2150,40 € 1985,00 1960 x 498 x 2000h mm	 A008L € 4760,00 € 4393,85 2800 x 2800 x 2000h mm Depth 498 mm	 A008M € 1456,00 € 1344,00 1360 x 498 x 2000h mm



Scan the QR Code,
you can immediately
access the technical
data sheets



Steel top (all codes A008-)

 A007N € 2217,60 € 2047,05  2040 x 498 x 2000h mm	 A007P € 4155,20 € 3835,60  3920 x 498 x 2000h mm	 A007Q € 2150,40 € 1985,00  1960 x 498 x 2000h mm	 A007R € 924,00 € 852,95  680 x 498 x 2000h mm
 A008N € 2329,60 € 2150,40  2640 x 498 x 2000h mm	 A008P € 4345,60 € 4011,35  2640 x 498 x 2000h mm	 A008Q € 2240,00 € 2067,70  2640 x 498 x 2000h mm	 A008R € 971,04 € 896,35  2640 x 498 x 2000h mm
 A007S € 2497,60 € 2305,50  2640 x 498 x 2000h mm	 A007T € 1993,60 € 1840,25  2640 x 498 x 2000h mm	 A007U € 2620,80 € 2419,20  2640 x 498 x 2000h mm	 A007UF € 2867,20 € 2646,65  2640 x 498 x 2000h mm
 A008S € 2587,20 € 2388,20  2640 x 498 x 2000h mm	 A008T € 2083,20 € 1923,00  2640 x 498 x 2000h mm	 A008U € 2721,60 € 2512,25  2640 x 498 x 2000h mm	 A008UF € 2956,80 € 2729,40  2640 x 498 x 2000h mm


MODULAR DRAWERS

CONNECTABLE WITH OTHER DRAWERS THROUGH GUIDES TO CREATE INFINITE COMBINATIONS. EQUIPPED WITH DRAWER LOCKING TO PREVENT THE CONTENTS FROM ACCIDENTALLY FALLING AND REAR FIXING HOLES FOR WALL MOUNTING. MADE OF RESISTANT PLASTIC, IT IS SUITABLE FOR USE IN THE CONSTRUCTION SITE, AT HOME AND IN THE WORKSHOP.

MODULAR DRAWER UNIT WITH PULL-OUT TRAYS
C086/01T
€14,90


Dimensions	295 x 165 x 200h mm
Drawers number	1
Drawer dimensions	250 x 160 x 150 mm

€13,80
MODULAR DRAWER UNIT WITH PULL-OUT TRAYS
C086/02T
€17,25


Dimensions	295 x 165 x 200h mm
Drawers number	2
Drawer dimensions	250 x 160 x 70 mm

€15,95
MODULAR DRAWER UNIT WITH PULL-OUT TRAYS
C086/04T
€19,60


Dimensions	295 x 165 x 200h mm
Drawers number	4
Drawer dimensions	120 x 160 x 70 mm

€18,10
MODULAR DRAWER UNIT WITH PULL-OUT DRAWERS
C086/01C
€14,90


Dimensions	295 x 165 x 200h mm
Drawers number	1
Drawer dimensions	250 x 130 x 150 mm

€13,80
MODULAR DRAWER UNIT WITH PULL-OUT DRAWERS
C086/02C
€16,80


Dimensions	295 x 165 x 200h mm
Drawers number	2
Drawer dimensions	250 x 160 x 70 mm

€15,55
MODULAR DRAWER UNIT WITH PULL-OUT DRAWERS
C086/04C
€17,70


Dimensions	300 x 200 x 165 mm
Drawers number	4
Drawer dimensions	120 x 160 x 70 mm

€16,35
MODULAR DRAWER UNIT WITH PULL-OUT DRAWERS
C086/12C
€20,50


Dimensions	295 x 165 x 200h mm
Drawers number	12
Drawer dimensions	60 x 160 x 50 mm

€18,95

FOLDABLE HEAVY DUTY WORKBENCH**B019****€ 484,96**

MADE OF STEEL, TEAR DOWN STRUCTURE WITH 2 POWERFUL GAS STRUTS, PEG BOARD 1195 X 458 X 20 mm, MAIN LEG HEIGHT 1380 mm, TOTAL WIDTH FOR THE PRODUCT 1280 mm, DEPTH OF THE OPEN/CLOSE PRODUCT 648/130 mm AT A HEIGHT OF 330 mm, AUTO-LOCK WITH HANDLE IN THE CORNER OF TOP PLATE, PEG BOARD WITH HOLES Ø 4 mm, DISTANCE BETWEEN CENTERS HOLES 25 mm FOR HOOKS WITH WIRE Ø 3 mm

Plate Dimensions	1195 x 648 x 41 mm
Capacity	225 kg

**€ 452,80****STEEL WORKBENCH KIT****B015****€ 484,96**

WITH STEEL TOP AND TWO LOCKABLE DRAWERS

Bench dimensions	1500 x 645 x 865h mm
Legs thickness	1 mm
Plate thickness	2 mm
Capacity	800 kg
Drawers with key	2

**€ 447,70****WORKBENCH KIT****B015/10****€ 271,04**

WITH STEEL TOP AND LOCKABLE DRAWER

Dimensions	1000 x 640 x 865h mm
Legs thickness	2 mm
Plate thickness	2 mm
Capacity	600 kg

**€ 250,20****WORKBENCH KIT****B022/10****€ 316,96**

WITH WOOD PRESS TOP AND A LOCKABLE DRAWER

Dimensions	1000 x 640 x 865h mm
Legs thickness	2 mm
Plate thickness	38 mm
Capacity	350 kg

**€ 292,60****WORKBENCH KIT****B017****€ 322,56**

Bench dimensions	1524 x 650 x 845h mm
Legs thickness	1,0 mm
Plate thickness	40 mm
Capacity	280 kg

**€ 297,75****WORKBENCH KIT****B009/B1****€ 532,00**

WITH WOOD PRESS TOP, 3 LOCKABLE DRAWERS, 1 SHELF WITH DOOR AND ADJUSTABLE FEET

Dimensions	1200 x 600 x 865h mm
Legs thickness	2 mm
Plate thickness	36 mm
Capacity	350 kg

**€ 491,10****CABINET****A100****€ 243,04**

WITH 1 DRAWER, SLIDE ON BEARING WITH LOCKING DEVICE

Cabinet dimensions	500 x 460 x 1000h mm
Steel thickness	1 mm
Internal shelves	2
Maximum capacity	100 kg
Shelf capacity	25 kg

**€ 224,35****CABINET****A300****€ 389,76**

WITH 2 DRAWERS, SLIDE ON BALL BEARING WITH LOCKING DEVICE

Cabinet dimensions	1000 x 460 x 1000h mm
Steel thickness	1 mm
Internal shelves	2
Maximum capacity	150 kg
Shelf capacity	25 kg

**€ 359,80**

TOOL CABINET
C800
€837,76

 WITH 8 DRAWERS, SLIDE ON BEARING
WITH LOCKING DEVICE, WITHOUT
INTERNAL DIVIDERS

€782,45

Drawer capacity	50 kg
External Dimensions	630 x 550 x 930h mm
Drawer dimensions	517 x 440 mm
Drawers height	8 x 73 mm

TOOL CABINET
C600
€676,48

 WITH 6 DRAWERS, SLIDE ON BEARING
WITH LOCKING DEVICE, WITHOUT
INTERNAL DIVIDERS

€605,70

Drawer capacity	50 kg
External Dimensions	630 x 550 x 930h mm
Drawer dimensions	517 x 440 mm
Drawers height	6 x 115 mm

ALLUMINUM CASE SET
0849
€211,68

ERGONOMIC HANDLES


€164,45

Cases dimensions	730 x 380 x 360h mm - 680 x 310 x 320h mm - 475 x 260 x 210h mm
------------------	---

TOOL ROLLING CABINET
C670
€1036,00

 COMPOSED OF 6 BALL BEARING
DRAWERS, 1 LARGE STORAGE
WITH DOOR COMPARTMENT AND 2
DRAWERS, 2 SWIVEL AND 2 FIXED
CASTERS, PAPER-ROLL DISPENSER
EQUIPPED

€956,35

Dimensions	1200 x 460 x 1060h mm
Plate Dimensions	1020 x 455 x 15h mm
Cabinet dimensions	320 x 410 x 630h mm
Cabinet drawers	n°2 290 x 400 x 65h mm
Drawer capacity	25 kg
Drawer dimensions	1 - 900 x 405 mm 5 - 535 x 405 mm
Drawers height	1 x 85 mm - 1 x 40 mm - 2 x 70 mm - 1 x 150 mm - 1 x 230 mm

TOOL ROLLING CABINET WITH 7 DRAWERS
C960/F7
€523,04

 BALL BEARING EQUIPPED SAFETY
DRAWERS WITH CENTRAL LOCKING,
PAPER DISPENSER AND TRAY, 2
SWIVEL AND 2 FIXED CASTERS

€482,85

Dimensions	890 x 458 x 994 mm
Drawer dimensions	565 x 405 mm
Drawers height	5 x 65 mm - 2 x 145 mm
Drawer capacity	25 kg
Weight	65 kg

TOOL ROLLING CABINET
C900/B
€387,52

 COMPOSED OF 6 DRAWERS WITH
CENTRAL LOCKING, 2 SWIVEL AND 2
FIXED CASTERS

€357,75

Dimensions	685 x 455 x 850h mm
Drawer capacity	25 kg
Drawer dimensions	585 x 410 mm
Drawers height	2 x 45 mm - 2 x 100 mm - 2 x 150 mm

TOOL ROLLING CABINET
C902/B
€309,12

 COMPOSED OF 3 DRAWERS ROLL-
WAGON WITH CENTRAL LOCKING, 2
SWIVEL AND 2 FIXED CASTERS

€285,35

Compartment dimensions	575 x 430 x 315h mm
Dimensions	680 x 435 x 780h mm
Drawer capacity	25 kg

TOOL ROLLING CABINET WITH TOOLS
C960C
€931,84

 WITH TOOL SET: C960/1 - C960/2
C960/3 - C960/4 C960/5 - C960/6 C960/7
- C960/8

€860,20

Dimensions	890 x 458 x 994 mm
Drawer dimensions	565 x 405 mm
Drawers height	5 x 74,5 mm - 2 x 153,5 mm
Drawer capacity	25 kg

TOOL BOX WITH TROLLEY,
TOOLS AND ACCESSORIES

0110T

€244,16



€206,65

135 Pcs Cr-V

Case size	470 x 350 x 135 mm
weight	10 kg

TOOL BOX WITH ACCESSORIES

0110

€200,48



€176,75

135 Pcs Cr-V

Case size	470 x 350 x 135 mm
weight	9,8 kg

TOOL BOX WITH TOOLS AND
ACCESSORIES

0434

€88,70



€77,05

54 Pcs Cr-V

Case size	400 x 270 x 120 mm
weight	3,12 kg

TOOL CHEST

0323/45

€43,46

WITH 5 TRAYS



€38,85

Box

Dimensions	450 x 200 x 205 h mm
------------	----------------------

TOOL CHEST

0323/55

€49,28

WITH 5 TRAYS



€44,15

Box

Dimensions	550 x 200 x 205h mm
------------	---------------------

TROLLEY ABS TOOL CASE

0683

€140,96

TOOLS NOT INCLUDED



€113,40

A	460 mm	E	92 mm
B	330 mm	Capacity	25 kg
C	190 mm	Weight	4,5 kg
D	98 mm		

ALUMINIUM TOOL CASE

068x

TOOLS NOT INCLUDED



Starting from €87,80

CHECK THE
MEASUREMENTS
ON THE WEBSITE

Capacity	Weight	Art.	€	Promo
30 kg	5,8 kg	0680	€ 120,96	€ 95,15
30 kg	5,2 kg	0681	€ 104,50	€ 87,80

TOOL BAG

0390

€40,43

WITH SHOULDER BELT MADE OF 1680
DENIER POLYESTER

€38,65

Pockets	14
Dimensions	400 x 225 x 250h mm - 16" x 9" x 10" h

STEEL VICE
0036-

WITH LATERAL SLIDE ADJUSTMENT


Starting from € 87,20

Jaws	Opening	Working height	Slot distance	Art.	€	Promo
100 mm	105 mm	60 mm	85 mm	0036/100	€ 107,63	€ 87,20
125 mm	138 mm	75 mm	110 mm	0036/125	€ 159,04	€ 137,05
150 mm	180 mm	90 mm	150 mm	0036/150	€ 268,80	€ 248,25

TABLE VICE WITH SWIVEL BASE
0036-xG

WITH LATERAL SLIDE ADJUSTMENT


Starting from € 109,10

Jaws	Opening	Art.	€	Promo
100 mm	90 mm	0036/100G	€ 126,56	€ 109,10
125 mm	124 mm	0036/125G	€ 173,60	€ 155,50
150 mm	180 mm	0036/150G	€ 297,92	€ 274,10

FORGED STEEL VICE
0135-

WITH LATERAL SLIDE ADJUSTMENT


Starting from € 97,90

Jaws	Opening	Working height	Slot distance	Weight	Art.	€	Promo
100 mm	125 mm	60 mm	98 mm	5,8 kg	0135/100	€ 115,36	€ 97,90
125 mm	160 mm	70 mm	111 mm	9,8 kg	0135/125	€ 163,52	€ 138,85
150 mm	190 mm	85 mm	136 mm	17,8 kg	0135/150	€ 259,84	€ 220,45

STEEL VICE
0140-

HEAVY DUTY WITH PIPE JAWS AND LATERAL SLIDE ADJUSTMENT


Starting from € 37,65

Jaws	Opening	Working height	Slot distance	Weight	Art.	€	Promo
80 mm	80 mm	60 mm	81 mm	4 kg	0140/080	€ 43,23	€ 37,65
125 mm	125 mm	90 mm	103 mm	10,9 kg	0140/125	€ 74,48	€ 64,90
150 mm	150 mm	95 mm	123 mm	14,9 kg	0140/150	€ 93,74	€ 81,55

STEEL VICE
0591-

WITH BEARING ON SCREW, INTERCHANGEABLE JAWS, PIPE JAWS AND LATERAL SLIDE ADJUSTMENT


Starting from € 122,95

Jaws	Opening	Weight	Art.	€	Promo
100 mm	95 mm	6,1 kg	0591/100	€ 142,24	€ 122,95
125 mm	138 mm	12,3 kg	0591/125	€ 200,48	€ 177,35
150 mm	230 mm	26,6 kg	0591/150	€ 302,40	€ 272,10

SG IRON PARALLEL BENCH VICE
0427-

WITH PRISMATIC GUIDES


Starting from € 63,35

Jaws	Opening	Weight	Art.	€	Promo
80 mm	80 mm	6,5 kg	0427/080	€ 67,31	€ 63,35
100 mm	100 mm	10,1 kg	0427/100	€ 86,80	€ 78,45
135 mm	125 mm	12,2 kg	0427/125	€ 115,36	€ 108,60

GENERAL USE STEEL CLAMP WITH T-SPINDLE
M006-

Starting from € 23,00

Span x Depth	Spindle	Weight	Art.	€	Promo
200 x 120 mm	22 x 10,5 mm	1,20 kg	M006/200	€ 25,65	€ 23,00
300 x 140 mm	25 x 12 mm	1,80 kg	M006/300	€ 35,95	€ 28,60
420 x 120 mm	25 x 12 mm	1,90 kg	M006/400	€ 36,40	€ 30,95
500 x 120 mm	25 x 12 mm	2,10 kg	M006/500	€ 40,43	€ 31,35
600 x 120 mm	25 x 12 mm	2,30 kg	M006/600	€ 58,13	€ 39,65
800 x 120 mm	25 x 12 mm	3,00 kg	M006/800	€ 69,78	€ 43,70

GENERAL USE STEEL CLAMP RATCHET
M007-

Starting from € 38,65

Span x Depth	Spindle	Weight	Art.	€	Promo
250 x 120 mm	22 x 10,5 mm	1,46 kg	M007/250	€ 50,29	€ 38,65
300 x 140 mm	25 x 12 mm	2,42 kg	M007/300	€ 58,13	€ 47,15
400 x 120 mm	25 x 12 mm	2,55 kg	M007/400	€ 63,39	€ 43,70
500 x 120 mm	25 x 12 mm	2,76 kg	M007/500	€ 68,32	€ 53,50
600 x 120 mm	25 x 12 mm	2,97 kg	M007/600	€ 76,05	€ 63,75

C50 HARDENED STEEL ANVIL

0157-

STURDY CONSTRUCTION, ROUND HOLE AND SQUARE HOLE FOR PUNCHING AND BENDING.



Starting from € 89,60

Tolerance	Art.	€	Promo
±5%	0157/10	€ 105,73	€ 89,60
±5%	0157/100	€ 772,80	€ 691,10
±5%	0157/30	€ 254,24	€ 216,50
±5%	0157/50	€ 369,60	€ 322,55

AIR STAPLER

0587

€ 87,81



Case

Loader capacity	100
Working pressure	5 - 7 bar
Dimensions	225 x 165 x 45 mm
Staples	80 - 6 / 16 mm

€ 54,10

2 IN 1 AIR STAPLER AND BRAD NAILER

0585

€ 106,40



Case

Loader capacity	80
Working pressure	5 - 7 bar
Dimensions	245 x 230 x 55 mm
Nails	F - 10 / 50 mm
Staples	90 - 10 / 40 mm

€ 74,20

AIR BRAD NAILER

0586

€ 97,55



Case

Loader capacity	110
Working pressure	5 - 7 bar
Dimensions	245 x 225 x 55 mm
Nails	F - 10 / 50 mm

€ 63,35

AIR IMPACT WRENCH

AP01

€ 220,64

PROFESSIONAL SERIES. IN COMPOSITE MATERIAL, HANDLE AND HEAD IN SHOCKPROOF RUBBER. OPERATING LEVER, CHANGE OF ROTATION AND SPEED ADJUSTMENT OPERATED WITH ONE HAND. HIGH POWER AND GREAT RELIABILITY

3/8" Box

Speed	8500 rpm
Torque	542 Nm 400 lb-ft
Avg air cons.	108 l/min 3.8 SCFM
Working pressure	6 bar 90 psi
Air inlet	1/4"

€ 205,60

AIR IMPACT WRENCH

AP02

€ 228,48

PROFESSIONAL SERIES. IN COMPOSITE MATERIAL, HANDLE AND HEAD IN SHOCKPROOF RUBBER. OPERATING LEVER, CHANGE OF ROTATION AND SPEED ADJUSTMENT OPERATED WITH ONE HAND. HIGH POWER AND GREAT RELIABILITY

1/2" Box

Speed	7800 rpm
Torque	678 Nm 500 lb-ft
Avg air cons.	136 l/min 4.8 SCFM
Working pressure	6 bar 90 psi
Air inlet	1/4"

€ 213,20

AIR IMPACT WRENCH

AP03

€ 236,32

PROFESSIONAL SERIES. IN COMPOSITE MATERIAL, HANDLE AND HEAD IN SHOCKPROOF RUBBER. OPERATING LEVER, CHANGE OF ROTATION AND SPEED ADJUSTMENT OPERATED WITH ONE HAND. HIGH POWER AND GREAT RELIABILITY

1/2" Box

Speed	7300 rpm
Torque	1085 Nm 800 lb-ft
Avg air cons.	153 l/min 5.4 SCFM
Working pressure	6 bar 90 psi

€ 220,80

AIR IMPACT WRENCH

AP04

€ 245,28

PROFESSIONAL SERIES. IN COMPOSITE MATERIAL, HANDLE AND HEAD IN SHOCKPROOF RUBBER. OPERATING LEVER, CHANGE OF ROTATION AND SPEED ADJUSTMENT OPERATED WITH ONE HAND. HIGH POWER AND GREAT RELIABILITY

3/4" Box

Speed	7300 rpm
Torque	1085 Nm 800 lb-ft
Avg air cons.	153 l/min 5.4 SCFM
Working pressure	6 bar 90 psi

€ 228,40

AIR IMPACT WRENCH
AP05
€571,20

PROFESSIONAL SERIES. IN COMPOSITE MATERIAL, HANDLE AND HEAD IN SHOCKPROOF RUBBER. OPERATING LEVER, CHANGE OF ROTATION AND SPEED ADJUSTMENT OPERATED WITH ONE HAND. HIGH POWER AND GREAT RELIABILITY

 3/4"  Box

Speed	5300 rpm
Torque	1900 Nm 1400 lb-ft
Avg air cons.	224 l/min 8.1 SCFM
Working pressure	6 bar 90 psi


€532,90
AIR IMPACT WRENCH
AP05/150
€686,56

WITH 150mm ANVIL PROFESSIONAL SERIES. IN COMPOSITE MATERIAL, HANDLE AND HEAD IN SHOCKPROOF RUBBER. OPERATING LEVER, CHANGE OF ROTATION AND SPEED ADJUSTMENT OPERATED WITH ONE HAND. HIGH POWER AND GREAT RELIABILITY

 3/4"  Box

Speed	5300 rpm
Torque	1900 Nm 1400 lb-ft
Avg air cons.	224 l/min 8.1 SCFM
Working pressure	6 bar 90 psi


€639,50
AIR IMPACT WRENCH
AP06
€220,64

PROFESSIONAL SERIES. IN COMPOSITE MATERIAL, HANDLE AND HEAD IN SHOCKPROOF RUBBER. OPERATING LEVER, CHANGE OF ROTATION AND SPEED ADJUSTMENT OPERATED WITH ONE HAND. HIGH POWER AND GREAT RELIABILITY

 1/2"  Box

Speed	9000 rpm
Torque	312 Nm 230 lb-ft
Avg air cons.	113 l/min 4 SCFM
Working pressure	6 bar 90 psi
Air inlet	1/4"


€205,60
FLEXIBLE PNEUMATIC MICROGRINDING WHEEL
0641
€58,58

FOR GRINDING AND CHAMFERING

 Case

Collet capacity	3 mm
Speed	56000 rpm
Avg air cons.	2 SCFM (60 l/min.)
Working pressure	6 bar 90 psi


€43,10
AIR BELT SANDER
0784
€68,77
 Box

Speed	16000 rpm
Avg air cons.	6 SCFM (180 l/min.)
Working pressure	6 bar 90 psi
Belt	10 x 330 mm
Air inlet	1/4"


€58,20
MINI AIR DIE GRINDER
0413
€28,56

COLLET 3 mm AND 6 mm. REVOLVING REAR AIR OUTLET. BODY FRAME MADE FROM COMPOSITE MATERIAL

 Box

Pliers	ø 3 mm - ø 6 mm
Speed	25000 rpm
Avg air cons.	4 SCFM (113 l/min)
Working pressure	6 bar 90 psi
Air inlet	1/4"
Weight	350 g


€27,05
AIR DIE GRINDER
0414
€32,59

3 AND 6 Mm, WITH REAR EXHAUST 360°, EXCLUSIVE COMPOSITE BODY DESIGN

 Box

Pliers	ø 3 mm - ø 6 mm
Speed	22000 rpm
Avg air cons.	7 SCFM (198 l/min)
Working pressure	6 bar 90 psi
Air inlet	1/4"


€30,95
90° AIR DIE GRINDER
0416
€50,74

COLLET Ø 3 mm - Ø 6 mm. REVOLVING REAR AIR OUTLET.

 Box

Pliers	ø 3 mm - ø 6 mm
Speed	20000 rpm
Avg air cons.	4 SCFM (113 l/min)
Working pressure	6 bar 90 psi
Weight	550 g
Air inlet	1/4"


€48,15

LONG TYPE AIR DIE GRINDER

0417

€56,00

3 AND 6 mm PINCERS, WITH REAR EXHAUST 360°, EXCLUSIVE COMPOSITE BODY DESIGN



Box

Pliers	ø 3 mm - ø 6 mm
Length	295 mm
Speed	20000 rpm
Avg air cons.	4 SCFM (113 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"

€51,45

REVERSIBLE AIR DRILL

0418

€49,73

CHUCK 10 Ø mm, WITH REAR EXHAUST 360°, COMPOSITE BODY DESIGN



Box

Chuck sizes	Ø 10 mm
Speed	1800 rpm
Avg air cons.	4 SCFM (113 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"

€45,80

6" AIR ORBIT SANDER WITH SUCTION

0419

€83,89

AND SPEED CONTROL, HOOK & LOOP PAD, 360° REAR EXHAUST, DIE CAST ALUMINUM BODY WITH SOFT HANDLE GRIP IN LIGHTWEIGHT AND ERGONOMIC DESIGN



Box

Disc diameter	150 mm - 6"
Orbit	5 mm, 3/16"
Speed	10500 rpm MAX.
Avg air cons.	3 SCFM (85 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Length	200 mm

€79,20

6" AIR ORBIT SANDER WITH SELF-INTEGRATED SUCTION

0421

€91,28

SPEED CONTROL, HOOK & LOOP PAD, 360° REAR EXHAUST, DIE CAST ALUMINUM BODY WITH SOFT HANDLE GRIP IN LIGHTWEIGHT AND ERGONOMIC DESIGN, CORRUGATED HOSE AND DUST BAG



Box

Disc diameter	150 mm - 6"
Orbit	5 mm, 3/16"
Speed	10500 rpm
Avg air cons.	3 SCFM (85 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Length	200 mm

€86,00

6" AIR ORBIT SANDER WITH SUCTION

0458

€83,89

SPEED CONTROL, 2.5 mm ORBIT, HOOK & LOOP PAD, 360° REAR EXHAUST, DIE CAST ALUMINUM BODY WITH SOFT HANDLE GRIP IN LIGHTWEIGHT AND ERGONOMIC DESIGN



Box

Disc diameter	150 mm - 6"
Orbit	2,5 mm - 3 / 32"
Max speed	10500 rpm
Avg air cons.	3 SCFM (85 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Length	200 mm
Weight	950 g

€79,20

6" AIR ORBIT SANDER WITH SELF-INTEGRATED SUCTION

0460

€99,04

SPEED ADJUSTABLE, REVOLVING REAR AIR OUTLET, ALUMINUM BODY, SOFT AND ERGONOMIC HANDLE, SUCTION TUBE AND DUST COLLECTION BAG.



Box

Disc diameter	150 mm - 6"
Orbit	2,5 mm - 3 / 32"
Max speed	10500 rpm
Avg air cons.	3 SCFM (85 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Length	200 mm
Weight	980 g

€91,50

DIGITAL TYRE GAUGE

0125

€34,61

WITH BACKLIGHT AND VARIOUS MEASUREMENT UNITS



Blister

Max. pressure	8 bar (110 psi)
Working pressure	2 - 4 bar (30 - 60 psi)
Reading	0.05 bar (0.7 psi)
Not included batteries	2 x 1.5V AAA
Rubber hose length	80 mm

€28,60

TYRE INFLATING GUN

0608

€16,94



Blister

Manometer	ø 63 mm
Reading	0 ÷ 12 bar (0 ÷ 174 psi)
Rubber hose length	420 mm

€12,00

TYRE INFLATING GUN

0609

~~€41,44~~
€27,65
 **Blister**

Manometer	ø 70 mm
Reading	0 ÷ 12 bar (0 ÷ 174 psi)
Rubber hose length	1000 mm


BLOW GUN

0725

~~€6,16~~
€3,15
 **Blister**

Hose length	100 mm
-------------	--------


GRAVITY FEED SPRAY GUN

A601A

~~€89,94~~

600 ML FEED HVLP SPRAY GUN, NYLON GRAVITY CUP, MADE WITH CNC MACHINE, WITHOUT O-RING, WITH STAINLESS STEEL NOZZLE AND NEEDLE BRASS AIR CAP, BLUE COLOR ALUM CLAMP AND KNOBS, CHROME PLATED SPRAY GUN BODY, MALE THREAD FITTING 1/4" HVLP = HIGH VOLUME, LOW PRESSURE

€78,70
 **Box**

Nozzle	ø 1,4mm
Capacity	600 cc
Working pressure	2,5 - 3,5 bar


AUTO REWIND AIR HOSE REEL

A481/10

~~€185,00~~
NEW

MADE OF POLYPROPYLENE SHELL, WITH POLYURETHANE MESH HOSE AND REGULATION FOR DISTRIBUTING EVENLY THE TUBE IN THE INTERNAL PART, TOOLS FREE ADJUSTABLE STOP BALL, LOW SPEED RETRACTION SYSTEM AND 180° SWIVEL MOUNT BRACKET

€147,60
 **Box**

Max. pressure	18 bar / 260 psi
Hose length	30 + 2 m
Male Fitting	3/8" BSPT
Hose diameter	ø 13.5 x 9.5 mm
Working temperature	0 ÷ 45° C


AUTO REWIND AIR HOSE REEL

A481/15

~~€68,00~~
NEW

MADE OF POLYPROPYLENE SHELL, WITH POLYURETHANE MESH HOSE AND REGULATION FOR DISTRIBUTING EVENLY THE TUBE IN THE INTERNAL PART, TOOLS FREE ADJUSTABLE STOP BALL AND 180° SWIVEL MOUNT BRACKET

€54,25
 **Box**

Max. pressure	16 bar / 250 psi
Hose length	10 + 1 m
Male Fitting	1/4" BSPT
Hose diameter	ø 12 x 8 mm
Working temperature	0 ÷ 45° C


AUTO REWIND AIR HOSE REEL

A481/15H

~~€105,00~~
NEW

MADE OF POLYPROPYLENE SHELL, WITH POLYURETHANE MESH HOSE AND REGULATION FOR DISTRIBUTING EVENLY THE TUBE IN THE INTERNAL PART, TOOLS FREE ADJUSTABLE STOP BALL AND 180° SWIVEL MOUNT BRACKET

€83,80
 **Box**

Max. pressure	16 bar / 250 psi
Hose length	15 + 1 m
Male Fitting	1/4" BSPT
Hose diameter	ø 12 x 8 mm
Working temperature	0 ÷ 45° C


AUTO REWIND AIR HOSE REEL

A481/30H

~~€124,00~~
NEW

MADE OF POLYPROPYLENE SHELL, WITH POLYURETHANE MESH HOSE AND REGULATION FOR DISTRIBUTING EVENLY THE TUBE IN THE INTERNAL PART, TOOLS FREE ADJUSTABLE STOP BALL AND 180° SWIVEL MOUNT BRACKET

€98,90
 **Box**

Max. pressure	18 bar / 260 psi
Hose length	15 + 1 m
Male Fitting	3/8" BSPT
Hose diameter	ø 13.5 x 9.5 mm
Working temperature	0 ÷ 45° C


AUTO REWIND AIR HOSE REEL

0378/1510

~~€153,44~~

MADE OF PP SHELL, WITH PU MESH HOSE AND REGULATION FOR DISTRIBUTING EVENLY THE TUBE IN THE INTERNAL PART

€126,70
 **Box**

Max. pressure	18 bar / 260 psi
Hose length	15 + 1 m
Male Fitting	3/8" BSPT
Hose diameter	ø 13.5 x 9.5 mm
Working temperature	0 ÷ 45° C
Weight	9 kg



AUTO REWIND AIR HOSE REEL

0481/15

€117,60

MADE OF ABS, WITH PU MESH HOSE, GERMAN TYPE FEMALE QUICK COUPLER, GERMAN TYPE FEMALE PLUG AND REGULATION FOR DISTRIBUTING EVENLY THE TUBE IN THE INTERNAL PART

€105,30

Box

Max. pressure	16 bar / 250 psi
Hose length	15 + 1 m
Male Fitting	1/4" BSPT
Hose diameter	ø 12 x 8 mm
Working temperature	0 ÷ 45° C



AUTO REWIND AIR HOSE REEL

0240/15

€138,88

WITH PU MESH HOSE

€116,80

Max. pressure	16 bar / 250 psi
Hose length	15 m + 1 m
Male Fitting	3/8" BSPT
Hose diameter	12 x 8 mm

HIGH PRECISION TEMPERATURE
-CONTROLLED SOLDERING IRON STATION

0033A

€101,70

ADJUSTABLE TEMPERATURE 150-420 °C,
IRON TIP WITH HOLE Ø 6 mm

€88,35

Melting point	215°
Working temperature	215 ÷ 300°C
Max temperature	420°C
Power station supply	230 V 50 Hz
Soldering power supply	24 V 48 W

HIGH PRECISION TEMPERATURE
-CONTROLLED SOLDERING IRON STATION

0031

€29,90

ADJUSTABLE TEMPERATURE 150-420 °C,
IRON TIP WITH HOLE Ø 6 mm

€25,95

Melting point	215°
Working temperature	215 ÷ 300°C
Max temperature	450°C
Power	230 V, 50 Hz, 37 W



SOLDERING IRON

0027/30W

€11,54

€10,10

Power	230 V 50 Hz 30 W
Working temperature	450°C ± 10%



SOLDERING IRON

0027/40W

€13,40

€11,35

Power	230 V 50 Hz 40 W
Working temperature	450°C ± 10%



FAST HEATING SOLDERING GUN

0443

€51,18

WITH ADJUSTABLE TEMPERATURE

AVAILABLE FROM SEPTEMBER

€43,95

Case

Power	230V 50Hz 200W
Temperature	70 °C ÷ 500 °C

HOT KNIFE FOR POLYSTYRENE WITH
ADJUSTABLE TEMPERATURE

0441

€63,50

FOR POLYSTYRENE, PLASTIC, FOAM
AND SPONGE, ADJUSTABLE CUTTING
LENGTH, METAL STAND

€58,80

AVAILABLE FROM SEPTEMBER

Power	230 V, 50 Hz, 220 W
Temperature	120 - 220 - 330 - 400 - 450 °C
Cutting capacity with adjustment	20 ÷ 90 mm
Max cut	150 mm



500 CC HAND OPERATED LEVER GREASE GUN

0677/500

€15,90

COMPOSED OF METAL TANK AND PUMP, COUPLER AND 300 mm PVC FLEXIBLE HOSE, FOR USING WITH LOOSE GREASE OR Ø 53 mm GREASE CARTRIDGES



Capacity	500 cc
Flexible hose sizes	ø 8 x 300 mm
Working pressure	6000-8000 psi

€ 15,30
GREASE CARTRIDGE

0677/500CG

€8,20

NEW



Capacity	500cc
Dimensions	ø 53mm

€ 7,35
HAND OPERATED LEVER GREASE GUN

0677

€36,29

COMPOSED OF METAL TANK AND PUMP, COUPLER AND 450 mm PVC FLEXIBLE HOSE FOR USING Ø 55 mm GREASE CARTRIDGES OR LOOSE GREASE (ADAPTOR ALREADY MOUNTED)



Capacity	1000 cc
Flexible hose sizes	ø 9 x 450 mm

€ 30,30
GREASE CARTRIDGE

0677/CG

€9,41



Capacity	650 cc
Dimensions	ø 55 mm

€ 8,85
METAL FUEL TANK

0189-

WITH FLEXIBLE FILLER, "UN" CERTIFIED ACCORDING TO EUROPEAN DIRECTIVES



Capacity Liters	Weight	Art.	€	Promo
5	1,50 kg	0189/05C	€ 37,41	€ 28,90
10	2,50 kg	0189/10C	€ 37,97	€ 31,95
20	3,80 kg	0189/20C	€ 43,23	€ 29,90

TROLLEY PRESSURE SPRAYER WITH BRASS LANCE PIPE

0356

€56,00

WITH FPM GASKETS


€ 51,45

Capacity	16 l
----------	------

PRESSURE SPRAYER WITH BRASS LANCE PIPE

0303

€38,19

WITH GAUGE AND FPM GASKETS


€ 32,10

Capacity	8 l
----------	-----

PRESSURE SPRAYER WITH BRASS NOZZLE

0274

€7,39

WITH FPM GASKETS


€ 6,40

Capacity	2 l
----------	-----

**PRESSURE SPRAYER WITH
BRASS NOZZLE**

0289

RUBBER GASKETS

~~€ 5,39~~

Capacity	2 l
----------	-----

€ 4,95**ALUMINUM ROTARY HAND OIL
PUMP**

0385

WITH TELESCOPIC PIPE

~~€ 48,27~~

Capacity	20 l/min
Pump thread	2"

€ 45,95**LEVER ACTION HAND OIL
PUMP**

0386

WITH TELESCOPIC PIPE

~~€ 34,50~~

Capacity	18 l/min
Pump thread	2" / 1-1/2"

€ 32,70**AUTOMATIC DIESEL GUN**

0474/PA

WITH SWIVEL CONNECTOR

~~€ 66,30~~

Capacity	90 l/min
Nozzle	ø25 mm
Inlet thread	1" BSP

€ 57,00**12V DC DIESEL PUMP**

0755

FOR MINERAL OIL AND DIESEL

~~€ 86,91~~

Motor	DC 12 V, 175 W
Motor speed	4500 rpm
Pump capacity	40 l/min
Hydraulic head	2 m
Suction	4 m
Inlet thread	25 mm
Size	200 x 120 x 155 mm
Usage time	Max 30 min

€ 85,40**DRILL PUMP**

0272

FOR NO FLAMMABLE, EXPLOSIVE,
CORROSIVE AND OILY LIQUID.
SUITABLE USE FOR RACK SPINDLES~~€ 12,99~~

Hydraulic head	30 m
Pump capacity	2.4 m3/h
Max. pressure	0.3 MPa
Max speed	3400 rpm
Weight	450 g

€ 10,40**LED FLOODLIGHTS**

0218-

ALUMINIUM SUPER SLIM DIE-CAST
HOUSING, TEMPERED GLASS**Starting from € 10,90**

Power	Luminous flux	Dimensions	Art.	€	Promo
230 V, 50 Hz, 10 W	800 lm	150 x 95 mm	0218/10	€ 12,54	€ 10,90
230 V, 50 Hz, 20 W	1600 lm	145 x 120 mm	0218/20	€ 18,26	€ 15,90
230 V, 50 Hz, 30 W	2400 lm	180 x 150 mm	0218/30	€ 29,79	€ 25,90
230 V, 50 Hz, 50 W	4000 lm	210 x 180 mm	0218/50	€ 42,34	€ 36,75

LED FLOODLIGHT WITH STAND

0218-xB

ALUMINIUM SUPER SLIM DIE-CAST
HOUSING, TEMPERED GLASS**Starting from € 24,35**

Power	Luminous flux	Color temperature	Art.	€	Promo
230 V, 50 Hz, 10 W	800 lm	4000 K	0218/10B	€ 28,00	€ 24,35
230 V, 50 Hz, 20 W	1600 lm	4000 K	0218/20B	€ 33,60	€ 29,20
230 V, 50 Hz, 30 W	2400 lm	4000 K	0218/30B	€ 43,90	€ 38,15
230 V, 50 Hz, 50 W	4000 lm	4000 K	0218/50B	€ 57,46	€ 49,85

LED FLOODLIGHT WITH MOTION AND BRIGHTNESS SENSOR

0218-xS

 ALUMINIUM SUPER SLIM DIE-CAST HOUSING,
TEMPERED GLASS

Starting from € 21,10

Power	Luminous flux	Color temperature	Art.	€	Promo
230 V, 50 Hz, 10 W	800 lm	4000 K	0218/10S	€ 24,30	€ 21,10
230 V, 50 Hz, 20 W	1600 lm	4000 K	0218/20S	€ 28,90	€ 25,15
230 V, 50 Hz, 30 W	2400 lm	4000 K	0218/30S	€ 38,30	€ 33,25
230 V, 50 Hz, 50 W	4000 lm	4000 K	0218/50S	€ 51,86	€ 45,00

56 LED MAGNIFIER LAMP

0366

€ 103,82



Box

Power	230 V 50 Hz 8 W
Magnification	2x
Luminous flux	600 lm
Color temperature	6500 K
Lens	Ø 120 mm
Range	810 mm
Clamp capacity	70 mm

€ 89,50
LOW CONSUMPTION LAMP WITH LENS

0530

€ 106,40



Box

Power	230 V 50 Hz 22 W
Magnification	2x
Lens	Ø 120 mm
Range	810 mm
Clamp capacity	70 mm

€ 76,70
CRYSTAL LENS SET

0659

€ 34,50



12 Pcs Display box

Contents	Ingrandimenti/Magnifications
3 Pcs ø 50	3x - 10x mm
3 Pcs ø 60	3x - 8x mm
3 Pcs ø 75	3x - 8x mm
3 Pcs ø 90	3x - 8x mm

€ 22,40
HEAD LAMP WITH SENSOR

0482/3

€ 50,40

 SWITCH ON AND OFF FUNCTION BY
PASSING THE HAND IN FRONT OF THE
LAMP.


IP 65

LED	3 W COB
Luminous flux	Max 300 lm
Color temperature	6500 K
Battery	3.7 V 1500 mAh Li-ion
Autonomy	4h
Recharging time	3h

€ 43,80
10 + 1 LED MAGNETIC WORK LIGHT

0209

€ 33,60

 WITH ROTATING HEAD, LED ON THE
TOP AND FRONT WITH 2 BRIGHTNESS
LEVELS


Blister

Luminous flux	50 - 300 lm
Color temperature	6500 K
Not included batteries	3 AAA
Tilting head	180°
Revolution	180°
Dimensions	35 x 330 mm
Weight	208 g

€ 29,30
30 + 7 LED MAGNETIC LIGHT

0107

€ 7,06

 WITH MAGNET AND HOOK ON THE
BACK SIDE

€ 6,25

ABS Display box

Single LED life	100000 hours
Intensity	50 lm
Not included batteries	3 AA
Dimensions	40 x 35 x 203 mm
Weight	130 g

RECHARGEABLE LED LIGHT WITH MAGNET

0597

€ 25,98

 WITH BATTERY CHARGER DC12V AND
AC 230V, FOLDABLE, HANGING AND
MAGNETIC

€ 25,10

Battery	3.7 V 1800 mAh
LED	8 SMD + 5 LED
Recharging time	8 ÷ 10 h
Autonomy	7 ÷ 8 h

RECHARGEABLE LED LIGHT WITH MAGNET

0889

€53,65

WITH BATTERY CHARGER DC12V AND AC 230V, FOLDABLE, HANGING AND MAGNETIC

Box

Battery	3,7 V - 1100 mAh - Lithium
LED	21 + 5 - 9000 mcd
Recharging time	4 ÷ 5 h
Autonomy	4 ÷ 6 h

€46,35

RECHARGEABLE LED LAMP

0693A

€75,00

NEW

WITH CHARGING STATION, FOLDABLE, HANGING AND MAGNETIC

Box 54

Battery	3,7V - 2600mAh - Li-ion
LED	6W COB LED - 1W SMD 6500K
Recharging time	4h
Autonomy	4.5h Eco mode
Working temperature	-10°C ÷ 40°C

€59,85

COB LED TECHNOLOGY RECHARGEABLE LAMP

0401

€65,30

HIGH CAPACITY LITHIUM BATTERY FOR LONG TIME OPERATION, MAGNETIC BACK FOR HAND-FREE APPLICATION, FLEXIBLE STANDING ARM FOR MULTI-ANGLE LIGHTING PURPOSES, STRONG LIGHT OUTPUT 180 LUMENS

Box

Power	100 ÷ 240 V, 50 ÷ 60 Hz
Battery	3,7 V - 2600 mAh - Li-ion
Recharging time	6 h
Autonomy	3,5 h

€56,80

MULTIFUNCTION USB RECHARGEABLE LED LIGHT

0123

€54,99

WITH FRONT TORCH WITH VARIOUS STEPS OF BRIGHTNESS, LATERAL WHITE AND RED LEDS WITH FLASHING FUNCTION. USB RECHARGING CABLE AND TRANSFORMER. CHARGE AND RECHARGE STATUS LED. IT CAN BE CHARGED DIRECTLY FROM A COMPUTER.

Battery	3.7V - 1800 mAh - Li-ion
LED	24 Cree XPG R5
Intensity	30 - 300 lm
Dimensions	191 x 99 x 148 mm
Battery charger	USB 110 - 230 V 50 - 60 Hz
Autonomy	2.5 h
Weight	386 g

€49,05

20W 600/1450 LM RECHARGEABLE LED FLOODLIGHT

0445/20

€138,88

WITH SWITCH TO WORK AT 600 LM, ADAPTERS TO RECHARGE BATTERIES WITH CAR DC LIGHTER AND HOME AC 230 V

IP 65

Power	DC 12 - 24 V, 20 W; AC 230 V 20W
Intensity	600 - 1450 lm
Battery	7.4V - 5400mAh - Li-ion
Autonomy	3 - 6 h

€133,40

AUTO RE-ENTERING CABLE REEL

0621/A3

€95,76

Box

Cable length	10 m
Cable type	3 x 1,50 mm ² H05VV-F
Power	12 V ÷ 240 V
Max power for rolled cable	1200 W
Max power for unrolled cable	1800 W

€82,30

POLYURETHANE FOAM GUN

0678

€17,92

MOUNT AND FOAM ADJUSTMENT

Box

Length	290 mm
--------	--------

€11,60

9" HEAVY DUTY CAULKING GUN

0085

€10,98

Weight	700 g
--------	-------

€8,85

GEAR HEAD LATHE WITH INVERTER
T900I
€ 6540,80

BENCH LATHE SEMI NORTON GEAR BOX AND BELT SPEED, CHANGE, LONGITUDINAL AND CROSS FEEDS, TURNING, LEADSCREW, PARTIALLY ASSEMBLED BENCH WITH 3 DRAWERS, AND CABINET

Centers height	160 mm
Max swing over the bed	320 mm
Max swing over the cross slide	210 mm
Distance between centers	900 mm
Spindle bore taper MT	CM 5
Spindle bore	38 mm
Motor	230V 50/60 Hz 1.5 kW
Net weight	310 kg


€ 5540,60
GEAR HEAD LATHE
T900
€ 5521,60

BENCH LATHE SEMI NORTON GEAR BOX AND BELT SPEED, CHANGE, LONGITUDINAL AND CROSS FEEDS, TURNING, LEADSCREW, PARTIALLY ASSEMBLED BENCH WITH 3 DRAWERS, AND CABINET

AVAILABLE FROM AUGUST

Centers height	160 mm
Max swing over the bed	320 mm
Max swing over the cross slide	210 mm
Distance between centers	900 mm
Spindle bore	38 mm
Spindle bore taper MT	5
Motor	230 V 50 Hz 1,1 kW
Net weight	310 kg


€ 4686,65
GEAR HEAD LATHE WITH INVERTER
T750I
€ 5924,80

BENCH LATHE SEMI NORTON GEAR BOX AND BELT SPEED, CHANGE, LONGITUDINAL AND CROSS FEEDS, TURNING, LEADSCREW, PARTIALLY ASSEMBLED BENCH WITH 3 DRAWERS, AND CABINET

Centers height	145 mm
Max swing over the bed	290 mm
Max swing over the cross slide	175 mm
Distance between centers	750 mm
Spindle bore taper MT	4
Spindle bore	26 mm
Single-phase power supply	230 V 50 / 60 Hz
Net weight	360 kg


€ 5024,25
GEAR HEAD LATHE
T750
€ 4916,80

BENCH LATHE SEMI NORTON GEAR BOX AND BELT SPEED, CHANGE, LONGITUDINAL AND CROSS FEEDS, TURNING, LEADSCREW, PARTIALLY ASSEMBLED BENCH WITH 3 DRAWERS, AND CABINET

Centers height	145 mm
Max swing over the bed	290 mm
Max swing over the cross slide	175 mm
Distance between centers	750 mm
Spindle bore	26 mm
Spindle bore taper MT	4
Motor	230 V 50 Hz 1,1 kW
Net weight	350 kg


€ 4170,30
GEAR HEAD LATHE
T700V
€ 4995,20

BENCH LATHE SEMI NORTON GEAR BOX AND VARIABLE SPEED, LONGITUDINAL AND CROSS FEEDS, TURNING LEADSCREW, PARTIALLY ASSEMBLED BENCH WITH 3 DRAWERS AND CABINET

AVAILABLE FROM AUGUST

Centers height	145 mm
Max swing over the bed	290 mm
Max swing over the cross slide	150 mm
Distance between centers	700 mm
Spindle bore	26 mm
Spindle bore taper MT	4
Motor	230 V 50 Hz 1,5 kW
Net weight	300 kg


€ 4897,20
GEAR HEAD LATHE
T700
€ 4323,20

BENCH LATHE SEMI NORTON GEAR BOX AND BELT SPEED, CHANGE, LONGITUDINAL AND CROSS FEEDS, TURNING, LEADSCREW, PARTIALLY ASSEMBLED BENCH WITH 3 DRAWERS, AND CABINET

Centers height	150 mm
Max swing over the bed	290 mm
Max swing over the cross slide	180 mm
Distance between centers	700 mm
Spindle bore	26 mm
Spindle bore taper MT	4
Net weight	300 kg
Motor	230 V 50 Hz 1.1 kW


€ 4109,60
BENCH LATHE WITH INVERTER
T660I
€ 5140,80

SEMI NORTON GEAR BOX, PARTIALLY ASSEMBLED BENCH

Centers height	140 mm
Max swing over the bed	280 mm
Max swing over the cross slide	165 mm
Distance between centers	660 mm
Spindle bore	26 mm
Spindle bore taper MT	4
Motor	230 V 50/60 Hz 0.75 kW
Net weight	260 kg


€ 4627,10
BENCH LATHE
T660
€ 3841,60

SEMI NORTON GEAR BOX AND BELT SPEED CHANGE, PARTIALLY ASSEMBLED BENCH

Centers height	140 mm
Max swing over the bed	280 mm
Max swing over the cross slide	165 mm
Distance between centers	660 mm
Spindle bore	26 mm
Spindle bore taper MT	4
Motor	230 V 50 Hz 0,75 kW
Net weight	260 kg


€ 3495,15

BENCH LATHE

0657

WITH MILL TABLE DEVICE, BELT SPEED CHANGE

€2643,20

AVAILABLE FROM AUGUST

Centers height	125 mm
Max swing over the bed	250 mm
Max swing over the cross slide	150 mm
Distance between centers	550 mm
Spindle bore taper MT	3
Motor	230 V 50 Hz 0,55 kW
Dimensions	1120 x 480 x 460 h mm
Net weight	160 kg



€2383,05

BENCH LATHE

0506

MINI LATHE WITH AUTOMATIC LONGITUDINAL FEEDS AND VARIABLE SPEED SHOWN ON DIGITAL DISPLAY

€1960,00

Centers height	105 mm
Max swing over the bed	210 mm
Distance between centers	400 mm
Tailstock taper MT	2
Motor	230 V 50 Hz 0,6 kW
Dimensions	760 x 320 x 350 h mm
Net weight	49 kg



€1699,20

MINI LATHE

0716S

MINI LATHE WITH AUTOMATIC LONGITUDINAL FEEDS AND VARIABLE SPEED SHOWN ON DIGITAL DISPLAY

€1736,00

Centers height	105 mm
Distance between centers	350 mm
Spindle bore taper MT	3
Tailstock taper MT	2
Motor	230 V 50 Hz 0,6 kW
Dimensions	750 x 245 x 290 h mm
Net weight	42 kg



€1427,10

GEARED MILLING DRILLING MACHINE

T047/400VDA

REVERSIBLE GEARED MILLING DRILLING MACHINE, WITH AUTOMATIC DOWN FEED, COOLANT SYSTEM AND REVERSE ROTATION

€4569,60

Max drilling capacity on cast iron with pre-drilling hole	Ø 40 mm
End milling cutter max	Ø 25 mm
Spindle taper	CM 4
Quill	Ø 76 mm
Motor	400 V 50 Hz 1,1 - 1,5 kW
Table dimensions	585 x 190 mm
Slot	14 mm



€4090,90

GEARED MILLING DRILLING MACHINE

T047/230V

REVERSIBLE WITH COOLANT SYSTEM AND TEMPORISED TAPPING

€4278,40

Max drilling capacity on cast iron with pre-drilling hole	Ø 40 mm
End milling capacity	Ø 25 mm
Spindle taper	CM 4
Quill	Ø 76 mm
Table dimensions	585 x 190 mm
Slot	12 mm
Motor	230 V 50 Hz 1,5 kW



€3812,85

GEARED DRILLING MILLING MACHINE

T044/230V

REVERSIBLE, WITH SQUARE COLUMN, DOVETAIL GUIDES AND CHUCK ROTATION DX AND SX

€4088,00

Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 45 mm
End milling capacity	Ø 32 mm
Spindle taper	CM 4
Quill	Ø 75 mm
Table dimensions	800 x 240 mm
Slot	14 mm
Motor	230 V 50 Hz 1,5 kW



€3620,35

GEARED DRILLING MILLING MACHINE

T044/400V

REVERSIBLE, WITH SQUARE COLUMN, DOVETAIL GUIDES AND CHUCK ROTATION DX AND SX

€4088,00

Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 45 mm
End milling capacity	Ø 32 mm
Spindle taper	CM 4
Quill	Ø 75 mm
Table dimensions	800 x 240 mm
Slot	14 mm
Motor	400 V 50 Hz 1,5 kW



€3620,35

GEARED DRILLING MILLING MACHINE

T061A

VARIABLE SPEED, EQUIPPED WITH LIGHT SYSTEM, CHUCK SPEED DIGITAL DISPLAY, DEPTH'S DIGITAL DISPLAY

€2833,60

AVAILABLE FROM AUGUST

Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 16 mm
Face milling cutter max	Ø 63 mm
Spindle stroke	50 mm
Spindle taper	CM 3
Slot	12 mm
Motor	230 V 50 Hz 1,1 kW
Net weight	115 kg



€2383,05

GEARED DRILLING MILLING MACHINE
T059/28V
€ 3651,20

VARIABLE SPEED, WITH DIGITAL DISPLAY OF SPINDLE SPEED AND DIGITAL DISPLAY OF DEPTH

AVAILABLE FROM AUGUST

Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 28 mm
Face milling cutter max	Ø 63 mm
Spindle taper	CM 3
Spindle stroke	70 mm
Table dimensions	730 x 210 mm
Slot	14 mm
Motor	230 V 50 Hz 1,1 kW


€ 3097,95
GEARED DRILLING MILLING MACHINE
T059/16V
€ 1904,00

WITH VARIABLE SPEED

AVAILABLE FROM AUGUST

Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 16 mm
End milling capacity	Ø 16 mm
Spindle taper	CM 2
Spindle stroke	50 mm
Headstock travel	210 mm
Head tilt left and right	±90°
Table dimensions	400 x 120 mm
Slot	10 mm
Motor	230 V 50 Hz 500 W


€ 1614,50
GEARED DRILLING MILLING MACHINE
T058
€ 1534,40

Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 13 mm
Face milling cutter max	Ø 30 mm
End milling capacity	Ø 16 mm
Spindle taper	CM 3
Headstock travel	210 mm
Head tilt left and right	±45°
Table dimensions	430 x 110 mm
Distance between spindle nose and table	290 mm
Slot	12 mm
Motor	230 V 50 Hz 0,55 kW


€ 1382,20
FLOOR DRILLING MILLING MACHINE
T052/400V
€ 3561,60

WITH ROTATION SELECTION AND DRIVE BELT

Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 32 mm
End milling cutter max	Ø 20 mm
Spindle taper	CM 3
Quill	Ø 75 mm
Table dimensions	585 x 190 mm
Slot	12 mm
Motor	400 V 50 Hz 1,5 kW
Net weight	310 kg


€ 3018,50
UNIVERSAL BENCH FOR DRILLING MILLING MACHINES
0599
€ 346,08

WITH TOOL COMPARTMENT AND LOCK



Base dimensions	415 x 625 x 750h mm
Chip pan dimensions	615 x 820 x 30h mm
Bottom Chip pan dimensions	530 x 735 mm

€ 311,80
GEARED DRILLING MACHINE
T041DA
€ 4233,60

REVERSIBLE, TILTING HEAD, COOLING SYSTEM, TIMED TAPPING AND AUTOMATIC DOWN FEED, PARTIALLY ROTATING TABLE

Max drilling capacity on cast iron with pre-drilling hole	Ø 40 mm
Continuous drilling capacity	Ø 30 mm
Spindle taper	MT 4
Spindle travel	120 mm
Quill	Ø 76 mm
Column	Ø 115 mm
Table dimensions	500 x 460 mm
Slot	14 mm
Motor	400 V 50 Hz 1,1/1,5 kW
Net weight	340 kg


€ 3543,15
GEARED DRILLING MACHINE
T041
€ 3942,40

REVERSIBLE, TILTING HEAD AND TIMED TAPPING, PARTIALLY ROTATING TABLE

Max drilling capacity on cast iron with pre-drilling hole	Ø 40 mm
Continuous drilling capacity	Ø 30 mm
Spindle taper	CM 4
Spindle travel	120 mm
Quill	Ø 76 mm
Column	Ø 115 mm
Table dimensions	500 x 460 mm
Slot	14 mm
Motor	400 V 50 Hz 1,1/1,5 kW
Net weight	300 kg


€ 3246,10
FLOOR DRILLING MACHINE WITH DRIVE BELT
T071
€ 2833,60

REVERSIBLE, WITH TAPPING FUNCTION, REVERSIBLE TABLE WITH 120 mm VICE

AVAILABLE FROM SEPTEMBER

Max drilling capacity on cast iron with pre-drilling hole	Ø 30 mm
Continuous drilling capacity	Ø 25 mm
Spindle taper	3
Spindle travel	100 mm
Quill	Ø 62 mm
Column	Ø 98 mm
Table dimensions	350 x 280 mm
Slot	12 mm
Motor	400 V 50 Hz 0,5 / 1 kW


€ 2561,80

MAGNETIC TAPPING/DRILL

0518/38M

€1120,00

WITH COOLANT SYSTEM FOR CORE DRILLS UNTIL 38 mm WITH WELDON SHANK Ø 19.05 mm AND STRAIGHT SHANK DRILLS UNTIL Ø 20 mm WITH REDUCED SHANK Ø 13 - 16 mm, TAPPING CAPACITY M4 - M16



€ 950,10

Key chuck	Ø 16 mm
Spindle taper MT	2
Spindle travel	180 mm
Max. magnetic force	12000 N
Motor	230 V 50 Hz 1.05 kW
Base dimensions	205 x 105 mm
Dimensions	280 x 320 x 510 h mm
Net weight	19,8 kg

HORIZONTAL MAGNETIC DRILL

0518/55H

€1400,00

FOR CORE DRILLS UNTIL 55 mm WITH WELDON SHANK Ø 19.05 mm



€ 1305,05

Arbor	Weldon Ø 19,05 mm
Spindle travel	55 mm
Max. magnetic force	15500 N
Motor	230 V 50 Hz 1,9 kW
Base dimensions	165 x 80 mm
Dimensions	290 x 170 x 185 h mm
BMC	400 x 335 x 165 mm
Net weight	8.5 kg

MAGNETIC DRILL

0518/80

€1747,20

WITH COOLANT SYSTEM FOR CORE DRILLS UNTIL 80 mm WITH WELDON SHANK Ø 19.05 mm, MORSE TAPER SHANK DRILLS MT 3 AND STRAIGHT SHANK DRILLS UNTIL Ø 20 mm WITH REDUCED SHANK Ø 13 - 16 mm



€ 1548,65

Spindle taper MT	3
Arbor	Weldon Ø 19,05 mm
Spindle travel	280 mm
Max. magnetic force	20000 N
Motor	230 V 50 Hz 1.8 kW
Base dimensions	215 x 110 mm
Dimensions	290 x 410 x 550 h mm
Net weight	26 kg

ELECTRONIC CUTTING BAND SAW FOR BENCH

0500

€572,32

WITH BRUSH MOTOR



€ 514,35

Blade dimensions	1140 x 13 x 0,65 mm
Speed	20 - 70 m / min
Cut range	0° ÷ 45°
Motor	230 V 50 Hz 1,8 kW
Cutting capacity	90° • 105 mm — 110 x 105 mm
Cutting capacity	45° • 55 mm — 55 x 60 mm
Vice	100 x 54 mm
Vice opening	125 mm

METAL BAND SAW WITH MANUAL AND HYDRAULIC FEED

0692/...

€2744,00

WITH BLADE TENSION REGULATION TOOL, COOLANT SYSTEM, QUICK VICE



€2383,05

	0692/230V	0692/400V
Blade dimensions	2100 x 20 x 0,9 mm	2100 x 20 x 0,9 mm
Motor	230V 50 Hz 0,75 kW	400V 50 Hz 0,55 / 0,9 kW
Speed	40 rpm	40 rpm - 80 rpm
Cut range	0° ÷ 60°	0° ÷ 60°
Cutting capacity	90° • 170 mm ■ 140 mm — 210 mm	90° • 170 mm ■ 140 mm — 210 mm
Cutting capacity	45° • 120 mm ■ 95 mm — 140 mm	45° • 120 mm ■ 95 mm — 140 mm
Net weight	170 kg	170 kg

ROLLER STAND

0133

€129,92



€ 116,80

AVAILABLE FROM AUGUST

Roller shaft diameter	Ø 52 x 350 mm
Height	690 / 1200 mm
Maximum capacity	50 ÷ 60 kg

ADJUSTABLE HEIGHT ROLLER STAND

WITH

R001-

INDEPENDENT HEIGHT ADJUSTMENT FEET



Starting from € 262,15

AVAILABLE FROM AUGUST

Dimensions	Height	Maximum capacity	Art.	€	Promo
1000 x 460 mm	580 / 1030 mm	400 kg	R001/04	€ 308,00	€ 262,15
2000 x 450 mm	590 / 1050 mm	400 kg	R001/07	€ 432,32	€ 369,40

**PROFESSIONAL COMBINED
BENCH GRINDER**

0554

€ 388,00



Brush	2950 rpm - Ø 200 x 25 x 20 mm
Grinding wheel	2950 rpm - Ø 200 x 25 x 20 mm GR36
Motor	230V 50 Hz 0,9 kW
Usage type	S2 - 10 min

€ 272,10

**PROFESSIONAL BENCH
GRINDER**

0551

€ 179,20


 AVAILABLE FROM
SEPTEMBER

Grinding wheel	2950 rpm - Ø 150 x 20 x 16 mm GR36 - GR80
Motor	230 V 50 Hz 0,52 kW
Dimensions	440 x 170 x 225 mm
Usage type	S2 - 10 min

€ 147,75

GRINDING WHEEL STAND

0555

€ 112,00



€ 90,95

Height	760 mm
Column	Ø 75 mm
Table dimensions	320 x 210 mm
Weight	16 kg

GRINDING WHEEL STAND

0106

€ 86,58

LIGHT DUTY



€ 76,05

Height	760 mm
Column	Ø 75 mm
Table dimensions	320 x 210 mm
Weight	16 kg

**ELECTRIC CHAINSAW
SHARPENER**

0316

€ 159,04



€ 137,65

Pink grinding wheel	Ø 145 x 4,7 x 22,3 mm Ø 145 x 3,2 x 22,3 mm
Sharpening	+30° / -35°
For chains	1/4" - 3/8" - 3/4" - 404" - 3/4"
Motor	230 V 50 Hz 0,23 kW

**POWER CHAINSAW
SHARPENER**

0502

€ 74,79

 WITH CHAIN FEED LEVER. GRINDING
WHEEL PROTECTION SCREEN


€ 67,50

Pink grinding wheel	Ø 100 x 4,5 x 10 mm
Sharpening	+35° / -35°
For chains	1/4" - 0,325" / 3/8" - 0,404"
Motor	230 V 50 Hz 0,25 kW
Speed	7500 rpm
Usage type	intermittent S2

**TWIST DRILLS GRINDING
MACHINE**

A003/32

€ 2598,40

WITH ER COLLETS FOR THE TWIST
DRILLS AND INCLINATION DEVICE OF
THE CUTTING EDGES, THINNING OF
THE CORE FOR GREATER PRECISION.
POSSIBILITY OF SHARPENING CARBIDE
TWIST DRILLS WITH OPTIONAL
GRINDING WHEEL



€ 2201,00

Grinding capacity	3 ÷ 32 mm
Tilting tip	95° ÷ 135° / 85° ÷ 140°
Speed	4400 rpm
Motor	230 V 50 Hz 250 W
Dimensions	400 x 260 x 300 mm
Net weight	36 kg

**TWIST DRILL GRINDING
MACHINE**

A013/26

€ 1117,76

WITH ER COLLETS FOR THE TWIST
DRILLS AND INCLINATION DEVICE OF
THE CUTTING EDGES, THINNING OF
THE CORE FOR GREATER PRECISION.



€ 998,90

Grinding capacity	13 ÷ 26 mm
Tilting tip	118° ÷ 135°
Speed	4200 rpm
Motor	230 V 50 Hz 0,2 kW
Dimensions	370 x 165 x 200 mm

TWIST DRILL GRINDING MACHINE

A003/13A

€721,28

WITH ER COLLETS FOR THE TWIST DRILLS AND INCLINATION DEVICE OF THE CUTTING EDGES, THINNING OF THE CORE FOR GREATER PRECISION. POSSIBILITY OF SHARPENING CARBIDE TWIST DRILLS WITH OPTIONAL GRINDING WHEEL.



€ 628,55

Grinding capacity	3 ÷ 13 mm
Tilting tip	95° ÷ 135°
Speed	4400 rpm
Motor	230 V 50 Hz 120 W
Dimensions	320 x 180 x 190 mm
Net weight	9,0 kg

TWIST DRILL GRINDING MACHINE

A0132A

€1020,32

AVAILABLE FROM AUGUST

Grinding capacity	3 ÷ 20 mm
Tilting tip	90° ÷ 140°
Speed	7000 rpm
Motor	230 V 50 Hz 0,6 kW
Dimensions	500 x 230 x 250 mm



€ 964,80

MANUAL GRINDER FOR SAW BLADE

0804

€515,20



€ 407,15

Grinding capacity	Ø 80 ÷ 700 mm
Speed	2850 rpm
Motor	230 V 50 Hz 0,25 kW

MULTIPURPOSE SHARPENER

A059

€103,82

IDEAL FOR SHARPENING KNIVES, SCISSORS AND BLADES.



€ 87,25

Grinding capacity	3 - 13 mm
Speed	3000 rpm
Motor	230 V 50 Hz 0,15 kW
Dimensions	232 x 160 x 110 mm

TILTING BELT SANDER

0691/400V

€2273,60



€1815,10

Belt dimensions	2000 x 150 mm
Speed	(2) 18 / 37 mm/sec
Three-phase motor	400 V 50 Hz 4 kW

TILTING BELT SANDER WITH BENCH

0662

€624,96

BENCH TO BE ASSEMBLED

AVAILABLE FROM SEPTEMBER

Belt dimensions	1219 x 152 mm
Disc diameter	Ø 230 mm
Working table dimensions	330 x 152 mm
Belt speed	330 m/min
Disc speed	1400 m/min
Dimensions	710 x 510 x 1000 mm
Motor	230 V 50 Hz 0,75 kW



€540,20

BENCH CHAMFERING MACHINE

0560

€639,52



€ 556,05

Chamfer	45° 0 - 5 mm
Speed	2800 rpm
Motor	230 V 50 Hz 0,25 kW
Table dimensions	2 - 400 x 50 mm
Mill size	Ø 80 mm - Z 8
Insert	SPUN13P

MINI HAND ROLL FORMING MACHINE

0235

€219,52

WITH 3 ROLLERS, VICE NOT INCLUDED



€ 185,30

AVAILABLE FROM SEPTEMBER

Max length	300 mm
Max thickness	2,5 mm
Roller diameter	30 mm

MINI HAND SHEAR BRAKE

0892

€ 446,88

INTERCHANGEABLE BLADE, VICE NOT INCLUDED



Working length	200 mm
Max. bending thickness	1 mm
Max. shearing thickness	1 mm

€ 383,30

MINI HAND BRAKE

0483

€ 226,24

INTERCHANGEABLE BLADE, MAX BENDING WIDTH ON HANDLE SIDE 50mm, VICE NOT INCLUDED



Working length	270 mm
Max. shearing thickness	2,5 mm
Net weight	10 kg

€ 186,10

SHEAR PRESS BRAKE AND SLIP ROLL

0334/0750

€ 3460,80

VERSATILE AND STRONG MACHINE, SUITABLE FOR MAKING PROTOTYPES



Bed length	750 mm
Max shearing, bending and rolling thickness	1,0 mm
Bending angle	90°
Min. rolling ø	44 mm
Dimensions	980 x 370 x 550 mm

€ 2939,10

SHEAR PRESS BRAKE AND SLIP ROLL

0334/1000

€ 3864,80

VERSATILE AND STRONG MACHINE, SUITABLE FOR MAKING PROTOTYPES



Bed length	1000 mm
Max shearing, bending and rolling thickness	1,0 mm
Bending angle	90°
Min. rolling ø	48 mm
Dimensions	1335 x 455 x 620 mm

€ 3276,70

SHEAR MACHINE WITH STAND

T034/105

€ 2262,40

WITH INTEGRATED GONIOMETER, ADJUSTABLE CUTTING END STOP AND BENCH IN ASSEMBLY KIT



Bed length	1050 mm
Max. bending thickness	1,25 mm
Cutting capacity with adjustment	0 ÷ 500 mm
Dimensions	1290 x 1300 x 1080 mm

€ 1916,35

BENDING MACHINE

P008/102

€ 2643,20

HIGH EFFICIENCY DUE TO TOP SEGMENTED KNIFE, STRONG AND RELIABLE STRUCTURE



Max length	1020 mm
Max. shearing thickness	2 mm
Max bending angle	135°

€ 2244,05

MOTORIZED 3 ROLL PIPE & PROFILE BENDING MACHINES

C076/30

€ 3684,80

HORIZONTAL AND VERTICAL OPERATION FOR PIPES, PROFILES AND BARS



Shaft diameter	30 mm
Upper roller diameter	148 mm
Lower rollers diameter	148 mm
Round speed	4.8 ÷ 7.2 m/min
Three-phase motor	400 V 50 Hz 1,1 kW
Dimensions	620 x 1100 x 1360 mm
Net weight	230 kg


€ 3509,00

ROLL FORMING MACHINE

C022/100

€ 2307,20

WITH 3 ROLLERS



AVAILABLE FROM AUGUST

Max length	1000 mm
Max thickness	2 mm
Roller diameter	60 mm
Net weight	200 kg

€ 1928,05

ROLL FORMING MACHINE

0776

€1056,16

WITH 3 ROLLERS



Max length	1000 mm
Max thickness	0,8 mm
Roller diameter	50 mm

€ 927,40

FORGING FURNACE

0668

€1254,40

EASY TO USE, QUICK IGNITION, NO INJURIOUS EMISSIONS, REAR DOOR TO HEAT THE IRON BAR CENTER. ISOLATION CHAMBER IN FIBRECEAMICS. REGULATOR, NON-RETURN VALVE AND THERMOCOUPLE EQUIPPED



Working temperature	1300° C ÷ 1400° C
Max working capacity	Ø 70 mm / ■ 50 mm
Power	G.P.L.
Consumption	0,05 - 1,5 kg / h
Internal dimensions	280 x 210 x 100h mm
External Dimensions	400 x 260 x 250h mm

€ 1153,80

UNIVERSAL BENDER

0197

€529,76



Round bar	15 mm
Flat bar	30 x 8 mm
Square	13 mm
Looped bending Max	8 x 30 mm A caldo / Hot


€ 427,00

IRON BENDER

0102

€309,12

FOR COLD BENDING WITH PIECE STOP AND ERGONOMIC HANDLE



Iron	A freddo / Cold
Round bar	22 mm
Flat bar	100 x 8 mm
Square	20 mm

€ 242,30

SPIRAL BENDER

0113

€300,16

FOR COLD BENDING WITH PIECE STOP AND ERGONOMIC HANDLE



Iron	Cold
Round bar	10 mm
Flat bar	10 x 30 mm
Square	10 mm
Dies	80 mm 125 mm 200 mm

€ 254,20

HYDRAULIC TUBE BENDER
1/2 - 2"

0893

€498,40

WITH 2 SPEEDS PUMP



Dies	1/2" 3/4" 1" 1-1/4"
	1-1/2" 2" gas
Capacity	10 tons N
Ram stroke	250 mm

€ 421,00

WOOD LATHE

0751

€759,36

WITH ROTATING HEAD, VARIABLE SPEED DRIVE BELT AND STEEL SHEET BENCH



AVAILABLE FROM AUGUST

Distance between centers	900 mm
Centers height	155 mm
Motor	230 V 50 Hz 0,37 kW
Speed	500 ÷ 2000 rpm
Thread	1" - 8 TPI
Tailstock	MT 2

€ 680,60

12" WOOD LATHE

0497-

WITH BELT SPEED CHANGE



Starting from € 500,45

Motor	Spindle speed	Art.	€	Promo
230 V 50 Hz 0.37 kW	(5) 700 - 3000 rpm	0497/250	€ 553,28	€ 500,45
230 V 50 Hz 0.55 kW	(5) 700 - 3000 rpm	0497/300	€ 614,88	€ 550,10

THICKNESSER

0517A

€ 775,04

WITH WORKING PLATE MADE OF GRANITE

Dimensions	710 x 640 x 400 mm
Working table dimensions	330 x 238 mm
Arbor	Ø 51,5 mm
Blades	2
Thickness capacity	330 x 2,4 x 152 mm
Spindle speed	8500 rpm
Motor	230 V 50 Hz 1,5 kW
Net weight	35 kg



€ 657,15

MITRE SAW

0870/250

€ 388,64

WITH UPPER TABLE FOR USAGE AS SAW BENCH

Saw blade	Ø 250 x 30 x 2,5 mm Z 36
Max cutting capacity 0° - 90°	75 x 130 mm
Max cutting capacity 45° - 45°	75 x 50 mm
Max cutting capacity 45° - 90°	75 x 90 mm
Max cutting capacity 0° - 45°	50 x 130 mm
Max cutting capacity, upper table	40 mm
Motor	230 V 50 Hz 1,8 kW
Motor speed	4500 rpm
Peripheral speed disc	59 m/s



€ 351,50

WOOD BAND SAW

0764

€ 1512,00

Saw wheel	Ø 405 mm
Cutting capacity	350 x 200h mm
Blades	2950 x 16 x 0,65 mm T4
Table dimensions	500 x 395 x 32h mm
Cutting speed	10 m/s
Tilting table	0 ÷ 20°
Working height	995 mm
Dimensions	750 x 650 x 1710 h mm
Motor	230 V 50 Hz 1,5 kW



€ 1362,30

WOOD BAND SAW

0855

€ 917,28

Saw wheel	Ø 315 mm
Blade	2240 x 16 x 0,52 mm T4
Cutting capacity	300 x 155 mm
Table dimensions	400 x 500 mm
Cutting speed	6 - 12 m/s 370 - 800 rpm
Tilting table	0 ÷ 20°
Working height	1010 mm
Dimensions	650 x 650 x 1610 h mm
Motor	230 V 50 Hz 0,75 kW



€ 828,15

14" WOOD BAND SAW

FC94/350

€ 1120,00

Saw wheel	Ø 350 mm
Cutting capacity	335 x 160 mm
Blades	2400 x 13 x 0,52 mm 4T
Table dimensions	500 x 400 mm
Cutting speed	10 ÷ 12 m/s
Tilting table	0 ÷ 45°
Working height	1015 mm
Dimensions	730 x 620 x 1540 h mm
Motor	230 V 50 Hz 0,75 kW



€ 1050,55

WOOD BAND SAW

0717A

€ 297,92

WITH ADJUSTABLE WORK TABLE AND PROTRACTOR FOR HIGH PRECISION. BLADE PROTECTION DEVICE

Saw wheel	Ø 200 mm
Blade	1430 x 6 x 0,36 mm T6
Cutting capacity	190 x 80h mm
Table dimensions	290 x 290 mm
Cutting speed	13,7 m/s
Tilting table	0 ÷ 45°
Dimensions	430 x 355 x 665 h mm
Motor	230 V 50 Hz 0,35 kW



€ 252,25

TILTING BELT DISC SANDER

0523

€ 380,80

Dimensions	530 x 430 x 330 mm
Belt	914 x 100 mm
Disc diameter	Ø 150 mm
Motor	230V 50Hz 0.375kW 1850rpm



€ 357,45

TILTING BENCH BELT SANDER

0505

€ 254,24

WITH WORKPIECE BLOCKING DEVICE, BELT AND DISC ABRASIVES. WORK TABLE INCLINABLE UP TO 45°

Dimensions	460 x 380 x 270h mm
Motor	230V 50 Hz 0,5 kW 2850 rpm
Belt	914 x 100 mm
Disc diameter	Ø 150 mm
Grit belt	80
Grit Disc	80
Round speed	2850 rpm
Tilting table	0 ÷ 45°
Table dimensions	225 x 155 mm



€ 214,50

BELT AND DISC SANDER

0138

€ 528,64

WITH TILTING TABLES

Dimensions	630 x 370 x 495h mm
Belt	25 x 1075 mm
Belt speed	8,5 m/s
Disc diameter	200 mm
Motor	230 V 50 Hz 0,45 kW 1450 rpm
Table dimensions band	180 x 150 mm
Table dimensions disc	250 x 120 mm



€ 476,65

SCROLL SAW VARIABLE SPEED

0144

€ 420,00

WITH LED LAMP. STRONG BODY, TILTING TABLE, SUITABLE TO CUT Balsa, PLYWOOD, SOFT WOODS, PLASTIC AND NO FERROUS METAL

Cutting capacity	457 x 50h mm
Blade length	127 mm
Oscillations	550 ÷ 1650 rpm
Plate Dimensions	480 x 250 mm
Tilting table	0 ÷ 45° sx
Base dimensions	220 x 420 mm
Motor	230 V 50 Hz 0,12 kW



€ 389,25

SCROLL SAW VARIABLE SPEED

0765

€ 232,96

STRONG BODY, TILTING TABLE, SUITABLE TO CUT Balsa AND PLYWOOD

Cutting capacity	400 x 50h mm
Blade length	127 mm
Oscillations	800 ÷ 1400 rpm
Plate Dimensions	410 x 250 mm
Tilting table	0 ÷ 45° sx
Base dimensions	230 x 390 mm
Motor	230 V 50 Hz 0,12 kW
Working temperature	from -5°C to +50°C



€ 193,25

VERTICAL HEAVY DUTY LOG SPLITTER

S009

€ 1310,40

7 TON, WITH CROSS LOG SPLITTER

Height working capacity	120 ÷ 540 mm
Log capacity	ø 50 ÷ 320 mm
Max splitting force	7 ton
Motor	230 V 50 Hz 3 kW
No-load speed	2950 rpm



€ 1040,60

MANUAL LOG SPLITTER

S015

€ 105,73

FOOT OPERATED, TO SPLIT LOGS INTO SMALL PARTS TO LIGHT FIRE

Log capacity	ø 254 x 460 mm
Max splitting force	1,2 ton
Blade dimensions	100 x 80h mm



€ 100,85

AVAILABLE FROM AUGUST

DUST COLLECTOR

0507

€ 264,32

PARTIALLY ASSEMBLED

AVAILABLE FROM AUGUST

Dimensions	500 x 600 x 1700 h mm
Inlet size	100 mm
Cloth bag	ø 320 mm
Filtration rate	5 micron
Air flow	900 m3 / h
Motor	230 V 50 Hz 0.55 kW
Motor speed	2840 rpm
Vacuum suction	0.70 kPa



€ 244,00

PRESSURE SANDBLAST CABINET

0615

€ 3920,00

WITH CYCLONE VACUUM CLEANER, HEPA FILTER, FRONT OPENING AND CEILING LIGHT WITH 3 FLUORESCENT LAMPS

AVAILABLE FROM OCTOBER

Overall dimensions	1330 x 1515 x 2070 h mm
Internal dimensions	1180 x 850 x 890 h mm
Maximum capacity	150 kg
Working pressure	6 ÷ 8 Bar
Air consumption	31 SCFM 880 l / min
Gun nozzle	ø 6 - 7 mm
Max power	230 V 50 Hz 0.7 kW
Filtration rate	8 micron



€ 3618,50

SANDBLAST CABINET WITH 2 DUST COLLECTORS

0605

€ 3460,80

WITH PRESSURIZED TANK TO HAVE A GREATER ABRASIVE EFFECT, 2 CYCLONE-TYPE DUST COLLECTORS, PAPER FILTER, FRONT OPENING AND CEILING LIGHT WITH 3 FLUORESCENT LAMPS

AVAILABLE FROM OCTOBER

Overall dimensions	1800 x 1515 x 2070 h mm
Working area	1180 x 850 x 890 h mm
Maximum capacity	150 kg
Working pressure	6 ÷ 8 Bar
Air consumption	31 SCFM 880 l / min
Gun nozzle	ø 6 - 7 mm
Electric vacuum	2 x 230 V 50 Hz 1,2 kW
Filtration rate	5 micron



€ 3194,60

SANDBLAST CABINET WITH DUST COLLECTOR

0601

€ 2833,60

CYCLONE-TYPE, PAPER FILTER, FRONT OPENING AND CEILING LIGHT WITH 3 FLUORESCENT LAMPS

AVAILABLE FROM SEPTEMBER

Overall dimensions	1330 x 1240 x 1770 h mm
Working area	1180 x 850 x 890h mm
Maximum capacity	150 kg
Working pressure	6 ÷ 8 Bar
Air consumption	21 SCFM 630 l / min
Gun nozzle	ø 6 - 7 mm
Electric vacuum	230 V 50 Hz 1.2 kW
Filtration rate	5 micron



€ 2615,65

VERTICAL SANDBLAST CABINET WITH VACUUM

0687

€ 2016,00

WITH PAPER FILTER

AVAILABLE FROM AUGUST

Overall dimensions	1220 x 910 x 1740 h mm
Working area	1200 x 600 x 600 h mm
Maximum capacity	120 kg
Working pressure	6.5 ÷ 7.5 Bar
Air consumption	21 SCFM 630 l / min
Gun nozzle	ø 6 - 7 mm
Electric vacuum	230 V 50 Hz 1.2 kW
Filtration rate	5 micron



€ 1860,95

VERTICAL SANDBLAST CABINET WITH VACUUM

0878

€ 1612,00

WITH PAPER FILTER

AVAILABLE FROM OCTOBER

Overall dimensions	1030 x 850 x 1640 h mm
Working area	960 x 480 x 250 ÷ 470 h mm
Working pressure	6.5 ÷ 7.5 bar
Air consumption	18 SCFM 540 l / min
Gun nozzle	ø 4 - 5 - 6 - 7 mm
Electric vacuum	230 V 50 Hz 1.2 kW
Filtration rate	5 micron



€ 1488,75

SANDBLAST CABINET

0575S

€ 627,20

IN KIT, PREDISPOSED WITH ADAPTER TO FIT THE MACHINE TO A VACUUM CLEANER, TO PREVENT SAND BLASTING STOP DUE TO DUST FOG CONDITION INSIDE THE MACHINE, WIDE UPPER DOOR, LOW CONSUMPTION WORKING LAMP, SAND BLAST GUN AND GLOVES

AVAILABLE FROM OCTOBER

Overall dimensions	905 x 620 x 1390 h mm
Working area	860 x 560 x 560 h mm
Working pressure	6.5 ÷ 7.5 bar
Air consumption	8 ÷ 10 SCFM (240 ÷ 300 l / min)
Gun nozzle	ø 4 - 5 - 6 - 7 mm



€ 579,00

BENCH SANDBLAST CABINET

0580S

€ 232,96

IN KIT, WITH ADAPTER TO FIT THE MACHINE TO A VACUUM CLEANER, TO PREVENT SAND BLASTING STOP DUE TO DUST FOG CONDITION INSIDE THE MACHINE, WIDE UPPER DOOR, LOW CONSUMPTION WORKING LAMP, SAND BLAST GUN AND GLOVES

AVAILABLE FROM OCTOBER

Overall dimensions	585 x 485 x 495 h mm
Working area	560 x 460 x 280 h mm
Working pressure	6.5 ÷ 7.5 Bar
Air consumption	8 ÷ 10 SCFM (240 ÷ 300 l / min)
Gun nozzle	ø 4 - 5 - 6 - 7 mm



€ 215,05

MINI BENCH SANDBLAST

0490

€ 394,24

WITH FOOT CONTROL AND FIXED GUN

Overall dimensions	475 x 370 x 370 h mm
Working area	410 x 310 x 200 h mm
Working pressure	4 - 7,5 bar
Gun nozzle	ø 3.5 mm
With light	230 V 50 Hz, 6 W 12 V



€ 345,55

SANDBLAST MACHINE WITH VACUUM

0462

€ 720,16

FOR RUSTED METALLIC OBJECTS THAT CAN'T BE PUT IN TRADITIONAL SANDBLAST MACHINE. IF THE OBJECT TO BE CONSIDERED IS FLAT, THE VACUUM CLEANER ALLOWS THE OPERATOR TO NOT LOSE THE MOST PART OF THE ABRASIVE MATERIAL THAT IS BEING USED. THE FOUR WHEELS, TWO OF WHICH SWIVEL, ALLOW THE OPERATOR THAT THE MACHINE IS CLOSE TO THE OBJECT TO BE SANDBLASTED

AVAILABLE FROM OCTOBER

Tubes length	2.5 m	Working pressure	8 Bar
Motor	230 V 50 Hz 1.2 kW	Air consumption	420 l / min
Max vacuum capacity	13 ÷ 15 kPa	Dimensions	404 x 612 x 1046 h mm



€ 664,80

SILICON CARBIDE

0578-

BLACK SILICON CARBIDE IS THE HARDEST MATERIAL USED FOR SANDBLASTING, MAKING IT THE IDEAL SOLUTION FOR ALL THE MOST DEMANDING JOBS. VIRTUALLY IRON-FREE, ITS ABRASIVE PROPERTIES MAKE IT VERY AGGRESSIVE AND FAST IN REMOVING IMPURITIES. ITS CONFORMATION ALLOWS THE GRAINS TO BREAK CONTINUOUSLY CREATING NEW SHARP AND CUTTING EDGES, INCREASING THE FINENESS OF THE GRAIN SIZE. VERY DURABLE IT ALLOWS A HIGH REUSABILITY. IT TENDS TO BE INCORPORATED INTO THE MATERIAL



Starting from € 95,75

Grit	Hardness	Art.	€	Promo
36	9.1 Mohs	0578/36	€ 120,00	€ 95,75
80	9.1 Mohs	0578/80	€ 120,00	€ 95,75

SANDBLAST CORUNDUM

0582-

IT STANDS OUT FOR BEING EDGY AND EXTREMELY STABLE BY COMBINING THE PROPERTIES OF HARDNESS AND DENSITY. ITS LONGEVITY AND REUSABILITY MAKE IT THE MOST USED MATERIAL FOR SANDBLASTING. BEING COMPOSED FOR THE MOST PART OF ALUMINUM OXIDE IT IS PRACTICALLY FREE OF IRON. PARTICULARLY SUITABLE FOR CLEANING METAL SURFACES, REMOVING RUST AND OXIDE LAYERS AND REMOVING TEMPER COLORS



Starting from € 80,55

Grit	Hardness	Art.	€	Promo
36	9 Mohs	0582/36	€ 87,25	€ 80,55
80	9 Mohs	0582/80	€ 87,25	€ 80,55

GARNET

0579-

NEW

GARNET IS ONE OF THE LAST NATURAL ABRASIVES STILL IN USE. IT IS A NATURAL STONE, AND THEREFORE ECOLOGICAL, WITH EXCELLENT ABRASIVE PROPERTIES THAT ALLOWS YOU TO CREATE PROFILES WITHOUT ABRASIVE INCORPORATION, PRODUCE LITTLE DUST AND HAVE A RELATIVELY LOW CONSUMPTION. IT IS EXCELLENT FOR REMOVING HARD COATINGS, PAINT, RUST AND LAMINATE SCALES. IT CAN BE USED FOR BOTH DRY AND WATER SANDBLASTING. ITS LOW COST MAKES IT AN ALTERNATIVE TO CORUNDUM.



Starting from € 38,30

Grit	Hardness	Art.	€	Promo
36 ÷ 60	7.5 Mohs	0579/30	€ 48,00	€ 38,30
80	7.5 Mohs	0579/80	€ 48,00	€ 38,30

STEEL SHOT

0569

€ 75,00

NEW

THANKS TO THEIR SPHERICAL SURFACE AND HARDNESS THEY ALLOW TO OBTAIN SHINY SURFACES. EXCELLENT FOR REMOVING PAINT, BLEMISHES, BURRS AND RUST. THEIR LOW CRUSHING DOES NOT CREATE DUST INSIDE THE SANDBLASTING CABIN AND ALLOWS A LONG LIFE OF THE ABRASIVE. THEY CAN BE USED BOTH AS A MEANS FOR SHOT PEENING AND FOR BOTH DRY AND WATER SANDBLASTING.



€ 59,85

Grit	S390
Hardness	40 ÷ 50 HRC

MICRO GLASS BEADS

0581

€ 77,06

THANKS TO THEIR SPHERICAL SHAPE THEY ARE PERFECT FOR SURFACE FINISHING. THEY CREATE SMOOTH AND BRIGHT SURFACES, LEAVING AN INCOMPARABLE SATIN EFFECT. AS THEY DO NOT CONTAIN IRON, THEY ARE VERY SUITABLE FOR WORKING ON STAINLESS STEEL FOR FOOD USE AND ALUMINUM. THE MICROSPHERES WILL NOT DAMAGE THE SUBSTRATE OF THE MATERIAL BEING PROCESSED BUT WILL LEAVE AN ANCHORING PROFILE FOR SUBSEQUENT PAINTING, ESPECIALLY ON SOFT MATERIALS SUCH AS BRASS, ALUMINUM, PLASTICS, ETC...



€ 71,15

Grit	50 ÷ 70 (0,3 ÷ 0,2 mm)
Hardness	5-7 Mohs

PART WASHER WITH HEATING SYSTEM

0305

€ 692,16

FOR WASHING WITH HOT WATER UP TO 60° C, WITH A VENTURIUM PNEUMATIC GUN



€ 638,95

AVAILABLE FROM SEPTEMBER

Tank capacity	8 ÷ 14 l
Avg air cons.	5 SCFM 145 l / min
Working area	760 x 560 x 380 mm
Washing pressure	5 ÷ 8 Bar
Power	1350 W
Dimensions	790 x 610 x 1260 h mm

BENCH PART WASHER

0203

€ 528,64

FOR WASHING WITH WATER/SOLVENT, WITH A VENTURIUM PNEUMATIC GUN



€ 488,00

Dimensions	770 x 595 x 700 h mm
Tank capacity	4 ÷ 9 l
Avg air cons.	5 SCFM 145 l / min
Working area	765 x 560 x 380 mm
Power	30 W
Washing pressure	5 ÷ 8 Bar
Power	230 V 50 Hz

PARTS WASHER WITH DUAL PUMP

0486

€ 495,04

AVAILABLE FROM SEPTEMBER

Left tank internal dimensions	470 x 520 x 270 mm
Right tank internal dimensions	590 x 520 x 270 mm
Tub capacity	150 l
Pump	230V 50Hz 26 + 26 W
Pump capacity	10 ÷ 12 l/min
Size	1140 x 550 x 880 h mm



€ 457,00

DEGREASER CLEANING PNEUMATIC TANK

0632

€ 731,36

Internal tank dimensions	710 x 480 x 200 h mm
Height	1015 mm
Tank capacity	50 l
Tub capacity	65 l
Power pressure	6 Bar
Maximum tank pressure	0.5 Bar



€ 675,15

DETERGENT LIQUID
0632-

Starting from € 78,40

Contents	Specification	Art.	€	Promo
25 l	Solvent base	0632/D	€ 129,92	€ 112,65
25 l	Water dilutable max. 50%	0632/DA	€ 173,60	€ 150,15
25 l	Water dilutable max. 20%, hot usage	0632/DCF	€ 95,20	€ 78,40

WET AND DRY VACUUM CLEANER
A024/10
€ 63,50

WITH ABS TANK, BLOWER FUNCTION, EQUIPPED WITH ACCESSORIES


€ 58,65

Power	1,2 kW
Capacity	10 l
Motor	230 V 50 Hz
Air flow	30 ± 2 l/s
Net weight	3,7 kg

WET AND DRY VACUUM CLEANER
A025/30
€ 94,19

WITH STAINLESS STEEL TANK, BLOWER FUNCTION, EQUIPPED WITH ACCESSORIES


€ 86,95

Power	1,2 kW
Capacity	30 l
Motor	230 V 50 Hz
Air flow	28 l/s

INDUSTRIAL WET AND DRY VACUUM CLEANER EQUIPPED OF ACCESSORIES
A040/30A
€ 165,76

FOR INDUSTRIAL USE, WITH SOCKET FOR ELECTRONIC DEVICES


€ 153,05

Power	1,4 kW
Capacity	30 l
Motors	1 (230 V 50 Hz)
Air flow	35 l/s
Power socket	1600 W

INDUSTRIAL WET AND DRY VACUUM CLEANER EQUIPPED OF ACCESSORIES
A040/60A
€ 268,80

FOR INDUSTRIAL USE, WITH SOCKET FOR ELECTRONIC DEVICES


€ 248,15

Power	1,4 kW
Capacity	60 l
Motors	1 (230 V 50 Hz)
Air flow	46 l/s
Power socket	1600 W

60L 2 MOTORS WET AND DRY VACUUM CLEANER
A024/602
€ 260,96

WITH ABS TANK, EQUIPPED WITH ACCESSORIES


€ 240,90

Power	2,8 kW
Capacity	60 l
Motors	2 (230 V 50 Hz)
Air flow	30 ± 2 l/s
Net weight	12,5 kg

80L 2 MOTORS INDUSTRIAL WET AND DRY VACUUM CLEANER
A040/802
€ 471,52

FOR INDUSTRIAL USE, EQUIPPED WITH ACCESSORIES


€ 435,25

Power	2 kW
Capacity	80 l
Motors	2 (230 V 50 Hz)
Air flow	75 l/s
Dimensions	600 x 580 x 950 mm

80L 3 MOTORS INDUSTRIAL WET AND DRY VACUUM CLEANER
A040/803
€ 583,52

FOR INDUSTRIAL USE, EQUIPPED OF ACCESSORIES


€ 538,65

Power	3 kW
Capacity	80 l
Motors	3 (230 V 50 Hz)
Air flow	96 l/s
Dimensions	600 x 580 x 950 mm

PNEUMATIC DOT MARKING MACHINE

M040

USB PORT, WINDOWS XP AND
WINDOWS 7 32 BIT SOFTWARE

€ 5499,20



€ 4746,25

Working area	110 x 80 mm
Working speed	30 - 40 mm / sec
Table dimensions	320 x 300 mm
Workpiece allowed hardness	

PNEUMATIC HYDRAULIC SHOP PRESS

P001/75

75 TON, MADE OF STEEL, WITH
MOVEABLE HYDRAULIC PISTON ON
WHEELS, WITH TWO-SPEED MANUAL
CONTROL AND PNEUMATIC DOWN
FOOT PEDAL CONTROL

€ 4849,60



€ 4190,20

Capacity	75000 kg
Working area	800 x 279 x 850 h mm
Ram ø	125 mm
Ram diameter	78 mm
Ram stroke	250 mm
Working pressure	0,75 ÷ 0,85 MPa
Dimensions	1140 x 800 x 1896 h mm

HYDRAULIC SHOP PRESS

P001/30

TWO SPEED, WITH MOVABLE PISTON

€ 1002,40



€ 850,80

Capacity	30000 kg
Working area	525 x 290 x 980 h mm
Cylinder ø	92 mm
Ram ø	56 mm
Ram stroke	160 mm
Max. pressure	69 MPa
Dimensions	875 x 700 x 1780 h mm

HYDRAULIC SHOP PRESS

P001/20

WITH MOVEABLE PISTON

€ 817,60



€ 724,00

Capacity	20000 kg
Working area	495 x 200 x 1125 h mm
Cylinder ø	75 mm
Ram ø	48 mm
Ram stroke	140 mm
Max. pressure	69.3 MPa
Dimensions	690 x 600 x 1830 h mm

HYDRAULIC SHOP PRESS

P001/12

WITH MOVABLE PISTON

€ 495,04



€ 436,45

Capacity	12000 kg
Working area	480 x 190 x 900 h mm
Cylinder ø	56 mm
Ram ø	38 mm
Ram stroke	135 mm
Max. pressure	69 MPa
Dimensions	730 x 550 x 1600 h mm

HYDRAULIC SHOP PRESS

P001/10

WITH BENCH AND MOVABLE PISTON

€ 404,32



€ 356,20

Capacity	10000 kg
Working area	340 x 140 x 370 h mm
Cylinder ø	56 mm
Ram ø	38 mm
Ram stroke	130 mm
Max. pressure	69 MPa
Dimensions	565 x 500 x 1040 h mm

HYDRAULIC SHOP PRESS

P001/04

COUNTER TOP, 4 TON, FOR BREARINGS

€ 269,92



€ 244,30

Capacity	4000 kg
Working area	350 x 115 x 325 h mm
Cylinder ø	40 mm
Ram ø	25 mm
Ram stroke	125 mm
Max. pressure	51 MPa
Dimensions	450 x 400 x 655 h mm

HYDRAULIC BODY FRAME REPAIR KIT

0054-



Starting from € 222,45

Capacity	Ram length	Ram stroke	Art.	€	Promo
10 ton	330 mm	130 mm	0054/10	€ 340,48	€ 299,90
4 ton	270 mm	120 mm	0054/4	€ 274,40	€ 222,45

HYDRAULIC PUMP WITH PNEUMATIC PEDAL CONTROL

0664

€ 309,12

USEFUL FOR SHOP PRESS, TROLLEY JACKS AND RAMS



Rated pressure	70 MPa
Working pressure	7 ÷ 8 bar
Usable oil capacity	690 c.c.
Air consumption	10 SCFM

€ 280,00
HYDRAULIC PUMP

0271

€ 125,44

WITH PUMP ACTIVATION PEDAL



Rated pressure	63,7 MPa
Usable oil capacity	790 ml
Hose length	1500mm

€ 94,55
LOW PROFILE HYDRAULIC TROLLEY JACK

0567

€ 91,50

2 TONS, MADE OF STEEL



Capacity	2 ton
Lifting	90 ÷ 385 mm
Dimensions	580 x 165 x 235 h mm
Net weight	13 kg

€ 79,45
LOW PROFILE JACK

0457

€ 509,60

2 TONS, MADE OF STEEL, WITH ROUND HANDLE



Capacity	2 ton
Lifting	70 ÷ 500 mm
Dimensions	785 x 350 x 152 mm

€ 421,00
HYDRAULIC TROLLEY JACK

0369

€ 316,96

DUAL PUMP, WITH REMOVEABLE SADDLE AND RUBBER PAD



Capacity	3,5 ton
Dimensions	745 x 335 x 180 mm
Lifting	110 ÷ 560 mm

€ 301,40
LOW PROFILE HYDRAULIC TROLLEY JACK

0375A

€ 260,96

2,5 TON, DOUBLE PUMP QUICK LIFT, WITH LOAD LIMITER



Capacity	2.5 ton
Lifting	75 ÷ 500 mm
Dimensions	830 x 380 x 200 h mm
Net weight	32.5 kg

€ 221,70
HYDRAULIC TROLLEY JACK

C039/25

€ 270,88

ALUMINIUM AND STEEL HYDRAULIC TROLLEY JACK WITH DOUBLE PUMP



Capacity	2.5 ton
Dimensions	659 x 289 x 165 h mm
Lifting	110 ÷ 460 mm

€ 228,60

HYDRAULIC TROLLEY JACK

C039/15

€ 201,60

ALUMINIUM AND STEEL HYDRAULIC TROLLEY JACK WITH DOUBLE PUMP



Capacity	1,5 ton
Dimensions	490 x 270 x 130 h mm
Lifting	90 ÷ 358 mm

€ 166,35

HYDRAULIC JACK

0658

€ 759,36



Capacity	10 ton
Lifting range of foot	30 ÷ 260 mm
Lifting range of head	420 ÷ 665 mm


€ 603,75

COUPLE JACK STAND

0067

€ 25,87

HEIGHT ADJUSTABLE WITH FIXING PIN



Capacity	2 ton
Heights	240 - 270 - 320 - 365 mm

€ 23,80

COUPLE JACK STAND

0069-



Starting from € 39,45

Capacity	Height min - max	Base dimensions	Art.	€	Promo
3 ton	298 ÷ 428 mm	190 x 210 mm	0069/3	€ 42,67	€ 39,45
6 ton	400 ÷ 610 mm	260 x 285 mm	0069/6	€ 79,30	€ 73,40
10 ton	468 ÷ 718 mm	290 x 328 mm	0069/10	€ 174,72	€ 151,90

HYDRAULIC FOLDING CRANE

0063

€ 614,88



Capacity	1000 kg
Dimensions	1800 x 1000 x 1500h mm
Fold dimensions	800 x 860 x 1600h mm
Min/max boom extension	680 ÷ 1220 mm
Front opening	800 mm

€ 554,10

TRANSMISSION JACK

0094

€ 308,00

WITH LOAD LIMITER, CROSS SUPPORT AND TILT SUPPORT TO BETTER ALIGN AND POSITION GEARBOXES AND DIFFERENTIALS.



Capacity	500 kg
Dimensions	1190 x 700 x 660 mm
Min - Max height	1190 ÷ 2000 mm

€ 286,00

ENGINE SUPPORT

S024

€ 126,56

ENGINE SUPPORT HOLDS YOUR ENGINE OR TRANSMISSION IN PLACE DURING HEAVY AUTOMOTIVE REPAIRS, USED TO SUPPORT THE ENGINE WHILE REMOVING GEAR BOX, TRANSMISSION, REPLACING CLUTCH AND ALL MOTOR MOUNTS. RUBBER FEET FOR SAFE HOLD OF MOTOR, EASY REGULATION FOR HOLD ENGINE IN ITS PLACE IN THE CAR. SWIVEL AND TILTING HOLDERS.



€ 110,25

Capacity	500 kg
Adjusting height	205 mm
Bed length	730 x 1480 mm

ENGINE STAND

S019

€ 132,16

2 WHEELS WITH BREAKS AND 2 FIX WHEELS, POSSIBILITY TO TILT THE MOTOR



€ 120,95

Capacity	450 kg
Dimensions	865 x 810 x 870 mm

SHOP CRANE LEVELER

0147

€52,86

SHOP CRANE AND CRANE LEVELER,
EASY TO USE, JUST CRANK TO LEVEL,
TILTS FORWARD AND BACKWARD FOR
EASY MOTOR MOUNT ALIGNMENT



€ 45,95

Capacity	680 kg
Width	440 mm
Max stroke of slide	330 mm
Chain	350 mm

OIL DRAINER WITHOUT TANK

0594

€129,92

WITH WHEELS, TO USE UNDER LIFTS,
FOR WASTE OIL



€ 119,95

Base dimensions	390 x 390 mm
Height max	1700 mm

OIL DRAINER

0595

€260,96

WITH TANK AND WHEELS, TO USE
UNDER LIFTS, FOR WASTE OIL



€ 240,90

Tank capacity	70 l
Height min - max	1170 ÷ 1860 mm
Maximum tank pressure	0.45 bar

PNEUMATIC OIL DRAINER

0596

€418,88

WITH WHEELS AND DIFFERENT SIZE
OF SUCTION PROBES, FOR WASTE OIL,
FOR USE UNDER LIFTS TOO



€ 386,70

Tank capacity	70 l
Measuring tank capacity	10 l
Height max	1500 mm
Metal probe	2 x ø6 mm x 695 mm
Nylon probe	2 x ø6 mm x 680 mm 2 x ø8 mm x 700 mm
Suction	ø6 x 4,5 mm - 0,4 ÷ 0,8 l/min ø8 x 6,5 mm - 1 ÷ 1,6 l/min
Power pressure	8 ÷ 10 bar

12 V ELECTRIC WINCH - DIRECT CURRENT

0630/2720

€932,96



€ 782,45

Rated line pull	2720 kg
Speed	1,3 - 4,5 m / min
Motor: permanent magnet	12 V 1,3 kW 1,8 hp
Gear Reduction ratio	294:1
Cable size	ø 7,2 mm x 32 m
Drum dimensions	ø 63 x 228 mm
Overall dimensions	520 x 180 x 175h mm

12 V ELECTRIC WINCH - DIRECT CURRENT

0630/2200

€686,56

HORIZONTAL PULL. RESISTENTE
CABLE. METAL FRAME.



€ 514,35

Rated line pull	2000 kg
Speed	1,5 - 3,6 m / min
Motor: permanent magnet	12 V 1,0 kW 1,3 hp
Gear reduction ratio	172:1
Cable size	ø 6,4 mm x 14,5 m
Drum dimensions	ø 45 x 97 mm
Overall dimensions	364 x 126 x 141h mm

12 V ELECTRIC WINCH - DIRECT CURRENT

0630/0900

€277,76

HOOK WITH PULLEY FOR DOUBLE PULL. RESISTENTE
CABLE. METAL FRAME



€ 218,45

Rated line pull	450 / 900 kg
Speed	1,3 - 3,2 m / min
Motor: permanent magnet	12 V 0,7 kW 0,9 hp
Gear reduction ratio	153:1
Cable size	ø 4 mm x 15 m
Drum dimensions	ø 31,5 x 73 mm
Overall dimensions	285 x 105 x 105h mm

2 PC CAR RAMPS SET

R015

€148,96

MADE OF POLYPROPYLENE, MAX CAPACITY 2,5 TON



€ 137,55

Dimensions	905 x 330 x 218 mm
Capacity	2,5 ton
Max tire width	240 mm
Min - Max height	170 mm
Tilting	15°

6 - 12 V - 4 A INTELLIGENT DIGITAL BATTERY CHARGER

0432

€85,68

RECHARGE LEAD BATTERIES, AMG, AL, GEL, WET, VRLA, MF. MICROPROCESSOR FOR A 9 STEP AUTOMATIC RECHARGE. RECHARGE MODE 14.7 V - 2 A. AUTOMATIC COMMUTATION.



Power	230 V 50 ÷ 60 Hz
Power	14,7 V 4 A max


€ 78,70

ELECTRO-HYDRAULIC MOTORCYCLE LIFT

S029P

€2520,00

WITH PUMP AND SEPARATE CONTROL SYSTEM THAT GIVE THE POSSIBILITY TO POSITION IT AT FLOOR LEVEL




Max lifting capacity	600 kg
Platform dimensions	2200 x 750 mm
Total length	2995 mm
Motor	230 V 50 Hz 550 W
Net weight	260 kg

€ 2116,35

ELECTRO-HYDRAULIC MOTORCYCLE LIFT

S027

€2128,00



AVAILABLE FROM AUGUST

Max lifting capacity	600 kg	Vice	330 x 320 mm
Platform dimensions	1800 x 600 mm	Vice opening	40 ÷ 200 mm
Total length	2600 mm	Motor	230 V 50 Hz 550 W
Min - Max height	260 ÷ 880 mm	Net weight	188 kg

€ 1805,15

MOTORCYCLE DOLLY

0430

€235,20

POWDER COATED STEEL. IT IS SUITABLE FOR MOTORCYCLES AND SCOOTERS THAT HAVE THE SIDE STAND.



Maximum capacity	300 kg
Length	1929 mm

€ 220,45

SHOP SEAT

0645/S

€50,18

WITH PIVOTING WHEELS, TOOL HOLDER BASE, SEAT WITH PADDING



Dimensions	368 x 360 x 365 mm
------------	--------------------

€ 46,35

THREE-DRAWER CAR SEAT

0645/CC

€84,56

EQUIPPED WITH 3 DRAWERS WITH BEARINGS, 3 CAN TRAYS AND A SMALL FRONTAL TRAY, 4 PIVOTING WHEELS



Dimensions	370 x 400 x 367h mm
Drawer dimensions	3 - 150 x 300 x 40 h mm

€ 78,10

PLASTIC CREEPER

0645/CP

€62,38

SHOCKPROOF, WITH 6 WHEELS



€ 57,60

Dimensions	1000 x 470 x 120h mm
------------	----------------------

6 WHEELS CAR CREEPER

0645/C

€56,00



€ 51,70

Dimensions	1030 x 420 x 110h mm
------------	----------------------

BOTTLE JACK

0062-

HYDRAULIC JACK. IT PROVIDES AN EXCELLENT STABILITY THANKS TO ITS SMALL SIZE. EASY TO CARRY AND USE



Starting from **€ 20,45**

Capacity	Min. height	Lifting	Art.	€	Promo
2 ton	181 mm	116 mm	0062/2	€ 23,30	€ 20,45
5 ton	220 mm	127 mm	0062/5	€ 36,29	€ 30,10
10 ton	230 mm	150 mm	0062/10	€ 48,72	€ 45,95
15 ton	230 mm	150 mm	0062/15	€ 71,90	€ 59,00
20 ton	242 mm	150 mm	0062/20	€ 82,10	€ 70,20
32 ton	285 mm	180 mm	0062/32	€ 157,92	€ 109,40
50 ton	295 mm	180 mm	0062/50	€ 271,04	€ 231,80

LIFT TROLLEY

0075

€ 689,92

WITH FOLDABLE HANDLE WITH MECHANICAL BLOCKING SYSTEM, SWIVEL WHEELS WITH BRAKES


€ 623,60

Capacity	300 kg
Table dimensions	850 x 500 x 50 mm
Lifting	290 ÷ 880 mm

THREE SHELVES TROLLEY

C650

€ 159,04

STRONG AND EASY TO ASSEMBLE, 2 SWIVEL AND 2 FIXED CASTERS


€ 146,85

Dimensions	800 x 450 x 800h mm
Steel thickness	2 mm
Wheels	ø 80 mm
Capacity	100 kg

PVC PLATFORM TROLLEY

Cx

WITH FOLDABLE HANDLE, 2 FIXED CASTERS AND 2 SWIVEL CASTERS



Starting from **€ 57,60**

Capacity	Platform dimensions	Art.	€	Promo
150 kg	700 x 450 mm	C150	€ 62,38	€ 57,60
300 kg	900 x 600 mm	C300	€ 165,76	€ 153,05

LIFT TROLLEY

0010

€ 754,88

WITH FOLDABLE HANDLE, MECHANICAL BLOCKING SYSTEM OF THE PLATFORM, SWIVEL WHEELS WITH BRAKES


€ 639,45

Capacity	500 kg
Table dimensions	850 x 500 x 50 mm
Lifting	290 ÷ 880 mm

HIGH LIFT TROLLEY

0467

€ 893,76

WITH DOUBLE SCISSOR ACTION, MECHANICAL BLOCKING SYSTEM OF THE PLATFORM, SWIVEL WHEELS WITH BRAKES


€ 756,65

Capacity	350 kg
Table dimensions	910 x 500 x 53 mm
Lifting	335 ÷ 1300 mm

CART WITH WOODEN SHELF

C009

€ 353,92

CART MADE OF STEEL, WITH 2 FIXED WHEELS AND 2 SWIVEL WHEELS WITH BRAKE


€ 326,70

Overall dimensions	1000 x 800 x 810 h mm
Steel thickness	2 mm
Plate thickness	36 mm
Wheels	ø 150 mm
Capacity	150 kg

ALUMINUM HAND TRUCK WITH PNEUMATIC WHEELS

C182

€ 168,00

€ 155,10

Pneumatic wheels	Ø 260 x 85 mm
Capacity	200 kg
Toe plate dimensions	300 x 205 mm

MULTIFUNCTION HAND TRUCK

C189

€ 83,55

WITH PNEUMATIC WHEELS FOR FIREWOOD, POTS, BOXES AND OTHER OBJECTS. STRONG, EASY TO HANDLE AND VERSATILE. PLASTIC HANDLES



€ 77,15

Pneumatic wheels	Ø 260 x 85 mm
Capacity	150 kg
Toe plate dimensions	400 x 250 mm
Movable grid	340 x 390 mm

CHAIN HOIST

0056-



Starting from € 117,95

Capacity	Lifting	Art.	€	Promo
1000 kg	3000 mm	0056/1	€ 138,88	€ 117,95
2000 kg	3000 mm	0056/2	€ 206,08	€ 182,90

LEVER CHAIN HOIST

0237-



Starting from € 155,35

Capacity	Lifting	Art.	€	Promo
500 kg	1500 mm	0237/05	€ 168,00	€ 155,35
1500 kg	1500 mm	0237/15	€ 249,76	€ 218,45

HOIST ARM

0236

€ 81,76



€ 72,60

Capacity	300 kg
Arm length	750 mm
Slot distance	380 mm
Stem	45 X 45 mm²

ELECTRIC CABLE HOIST

0602

€ 254,24



€ 224,40

Capacity	200 / 400 kg	Speed	8 m/min
Cable length	18 m	Motor	230 V 50 Hz 1 kW

CABLE HOIST

0600

€ 283,36



€ 246,25

Capacity	200 / 400 kg	Speed	8 m / min
Cable length	18 m	Motor	230 V 50 Hz 0,75 kW

MAGNETIC LIFTER

Sx



Starting from € 406,35

Maximum capacity	Round bar lifting cap.	Art.	€	Promo
300 kg	100 kg	S0300	€ 512,96	€ 406,35
600 kg	200 kg	S0600	€ 803,04	€ 601,95
1000 kg	330 kg	S1000	€ 1209,60	€ 906,70

LASHING SYSTEM WITH POLYESTER RIBBON DRAFT

06x

STANDARD EN 12195-2



Starting from € 17,30

Strap ribbon with turnbuckle	Ribbon width	Capacity	Art.	€	Promo
5,50 + 0,50 m	35 mm	1000 kg	0635	€ 25,98	€ 17,30
8,00 + 0,50 m	50 mm	2000 kg	0650	€ 36,29	€ 26,65

WIRE ROPE PULLING HOIST

0791-


FOR PULLING AND LIFTING


 Starting from **€ 232,35**

Max load	Cable	Art.	€	Promo
800 kg	ø 8,3mm x 20m	0791/08	€ 330,40	€ 232,35
1600 kg	ø 11mm x 20m	0791/16	€ 445,76	€ 339,60
3200 kg	ø 16mm x 20m	0791/32	€ 872,48	€ 589,80

DOUBLE RATCHET HAND PULLER

0066

€ 30,91

€ 28,70

Max load	800 kg
Cable diameter	ø 5 mm
Max length	2 m

GEARED HAND WINCH

0070/C

€ 40,54

ZINC-PLATED


€ 37,45

Max load	500 kg
Throat width	50 mm
Max ø wheel	133 mm
Min. ø wheel	40 mm
Cable size	ø 4,5 mm x 10 m
Base dimensions	140 x 90 mm

GEARED HAND WINCH

0070

€ 31,25

 FRAME IN GALVANIZED STEEL.
ERGONOMIC HANDLE

€ 25,85

Max load	500 kg
Throat width	50 mm
Max ø wheel	133 mm
Min. ø wheel	40 mm
Base dimensions	140 x 90 mm

HAND OPERATED WINCH WITH BRAKE

0590

€ 65,52

€ 60,00

Max load	450 kg
Throat width	49 mm
Max ø wheel	110 mm
Min. ø wheel	45 mm
Overall dimensions without handle	170 x 150 x 125h mm

TRUCK PALLET WITH SCALE

0068L

€ 2072,00

 TRUCK PALLET WITH SCALE NOT
LEGAL FOR TRADE - TARE FUNCTION
POWERED BY REPLACEABLE
BATTERIES

€ 1753,30

Capacity	2000 kg
Weight capacity	2000 kg
Fork height	85 ÷ 175 mm
Fork dimensions	1150 x 570 mm
Reading	0,5 kg
Accuracy	±0,05% kg
Front wheel	Double

LOWERED MANUAL PALLET TRUCK

0028R

€ 607,04

€ 514,65

Capacity	2500 kg
Fork height	63 ÷ 165 mm
Fork dimensions	1150 x 540 mm
Armor plate thickness	3 mm
Front wheel	Double

MANUAL TRUCK -PALLET

0028

€ 520,64

POLYURETHANE


€ 510,80

Capacity	2500 kg
Fork height	85 ÷ 200 mm
Fork dimensions	1150 x 540 mm
Armor plate thickness	3 mm
Front wheel	Double

MANUAL TRUCK -PALLET

0064

POLYURETHANE

€ 610,40

€ 555,80

Capacity	2500 kg
Fork height	85 ÷ 200 mm
Fork dimensions	900 x 540 mm
Armor plate thickness	3 mm
Front wheel	Single



PLATFORM STACKER WITH FORKS

0782

€ 1000,16

€ 923,25

Capacity	400 kg
Fork height	85 ÷ 1500 mm
Fork dimensions	545 x 650 mm
Platform	576 x 650 mm
Mobile wheels	Ø 127 x 40 mm
Fix wheels	Ø 75 x 40 mm
Tire	Polyurethane
Dimensions	1100 x 600 x 1725h mm



MANUAL STACKER

0143A

€ 1691,20

WITH BRAKE AND LIFTING FOOT PEDAL

€ 1561,15

Capacity	1000 kg
Fork height	90 ÷ 1600 mm
Fork dimensions	1150 x 550 mm
Fork section	160 x 55 mm
Upright height	2100 mm
Tire	Polyurethane
Front wheel	Double
Dimensions	920 x 1670 x 2100h mm



MANUAL STACKER

0143/25

€ 1870,40

WITH DOUBLE TELESCOPIC MAST, BRAKE AND LIFTING PEDAL

€ 1726,55

Capacity	1000 / 800 kg
Fork height	75 ÷ 1600 ÷ 2500 mm
Fork dimensions	1150 x 550 mm
Fork section	160 x 55 mm
Upright height	1840 mm
Tire	Polyurethane
Front wheel	Double
Dimensions	1670 x 920 x 1840h mm



PRECISION MEASURING MILLING VICE


M012-

HIGH PRECISION STEEL MODULAR VICE

M028-

Starting from € 71,90

Dimensions	Accuracy	Art.	€	Promo
38 x 105 x 45h mm	0,005 mm	M012/038	€ 80,98	€ 71,90
50 x 140 x 50h mm	0,005 mm	M012/050	€ 84,56	€ 74,90
73 x 190 x 67h mm	0,005 mm	M012/080	€ 204,96	€ 134,65
100 x 245 x 90h mm	0,005 mm	M012/100	€ 285,60	€ 208,55



HIGH PRECISION STEEL VICE


M011-

Starting from € 649,40

Jaw dimensions	Accuracy	Art.	€	Promo
100 x 30h mm	0,02 mm	M028/100/100	€ 717,92	€ 649,40
125 x 40h mm	0,02 mm	M028/125/150	€ 780,64	€ 695,10
150 x 50h mm	0,02 mm	M028/150/200	€ 930,72	€ 836,10
150 x 50h mm	0,02 mm	M028/150/300	€ 1000,16	€ 901,60
150 x 50h mm	0,02 mm	M028/150/400	€ 1153,60	€ 1030,70
175 x 60h mm	0,02 mm	M028/175/300	€ 1187,20	€ 1062,45
175 x 60h mm	0,02 mm	M028/175/400	€ 1332,80	€ 1178,50
175 x 60h mm	0,02 mm	M028/175/500	€ 1489,60	€ 1336,50
200 x 65h mm	0,02 mm	M028/200/300	€ 1792,00	€ 1507,30
200 x 65h mm	0,02 mm	M028/200/400	€ 1836,80	€ 1658,20
200 x 65h mm	0,02 mm	M028/200/500	€ 2217,60	€ 1797,25
200 x 65h mm	0,02 mm	M028/200/600	€ 2441,60	€ 2025,60

Starting from € 776,50

Jaw dimensions	Accuracy	Art.	€	Promo
125 x 50h mm	0,02 mm	M011/125/150	€ 1000,16	€ 776,50
150 x 60h mm	0,02 mm	M011/150/210	€ 1153,60	€ 989,00
150 x 60h mm	0,02 mm	M011/150/300	€ 1433,60	€ 1340,45



MILLING MACHINE VICE WITH 360° SWIVEL BASE
M023-

Starting from € 130,10

Jaws	Opening	Slot	Art.	€	Promo
100 x 35 mm	80 mm	14 mm	M023/100	€ 200,48	€ 130,10
125 x 40 mm	100 mm	14 mm	M023/125	€ 239,68	€ 161,30
160 x 50 mm	125 mm	18 mm	M023/160	€ 324,80	€ 250,25
200 x 61 mm	160 mm	18 mm	M023/200	€ 408,80	€ 353,50

TILTING MILLING MACHINE VICE WITH 360° SWIVEL BASE
M530-

Starting from € 245,30

Jaws	Opening	Slot	Art.	€	Promo
100 x 32 mm	90 mm	14 mm	M530/100	€ 300,16	€ 245,30
125 x 40 mm	100 mm	18 mm	M530/125	€ 356,16	€ 247,15
160 x 50 mm	125 mm	- mm	M530/160	€ 436,80	€ 364,15

STEEL PARALLEL COUPLE SET
P015
€ 163,52

HARDENED AND GROUND PRECISION



Dimensions	160 x 4 x (10-14-18-22-26-30-34-38-42) mm
Hardness	HRC 60
Accuracy	± 0,005 mm
Pieces	18

€ 127,50
DRILL PRESS VICE
M027-

EQUIPPED WITH SCRAPED GROOVES


Starting from € 123,75

Jaws	Opening	Base dimensions	Art.	€	Promo
100 x 40 mm	100 mm	290 x 135 mm	M027/100	€ 148,96	€ 123,75
140 x 50 mm	140 mm	375 x 230 mm	M027/140	€ 209,44	€ 177,35
200 x 60 mm	200 mm	485 x 295 mm	M027/200	€ 339,36	€ 288,20

MILLING MACHINE VICE WITH 360° SWIVEL BASE
M024-

Starting from € 140,40

Jaws	Opening	Slot	Art.	€	Promo
136 x 32 mm	170 mm	14 mm	M024/136	€ 173,60	€ 140,40
160 x 50 mm	180 mm	14 mm	M024/160	€ 249,76	€ 188,10
200 x 63 mm	220 mm	18 mm	M024/200	€ 329,28	€ 297,90
250 x 45 mm	320 mm	18 mm	M024/250	€ 478,24	€ 403,15

STEEL PARALLEL COUPLE SET
P014
€ 380,16

HARDENED AND GROUND PRECISION



Dimensions	150 x 10 x (14-16-18-20-22-24-26-28-30-32-35-40-45-50) mm
Hardness	HRC 60
Accuracy	± 0,005 mm
Pieces	28

€ 224,40
STEEL PARALLEL COUPLE SET
P017
€ 115,36

HARDENED AND GROUND PRECISION



Dimensions	150 x 8 x (14-16-20-24-30-32-36-40-44) mm
Hardness	HRC 45
Pieces	18
Accuracy	± 0,005 mm

€ 104,50
DRILL PRESS VICE
M001-

Starting from € 51,65

Jaws	Opening	Art.	€	Promo
100 mm	80 mm	M001/100	€ 56,00	€ 51,65
120 mm	110 mm	M001/120	€ 68,77	€ 61,85
150 mm	135 mm	M001/150	€ 86,24	€ 75,25

DRILL PRESS VICE

0142-



Starting from € 18,15

Jaws	Opening	Art.	€	Promo
75 X 24 mm	55 mm	0142/75	€ 19,38	€ 18,15
100 x 25,5 mm	85 mm	0142/100	€ 27,44	€ 24,40
125 x 30 mm	100 mm	0142/125	€ 34,16	€ 30,30

2 - WAY CROSS VICE

0188-



Starting from € 68,15

Jaws	Opening	Base dimensions	Art.	€	Promo
100 x 25 mm	90 mm	240 x 140 mm	0188/100	€ 81,42	€ 68,15
125 x 40 mm	110 mm	255 x 160 mm	0188/125	€ 115,36	€ 89,00
150 x 40 mm	145 mm	280 x 170 mm	0188/150	€ 145,60	€ 114,60

2 - WAY CROSS VICE WITH SWIVEL BASE

0188-xG



Starting from € 112,65

Jaws	Opening	Base dimensions	Art.	€	Promo
100 X 25 mm	90 mm	210 x 150 mm	0188/100G	€ 137,76	€ 112,65
125 X 40 mm	120 mm	230 x 175 mm	0188/125G	€ 155,68	€ 131,65
150 X 45 mm	150 mm	235 x 195 mm	0188/150G	€ 176,96	€ 150,45

TILTING ROTARY TABLE

T016/100

€ 392,00



€ 332,55

Revolution	360°
Tilting table	90°
Ratio	1:36
Slots	4 x 6.35 mm 5/16"
Horizontal height	102 mm

TILTING ROTARY TABLE WITH CHUCK

T017/100

€ 560,00



SWIVELING CROSS WORKING TABLE

T014G

€ 924,00



Slot	12 mm
Height	160 mm
Travels	155 x 370 mm
Reading	0,02 mm

€ 834,10

Chuck sizes	100 mm
Revolution	360°
Tilting table	90°
Ratio	1:36
Slots	4 x 8 mm
Horizontal height	102 mm

€ 475,05

CROSS WORKING TABLE

T015/E

€ 259,84



ALUMINIUM CROSS WORKING TABLE

T018/350

€ 143,36



Height	120 mm
Slot	8 mm
Slot distance	36 mm
Travels	177 x 50 mm
Reading	0.05 mm
Overall dimensions	415 x 255 mm

€ 121,95

Slot	10 mm
Height	104 mm
Travels	50 x 80 mm
Reading	0,01 mm

€ 184,70

ALUMINIUM CROSS WORKING TABLE
T018/330
€ 76,50


Height	82 mm
Slot	8 mm
Slot distance	36 mm
Travels	190 x 65 mm
Reading	0,05 mm
Overall dimensions	395 x 210 mm

€ 66,50
CLAMPING KIT
K001-

Starting from € 84,00

Slot	MA	Art.	€	Promo
12 mm	10	K001/12	€ 103,82	€ 84,00
14 mm	12	K001/14	€ 115,36	€ 88,00
16 mm	14	K001/16	€ 134,40	€ 112,40
18 mm	16	K001/18	€ 168,00	€ 141,40

ADJUSTABLE ANGLE PLATE
T004-

WITH TILTING REGULATION ON BOTH SIDES


Starting from € 243,40

Dimensions	Slot	Tilting	Art.	€	Promo
255 x 180 x 135h mm	12 mm	± 36°	T004/250	€ 356,16	€ 243,40
380 x 250 x 180h mm	16 mm	± 36°	T004/380	€ 540,96	€ 441,50
610 x 305 x 253h mm	16 mm	± 36°	T004/600	€ 921,76	€ 856,50

ROTARY LIVE CENTER
C046-

Starting from € 35,35


Spindle taper MT	Center	Body	Length	Art.	€	Promo
2	60°	Ø 45 mm	155 mm	C046/2	€ 68,32	€ 35,35
3	60°	Ø 53 mm	175 mm	C046/3	€ 82,88	€ 43,70
4	60°	Ø 63 mm	208 mm	C046/4	€ 87,81	€ 61,85
5	60°	Ø 87 mm	256 mm	C046/5	€ 120,96	€ 80,40

PRECISION SELF CENTERING
M049-

3+3 JAWS CHUCK

Starting from € 132,90


D1	D2	D3	H1	H	h	z-d	Spanner square	A - A1	B - B1	C - C1	Art.	€	Promo
58 mm	66 mm	16 mm	66 mm	50 mm	3,5 mm	3-M6 mm	8 mm	2 - 22 mm	25 - 70 mm	22 - 63 mm	M049/080	€ 160,16	€ 132,90
72 mm	84 mm	22 mm	74,5 mm	55 mm	3,5 mm	3-M8 mm	8 mm	2 - 30 mm	30 - 90 mm	30 - 80 mm	M049/100	€ 179,20	€ 145,20
95 mm	108 mm	30 mm	78 mm	55 mm	3,5 mm	3-M8 mm	10 mm	2,5 - 40 mm	38 - 125 mm	38 - 110 mm	M049/125	€ 189,28	€ 156,70
130 mm	142 mm	40 mm	95 mm	65 mm	5 mm	3-M8 mm	12 mm	3 - 55 mm	50 - 160 mm	55 - 145 mm	M049/160	€ 249,76	€ 226,40
165 mm	180 mm	60 mm	109 mm	75 mm	6 mm	3-M10 mm	12 mm	4 - 85 mm	65 - 200 mm	65 - 200 mm	M049/200	€ 344,96	€ 289,95
206 mm	226 mm	80 mm	120 mm	80 mm	5 mm	3-M12 mm	12 mm	6 - 110 mm	80 - 250 mm	90 - 250 mm	M049/250	€ 402,08	€ 341,60
270 mm	290 mm	100 mm	142 mm	90 mm	11 mm	3-M16 mm	13 mm	10 - 140 mm	95 - 320 mm	100 - 320 mm	M049/320	€ 711,20	€ 603,75
340 mm	368 mm	130 mm	158 mm	100 mm	8 mm	3-M16 mm	15 mm	15 - 210 mm	120 - 400 mm	120 - 400 mm	M049/400	€ 1105,44	€ 937,35


SELF CENTERING CHUCK
M449-

4+4 JAWS CHUCK WITH CHUCK KEY WITH SPRING

Starting from € 133,10

D	D1	D2	D3	H1	H	h	z-d	Spanner square	Art.	€	Promo
80 mm	55 mm	66 mm	16 mm	66 mm	50 mm	3,5 mm	3 - M6 mm	8 mm	M449/080	€ 168,00	€ 133,10
100 mm	72 mm	84 mm	22 mm	74,5 mm	55 mm	4,5 mm	3 - M8 mm	8 mm	M449/100	€ 189,28	€ 143,80
125 mm	95 mm	108 mm	30 mm	84 mm	58 mm	4 mm	3 - M8 mm	10 mm	M449/125	€ 218,40	€ 167,65
160 mm	130 mm	142 mm	40 mm	95 mm	65 mm	5 mm	3 - M8 mm	10 mm	M449/160	€ 275,52	€ 232,35
200 mm	165 mm	187 mm	65 mm	109 mm	75 mm	5 mm	3 - M10 mm	12 mm	M449/200	€ 389,76	€ 353,50
250 mm	206 mm	226 mm	80 mm	120 mm	80 mm	5 mm	3 - M12 mm	12 mm	M449/250	€ 504,00	€ 448,85
320 mm	270 mm	290 mm	100 mm	142 mm	90 mm	6 mm	3-M16 mm	14 mm	M449/320	€ 865,76	€ 734,80
400 mm	340 mm	368 mm	130 mm	158 mm	100 mm	6 mm	3-M16 mm	17 mm	M449/400	€ 1344,00	€ 1141,90



PRECISION SELF CENTERING CHUCK

M005-

3 JAWS WITH REVERSIBLE TOP JAWS

Starting from € 291,95

D1	D2	D3	H1	H	h	z-d	Spanner square	A - A1	B - B1	C - C1	Art.	€	Promo
165 mm	180 mm	65 mm	122 mm	75 mm	5 mm	3-M10 mm	12 mm	4 - 85 mm	65 - 200 mm	65 - 200 mm	M005/200	€ 344,96	€ 291,95
206 mm	226 mm	80 mm	135 mm	80 mm	5 mm	3-M12 mm	12 mm	6 - 110 mm	80 - 250 mm	90 - 250 mm	M005/250	€ 402,08	€ 319,75
270 mm	290 mm	100 mm	135 mm	90 mm	6 mm	3-M16 mm	14 mm	10 - 140 mm	95 - 315 mm	100 - 315 mm	M005/320	€ 633,92	€ 564,00
340 mm	368 mm	130 mm	172 mm	100 mm	8 mm	3-M16 mm	17 mm	15 - 210 mm	120 - 400 mm	120 - 400 mm	M005/400	€ 1020,32	€ 907,55
440 mm	465 mm	200 mm	202 mm	115 mm	6 mm	6-M16 mm	17 mm	25 - 280 mm	150 - 500 mm	150 - 500 mm	M005/500	€ 1736,00	€ 1543,05
560 mm	595 mm	260 mm	218 mm	130 mm	7 mm	6-M16 mm	19 mm	50 - 350 mm	170 - 630 mm	170 - 630 mm	M005/630	€ 4905,60	€ 4428,50



4 JAW INDEPENDENT CHUCK

P444-

WITH CHUCK KEY

Starting from € 178,35

D	D1	D2	D3	H1	H	h	z-d	Spanner square	Art.	€	Promo
160 mm	65 mm	95 mm	45 mm	67 mm	97 mm	4 mm	4 - M10 mm	10 mm	P444/160	€ 216,16	€ 178,35
200 mm	75 mm	95 mm	56 mm	75 mm	107 mm	6 mm	4 - M10 mm	10 mm	P444/200	€ 282,24	€ 233,30
250 mm	110 mm	130 mm	75 mm	80 mm	120 mm	6 mm	4 - M12 mm	12 mm	P444/250	€ 376,32	€ 308,50
320 mm	140 mm	165 mm	95 mm	90 mm	134 mm	6 mm	4 - M16 mm	14 mm	P444/320	€ 603,68	€ 497,45
400 mm	160 mm	185 mm	125 mm	95 mm	141 mm	8 mm	4 - M16 mm	14 mm	P444/400	€ 790,72	€ 651,70



REVERSIBLE TAPPING CHUCK WITH ADJUSTABLE CLUTCH

M059-


LATHE MILL TABLE UNIVERSAL DEVICE

0688

€ 187,84

Starting from € 337,65

Tapping range	Dimensions w/o MT	Spindle taper MT	Taper DIN	Art.	€	Promo
M 2 - 7	Ø 55 x 130h mm	2	B16	M059/07	€ 453,60	€ 337,65
M 5 - 12	Ø 75 x 162h mm	3	B16	M059/12	€ 519,68	€ 462,75
M 8 - 20	Ø 91 x 204h mm	4	B22	M059/20	€ 636,16	€ 496,50



L1	52 mm
L2	80 mm
L3	65 mm
L4	220 mm
L5	37 mm
L6	110 mm
L8	46 mm
L9	150 mm



CROSS FEED MOTOR

M038

€ 607,84

X-AXIS, HORIZONTAL POSITION OF THE MOTOR, SPEED ADJUSTMENT AND QUICK TRAVEL

€ 514,65



Round speed	0 ÷ 200 rpm
Torque	5,1 Nm
Motor	230 V 50 Hz 0,1 kW

LED LIGHT MACHINE OPERATION LAMP

0531A

€ 137,76

WITHOUT TRANSFORMER

€ 117,20

Power	12 - 24 V 13 W AC/DC
Luminous flux	1800 lm
Color temperature	6500 K
LED number	9
Height	110 mm
Diameter	125 mm
Joints	1
Net weight	1,6 kg



LED LIGHT MACHINE OPERATION LAMP
0532A
€168,00

WITHOUT TRANSFORMER


€142,55

Power	12 - 24 V 13 W AC/DC
Luminous flux	1800 lm
Color temperature	6500 K
LED number	9
Height	890 mm
Diameter	125 mm
Joints	3
Net weight	2 kg

LED LIGHT MACHINE OPERATION LAMP
0532A/230V
€182,56

WITH TRANSFORMER


€154,40

Power	230 V 50 Hz 13 W
Luminous flux	1800 lm
Color temperature	6500 K
LED number	9
Height	900 mm
Diameter	125 mm
Joints	3
Net weight	2,2 kg

LED LIGHT MACHINE OPERATION LAMP
0537A
€100,94

WITHOUT TRANSFORMER


€85,15

Power	12 - 24 V 7 W AC
Luminous flux	700 lm
Color temperature	6500 K
LED number	7
Height	100 mm
Diameter	90 mm
Joints	1

LED LIGHT MACHINE OPERATION LAMP
0538A
€125,44

WITHOUT TRANSFORMER


€102,95

Power	12 - 24 V 7 W AC
Luminous flux	700 lm
Color temperature	6500 K
LED number	7
Height	650 mm
Diameter	90 mm
Joints	3

INDEXABLE CARBIDE TOOL HOLDER SET
B007-

INSERT INCLUDED


Starting from €81,55

Ext. shank / Insert	Int. shank / Insert	Screw	Art.	€	Promo
10 mm / TCMT110204N	8 mm / TCMT090204N	KV200	B007/10	€ 104,83	€ 88,45
12 mm / TCMT110204N	10 mm / TCMT110204N	KV250	B007/12	€ 110,54	€ 81,55
16 mm / TCMT16T304N	12 mm / TCMT110204N	KV250	B007/16	€ 136,64	€ 115,70

SOLID BORING BAR SET 95°
KISCLR
€220,64

COMPOSED OF: 1PC. INT. TOOL HOLDER: SCLCR08; SCLCR10; SCLCR12; CLCR16 1PC. SCREW: T8 Ø 2,5 mm 2PCS TORX KEY: T8 10PCS INSERT: CCMT060204N


€154,15
INTERNAL THREAD TOOL HOLDER
KISNR

COMPOSED OF: 1PC INTERNAL TOOL HOLDER 1PC SCREW: M3.5 X 12 mm 1PC HEX KEY: 2,5 mm 1PC TORX KEY: T15 10PCS DIFFERENT SIZE INSERTS: (1PCS.) AG55 - AG60; - ISO 0.8 - 1.00 - 1.25 - 1.50 - 1.75 - 2.00 - 2.50 - 3.00 mm


Starting from €157,10

ø	Insert	Art.	€	Promo
20 mm	16IR...	KISNR	€ 200,48	€ 157,10
25 mm	16IR...	KISNR25	€ 238,56	€ 192,65

CARBIDE TIPPED LATH E TOOL SET
B005-
Starting from €19,05

5 Pcs HM



Kit	Art.	€	Promo
1BRAS411108RP - 1BRAS411110RP - 1BRAS410312RP - 1BRAS-410412RP - 1BRAS410912RP	B005	€24,64	€ 19,05
1BRAS411110RP - 1BRAS411112RP - 1BRAS410316RP - 1BRAS-410416RP - 1BRAS410916RP	B005/16	€36,96	€ 31,35
1BRAS411112RP - 1BRAS411116RP - 1BRAS410320RP - 1BRAS-410420RP - 1BRAS410920RP	B005/20	€46,26	€ 39,90

FULLY GROUND STRAIGHT SHANK TWIST DRILL SET

P010/51

€57,57

RIGHT-HANDED, SHORT SERIES,
FOR PROCESSING MATERIALS WITH
RESISTANCE $R = 700 \text{ N/mm}^2$, TIP
HARDNESS $HV = 740 \div 780$



51 HSS TiN DIN 338 135°

Size (step 0,1 mm) 1 ÷ 6 mm

€40,05

FULLY GROUND STRAIGHT SHANK TWIST DRILL SET

P010/41

€134,40

RIGHT-HANDED, SHORT SERIES,
FOR PROCESSING MATERIALS WITH
RESISTANCE $R = 700 \text{ N/mm}^2$, TIP
HARDNESS $HV = 740 \div 780$



41 HSS TiN DIN 338 135°

Size (step 0,1 mm) 6 ÷ 10 mm

€102,40

STRAIGHT SHANK TWIST DRILL SET

P062

€63,39

RIGHT HAND, SHORT LENGTH, TO CUT
MATERIALS WITH RESISTANCE $R = 700$
N/MM2, TWIST DRILL HARDNESS $HV =$
740 ÷ 780



25 Pcs HSS TiN DIN 338 135°

Size (step 0,5 mm) 1 ÷ 13 mm

€50,90

FULLY GROUND FROM THE SOLID COBALT TWIST DRILL SET

P067

€63,39

SELF-CENTERING, RIGHT HAND,
SHORT SERIES, GROUND FOR
PROCESSING MATERIALS WITH
RESISTANCE $R = 1250 \text{ N/mm}^2$, TIP
HARDNESS $HV = 800 \div 900$



19 Pcs HSS - Co 5% DIN 338 135°

Size (step 0,5 mm) 1 ÷ 10 mm

€48,40

FULLY GROUND FROM THE SOLID COBALT TWIST DRILL SET

P069

€124,32

SELF-CENTERING, RIGHT HAND,
SHORT SERIES, GROUND FOR
PROCESSING MATERIALS WITH
RESISTANCE $R = 1250 \text{ N/mm}^2$, TIP
HARDNESS $HV = 800 \div 900$



25 Pcs HSS - Co 5% DIN 338 135°

Size (step 0,5 mm) 1 ÷ 13 mm

€102,40

FULLY GROUND FROM THE SOLID COBALT TWIST DRILL SET

P064/25A

€163,52

SPLIT POINT, RIGHT HAND, SHORT
LENGTH, TO CUT MATERIALS WITH
RESISTANCE $R = 1400 \text{ N/mm}^2$, TWIST
DRILL, HARDNESS $HV = 850 \div 900$



25 Pcs DIN 338 135° HSS - Co 8%

Size (step 0,5 mm) 1 ÷ 13 mm

€138,15

MORSE TAPER SHANK TWIST DRILL SET, BLACK FINISHED

P057

€96,66

RIGHT, FOR PROCESSING MATERIALS
WITH RESISTANCE $R = 650 \text{ N/mm}^2$, TIP
HARDNESS $HV = 700 \div 740$



10 Pcs HSS DIN 345/N 118°

MT 14 mm
MT 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 mm

€82,75

HOLE SAW SET

0712/002

€81,98

ELECTRICIAN KIT. SUITABLE FOR
CUTTING HARD STEELS, STAINLESS
STEEL, CAST IRON, ALUMINUM,
BRONZE, BRASS, COPPER, GLASS
FIBER, PLASTIC LAMINATES, WOOD.

9 Pcs HSS M3

Hole saw	22 - 29 mm
Corresponding ar-bors, adapter, bits	0712/600
Hole saw	35 - 44 mm
Corresponding ar-bors, adapter, bits	0712/800
Hole saw	51 - 64 mm
Corresponding ar-bors, adapter, bits	0712/900



€51,25

HOLE SAW SET

0712/005

€53,65

REPAIRMAN SET

7 Pcs HSS M3

Hole saw	22 - 25 - 29 mm
Corresponding arbors, adapter, bits	0712/600
Hole saw	32 - 38 mm
Corresponding arbors, adapter, bits	0712/900



€28,50

HOLE SAW SET

0712/008

€81,98

PLUMBER SET

9 Pcs HSS M3

Hole saw	19 - 22 - 29 mm
Corresponding arbors, adapter, bits	0712/600
Hole saw	38 - 44 - 57 mm
Corresponding arbors, adapter, bits	0712/800 - 0712/900



€42,70

HOLE SAW SET

0712/009

€93,07

INSTALLER SET

13 Pcs HSS M3

Hole saw	19 - 22 - 29 mm
Corresponding arbors, adapter, bits	0712/600 - 0712/900 - 0712/300
Hole saw	35 - 38 - 44 - 51 - 57 - 64 mm
Corresponding arbors, adapter, bits	0712/800



€57,65

HOLE SAW SET

0712/010

€175,84

INDUSTRY KIT. SUITABLE FOR CUTTING HARD STEELS, STAINLESS STEEL, CAST IRON, ALUMINUM, BRONZE, BRASS, COPPER, FIBERGLASS, PLASTIC LAMINATES, WOOD.

21 Pcs HSS M3

Hole saw	19 - 22 - 29 mm
Corresponding arbors, adapter, bits	0712/600
Hole saw	35 - 38 - 44 - 51 - 57 - 64 - 76 - 83 - 92 - 95 - 105 - 114 mm
Corresponding arbors, adapter, bits	0712/600 - 0712/900 - 0712/300
Extension	300 mm



€148,75

CARBIDE TIPPED MASONRY CORE DRILL BIT HOLE SAW SET

P076/006S

€125,44

CARBIDE CUTTING EDGES. WALL PERFORATIONS

6 HSS - HM

Sizes	16 mm - 22 mm - 25 mm - 27 mm - 30 mm - 35 mm
-------	---



€106,50

CARBIDE TIPPED MASONRY CORE DRILL BIT HOLE SAW SET

P076/008S

€184,80

CARBIDE CUTTING EDGES. WALL PERFORATIONS

8 HSS - HM

Sizes	16 mm - 22 mm - 25 mm - 27 mm - 30 mm - 35 mm - 40 mm - 45 mm
-------	---



€156,40

DIAMOND DRILL BIT AND CORE DRILL WITH CONTINUOUS EDGE SET

P031/03S

€46,70

FOR HARD MATERIALS SUCH AS GRANITE, PORCELAIN TILES, MARBLE ETC. WET DRILLING, ALTERNATE ROTATION CLOCKWISE AND ANTICLOCKWISE

3

Sizes	6 mm - 8 mm - 10 mm
Hex drive	9.5 mm
Total length	56 mm
Diamond height	2 mm
Grit	50/60



€40,55

DIAMOND DRILL BIT AND CORE DRILL WITH CONTINUOUS EDGE SET

P031/05S

€74,70

FOR HARD MATERIALS SUCH AS GRANITE, PORCELAIN TILES, MARBLE ETC. WET DRILLING, ALTERNATE ROTATION CLOCKWISE AND ANTICLOCKWISE

5

Sizes	5 mm - 6 mm - 8 mm - 10 mm - 12 mm
Hex drive	8.5 mm
Total length	56 mm
Diamond height	2 mm
Grit	50/60



€64,85

DIAMOND DRILL BIT AND CORE DRILL WITH CONTINUOUS EDGE SET

P031/06S

€ 224,00

FOR HARD MATERIALS SUCH AS GRANITE, PORCELAIN TILES, MARBLE ETC. WET DRILLING, ALTERNATE ROTATION CLOCKWISE AND ANTICLOCKWISE



Sizes	16 mm - 22 mm - 25 mm - 28 mm - 30 mm - 35 mm
Hex drive	11 mm
Total length	90 mm
Diamond height	5 mm
Grit	50/60



€ 190,00

DIAMOND DRILL BIT AND CORE DRILL WITH CONTINUOUS EDGE SET

P033/03S

€ 65,30

FOR DRY CUTTING HARD MATERIAL SUCH AS GRANITE, PORCELAIN TILES, MARBLE ETC. DRY AND WET DRILLING, WITH NATURAL COOLING WAX UNTIL 14MM.



Sizes	6 mm - 8 mm - 10 mm
Hex drive	9.5 mm
Total length	80 mm
Diamond height	10 mm



€ 56,80

M14 DIAMOND DRILL BIT AND CORE DRILL WITH CONTINUOUS EDGE SET

P034/05S

€ 140,00

FOR HARD MATERIALS SUCH AS GRANITE, PORCELAIN TILES, MARBLE ETC. FOR DRY AND WET DRILLING, WITH NATURAL COOLANT WAX, GRIT #30÷#50, CLOCKWISE AND ANTICLOCKWISE ALTERNATE ROTATION



Sizes	6 mm - 8 mm - 10 mm - 12 mm - 14 mm
Thread	M14
Total length	62 mm
Diamond height	10 mm



€ 118,80

M14 DIAMOND DRILL BIT AND CORE DRILL WITH CONTINUOUS EDGE SET

P034/06S

€ 348,32

FOR HARD MATERIALS SUCH AS GRANITE, PORCELAIN TILES, MARBLE ETC. FOR DRY AND WET DRILLING, GRIT #30÷#50, CLOCKWISE AND ANTICLOCKWISE ALTERNATE ROTATION



Sizes	22 mm - 35 mm - 40 mm - 45 mm - 50 mm - 67 mm
Thread	M14
Total length	60 mm
Diamond height	15 mm



€ 295,35

DIAMOND DRILL BIT SET WITH CONTINUOUS EDGE

P035/04S

€ 28,00



Sizes	5 mm - 6 mm - 8 mm - 10 mm
Shank	Ø 6 mm
Total length	65 mm
Diamond height	5 mm



€ 24,35

DRILL SUCTION CUP WITH GUIDING HOLES

D009/5-12

€ 26,40



Holes	4 mm - 5 mm - 6 mm - 7 mm - 8 mm - 10 mm - 12 mm
-------	--

€ 22,75

DRILL SUCTION CUP WITH ADJUSTABLE HOLE FRAME

D009/5-85

€ 39,20

TO BE USED IN COMBINATION WITH A NEBULIZER FOR WORKING WITH ADDED WATER



€ 34,05


Holes	5 - 85 mm
-------	-----------

BRAD POINT WOODWORKING DRILLS SET

P052/08S

€ 12,32

WITH GROUND CENTER TIP AND 2 CUTTING EDGES



€ 10,40

8 Pcs HSS DIN 7487

Size	3 ÷ 10 mm
------	-----------

**SOLID CAP SCREW COUNTER
BORE SET BEFORE THREAD**
L018S
€79,30


6 HSS TiN DIN 373

Screw M3, M4, M5, M6, M8, M10, M12

€ 68,95
**SOLID CAP SCREW COUNTER
BORE SET FINE GRADE**
L019S
€79,30


6 HSS TiN DIN 373

Screw M3, M4, M5, M6, M8, M10, M12

€ 68,95
**7-PC COUNTERBORER WITH
SOLID PILOT STRAIGHT SHANK**
L020
€93,07


7 Pcs HSS TiN DIN 373

For screws M3, M4, M5, M6, M8, M10, M12

€ 76,50
**SOLID CAP SCREW COUNTER
BORE SET MEDIUM GRADE**
L020S
€79,30


6 HSS TiN DIN 373

Screw M3, M4, M5, M6, M8, M10

€ 68,95
**SET FRONTAL ROUGHING END
MILLS**
F001/10
€215,04

 REGULAR LENGTH, CENTER CUTTING,
WELDON SHANK.


10 Pcs HSS TiN DIN 844/B

Mill	Ø 6 8 10 12 14 16 18 20 22
	25 mm
Shank	Ø 6 10 12 14 16 18 20 22
	25 mm

€ 158,15
SET END MILLS
F001/20
€215,04

 TWO AND FOUR FLUTE, REGULAR
LENGTH, WELDON SHANK, CENTER
CUTTING


20 Pcs HSS TiN DIN 327/D & DIN 844/B

2 Flute mill	Ø 3 - 4 - 5 - 6 - 8 - 10 - 12 - 14 - 18 - 20 mm
Shank	Ø 6 - 6 - 6 - 10 - 10 - 12 - 12 - 16 - 20 mm
4 Flute mill	Ø 3 - 4 - 5 - 6 - 8 - 10 - 12 - 14 - 18 - 20 mm
Shank	Ø 6 - 6 - 6 - 10 - 10 - 12 - 12 - 16 - 20 mm

€ 148,60
TAPER DRILLS SET
A014/03-30S
€76,72

WITH CILINDRICAL SHANK



3 Pcs HSS M2 TiN

Sizes 3-14 - 6-20 - 16-30,5 mm

€ 66,55
STEP DRILL BITS SET
F430
€70,22


3 Pcs HSS TiN

Shank	6 - 8 - 10 mm
Ø	4 ÷ 12 - 6 ÷ 20 - 6 ÷ 30 mm

€ 43,65

MACHINE TAP SET FOR THROUGH HOLES WITH REINFORCED SHANK

M312/P

€56,11

8 Pcs HSS G DIN 371/B

Size	M3 x 0,50 - M4 x 0,70 - M5 x 0,80 - M6 x 1 - M8 x 1,25 - M10 x 1,50 - M12 x 1,75
Tap holder	1



€45,20

SPIRAL POINT TAP AND DRILL SET

M015S

€51,30

15 HSS

Taps	M3 x 0,50 mm, M4 x 0,70 mm, M5 x 0,80 mm, M6 x 1,00 mm, M8 x 1,2
Drills	Ø2,5 mm, Ø3,3 mm, Ø4,2 mm, Ø5,0 mm, Ø6,8 mm, Ø8,5 mm, Ø10
Tap holder	1



€44,60

TUNGSTEN STEEL TAP AND DIE METRIC SET

M218

€217,28

2 PC HAND TAP SET AND DIE: M2 X 0,40 - M3 X 0,50 - M4 X 0,70 - M5 X 0,80 - M6 X 0,75 - M6 X 1 - M7 X 0,75 - M7 X 1 - M8 X 0,75 - M8 X 1 - M8 X 1,25 - M9 X 0,75 - M9 X 1 - M9 X 1,25 - M10 X 0,75 - M10 X 1 - M10 X 1,25 - M10 X 1,5 - M11 X 0,75 - M11 X 1 - M11 X 1,25 - M11 X 1,5 - M12 X 0,75 - M12 X 1 - M12 X 1,25 - M12 X 1,5 - M12 X 1,75 - M14 X 1 - M14 X 1,25 - M14 X 1,5 - M14 X 2 - M16 X 1 - M16 X 1,5 - M16 X 2 - M18 X 1,5

110 Pcs

Round die-stock	2
Tap holder	2



€182,45

AVAILABLE FROM SEPTEMBER

TAP AND DIE METRIC SET

M032

€101,92

32 Pcs HSS

Tap holder	1
Screw gauge	1
Round die-stock	25 x 9 mm
Screwdriver	3,5 x 50 mm
Taps	M3x0,5 M4x0,7 M5x0,8 M6x1 M8x1,25 M10x1,5 M12x1,75
Dies	M3x0,5 M4x0,7 M5x0,8 M6x1 M8x1,25 M10x1,5 M12x1,75



€82,20

TAP AND DIE SET

M020

€28,34

20 Pcs Lega di acciaio

Tap holder	M3 - 12
Round die-stock	25 x 9 mm
Taps	M3x0,5 - M4x0,7 - M5x0,8 - M6x1 - M7x1 - M8x1,25 - M10x1,5 - M12x1,75 - 1/8" NPT27
Dies	M3x0,5 - M4x0,7 - M5x0,8 - M6x1 - M7x1 - M8x1,25 - M10x1,5 - M12x1,75 - 1/8" NPT27



€25,45

AVAILABLE FROM SEPTEMBER

TAP AND DIE SET

M036

€54,99

WITH TWIST DRILLS

34 Pcs LEGA DI ACCIAIO

Tap holder	M3 - 12
Round die-stock	25 x 9 mm
Screwdriver	6,5 x 50 mm
Taps	M3x0,5 - M4x0,7 - M5x0,8 - M6x1 - M7x1 - M8x1,25 - M10x1,5 - M12
Dies	M3x0,5 - M4x0,7 - M5x0,8 - M6x1 - M7x1 - M8x1,25 - M10x1,5 - M12
Drills	2,5 - 3,3 - 4,2 - 5 - 6 - 6,8 - 8,5 - 10,3 mm



€49,65

METRIC THREAD REPAIR F-COIL SET

E010

€125,44

130 HSS & INOX

Sizes	M5 - M12
STI Taps	M5 x 0,8 - M6 x 1,0 - M8 x 1,25 - M10 x 1,5 - M12 x 1,75
Drills	5,2 mm - 6,3 mm - 8,3 mm - 10,4 mm - 12,4 mm
Wire-thread inserts	M5=25 M6=25 M8=25 M10=25 M12=10
Inserting tool	5 Pcs
Tang break tool	5 Pcs



€105,15

METRIC THREAD REPAIR F-COIL SET

E010B

€162,40

125 HSS & INOX

Sizes	M6 - M14
STI Taps	M6 x 1,0 - M8 x 1,25 - M10 x 1,5 - M12 x 1,75 - M14 x 1,25
Drills	6,3 mm - 8,3 mm - 10,4 mm - 12,4 mm
Wire-thread inserts	M6=25 M8=25 M10=20 M12=15 M14=25
Inserting tool	5 Pcs
Tang break tool	5 Pcs



€138,10

METRIC THREAD REPAIR F-COIL SET
E010E
€109,09
 130  HSS & INOX

Sizes	M5 - M12
STI Taps	M5 x 0.8 - M6 x 1.0 - M8 x 1.25 - M10 x 1.5 - M12 x 1.75
Drills	5.2 mm - 6.3 mm - 8.3 mm - 10.4 mm - 12.4 mm
Wire-thread inserts	M5=25 M6=25 M8=25 M10=25 M12=10
Inserting tool	5 Pcs
Tang break tool	5 Pcs


€94,75
METRIC THREAD REPAIR F-COIL SET
E011A
€166,88
 130  HSS & INOX

Sizes	M5 - M12
STI Taps	M5 x 0.8 - M6 x 1.0 - M8 x 1.25 - M10 x 1.5 - M12 x 1.75
Drills	5.2 mm - 6.3 mm - 8.3 mm - 10.4 mm - 12.4 mm
Wire-thread inserts	M5=25 M6=25 M8=25 M10=25 M12=10
Inserting tool	5 Pcs
Tang break tool	5 Pcs


€141,85
METRIC THREAD REPAIR F-COIL SET
E011B
€196,00
 113  HSS & INOX

Sizes	M6 - M14
STI Taps	M6 x 1.0 - M8 x 1.25 - M10 x 1.5 - M12 x 1.75 - M14 x 1.25
Drills	6.3 mm - 8.3 mm - 10.4 mm - 12.4 mm
Wire-thread inserts	M6=25 M8=25 M10=25 M12=10 M14=10
Inserting tool	5 Pcs
Tang break tool	4 Pcs


€166,50
METRIC THREAD REPAIR F-COIL SET
E011C
€115,36
 87  HSS & INOX

Sizes	M6 - M10
STI Taps	M6 x 1.0 - M8 x 1.25 - M10 x 1.5
Drills	6.3 mm - 8.3 mm - 10.4 mm
Wire-thread inserts	M6 25 Pcs - M8 25 Pcs - M10 25 Pcs
Inserting tool	3 Pcs
Tang break tool	3 Pcs


€98,00
METRIC THREAD REPAIR F-COIL SET
E011D
€207,20

14 mm SIZE SPECIFIC FOR CAR SPARK PLUGS

 113  HSS & INOX

Sizes	M6 - M14
STI Taps	M6 x 1.0 - M8 x 1.25 - M10 x 1.5 - M12 x 1.75 - M14 x 1.25
Drills	6.3 mm - 8.3 mm - 10.4 mm - 12.4 mm
Wire-thread inserts	M6 25 Pcs - M8 25 Pcs - M10 25 Pcs - M12 10 Pcs - M14 10 Pcs
Inserting tool	5 Pcs
Tang break tool	4 Pcs


€175,85
METRIC SPARK PLUG SOLID THREAD REPAIR SET
E011/M140X125B
€64,40

STI Taps	M 16 x 1.25
Wire-thread inserts	4 x H 9.5 mm - 4 x H 11.2 mm - 4 x H 12.7 mm - 4 x H 17.5 mm


€55,95
METRIC GLOW PLUG SOLID THREAD REPAIR SET
E011/MC
€188,16

Sizes	8 mm - 10 mm - 12 mm
STI Taps	M8x1 - M10x1 - M10x1.25 - M12x1 - M12x1.25 - M14x1.25


€160,00
1/4-1/2 BSW THREAD REPAIR F-COIL SET
E011/BSW
€222,88
 115  HSS & INOX

Sizes	BSW 1/4" - 1/2"
STI Taps	1/4"x20-5/16"x18-3/8"x16-7/16"x14-1/2"x12
Drills	6.6 mm - 8.3 mm - 9.9 mm - 11.5 mm - 13.0 mm
Wire-thread inserts	1/4"=25 5/16"=25 3/8"=25 7/16"=10 1/2"=10
Inserting tool	5 Pcs
Tang break tool	5 Pcs


€189,50

1/4-1/2 BSF THREAD REPAIR F-COIL SET

E011/BSF

€ 222,88

115 HSS & INOX

Sizes	BSF 1/4" - 1/2"
STI Taps	1/4"x26-5/16"x22-3/8"x20-7/16"x18-1/2"x16
Drills	6.6 mm - 8.3 mm - 9.9 mm - 11.5 mm - 13.0 mm
Wire-thread inserts	1/4"=25 5/16"=25 3/8"=25 7/16"=10 - 1/2"=10
Inserting tool	5 Pcs
Tang break tool	5 Pcs



€ 189,50

1/4-1/2 UNC THREAD REPAIR F-COIL SET

E011/UNC

€ 222,88

Sizes	UNC 1/4" - 1/2"
STI Taps	1/4"x20-5/16"x18-3/8"x16-7/16"x14-1/2"x13
Drills	6.7 mm - 8.6.7 mm - 8.3 mm - 9.9 mm - 11.6 mm - 13.0 mm3 mm - 9.
Wire-thread inserts	1/4"=25 5/16"=25 3/8"=25 7/16"=10 - 1/2"=10
Inserting tool	5 Pcs
Tang break tool	5 Pcs



€ 189,50

1/4-1/2 UNF THREAD REPAIR F-COIL SET

E011/UNF

€ 222,88

115 HSS & INOX

Sizes	UNF 1/4" - 1/2"
STI Taps	1/4"x28-5/16"x24-3/8"x24-7/16"x20-1/2"x20
Drills	6.7 mm - 8.3 mm - 9.8 mm - 11.5 mm - 13.0 mm
Wire-thread inserts	1/4"=25 5/16"=25 3/8"=25 7/16"=10 - 1/2"=10
Inserting tool	5 Pcs
Tang break tool	5 Pcs



€ 189,50

STAINLESS STEEL ELECTRONIC DIGITAL CALIPER

C033-

WITH 3 FUNCTIONS AND A BIG SCREEN



Starting from € 46,35

DIN 862 Acciaio inossidabile

Range	Reading	Art.	€	Promo
0 ÷ 150 mm - 0 ÷ 6 inch	0,01 mm - 0.0005 inch	C033/150	€ 58,13	€ 46,35
0 ÷ 200 mm - 0 ÷ 8 inch	0,01 mm - 0.0005 inch	C033/200	€ 84,56	€ 70,20
0 ÷ 300 mm - 0 ÷ 12 inch	0,01 mm - 0.0005 inch	C033/300	€ 125,44	€ 103,10

MONOBLOCK STAINLESS STEEL ELECTRONIC DIGITAL CALIPER

C041/150

€ 32,59

3 FUNCTIONS WITH BIG LCD




€ 23,20

Range	0 ÷ 150 mm - 0 ÷ 6 inch
Reading	0,01 mm - 0.0005 inch
Jaws	40 mm
Beam	16 x 3 mm

STAINLESS STEEL ELECTRONIC DIGITAL CALIPER

C043-

WITH 4 FUNCTIONS AND BIG LCD, FINE ADJUSTMENT



Starting from € 194,45

DIN 862

Range	Reading	Art.	€	Promo
0 ÷ 1000 mm - 0 ÷ 40 inch	0,01 mm - 0.0005 inch	C043/500	€ 389,12	€ 194,45
0 ÷ 500 mm - 0 ÷ 20 inch	0,01 mm - 0.0005 inch	C043/1000	€ 619,36	€ 560,05

STAINLESS STEEL ELECTRONIC DIGITAL CALIPER

C047/500

€ 376,32

WITH 4 FUNCTIONS AND BIG DISPLAY, FINE ADJUSTMENT AND LONG JAWS



€ 266,00

DIN 862

Range	0 ÷ 500 mm - 0 ÷ 20 inch
Reading	0,01 mm - 0.0005 inch
Jaws	150 mm
Beam	24 x 5,5 mm

STAINLESS STEEL DIAL CALIPER

C005/150

€ 51,18

DIN 862

Range	0 ÷ 150 mm
Reading	0,01 mm
Jaws	40 mm
Beam	15,5 x 3 mm

€ 43,50

CHROMED VERNIER CALIPER
C019/150
€15,68


DIN 862

Range	0 ÷ 150 mm - 0 ÷ 6 inch
Reading	1/20 0,05 mm - 1/128 inch
Jaws	40 mm
Beam	14,5 x 3 mm

€14,45
SCRATCH VERNIER CALIPER
C010/200
€51,30


Range	0 ÷ 200 mm - 0 ÷ 8 inch
Reading	1/10 0,1 mm - 1/128 inch
Jaws	10 mm
Beam	16 x 3 mm

€41,55
MULTIFUNCTIONAL ELECTRONIC DIGITAL INDICATOR LARGE DISPLAY
C064
€101,92

FUNCTIONS: ZERO POINT AT ANY POSITION, mm/INCH, CONVERSION, HOLD, MIN/MAX FUNCTIONS, AUTO POWER OFF, BATTERY SR44W


€69,55

DIN 878

Range	0 ÷ 12,7 mm / 0 ÷ 0.5 inch
Reading	0,01 mm / 0.005 inch
Accuracy	0,02 mm / 0.002 inch mm
Dial size	60 mm

CHROMED VERNIER CALIPER
C020-

FINE ADJUSTMENT



DIN 862

Starting from € 81,70

Range	Reading	Jaws	Beam	Art.	€	Promo
0 ÷ 1000 mm	1/50 0,02 mm	150 mm	30 x 10 mm	C020/1000	€ 347,20	€ 283,00
0 ÷ 1500 mm	1/50 0,02 mm	225 mm	49 x 14 mm	C020/1500	€ 975,52	€ 622,60
0 ÷ 2000 mm	1/50 0,02 mm	250 mm	50 x 15 mm	C020/2000	€ 1568,00	€ 1141,40
0 ÷ 500 mm	1/50 0,02 mm	100 mm	23 x 6 mm	C020/500	€ 141,12	€ 81,70

SCALE WITH MULTIFUNCTION DIGITAL READOUT
Rx

THE SCALE CAN BE CUT TO REACH THE DESIRED LENGTH FUNCTIONS : ON / OFF - mm / INCH - ZERO - ABS / INC - AUTO POWER OFF


Starting from € 59,15

Range	Reading	Art.	€	Promo
500 mm - 19.7" inch	0,01 mm - 0.001" inch	R060	€ 78,06	€ 59,15
900 mm - 35" inch	0,01 mm - 0.001" inch	R100	€ 101,92	€ 82,50

DIAL INDICATOR
C002
€50,54

€47,20

DIN 878

Dial size	60 mm
Range	10 mm
Reading	0,01 mm
Accuracy	0,015 mm

DIAL INDICATOR
C023
€29,57

€14,90

DIN 878

Dial size	60 mm
Range	10 mm
Reading	0,01 mm
Accuracy	0,015 mm

DIAL INDICATOR
C002/42
€36,40

€27,65

DIN 878

Dial size	42 mm
Range	5 mm
Reading	0,01 mm
Accuracy	0,015 mm

DIAL INDICATOR

C048

€71,23

WITH BACK LUG



DIN 878

Dial size	60 mm
Range	30 mm
Reading	0,01 mm
Accuracy	0,015 mm

€56,20

DIAL TEST INDICATOR

T007-

DIN 2270



Starting from €51,60

Dial size	Range	Reading	Accuracy	Art.	€	Promo
40 mm	0,8 mm	0,01 mm	0,011 mm	T007	€ 90,50	€ 58,55
40 mm	0,8 mm	0,01 mm	0,008 mm	T007G	€ 57,68	€ 51,60

CO-AX INDICATOR

C061

€220,64

WITH POSITIONING ROD



Dial indicator	Ø 40 mm
Swing	4,9 mm
Reading	0,01 mm
Max speed	800 rpm
Cylindric shank	Ø 10 mm
Straight feelers	3
Bent feelers	3
Feeler length	50 - 100 - 150 mm
Contact point	Ø 3 mm
Scriber point	50 mm

€175,30

ELECTRONIC DIGITAL MICROMETER

M021-

FRICTION THIMBLE WITH CARBIDE
FACES, FUNCTIONS: ABS/INC, SET, ON/
OFF AND mm/INCH



Starting from €76,25

Size	Reading	Accuracy	Art.	€	Promo
0 ÷ 25 mm - 0 ÷ 1"	0,001 mm - 0,0005"	0,003 mm - 0,00015"	M021/00/25	€ 88,70	€ 76,25
25 ÷ 50 mm - 1" ÷ 2"	0,001 mm - 0,0005"	0,003 mm - 0,00015"	M021/25/50	€ 110,88	€ 95,85
50 ÷ 75 mm - 2" ÷ 3"	0,001 mm - 0,0005"	0,004 mm - 0,0002"	M021/50/75	€ 133,28	€ 114,70
75 ÷ 100 mm - 3" ÷ 4"	0,001 mm - 0,0005"	0,004 mm - 0,0002"	M021/75/100	€ 155,68	€ 134,35

MAGNETIC STAND

S049

€32,59

WITH MICROADJUSTMENT



€20,10

Main stem	Ø 12 x 170 mm
Assistant stem	Ø 10 x 150 mm
Magnetic force	600 N
Base dimensions	63 x 50 x 55h mm

MAGNETIC STAND

S047

€61,04

WITH MICROADJUSTMENT



€34,80

Main stem	Ø 16 x 220 mm
Assistant stem	Ø 12 x 180 mm
Magnetic force	800 N
Base dimensions	65 x 50 x 55h mm

UNIVERSAL MECHANICAL ARM STAND

S042/1

€53,20

WITH 3D CENTRAL LOCK



€42,50

Base dimensions	36 x 30 x 35 mm
Magnetic force	300 N
Arm length	145 mm

UNIVERSAL MECHANICAL ARM STAND

S042/2

€67,34

WITH MICROMETRIC ADJUSTMENT AND 3D CENTRAL LOCK



€57,35

Base dimensions	60 x 50 x 55 mm
Magnetic force	800 N
Arm length	290 mm

UNIVERSAL MECHANICAL ARM STAND

S042/3

€ 86,58

 WITH MICROMETRIC ADJUSTMENT
AND 3D CENTRAL LOCK


€ 74,65

Base dimensions	75 x 50 x 55 mm
Magnetic force	1000 N
Arm length	365 mm

HYDRAULIC UNIVERSAL MAGNETIC STAND

S046

€ 104,61



€ 74,40

Main stem	Ø 17 x 180 mm
Assistant stem	Ø 14 x 200 mm
Magnetic force	600 N
Base dimensions	63 x 50 x 55h mm

MINI WELDING HOLDER

S057/060S

€ 11,98

4 Pcs Hanger



€ 8,90

Dimensions	50 x 60 x 12,5 mm
Magnetic force	45 N
Hold working angle	45° - 90° - 135°
Weight	0,4 kg

DIGITAL LEVEL

0109

€ 45,25

 MAGNETIC WITH ALUMINUM BODY,
AUTOMATIC POWER OFF, BACKLIGHT, 2
VIALS, INC, ABS AND HOLD FUNCTIONS


€ 41,55

Length	400 mm
Auto power off	5 min
Measuring range	0° - 90° x 4
Reading	0° - 90°: 0,1°
Accuracy	0° - 90°: ±0,2°
Battery	2 x AAA 1,5 V

DIGITAL LEVEL

0112

€ 99,01

 MAGNETIC WITH MILLED ALUMINUM
BASE, AUTOMATIC POWER OFF,
BACKLIGHT, 2 VIALS, "HOLD FUNCTION",
0° AND 90° WITH SOUND, READING:
ABSOLUTE, REF, PERCENT, mm/M AND
IN/FT, CARRING BAG


€ 88,25

Length	600 mm
Auto power off	5 min
Measuring range	0° - 90° x 4
Reading	0° & 90°: 0,05°; 0° - 89°: 0,1°
Accuracy	0° & 90°: ±0,05°; 0,1° - 89,9°: ±0,2°
Battery	2 x AAA 1,5 V

DIGITAL LEVEL - INCLINOMETER AND GONIOMETER WITH MAGNET

L090A

€ 102,82

 0° ÷ 90° MAGNETIC DIGITAL LEVEL ON ALL THE 4
DIRECTIONS, INCLINOMETER AND GONIOMETER,
FUNCTION: INCLINATION mm/M AND IN/FT, % OF
INCLINATION, BACKLIGHT, AUTOMATIC POWER
OFF, ABS AND RELATIVE MEASUREMENTS AND
AUTOMATIC DIGIT INVERSION FOR OVERHEAD
MEASUREMENTS, WITH BEEPER

Custodia in plastica



€ 98,65

Accuracy	± 0,15°
Measuring range	0° ÷ 90° x 4
Reading	0,05°
Dimensions	151 x 31 x 60 mm
Battery	2 x 1,5 V AAA
Weight	285 g

DIGITAL LEVEL BOX

L080

€ 49,95

 0° ÷ 90° MAGNETIC ON ALL THE 4
DIRECTIONS, BACKLIGHT, AUTOMATIC
POWER OFF, ABS AND RELATIVE
MEASUREMENTS AND AUTOMATIC
DIGIT INVERSION FOR OVERHEAD
MEASUREMENTS

Blister



€ 45,15

Accuracy	0° ± 0,1°; 90° ± 0,1°; 0,1° ÷ 89,9° ± 0,2°
Measuring range	0° ÷ 90° x 4
Reading	0,1°
Dimensions	59 x 27 x 59 mm
Battery	1 x 1,5 V AAA
Weight	82 g

DIGITAL LEVEL BOX

L085

€ 70,85

 ± 0° ÷ 180° MAGNETIC, AUTOMATIC
POWER OFF, ABS AND RELATIVE
MEASUREMENTS AND AUTOMATIC
DIGIT INVERSION FOR OVERHEAD
MEASUREMENTS, HOLD FUNCTION

Blister



€ 71,80

Accuracy	± 0,1°
Measuring range	0° ÷ 180°
Reading	0,1°
Dimensions	51 x 51 x 33 mm
Battery	1 x 3 V CR2032
Weight	150 g

DIGITAL ANGLE FINDER AND LEVEL WITH 2 VIALS

G008

€ 48,05

AUTOMATIC CALCULATION OF ANGLES AND INCLINATIONS

Blister

Length	400 mm
Range	0 ÷ 225°
Reading	0,1°
Accuracy	± 0,5°
Battery	9 V - 6F22



€ 41,30

DIGITAL CLAMP METER

P080

€ 72,94

WITH LCD DISPLAY. 7 OPERATING MODES: AC CURRENT, AC VOLTAGE, DC VOLTAGE, RESISTANCE, CONTINUITY, FREQUENCY, DIODE CONTROL. HIGH RELIABILITY

ACV	4 / 40 / 400 / 600 V ±1,5 % + 4
ACA	4 / 40 / 400 / 600 A ±1,5 % + 4
DCV	4 / 40 / 400 / 600 V ±1,0 % + 2
RES	400 Ω / 4 kΩ / 40 kΩ / 400 kΩ / 4 MΩ / 40 MΩ ±1,0 % + 2
Frequency	10 MHz ±0,8 % + 2
Battery	2 x 1,5 V x AA
Storage temperature	-20°C - 60°C
Working temperature	0°C - 50°C
Dimensions	250 x 71 x 38.8 mm



€ 67,30

DIGITAL CLAMP METER

P075

€ 122,08

Box

ACV	750 V ±1,2 %
ACA	200 - 1000 A ±2,0 %
DCV	1000 V ±1,0 %
DCA	200 - 1000 A ±2,0 %
RES	200 Ω ±1,0 %
Frequency	2k Hz ±2,5 %
Battery	9 V



€ 109,25

POCKET DIGITAL MULTIMETER

T051

€ 47,36

AUDIBLE CONTINUITY AND DIODE TEST

DCV	2-20-200-500V ±0,5%
ACV	200-500V ±1,2%
DCA	200mA ±1,5%
RES	2K-20K-200K-2M Ω ±1%
Battery	12V



€ 13,55

DIGITAL MULTIMETER

T050

€ 34,50

HIGH ACCURACY TEMPERATURE METER, AUDIBLE CONTINUITY AND DIODE TEST

DCV	200 mV - 1000V
ACV	2mV - 750 V
DCA	2 mA - 20 A
ACA	200mA - 20A
RES	200 Ω - 200 MΩ
CAP	2000 pF - 20 nF - 200 nF - 2 μF - 20 μF ±4%
Temperature	-40 °C ÷ 400 °C ±1,0%
Temperature	400 °C ÷ 1000 °C ±1,5%
Battery	9 V



€ 27,85

DIGITAL MULTIMETER

T053

€ 82,88

HIGH ACCURACY TEMPERATURE METER, AUDIBLE CONTINUITY AND DIODE TEST

DCV	200 mV - 2 V - 20 V - 200 V - 1000 V ±0,8%
ACV	200 mV - 2 V - 20 V - 750 V ±1,2%
DCA / ACA	200 μA - 2 mA - 20 mA - 200 mA - 20 A ±2,0%
RES	200Ω - 2kΩ - 20kΩ - 200kΩ - 2MΩ - 20MΩ - 200MΩ ±1%



€ 72,45

LASER METER

ML80A

€ 75,04

HANDY AND LIGHTWEIGHT, IDEAL FOR THE MEASUREMENTS IN CONSTRUCTION AND CARPENTRY, FUNCTIONS: ADDITION, SUBTRACTION, AREA AND VOLUME CALCULATION, AUTO POWER OFF

54

Range	0,05 ÷ 80 m
Accuracy	±2 mm
Battery	3 AAA x 1,5 V



€ 65,10

LASER DISTANCE METER

ML40

€ 55,78

IDEAL FOR THE MEASUREMENTS IN CONSTRUCTION AND CARPENTRY, FUNCTIONS: ADDITION, SUBTRACTION, AREA AND VOLUME CALCULATION, AUTO POWER OFF

54

Range	0,05 ÷ 40 m
Accuracy	± 2 mm
Battery	2 AAA x 1.5 V



€ 48,40

LASER POINTER INFRARED TEMPERATURE METER
T068
€120,96

NOT SUITABLE FOR BODY TEMPERATURE MEASUREMENT

Blister

Range	-30°C ÷ 550 °C / -22 °F ÷ 1022 °F
Accuracy	-30 °C ÷ 0 °C (-22 °F ÷ 32 °F) ±3 % o ±3 °C
Accuracy	0 °C ÷ 100 °C (32 °F ÷ 212 °F) ±2 % o ±2 °C
Accuracy	>100 °C (>212 °F) ±3 % o ±3 °C
Reading	0,1 °C / 0,1 °F
Emissivity	0,1 ÷ 1,0
Battery	9 V
Weight	130 g
Dimensions	146 x 80 x 38 mm
Distance/Spot size	1 : 12

€ 69,80

LASER POINTER INFRARED TEMPERATURE METER
T064
€93,07

HIGH PRECISION. NON-CONTACT TEMPERATURE MEASUREMENT. NOT SUITABLE FOR HUMAN BEINGS

Blister

Range	-25°C ÷ 400 °C / -13 °F ÷ 752 °F
Accuracy	-25 °C ÷ 400 °C ±(2 % + 1 °C)
Accuracy	-13 °F ÷ 752 °F ±(2 % + 1 °F)
Reading	1 °C / 2 °F
Battery	9 V
Weight	300 g
Distance/Spot size	1 : 10
Sampling time	0.5 s
Emissivity pre-set	0.95

€ 70,90

POCKET DIGITAL TEMPERATURE METER
T054
€34,50

WITH ENVIRONMENTAL AND IMMERSION PURPOSE THERMOCOUPLES

Reading	1° C
Range	-50°C ÷ 1100°C with not supplied probe T056/TP03, -50°C ÷ 750°C with supplied probe T056/TP02, -50°C ÷ 250°C with suppl
Accuracy	0°C ÷ 500°C ±(0,75% + 1°C), 500°C ÷ 750°C ± (1% + 1°C), 750°C ÷ 1000°C ± (2% + 1°C), 1000°C ÷ 1200°C ± (4% + 3°C)
Thermocouple type	"K"
Battery	9 V

€ 19,35

PORTABLE DIGITAL TEMPERATURE METER
T063
€62,38

ENVIRONMENTAL AND IMMERSION PURPOSE THERMOCOUPLES TYPE "K", DOUBLE TEMPERATURE DETECTION, WITH BOX

Range	T056/TP01: -50°C ÷ 250°C
Range	T056/TP02: -50°C ÷ 750°C
Reading	1° C
Accuracy	-50 °C ÷ 1200 °C ±(0.3 % + 2 °C)
Accuracy	1200°C ÷ 1300 °C ±(0.6 % + 2 °C)
Accuracy	-58 °F ÷ 1200°F ±(0.3 % + 2 °F)
Accuracy	1200 °F ÷ 1999 °F ±(0.6 % + 2 °F)
Battery	9 V

€ 52,70

INDUCTIVE MOISTURE METER FOR MEASURING HUMIDITY
I002
€302,40

WOOD AND BUILDING MATERIALS. WITH MICRO-COMPUTER LSI AND CRYSTAL TIMER FOR HIGH PRECISION. COMPUTER CONNECTION FOR DATA TRANSFER. NOT SUITABLE FOR MEASURING ENVIRONMENTAL HUMIDITY

Working temperature	0 °C - 40 °C
Range	0 - 80 %
Building moisture	0 - 50 %
Reading	0,1 %
Accuracy	± (0,5 % n+1)
Battery	4 x 1,5 V AA
Dimensions	165 x 62 x 26 mm

€ 240,30

SOUND LEVEL METER
F010
€285,60

HIGH PRECISION, FAST, SLOW MAX SURVEY MODE. COMPUTER CONNECTION FOR DATA TRANSFER

IEC651 CLASSE II Custodia in plastica

Frequency range	31,5 Hz ÷ 8 kHz
Range	30 dB ÷ 130 dB (A) / 32 dB ÷ 130 dB (C) / 35 dB ÷ 130 dB (Lineare)
Reading	0,1 dB
Functions	SL, LN, Leq (livello equivalente)
Detection characteristics	Fast, Slow, Max
Sampling time	0,1 s
Display	10 mm
Working temperature	-10 °C ÷ 40 °C
Not included batteries	4 x 1,5 V AAA

€ 209,40

METAL DETECTOR
MD01
€109,09

ANALOGUE CONSISTING OF 2 COLOR LEDS FOR METAL RECOGNITION. AUDIO SENSOR.

Coil diameter	170 mm
Jack connector	1/4"
Sensitivity	>15 cm per una moneta di ø 25 mm
Battery	9 V

€ 91,65

CONTACT TYPE DIGITAL TACHOMETER
C069
€101,92

Custodia in plastica

Round speed	2,5 - 9999,9 rpm
Surface speed	0,05 - 999,99 m/min
Reading	0,1 (7,5 - 999,9) rpm
Reading	1 (1000-9999,9) rpm
Accuracy	± 0,05 % + 1 cifra
Dimensions	190 x 72 x 37 mm
Weight	300 g
Battery	4 x 1,5 V AA

€ 72,45


PHOTO TYPE DIGITAL TACHOMETER

C067

WITH REFLECTIVE STRIPES

€101,92

Custodia in plastica

Range	2,5 ÷ 9999,9 rpm
Reading	0,1 (2,5 ÷ 999,9) rpm
Reading	1 (1000 ÷ 9999,9) rpm
Use distance	da 50 ÷ 60 mm a 50 ÷ 250 mm
Accuracy	± 0,05 % della lettura + 1 cifra / ± 0,05 % of reading + 1 dgt
Dimensions	170 x 72 x 37 mm
Battery	4 x 1,5V AA



€67,65

CONTACT AND OPTICAL TYPE DIGITAL TACHOMETER

C070

WITH REFLECTIVE STRIPES

€142,24

Custodia in plastica

Rotation laser speed	2,5 ÷ 9999,9 rpm
Rotation contact speed	0,05 ÷ 999,9 rpm
Surface speed	0,1 ÷ 999,99 m / min
Reading	0,1 (2,5 ÷ 999,9) rpm
Reading	1 (1000 ÷ 9999,9) rpm
Use distance	da 50 ÷ 60 mm a 50 ÷ 250 mm (con ottico)
Accuracy	± 0,05 % + 1 cifra
Dimensions	220 x 75 x 29 mm
Battery	4 x 1,5V AA
Working temperature	0°C ÷ 40°C
Sampling time	0.8 s



€110,00

REFRACTOMETER

0433

BRIX, USEFUL TO CHECK COOLANT OILS

€76,05



Plastic box

Range	0 ÷ 32% Brix
Reading	0,2% Brix

€66,65

ELECTRONIC DIGITAL SCALE

B003/5/1

NOT LEGAL FOR TRADE, AUTO POWER OFF, TARE FUNCTION

€32,03



Box

Capacity	5 kg - 176,4 oz
Reading	1 g - 0.1 oz
Battery	2 x 1,5V AA
Dimensions	170 x 240 x 35 mm

€19,75

ELECTRONIC DIGITAL SCALE WITH DOUBLE DISPLAY

B018

NOT SUITABLE FOR DEALINGS WITH THIRD PARTIES. EQUIPPED WITH 4 V 4AH BATTERY AND CHARGER. MEMORY FOR UNIT VALUES. CALCULATE TOTAL VALUES.

€116,48



Box

Capacity	30 kg
Reading	10 g
Platform size	340 x 230 mm
Dimensions	350 x 330 x 120 mm
Power	230V 50 Hz
Rechargeable battery	4 V 4 Ah

€92,45

RECHARGEABLE ELECTRONIC DIGITAL COUNTER SCALES

B004-

NOT LEGAL FOR TRADE WITH 6V 4AH AND TRANSFORMER



Starting from €271,70

Capacity	Reading	Platform dimensions	Rechargeable battery	Art.	€	Promo
30 kg	1 g	335 x 228 mm	6 V 4 Ah	B004/30	€ 356,16	€ 271,70
7,5 kg	0,2 g	335 x 228 mm	6 V 4 Ah	B004/7	€ 356,16	€ 271,70

RECHARGEABLE ELECTRONIC DIGITAL COUNTER SCALE

B004/150

NOT LEGAL FOR TRADE WITH 6V 4AH BATTERY AND TRANSFORMER

€694,40



€509,40

Capacity	150 kg
Reading	10 g
Weight	17 kg
Rechargeable battery	6 V 4 Ah

DIGITAL CRANE SCALES

D012-

EQUIPPED WITH BATTERY, CHARGER, REMOTE CONTROL, BACK LIGHT AND SOUND SIGNAL DOUBLE UNIT OF MEASUREMENT KG / LB. WITH PEAK, HOLD, TARE AND ZERO FUNCTIONS. LARGE FONTS FOR EASY READING. NOT SUITABLE FOR RELATIONS WITH THIRD PARTIES.



Starting from €697,05

Digits sizes	Capacity	Reading	Art.	€	Promo
40 x 20 mm	1001 kg	0,200 kg	D012/0100	€ 814,24	€ 697,05
40 x 20 mm	3001 kg	0,500 kg	D012/0300	€ 965,44	€ 816,20
40 x 20 mm	5001 kg	1 kg	D012/0500	€ 1117,76	€ 949,25
40 x 20 mm	10001 kg	2 kg	D012/1000	€ 1321,60	€ 1199,50

Art.	Pag.	Promo	Art.	Pag.	Promo	Art.	Pag.	Promo	Art.	Pag.	Promo
0010	46	639,45	0140/080	18	37,65	0240/15	23	116,80	0477	4	22,80
0027/30W	23	10,10	0140/125	18	64,90	0271	42	94,55	0481/15	23	105,30
0027/40W	23	11,35	0140/150	18	81,55	0272	25	10,40	0482/3	26	43,80
0028	48	510,80	0142/100	51	24,40	0274	24	6,40	0483	34	186,10
0028R	48	514,65	0142/125	51	30,30	0289	25	4,95	0486	39	457,00
0031	23	25,95	0142/75	51	18,15	0293	11	11,20	0490	38	345,55
0033A	23	88,35	0143/25	49	1.726,55	0294	11	7,70	0497/250	35	500,45
0035	11	4,70	0143A	49	1.561,15	0303	24	32,10	0497/300	35	550,10
0036/100	18	87,20	0144	37	389,25	0305	39	638,95	0500	31	514,35
0036/100G	18	109,10	0147	44	45,95	0306	10	46,80	0502	32	67,50
0036/125	18	137,05	0157/10	19	89,60	0316	32	137,65	0505	36	214,50
0036/125G	18	155,50	0157/100	19	691,10	0323/45	17	38,85	0506	29	1.699,20
0036/150	18	248,25	0157/30	19	216,50	0323/55	17	44,15	0507	37	244,00
0036/150G	18	274,10	0157/50	19	322,55	0334/0750	34	2.939,10	0517A	36	657,15
0054/10	41	299,90	0160	10	13,85	0334/1000	34	3.276,70	0518/38M	31	950,10
0054/4	41	222,45	0177	11	6,05	0341	8	28,70	0518/55H	31	1.305,05
0056/1	47	117,95	0181	7	116,20	0341/3LS	8	44,60	0518/80	31	1.548,65
0056/2	47	182,90	0188/100	51	68,15	0341/5S	8	40,55	0523	36	357,45
0062/10	46	45,95	0188/100G	51	112,65	0356	24	51,45	0530	26	76,70
0062/15	46	59,00	0188/125	51	89,00	0360	7	70,75	0531A	53	117,20
0062/2	46	20,45	0188/125G	51	131,65	0366	26	89,50	0532A	54	142,55
0062/20	46	70,20	0188/150	51	114,60	0369	42	301,40	0532A/230V	54	154,40
0062/32	46	109,40	0188/150G	51	150,45	0375A	42	221,70	0537A	54	85,15
0062/5	46	30,10	0189/05C	24	28,90	0378/1510	22	126,70	0538A	54	102,95
0062/50	46	231,80	0189/10C	24	31,95	0385	25	45,95	0540S	5	16,10
0063	43	554,10	0189/20C	24	29,90	0386	25	32,70	0541S	5	25,05
0064	49	555,80	0190	5	59,85	0390	17	38,65	0544	3	106,30
0066	48	28,70	0197	35	427,00	0400	5	58,80	0545/TF	6	28,40
0067	43	23,80	0199	3	35,75	0401	27	56,80	0546	3	33,45
0068L	48	1.753,30	0199P	4	45,60	0413	20	27,05	0551	32	147,75
0069/10	43	151,90	0200	3	19,75	0414	20	30,95	0554	32	272,10
0069/3	43	39,45	0201	3	42,50	0416	20	48,15	0555	32	90,95
0069/6	43	73,40	0203	39	488,00	0417	21	51,45	0558/EM	5	14,10
0070	48	25,85	0204	4	126,70	0418	21	45,80	0558/EP	5	14,10
0070/C	48	37,45	0208	3	89,45	0419	21	79,20	0558/GE	5	11,20
0073	4	14,10	0209	26	29,30	0421	21	86,00	0558/TX	6	14,10
0075	46	623,60	0215	5	8,10	0427/080	18	63,35	0560	33	556,05
0080	6	7,45	0215P	5	7,75	0427/100	18	78,45	0567	42	79,45
0085	27	8,85	0218/10	25	10,90	0427/125	18	108,60	0569	39	59,85
0094	43	286,00	0218/10B	25	24,35	0430	45	220,45	0575S	38	579,00
0102	35	242,30	0218/10S	26	21,10	0432	45	78,70	0578/36	38	95,75
0106	32	76,05	0218/20	25	15,90	0433	67	66,65	0578/80	38	95,75
0107	26	6,25	0218/20B	25	29,20	0434	17	77,05	0579/30	39	38,30
0109	64	41,55	0218/20S	26	25,15	0439/1/2	7	16,85	0579/80	39	38,30
0110	17	176,75	0218/30	25	25,90	0439/1/4	7	9,35	0580S	38	215,05
0110T	17	206,65	0218/30B	25	38,15	0439/3/8	7	13,00	0581	39	71,15
0112	64	88,25	0218/30S	26	33,25	0441	23	58,80	0582/36	39	80,55
0113	35	254,20	0218/50	25	36,75	0443	23	43,95	0582/80	39	80,55
0118	10	4,25	0218/50B	25	49,85	0445/20	27	133,40	0585	19	74,20
0119	10	4,55	0218/50S	26	45,00	0453	9	35,40	0586	19	63,35
0123	27	49,05	0220	6	8,60	0455	9	82,75	0587	19	54,10
0125	21	28,60	0221	4	12,80	0457	42	421,00	0590	48	60,00
0126	10	10,80	0222	4	28,05	0458	21	79,20	0591/100	18	122,95
0133	31	116,80	0223	4	58,35	0460	21	91,50	0591/125	18	177,35
0135/100	18	97,90	0229	11	13,85	0462	38	664,80	0591/150	18	272,10
0135/125	18	138,85	0235	33	185,30	0467	46	756,65	0594	44	119,95
0135/150	18	220,45	0236	47	72,60	0469	9	47,40	0595	44	240,90
0137	6	41,50	0237/05	47	155,35	0474/PA	25	57,00	0596	44	386,70
0138	37	476,65	0237/15	47	218,45	0476	4	52,45	0597	26	25,10

Art.	Pag.	Promo	Art.	Pag.	Promo	Art.	Pag.	Promo	Art.	Pag.	Promo
0599	30	311,80	0751	35	680,60	A008L	13	4.393,85	C020/1500	62	622,60
0600	47	246,25	0755	25	85,40	A008M	13	1.344,00	C020/2000	62	1.141,40
0601	38	2.615,65	0764	36	1.362,30	A008N	13	2.150,40	C020/500	62	81,70
0602	47	224,40	0765	37	193,25	A008P	13	4.011,35	C022/100	34	1.928,05
0603	10	84,60	0776	35	927,40	A008Q	13	2.067,70	C023	62	14,90
0605	37	3.194,60	0782	49	923,25	A008R	13	896,35	C033/150	61	46,35
0608	21	12,00	0784	20	58,20	A008S	13	2.388,20	C033/200	61	70,20
0609	22	27,65	0791/08	48	232,35	A008T	13	1.923,00	C033/300	61	103,10
0615	37	3.618,50	0791/16	48	339,60	A008U	13	2.512,25	C039/15	43	166,35
0618	7	138,65	0791/32	48	589,80	A008UF	13	2.729,40	C039/25	42	228,60
0620	7	67,10	0803/110	6	92,75	A013/26	32	998,90	C041/150	61	23,20
0621/A3	27	82,30	0803/210	6	124,55	A0132A	33	964,80	C043/1000	61	560,05
0624	7	57,75	0803/700	6	518,35	A014/03-30S	58	66,55	C043/500	61	194,45
0630/0900	44	218,45	0804	33	407,15	A024/10	40	58,65	C046/2	52	35,35
0630/2200	44	514,35	0806/020	6	88,25	A024/602	40	240,90	C046/3	52	43,70
0630/2720	44	782,45	0809/030	6	88,85	A025/30	40	86,95	C046/4	52	61,85
0632	39	675,15	0809/080	6	95,15	A040/30A	40	153,05	C046/5	52	80,40
0632/D	40	112,65	0809/100	6	99,65	A040/60A	40	248,15	C047/500	61	266,00
0632/DA	40	150,15	0831/175	10	4,85	A040/802	40	435,25	C048	63	56,20
0632/DCF	40	78,40	0831/250	10	5,45	A040/803	40	538,65	C061	63	175,30
0635	47	17,30	0831/300	10	9,75	A059	33	87,25	C064	62	69,55
0641	20	43,10	0841	10	19,35	A100	15	224,35	C067	67	67,65
0645/C	45	51,70	0849	16	164,45	A300	15	359,80	C069	66	72,45
0645/CC	45	78,10	0855	36	828,15	A481/10	22	54,25	C070	67	110,00
0645/CP	45	57,60	0870/250	36	351,50	A481/15	22	83,80	C076/30	34	3.509,00
0645/S	45	46,35	0873/TL	9	4,95	A481/15H	22	98,90	C086/01C	14	13,80
0650	47	26,65	0876	11	11,00	A481/30H	22	147,60	C086/01T	14	13,80
0657	29	2.383,05	0878	38	1.488,75	A601A	22	78,70	C086/02C	14	15,55
0658	43	603,75	0889	27	46,35	AP01	19	205,60	C086/02T	14	15,95
0659	26	22,40	0892	34	383,30	AP02	19	213,20	C086/04C	14	16,35
0662	33	540,20	0893	35	421,00	AP03	19	220,80	C086/04T	14	18,10
0664	42	280,00	A003/13A	33	628,55	AP04	19	228,40	C086/12C	14	18,95
0668	35	1.153,80	A003/32	32	2.201,00	AP05	20	532,90	C150	46	57,60
0672	11	4,35	A007A	13	3.659,85	AP05/150	20	639,50	C182	46	155,10
0672/B	11	5,45	A007B	13	3.587,45	AP06	20	205,60	C189	47	77,15
0677	24	30,30	A007D	13	2.460,60	B003/5/1	67	19,75	C300	46	153,05
0677/500	24	15,30	A007E	13	2.026,35	B004/150	67	509,40	C600	16	605,70
0677/500CG	24	7,35	A007F	13	948,05	B004/30	67	271,70	C650	46	146,85
0677/CG	24	8,85	A007G	13	2.088,40	B004/7	67	271,70	C670	16	956,35
0678	27	11,60	A007H	13	3.959,65	B005	54	19,05	C800	16	782,45
0680	17	95,15	A007I	13	1.891,95	B005/16	54	31,35	C880/006	9	14,45
0681	17	87,80	A007L	13	4.176,75	B005/20	54	39,90	C900/B	16	357,75
0683	17	113,40	A007M	13	1.271,65	B007/10	54	88,45	C902/B	16	285,35
0687	38	1.860,95	A007N	13	2.047,05	B007/12	54	81,55	C960/F7	16	482,85
0688	53	161,90	A007P	13	3.835,60	B007/16	54	115,70	C960C	16	860,20
0690/07P	3	71,55	A007Q	13	1.985,00	B009/B1	15	491,10	CN450N1/2A	7	21,60
0690/12P	3	99,75	A007R	13	852,95	B015	15	447,70	CN450N1/4A	7	17,75
0691/400V	33	1.815,10	A007S	13	2.305,50	B015/10	15	250,20	CN450N3/8A	7	21,45
0692/230V	31	2.383,05	A007T	13	1.840,25	B017	15	297,75	D009/5-12	57	22,75
0692/400V	31	2.383,05	A007U	13	2.419,20	B018	67	92,45	D009/5-85	57	34,05
0693A	27	59,85	A007UF	13	2.646,65	B019	15	452,80	D012/0100	67	697,05
0712/002	55	51,25	A008A	13	3.845,95	B022/10	15	292,60	D012/0300	67	816,20
0712/005	56	28,50	A008B	13	3.752,90	C002	62	47,20	D012/0500	67	949,25
0712/008	56	42,70	A008D	13	2.574,30	C002/42	62	27,65	D012/1000	67	1.199,50
0712/009	56	57,65	A008E	13	2.109,05	C005/150	61	43,50	D880/006	9	20,10
0712/010	56	148,75	A008F	13	999,75	C009	46	326,70	E010	59	105,15
0716S	29	1.427,10	A008G	13	2.202,10	C010/200	62	41,55	E010B	59	138,10
0717A	36	252,25	A008H	13	4.166,40	C019/150	62	14,45	E010E	60	94,75
0725	22	3,15	A008I	13	1.985,00	C020/1000	62	283,00	E011/BSF	61	189,50

Art.	Pag.	Promo
E011/BSW	60	189,50
E011/M140X125B	60	55,95
E011/MC	60	160,00
E011/UNC	61	189,50
E011/UNF	61	189,50
E011A	60	141,85
E011B	60	166,50
E011C	60	98,00
E011D	60	175,85
E190/080	9	24,65
E190/130	9	25,65
E190/160	9	33,95
E190/200	9	37,25
F001/10	58	158,15
F001/20	58	148,60
F010	66	209,40
F430	58	43,65
FC94/350	36	1.050,55
G008	65	41,30
I002	66	240,30
I217	8	228,40
I340	8	175,35
K001/12	52	84,00
K001/14	52	88,00
K001/16	52	112,40
K001/18	52	141,40
KISCLCR	54	154,15
KISNR	54	157,10
KISNR25	54	192,65
L018S	58	68,95
L019S	58	68,95
L020	58	76,50
L020S	58	68,95
L080	64	45,15
L085	64	71,80
L090A	64	98,65
M001/100	50	51,65
M001/120	50	61,85
M001/150	50	75,25
M005/200	53	291,95
M005/250	53	319,75
M005/320	53	564,00
M005/400	53	907,55
M005/500	53	1.543,05
M005/630	53	4.428,50
M006/200	18	23,00
M006/300	18	28,60
M006/400	18	30,95
M006/500	18	31,35
M006/600	18	39,65
M006/800	18	43,70
M007/250	18	38,65
M007/300	18	47,15
M007/400	18	43,70
M007/500	18	53,50
M007/600	18	63,75
M011/125/150	49	776,50
M011/150/210	49	989,00

Art.	Pag.	Promo
M011/150/300	49	1.340,45
M012/038	49	71,90
M012/050	49	74,90
M012/080	49	134,65
M012/100	49	208,55
M015S	59	44,60
M020	59	25,45
M021/00/25	63	76,25
M021/25/50	63	95,85
M021/50/75	63	114,70
M021/75/100	63	134,35
M023/100	50	130,10
M023/125	50	161,30
M023/160	50	250,25
M023/200	50	353,50
M024/136	50	140,40
M024/160	50	188,10
M024/200	50	297,90
M024/250	50	403,15
M027/100	50	123,75
M027/140	50	177,35
M027/200	50	288,20
M028/100/100	49	649,40
M028/125/150	49	695,10
M028/150/200	49	836,10
M028/150/300	49	901,60
M028/150/400	49	1.030,70
M028/175/300	49	1.062,45
M028/175/400	49	1.178,50
M028/175/500	49	1.336,50
M028/200/300	49	1.507,30
M028/200/400	49	1.658,20
M028/200/500	49	1.797,25
M028/200/600	49	2.025,60
M032	59	82,20
M036	59	49,65
M038	53	514,65
M040	41	4.746,25
M049/080	52	132,90
M049/100	52	145,20
M049/125	52	156,70
M049/160	52	226,40
M049/200	52	289,95
M049/250	52	341,60
M049/320	52	603,75
M049/400	52	937,35
M059/07	53	337,65
M059/12	53	462,75
M059/20	53	496,50
M218	59	182,45
M312/P	59	45,20
M449/080	52	133,10
M449/100	52	143,80
M449/125	52	167,65
M449/160	52	232,35
M449/200	52	353,50
M449/250	52	448,85
M449/320	52	734,80
M449/400	52	1.141,90

Art.	Pag.	Promo
M530/100	50	245,30
M530/125	50	247,15
M530/160	50	364,15
MD01	66	91,65
ML40	65	48,40
ML80A	65	65,10
P001/04	41	244,30
P001/10	41	356,20
P001/12	41	436,45
P001/20	41	724,00
P001/30	41	850,80
P001/75	41	4.190,20
P008/102	34	2.244,05
P010/41	55	102,40
P010/51	55	40,05
P014	50	224,40
P015	50	127,50
P017	50	104,50
P031/03S	56	40,55
P031/05S	56	64,85
P031/06S	57	190,00
P033/03S	57	56,80
P034/05S	57	118,80
P034/06S	57	295,35
P035/04S	57	24,35
P052/08S	57	10,40
P057	55	82,75
P062	55	50,90
P064/25A	55	138,15
P067	55	48,40
P069	55	102,40
P075	65	109,25
P076/006S	56	106,50
P076/008S	56	156,40
P080	65	67,30
P444/160	53	178,35
P444/200	53	233,30
P444/250	53	308,50
P444/320	53	497,45
P444/400	53	651,70
R001/04	31	262,15
R001/07	31	369,40
R015	44	137,55
R060	62	59,15
R100	62	82,50
S009	37	1.040,60
S015	37	100,85
S018	9	78,90
S019	43	120,95
S024	43	110,25
S027	45	1.805,15
S029P	45	2.116,35
S0300	47	406,35
S042/1	63	42,50
S042/2	63	57,35
S042/3	64	74,65
S046	64	74,40
S047	63	34,80
S049	63	20,10

Art.	Pag.	Promo
S057/060S	64	8,90
S0600	47	601,95
S1000	47	906,70
S108	7	154,90
S179	8	256,20
SI413M006	8	35,40
SI4E3N013	8	42,00
T004/250	52	243,40
T004/380	52	441,50
T004/600	52	856,50
T007	63	58,55
T007G	63	51,60
T014G	51	834,10
T015/E	51	184,70
T016/100	51	332,55
T017/100	51	475,05
T018/330	52	66,50
T018/350	51	121,95
T034/105	34	1.916,35
T041	30	3.246,10
T041DA	30	3.543,15
T044/230V	29	3.620,35
T044/400V	29	3.620,35
T047/230V	29	3.812,85
T047/400VDA	29	4.090,90
T050	65	27,85
T051	65	13,55
T052/400V	30	3.018,50
T053	65	72,45
T054	66	19,35
T058	30	1.382,20
T059/16V	30	1.614,50
T059/28V	30	3.097,95
T061A	29	2.383,05
T063	66	52,70
T064	66	70,90
T068	66	69,80
T071	30	2.561,80
T660	28	3.495,15
T660I	28	4.627,10
T700	28	4.109,60
T700V	28	4.897,20
T750	28	4.170,30
T750I	28	5.024,25
T900	28	4.686,65
T900I	28	5.540,60

FERVI 360

*Our virtual show room is waiting for you.
Discover the Fervi universe by browsing
our shelves. Choose your product and
look at it in depth.*



*All this from your device
and wherever you are.*

**KEEP YOURSELF UPDATED ON
ALL OUR PROMOTIONAL OFFER
VISIT fervi.com**



FERVI IS CERTIFIED QUALITY

A quality that stems from responsibility.

A sense of Fervi's social and business responsibility is at the root of each initiative and activities undertaken by those in the Fervi Group and those involved.

Fervi is certified ISO 9001 for Quality, ISO 14001 for Enviroment and ISO 45001 for Health and Safety Management System



info@fervi.com



[FerviProSmartEquipment](#)



[FerviTools](#)

fervi.com