


fervi.com in   

# FERVI 48

## THE CATALOGUE

THE CATALOGUE FOR  
MRO PROFESSIONALS  
(MAINTENANCE, REPAIR  
AND OPERATIONS)






**WORKSHOP  
FURNITURE**

- p. 329 Modular furnishings
- p. 337 Workbenches
- p. 338 Cabinets
- p. 343 Tool rolling cabinets
- p. 346 Tool boxes


**MACHINERY FOR FINISHING**

- p. 362 Sandblast cabinets
- p. 369 Cleaning tanks
- p. 372 Vacuum cleaners wet and dry
- p. 375 Marking


**CAR AND MOTORCYCLE  
WORKSHOP**

- p. 385 Trolley jacks and stands
- p. 387 Hydraulic cranes and engine stands
- p. 389 Oil collecting units
- p. 390 Winches
- p. 391 Motorcycle and quad lifts


**BENCH VICES, CLAMPS  
AND ANVILS**

- p. 354 Bench vices
- p. 357 Vices
- p. 358 Anvils


**PRESSES AND  
HYDRAULIC PUMPS**

- p. 379 Hydraulic presses
- p. 382 Manual presses
- p. 383 Hydraulic pump units


**LIFTING AND  
HANDLING**

- p. 393 Trolleys
- p. 394 Hydraulic jacks
- p. 395 Trolleys
- p. 398 Cable hoists
- p. 399 Lifting accessories
- p. 402 Winches and tensioners
- p. 403 Pallet handling



## THE OPTIMAL SOLUTION TO FURNISH YOUR WORKSHOP, YOUR GARAGE OR YOUR RACING CORNER

CHOOSE FROM THE COMPOSITIONS CREATED FOR YOU BY FERVI OR CONFIGURE YOUR MODULAR AND SELF-SUPPORTING WORKSHOP FURNITURE ACCORDING TO YOUR NEEDS

**A007/07**

**PANELS  
CONNECTOR**

NECESSARY TO CONNECT  
THE MODULES

**A007/02**

**TALL CABINET  
WITH 3 SHELVES**

**A007/10**

**HANGING PANEL**

**A007/01**

**WALL CABINET  
TO FIX ON THE HANGER  
PANEL**

**A007/11**

**HALF PANEL  
CONNECTOR  
TO END THE  
CONFIGURATION  
WITHOUT THE CABINET**


**A007/09**

**WORK PLATES  
AVAILABLE IN 3  
MEASUREMENTS AND 2  
MATERIALS**

**A007/03**

**DOOR CABINET  
IT MUST BE INSERTED IN THE  
CENTRAL SPACE OF A 3-MODULE  
PLAN**

EXAMPLE OF  
CONFIGURATION  
WITH THREE  
MODULES WITH  
CABINET



**A007/06**

**MULTIFUNCTION  
CABINET**

**A007/16**

**ROLLING CABINET  
WITH 7 DRAWERS ON BALL  
BEARING SLIDE**

**A007A****WORKSHOP MODULAR FURNITURES**

The optimal solution to furnish your workshop, your garage or your racing corner.

- 4 WALL CABINET WITH SPRING GAS [A007/01]
- 2 TALL CABINETS WITH 3 SHELVES [A007/02]
- 1 DOOR CABINET WITH ONE SHELF [A007/03]
- 1 TOOL CABINET WITH 4 DRAWERS ON BALL BEARING SLIDE [A007/04]
- 2 TOOL CABINETS WITH 5 DRAWERS ON BALL BEARING SLIDES [A007/05]
- 5 PANELS CONNECTORS [A007/07]
- 2 WOOD PLATES [A007/08]
- 4 HANGING PANELS [A007/10]

Dimensions

Worktop depth

3920 x 498 x 2000h mm

460 mm

**A008A****WITH STAINLESS STEEL PLATES****A007B****WORKSHOP MODULAR FURNITURES**

The optimal solution to furnish your workshop, your garage or your racing corner.

- 4 WALL CABINET WITH SPRING GAS [A007/01]
- 2 TALL CABINETS WITH 3 SHELVES [A007/02]
- 1 DOOR CABINET WITH ONE SHELF [A007/03]
- 2 TOOL CABINETS WITH 5 DRAWERS ON BALL BEARING SLIDES [A007/05]
- 1 MULTIFUNCTION CABINET [A007/06]
- 5 PANELS CONNECTORS [A007/07]
- 2 WOOD PLATES [A007/08]
- 4 HANGING PANELS [A007/10]

Dimensions

Worktop depth

3920 x 498 x 2000h mm

460 mm

**A007C****WORKSHOP MODULAR FURNITURES**

The optimal solution to furnish your workshop, your garage or your racing corner.

- 2 WALL CABINET WITH SPRING GAS [A007/01]
- 1 TALL CABINET WITH 3 SHELVES [A007/02]
- 1 DOOR CABINET WITH ONE SHELF [A007/03]
- 1 TOOL CABINETS WITH 5 DRAWERS ON BALL BEARING SLIDES [A007/05]
- 2 HANGING PANELS [A007/10] 2 PANELS CONNECTORS [A007/07]
- 1 WOOD PLATE [A007/08]
- 2 HANGING PANELS [A007/10]
- 1 HALF PANEL CONNECTOR [A007/11]

Dimensions

Worktop depth

1960 x 498 x 2000h mm

460 mm

**A007D****WORKSHOP MODULAR FURNITURES**

The optimal solution to furnish your workshop, your garage or your racing corner.

- 3 WALL CABINET WITH SPRING GAS [A007/01]
- 1 TALL CABINET WITH 3 SHELVES [A007/02]
- 1 DOOR CABINET WITH ONE SHELF [A007/03]
- 1 TOOL CABINET WITH 4 DRAWERS ON BALL BEARING SLIDE [A007/04]
- 1 TOOL CABINETS WITH 5 DRAWERS ON BALL BEARING SLIDES [A007/05]
- 3 PANELS CONNECTORS [A007/07]
- 1 WOOD PLATE [A007/09]
- 3 HANGING PANELS [A007/10]
- 1 HALF PANEL CONNECTOR [A007/11]

Dimensions

Worktop depth

2640 x 498 x 2000h mm

460 mm

**A008D****WITH STAINLESS STEEL PLATES**

**A007E****WORKSHOP MODULAR FURNITURES**

The optimal solution to furnish your workshop, your garage or your racing corner.

- 3 WALL CABINET WITH SPRING GAS [A007/01]
- 1 TALL CABINET WITH 3 SHELVES [A007/02]
- 1 DOOR CABINET WITH ONE SHELF [A007/03]
- 1 MULTIFUNCTION CABINET [A007/06]
- 3 PANELS CONNECTORS [A007/07]
- 1 WOOD PLATE [A007/09]
- 3 HANGING PANELS [A007/10]
- 1 ROLLING CABINET WITH 7 DRAWERS ON BALL BEARING SLIDE [A007/16]

Dimensions  
Worktop depth

2640 x 498 x 2000h mm  
460 mm

**A008E**

**WITH STAINLESS STEEL PLATES**

**A007F****CORNER FOR WORKSHOP MODULAR FURNITURES**

The optimal solution to furnish your workshop, your garage or your racing corner.

- 2 PANELS CONNECTORS [A007/07]
- 2 HALF PANEL CONNECTORS [A007/11]
- 2 CORNER HANGING PANELS [A007/12]
- 1 CORNER CABINET [A007/13]
- 1 CORNER WOOD PLATE [A007/14]
- 1 CORNER DOOR CABINET [A007/15]

Dimensions  
Worktop depth

864 x 864 x 2000h mm  
460 mm

**A008F**

**WITH STAINLESS STEEL PLATES**

**A007G****WORKSHOP MODULAR FURNITURES**

The optimal solution to furnish your workshop, your garage or your racing corner.

- 3 WALL CABINET WITH SPRING GAS [A007/01]
- 1 TALL CABINET WITH 3 SHELVES [A007/02]
- 1 DOOR CABINET WITH ONE SHELF [A007/03]
- 1 MULTIFUNCTION CABINET [A007/06]
- 3 PANELS CONNECTORS [A007/07]
- 1 WOOD PLATE [A007/09]
- 3 HANGING PANELS [A007/10]
- 1 HALF PANEL CONNECTOR [A007/11]
- 1 TOOL CABINETS WITH 7 DRAWERS ON BALL BEARING SLIDES [A007/1]

Dimensions  
Worktop depth

2640 x 498 x 2000h mm  
460 mm

**A008G**

**WITH STAINLESS STEEL PLATES**

**A007H****WORKSHOP MODULAR FURNITURES**

The optimal solution to furnish your workshop, your garage or your racing corner.

- 5 WALL CABINET WITH SPRING GAS [A007/01]
- 1 TALL CABINETS WITH 3 SHELVES [A007/02]
- 1 DOOR CABINET WITH ONE SHELF [A007/03]
- 1 TOOL CABINET WITH 4 DRAWERS ON BALL BEARING SLIDE [A007/04]
- 1 TOOL CABINET WITH 5 DRAWERS ON BALL BEARING SLIDE [A007/05]
- 1 MULTI FUNCTION CABINET [A007/06]
- 6 PANELS CONNECTORS [A007/07]
- 1 WOOD PLATE [A007/08]
- 1 WOOD PLATE [A007/09]
- 5 HANGING PANELS [A007/10]
- 3 HALF PANEL CONNECTORS [A007/11]
- 2 CORNER HANGING PANELS [A007/12]
- 1 CORNER CABINET [A007/13]
- 1 CORNER WOOD PLATE [A007/14]
- 1 CORNER DOOR CABINET [A007/15]
- 1 ROLLING CABINET WITH 7 DRAWERS ON BALL BEARING SLIDE [A007/16]

**A008H**

**WITH STAINLESS STEEL PLATES**

**A007I****WORKSHOP MODULAR FURNITURES**

The optimal solution to furnish your workshop, your garage or your racing corner.


- 2 WALL CABINET WITH SPRING GAS [A007/01]
- 1 TALL CABINETS WITH 3 SHELVES [A007/02]
- 1 MULTI FUNCTION CABINET [A007/06]
- 2 PANELS CONNECTORS [A007/07]
- 1 WOOD PLATE [A007/08]
- 2 HANGING PANELS [A007/10]
- 1 HALF PANEL CONNECTOR [A007/11]
- 1 TOOL CABINET WITH 7 DRAWERS ON BALL BEARING SLIDE [A007/17]

Dimensions

Worktop depth

1960 x 498 x 2000h mm

460 mm

**A008I****WITH STAINLESS STEEL PLATES****A007L****WORKSHOP MODULAR FURNITURES**


The optimal solution to furnish your workshop, your garage or your racing corner.

- 4 WALL CABINET WITH SPRING GAS [A007/01]
- 2 TALL CABINETS WITH 3 SHELVES [A007/02]
- 1 DOOR CABINET WITH ONE SHELF [A007/03]
- 1 TOOL CABINET WITH 4 DRAWERS ON BALL BEARING SLIDE [A007/04]
- 1 MULTI FUNCTION CABINET [A007/06]
- 6 PANELS CONNECTORS [A007/07]
- 2 WOOD PLATES [A007/08]
- 4 HANGING PANELS [A007/10]
- 2 HALF PANEL CONNECTORS [A007/11]
- 2 CORNER HANGING PANELS [A007/12]
- 1 CORNER CABINET [A007/13]
- 1 CORNER WOOD PLATE [A007/14]
- 1 CORNER DOOR CABINET [A007/15]
- 1 TOOL CABINET WITH 7 DRAWERS ON BALL BEARING SLIDE [A007/17]

**A008L****WITH STAINLESS STEEL PLATES****A007M****WORKSHOP MODULAR FURNITURES**

The optimal solution to furnish your workshop, your garage or your racing corner.

- 2 WALL CABINET WITH SPRING GAS [A007/01]
- 1 DOOR CABINET WITH ONE SHELF [A007/03]
- 1 TOOL CABINET WITH 5 DRAWERS ON BALL BEARING SLIDE [A007/05]
- 2 PANELS CONNECTORS [A007/07]
- 1 WOOD PLATE [A007/08]
- 2 HANGING PANELS [A007/10]
- 2 HALF PANEL CONNECTORS [A007/11]

**A008M****WITH STAINLESS STEEL PLATES****A007N****WORKSHOP MODULAR FURNITURES**

The optimal solution to furnish your workshop, your garage or your racing corner.

- 3 WALL CABINET WITH SPRING GAS [A007/01]
- 1 DOOR CABINET WITH ONE SHELF [A007/03]
- 1 TOOL CABINET WITH 4 DRAWERS ON BALL BEARING SLIDE [A007/04]
- 1 TOOL CABINET WITH 5 DRAWERS ON BALL BEARING SLIDE [A007/05]
- 3 PANELS CONNECTORS [A007/07]
- 1 WOOD PLATE [A007/09]
- 3 HANGING PANELS [A007/10]
- 2 HALF PANEL CONNECTORS [A007/11]

**A008N****WITH STAINLESS STEEL PLATES**

Dimensions

Worktop depth

2040 x 498 x 2000h mm

460 mm

**A007P****WORKSHOP MODULAR FURNITURES**

The optimal solution to furnish your workshop, your garage or your racing corner.

- 4 WALL CABINET WITH SPRING GAS [A007/01]
- 2 TALL CABINETS WITH 3 SHELVES [A007/02]
- 1 DOOR CABINET WITH ONE SHELF [A007/03]
- 1 MULTIFUNCTION CABINET [A007/06]
- 5 PANELS CONNECTORS [A007/07]
- 1 WOOD PLATE [A007/09]
- 4 HANGING PANELS [A007/10]
- 1 TOOL CABINET WITH 7 DRAWERS ON BALL BEARING SLIDES [A007/16]
- 1 WOOD PLATE [A007/19]
- 1 TOOL CABINET WITH 9 DRAWERS ON BALL BEARING SLIDES [A007/20]

Dimensions  
Worktop depth

3920 x 498 x 2000h mm  
460 mm

**A008P**

**WITH STAINLESS STEEL PLATES**

**A007Q****WORKSHOP MODULAR FURNITURES**

The optimal solution to furnish your workshop, your garage or your racing corner.

- 2 WALL CABINET WITH SPRING GAS [A007/01]
- 1 TALL CABINET WITH 3 SHELVES [A007/02]
- 1 TOOL CABINET WITH 4 DRAWERS ON BALL BEARING SLIDE [A007/04]
- 2 PANELS CONNECTORS [A007/07]
- 1 WOOD PLATE [A007/08]
- 2 HANGING PANELS [A007/10]
- 1 HALF PANEL CONNECTOR [A007/11]
- 1 TOOL CABINET WITH 9 DRAWERS ON BALL BEARING SLIDE [A007/20]

Dimensions  
Worktop depth

1960 x 498 x 2000h mm  
460 mm

**A008Q**

**WITH STAINLESS STEEL PLATES**

**A007R****WORKSHOP MODULAR FURNITURES**

The optimal solution to furnish your workshop, your garage or your racing corner.

- 1 WALL CABINET WITH SPRING GAS [A007/01]
- 2 PANELS CONNECTORS [A007/07]
- 1 HANGING PANEL [A007/10]
- 2 HALF PANEL CONNECTORS [A007/11]
- 1 WOOD PLATE [A007/19]
- 1 TOOL CABINET WITH 9 DRAWERS ON BALL BEARING SLIDE [A007/20]

Dimensions  
Worktop depth

680 x 498 x 2000h mm  
460 mm

**A008R**

**WITH STAINLESS STEEL PLATES**

**A007S****WORKSHOP MODULAR FURNITURES**

The optimal solution to furnish your workshop, your garage or your racing corner.

- 3 WALL CABINET WITH SPRING GAS [A007/01]
- 1 TALL CABINET WITH 3 SHELVES [A007/02]
- 1 DOOR CABINET WITH ONE SHELF [A007/03]
- 3 PANELS CONNECTORS [A007/07]
- 1 WOOD PLATE [A007/09]
- 3 HANGING PANELS [A007/10]
- 1 HALF PANEL CONNECTOR [A007/11]
- 1 TOOL CABINETS WITH 9 DRAWERS ON BALL BEARING SLIDES [A007/20]
- 1 TROLLEY WITH 3 SHELVES [A007/22]

Dimensions  
Worktop depth

2640 x 498 x 2000h mm  
460 mm

**A008S**

**WITH STAINLESS STEEL PLATES**

**A007T****WORKSHOP MODULAR FURNITURES**

The optimal solution to furnish your workshop, your garage or your racing corner.

- 2 WALL CABINET WITH SPRING GAS [A007/01]
- 1 DOOR CABINET WITH ONE SHELF [A007/03]
- 1 TOOL CABINETS WITH 5 DRAWERS ON BALL BEARING SLIDES [A007/05]
- 2 PANELS CONNECTORS [A007/07]
- 1 WOOD PLATE [A007/08]
- 2 HANGING PANELS [A007/10]
- 1 HALF PANEL CONNECTOR [A007/11]
- 12 DOOR TALL CABINET WITH 3 SHELVES [A007/23]

Dimensions

Worktop depth

2275 x 498 x 2000h mm

460 mm

**A008T****WITH STAINLESS STEEL PLATES****A007U****WORKSHOP MODULAR FURNITURES**

The optimal solution to furnish your workshop, your garage or your racing corner.

- 3 WALL CABINET WITH SPRING GAS [A007/01]
- 1 TALL CABINET WITH 3 SHELVES [A007/02]
- 1 DOOR CABINET WITH ONE SHELF [A007/03]
- 3 PANELS CONNECTORS [A007/07]
- 1 WOOD PLATE [A007/09]
- 3 HANGING PANELS [A007/10]
- 1 HALF PANEL CONNECTOR [A007/11]
- 1 TOOL CABINET WITH 7 DRAWERS ON BALL BEARING SLIDES [A007/17]
- 1 HOSE REELS CABINET [A007/18]

Dimensions

Worktop depth

2640 x 498 x 2000h mm

460 mm

**A008U****WITH STAINLESS STEEL PLATES****A007UF****WORKSHOP MODULAR FURNITURES**

The optimal solution to furnish your workshop, your garage or your racing corner.

- 3 WALL CABINET WITH SPRING GAS [A007/01]
- 1 TALL CABINET WITH 3 SHELVES [A007/02]
- 1 DOOR CABINET WITH ONE SHELF [A007/03]
- 3 PANELS CONNECTORS [A007/07]
- 1 WOOD PLATE [A007/09]
- 3 HANGING PANELS [A007/10]
- 1 HALF PANEL CONNECTOR [A007/11]
- 1 TOOL CABINET WITH 7 DRAWERS ON BALL BEARING SLIDES [A007/17]
- 1 HOSE REELS CABINET [A007/18]
- 1 AUTO RE-ENTERING CABLE REEL [0621/A3]
- 1 AUTO REWIND AIR HOSE REEL [0481/15]

Dimensions

Worktop depth

2640 x 498 x 2000h mm

460 mm

**A008UF****WITH STAINLESS STEEL PLATES****A007V****WORKSHOP MODULAR FURNITURES**

The optimal solution to furnish your workshop, your garage or your racing corner.


- 4 WALL CABINET WITH SPRING GAS [A007/01]
- 2 TALL CABINETS WITH 3 SHELVES [A007/02]
- 1 TOOL CABINET WITH 5 DRAWERS ON BALL BEARING SLIDES [A007/05]
- 1 MULTIFUNCTION CABINET [A007/06]
- 5 PANELS CONNECTORS [A007/07]
- 1 WOOD PLATE [A007/08]
- 4 HANGING PANELS [A007/10]
- 1 LARGE AMERICAN TOOL CABINET [A007/21]

Dimensions

Worktop depth

3920 x 498 x 2000h mm

460 mm

**A008V****WITH STAINLESS STEEL PLATES**

**A007/02****TALL CABINET**

With 3 shelves.



|                  |                     |
|------------------|---------------------|
| Dimensions       | 600 x 458 x 2000 mm |
| Door dimensions  | 510 x 1810 mm       |
| Internal depth   | 410 mm              |
| Maximum capacity | 180 kg              |

**A007/03****DOOR CABINET**

With one shelf.



|                  |                    |
|------------------|--------------------|
| Dimensions       | 680 x 458 x 910 mm |
| Door dimensions  | 710 x 295 mm       |
| Internal depth   | 445 mm             |
| Maximum capacity | 60 kg              |

**A007/18****HOSE REELS CABINET**

With internal fixing for hose reels and 3 drawers.



|                 |                    |
|-----------------|--------------------|
| Dimensions      | 680 x 458 x 910 mm |
| Drawer capacity | 30 kg              |

**A007/05****TOOL CABINET WITH 5 DRAWERS**

On ball bearing slide.



|                   |                        |
|-------------------|------------------------|
| Dimensions        | 680 x 458 x 910 mm     |
| Drawer dimensions | 550 x 400 mm           |
| Drawers height    | 1 x 68 mm - 4 x 145 mm |
| Drawer capacity   | 30 kg                  |

**A007/23****2 DOOR TALL CABINET**

With 5 shelves.



|                  |                     |
|------------------|---------------------|
| Dimensions       | 915 x 458 x 2000 mm |
| Door dimensions  | 510 x 1810 mm       |
| Internal depth   | 410 mm              |
| Maximum capacity | 300 kg              |

**A007/06****MULTIFUNCTION CABINET**

With waste bin door, paper roll holder and drawer on sliding rails.



|                           |                    |
|---------------------------|--------------------|
| Dimensions                | 680 x 458 x 910 mm |
| Door dimensions           | 710 x 295 mm       |
| Internal depth            | 445 mm             |
| Drawer dimensions         | 240 x 300 mm       |
| Maximum paper roll height | 240 mm             |
| Maximum capacity          | 90 kg              |

**A007/04****TOOL CABINET WITH 4 DRAWERS**

On ball bearing slide.



|                   |  |
|-------------------|--|
| Dimensions        | 680 x 458 x 910 mm                     |
| Drawer dimensions | 550 x 400 mm                           |
| Drawers height    | 1 x 68 mm - 1 x 145 mm<br>- 2 x 214 mm |
| Drawer capacity   | 30 kg                                  |

**A007/17****TOOL CABINET WITH 7 DRAWERS**

On ball bearing slide.



|                   |                            |
|-------------------|----------------------------|
| Dimensions        | 680 x 458 x 910 mm         |
| Drawer dimensions | 550 x 400 mm               |
| Drawers height    | 5 x 74,5 mm - 2 x 153,5 mm |
| Drawer capacity   | 30 kg                      |

**A007/20****TOOL CABINET WITH 9 DRAWERS**

On ball bearing slide.



|                   |                    |
|-------------------|--------------------|
| Dimensions        | 680 x 458 x 910 mm |
| Drawer dimensions | 550 x 400 mm       |
| Drawers height    | 9 x 74,5 mm        |
| Drawer capacity   | 30 kg              |

**A007/16****ROLLING CABINET**

With 7 drawers on ball bearing slide.



|                   |                        |
|-------------------|------------------------|
| Dimensions        | 660 x 455 x 860 mm     |
| Drawer dimensions | 525 x 400 mm           |
| Internal depth    | 6 x 68 mm - 1 x 145 mm |
| Drawer capacity   | 30 kg                  |

**A007/21****LARGE AMERICAN TOOL CABINET**

With stainless steel top.



|                   |  |
|-------------------|--|
| Dimensions        | 1360 x 458 x 945 mm                        |
| Door dimensions   | 535 x 430 mm                               |
| Drawer dimensions | 1 - 1285 x 400 mm<br>6 - 810 x 400 mm      |
| Drawers height    | 1 x 123,5 mm - 5 x 74,5 mm<br>1 x 153,5 mm |
| Drawer capacity   | 30 kg                                      |

**A007/10****HANGING PANEL**

|                  |                      |
|------------------|----------------------|
| Dimensions       | 1052 x 614,5 x 24 mm |
| Maximum capacity | 10 kg                |

**A007/22****TROLLEY**

With 3 shelves.



|            |                    |
|------------|--------------------|
| Dimensions | 648 x 458 x 865 mm |
|------------|--------------------|

**A007/21****LARGE AMERICAN TOOL CABINET**

With wooden top.



|                   |  |
|-------------------|--|
| Dimensions        | 1360 x 458 x 945 mm                        |
| Door dimensions   | 535 x 430 mm                               |
| Drawer dimensions | 1 - 1285 x 400 mm<br>6 - 810 x 400 mm      |
| Drawers height    | 1 x 123,5 mm - 5 x 74,5 mm<br>1 x 153,5 mm |
| Drawer capacity   | 30 kg                                      |

**A007/01****WALL CABINET**

With spring gas.



|                  |                    |
|------------------|--------------------|
| Dimensions       | 680 x 281 x 350 mm |
| Door dimensions  | 610 x 280 mm       |
| Internal depth   | 280 mm             |
| Maximum capacity | 15 kg              |

**A007/07****PANELS CONNECTOR****A007/11****HALF PANEL CONNECTOR**

## A007-xP

### WORK PLATES



| Art.     | Module | Material        | Dimensions    | Thickness |
|----------|--------|-----------------|---------------|-----------|
| A007/08  | 2      | Wood            | 1360 x 460 mm | 35 mm     |
| A007/08I | 2      | Stainless steel | 1360 x 460 mm | 35 mm     |
| A007/09  | 3      | Wood            | 2040 x 460 mm | 35 mm     |
| A007/09I | 3      | Stainless steel | 2040 x 460 mm | 35 mm     |
| A007/19  | 1      | Wood            | 680 x 460 mm  | 35 mm     |
| A007/19I | 1      | Stainless steel | 680 x 460 mm  | 35 mm     |

## 6x

### HOOKS SET



| Pins center distance | Length |
|----------------------|--------|
| 30 mm                | 80 mm  |
| 30 mm                | 155 mm |

## P40VD

### FOOTBOARDS

Mountable, green draining self locking footboard.




Polyprop.

| Dimensions    | 400 x 400 x 48 mm       |
|---------------|-------------------------|
| Pcs. - Pallet | 120 = 20 m <sup>2</sup> |

## PSV-M

### POLYPROPYLENE SLIDE

Mountable for footboards, green, male (with hooks).



Polyprop.

| Dimensions | 205 x 400 x 48 mm |
|------------|-------------------|
|------------|-------------------|

## A007/LED

### LED LIGHT FOR WORKSHOP MODULAR FURNITURES

With bi-adhesive tape, to be used in coupling with A007/LED/CB charger. Max two Led strips can be connected in series.



## A007/LED/C


### LED LIGHT POWER SUPPLY



## PSV-F

### POLYPROPYLENE SLIDE

Mountable for footboards, green, female (without hooks).




| Dimensions | 205 x 400 x 48 mm |
|------------|-------------------|
|------------|-------------------|

## PAV

### CORNER SLIDES

For mountable polypropylene footboards, kit of 4 green corner slides.



Polyprop.

| Dimensions | 200 x 200 x 270 x 48 mm |
|------------|-------------------------|
|------------|-------------------------|

**B015****STEEL WORKBENCH KIT**

With steel top and two lockable drawers.



|                   |                      |
|-------------------|----------------------|
| Bench dimensions  | 1500 x 645 x 865h mm |
| Legs thickness    | 1 mm                 |
| Plate thickness   | 2 mm                 |
| Capacity          | 800 kg               |
| Drawer dimensions | 433 x 347 x 122h mm  |
| Drawer capacity   | 30 kg                |
| Net weight        | 62 kg                |

**B015/10****WORKBENCH KIT**

With steel top and lockable drawer.



|                   |                      |
|-------------------|----------------------|
| Dimensions        | 1000 x 640 x 865h mm |
| Legs thickness    | 2 mm                 |
| Plate thickness   | 2 mm                 |
| Capacity          | 600 kg               |
| Drawer dimensions | 433 x 347 x 122h mm  |
| Drawer capacity   | 30 kg                |
| Net weight        | 55 kg                |

**B022/10****WORKBENCH KIT**

With wood press top and a lockable drawer.



|                   |                      |
|-------------------|----------------------|
| Dimensions        | 1000 x 640 x 865h mm |
| Legs thickness    | 2 mm                 |
| Plate thickness   | 38 mm                |
| Capacity          | 350 kg               |
| Drawer dimensions | 400 x 344 x 125h mm  |
| Drawer capacity   | 50 kg                |
| Net weight        | 47 kg                |

**B022/15****WORKBENCH KIT**

With wood press top and 2 lockable drawers.



|                   |                      |
|-------------------|----------------------|
| Dimensions        | 1500 x 640 x 865h mm |
| Legs thickness    | 2 mm                 |
| Plate thickness   | 38 mm                |
| Capacity          | 350 kg               |
| Drawer dimensions | 400 x 344 x 125h mm  |
| Drawer capacity   | 50 kg                |
| Net weight        | 75 kg                |

**B017/C****DRAWER RACK WITH LOCK**

On ball bearing made of steel, suitable to benches of other brands.



|                     |                    |
|---------------------|--------------------|
| Overall dimensions  | 680 x 270 x 130 mm |
| Internal dimensions | 640 x 260 x 90 mm  |
| Capacity            | 18,5 kg            |
| Net weight          | 4,3 kg             |



**B009/A1****WORKBENCH KIT**

With wood press top, 3 lockable drawers, 1 shelf and adjustable feet.

**Dimensions**

1200 x 600 x 865h mm

**Legs thickness**

2 mm

**Plate thickness**

36 mm

**Capacity**

350 kg

**Net weight**

62 kg

**B009/A2****WORKBENCH KIT**

With wood press top, 3 lockable drawers, 1 door and shelf and adjustable feet.

**Dimensions**

1690 x 600 x 865 mm

**Legs thickness**

2 mm

**Plate thickness**

36 mm

**Capacity**

350 kg

**Net weight**

84 kg

**A100****CABINET**

With 1 drawer, slide on bearing with locking device.

**Cabinet dimensions**

500 x 460 x 1000h mm

**Steel thickness**

1 mm

**Internal shelves**

2

**Maximum capacity**

100 kg

**Shelf capacity**

25 kg

**Net weight**

35 kg

**B009/B1****WORKBENCH KIT**

With wood press top, 3 lockable drawers, 1 shelf with door and adjustable feet.

**Dimensions**

1200 x 600 x 865h mm

**Legs thickness**

2 mm

**Plate thickness**

36 mm

**Capacity**

350 kg

**Net weight**

64,5 kg

**B009/B2****WORKBENCH KIT**

With wood press top, 3 lockable drawers, 2 shelves with door and adjustable feet.

**Dimensions**

1690 x 600 x 865 mm

**Legs thickness**

2 mm

**Plate thickness**

36 mm

**Capacity**

350 kg

**Net weight**

86 kg

**A300****CABINET**

With 2 drawers, slide on ball bearing with locking device.

**Cabinet dimensions**

1000 x 460 x 1000h mm

**Steel thickness**

1 mm

**Internal shelves**

2

**Maximum capacity**

150 kg

**Shelf capacity**


25 kg

**Net weight**


62 kg

**P009****WALLCABINET KIT**

With 18 hooks included.



|                    |                      |
|--------------------|----------------------|
| Cabinet dimensions | 1200 x 200 x 600h mm |
| Steel thickness    | 0,8 mm               |
| Internal shelves   | 4                    |
| Hooks              | 18 (6 + 6 + 6)       |
| Slot distance      | 30 mm                |
| Net weight         | 17 kg                |

**C800-****"A" DRAWER DIVIDERS**

| Art.    | Longitudinal divider | Transversal divider |
|---------|----------------------|---------------------|
| C800/CC | 440 x 70h mm         | -                   |
| C800/LL | -                    | 517 x 70h mm        |

**C600-****"B" DRAWER DIVIDERS**

| Art.   | Longitudinal divider | Transversal divider |
|--------|----------------------|---------------------|
| C600/C | 440 x 110h mm        | -                   |
| C600/L | -                    | 120 x 110h mm       |

**C603-****"C" DRAWER DIVIDERS**

| Art.   | Longitudinal divider | Transversal divider |
|--------|----------------------|---------------------|
| C603/C | 440 x 165h mm        | -                   |
| C603/L | -                    | 120 x 165h mm       |

**C800****TOOL CABINET**

With 8 drawers, slide on bearing with locking device, without internal dividers.



|                     |                     |
|---------------------|---------------------|
| Drawer capacity     | 50 kg               |
| External Dimensions | 630 x 550 x 930h mm |
| Drawer dimensions   | 517 x 440 mm        |
| Drawers height      | 8 x 73 mm           |
| Net weight          | 58 kg               |

**C600****TOOL CABINET**


With 6 drawers, slide on bearing with locking device, without internal dividers.



|                     |                     |
|---------------------|---------------------|
| Drawer capacity     | 50 kg               |
| External Dimensions | 630 x 550 x 930h mm |
| Drawer dimensions   | 517 x 440 mm        |
| Drawers height      | 6 x 115 mm          |
| Net weight          | 53 kg               |

**C603****TOOL CABINET**

With 6 drawers, slide on bearing with locking device, without internal dividers.



|                     |   |
|---------------------|---|
| Drawer capacity     | 50 kg   |
| External Dimensions | 630 x 550 x 930h mm                             |
| Drawer dimensions   | 517 x 440 mm                                    |
| Drawers height      | [A] 3 x 73 mm - [B] 2 x 115 mm - [C] 1 x 175 mm |
| Net weight          | 53,5 kg   |

**C700****STEEL STORAGE CHEST WITH PLASTIC CASES**

Lower box with key lock and upper zone with 7 tool boxes with central lock 4 x C360 + 3 x C371.



Dimensions

490 x 343 x 987h mm

Net weight

27 kg

**C080-****DRAWER UNITS WITH TRANSPARENT PULL-OUT DRAWERS**

Modular and stackable.



Art.

External Dimensions

Drawer dimensions

Drawers number

|        |                     |                    |   |
|--------|---------------------|--------------------|---|
| C080/3 | 382 x 290 x 230h mm | 372 x 285 x 73h mm | 3 |
| C080/6 | 382 x 290 x 230h mm | 184 x 285 x 73h mm | 6 |
| C080/9 | 382 x 290 x 230h mm | 122 x 285 x 73h mm | 9 |

**C085-****DRAWER UNITS WITH TRANSPARENT PULL-OUT DRAWERS**

Modular and stackable.



Art.

External Dimensions

Drawer dimensions

Drawers number

|         |                     |                    |    |
|---------|---------------------|--------------------|----|
| C085/12 | 382 x 148 x 230h mm | 122 x 145 x 55h mm | 12 |
| C085/16 | 382 x 148 x 230h mm | 90 x 145 x 55h mm  | 16 |
| C085/24 | 382 x 148 x 230h mm | 59 x 145 x 55h mm  | 24 |

**C086/01C****MODULAR DRAWER UNIT WITH PULL-OUT DRAWERS**

Connectable with other drawers through guides to create infinite combinations. Equipped with drawer locking to prevent the contents from accidentally falling and rear fixing holes for wall mounting. Made of resistant plastic, it is suitable for use in the construction site, at home and in the workshop.



|                   |                     |
|-------------------|---------------------|
| Dimensions        | 295 x 165 x 200h mm |
| Drawers number    | 1                   |
| Drawer dimensions | 250 x 150 x 150 mm  |

**C086/01T****MODULAR DRAWER UNIT WITH PULL-OUT TRAYS**

Connectable with other drawers through guides to create infinite combinations. Equipped with trays locking to prevent the contents from accidentally falling and rear fixing holes for wall mounting. Made of resistant plastic, it is suitable for use in the construction site, at home and in the workshop.


|                   |                     |
|-------------------|---------------------|
| Dimensions        | 295 x 165 x 200h mm |
| Drawers number    | 1                   |
| Drawer dimensions | 250 x 160 x 150 mm  |

**C086/02C****MODULAR DRAWER UNIT WITH PULL-OUT DRAWERS**

Connectable with other drawers through guides to create infinite combinations. Equipped with drawer locking to prevent the contents from accidentally falling and rear fixing holes for wall mounting. Made of resistant plastic, it is suitable for use in the construction site, at home and in the workshop.



|                   |                     |
|-------------------|---------------------|
| Dimensions        | 295 x 165 x 200h mm |
| Drawers number    | 2                   |
| Drawer dimensions | 250 x 160 x 70 mm   |

**C086/02T****MODULAR DRAWER UNIT WITH PULL-OUT TRAYS**

Connectable with other drawers through guides to create infinite combinations. Equipped with trays locking to prevent the contents from accidentally falling and rear fixing holes for wall mounting. Made of resistant plastic, it is suitable for use in the construction site, at home and in the workshop.

|                   |                     |
|-------------------|---------------------|
| Dimensions        | 295 x 165 x 200h mm |
| Drawers number    | 2                   |
| Drawer dimensions | 250 x 160 x 70 mm   |

**C086/04C****MODULAR DRAWER UNIT WITH PULL-OUT DRAWERS**

Connectable with other drawers through guides to create infinite combinations. Equipped with drawer locking to prevent the contents from accidentally falling and rear fixing holes for wall mounting. Made of resistant plastic, it is suitable for use in the construction site, at home and in the workshop.



|                   |                    |
|-------------------|--------------------|
| Dimensions        | 300 x 200 x 165 mm |
| Drawers number    | 4                  |
| Drawer dimensions | 120 x 160 x 70 mm  |

**C086/04T****MODULAR DRAWER UNIT WITH PULL-OUT TRAYS**

Connectable with other drawers through guides to create infinite combinations. Equipped with trays locking to prevent the contents from accidentally falling and rear fixing holes for wall mounting. Made of resistant plastic, it is suitable for use in the construction site, at home and in the workshop.

|                   |                     |
|-------------------|---------------------|
| Dimensions        | 295 x 165 x 200h mm |
| Drawers number    | 4                   |
| Drawer dimensions | 120 x 160 x 70 mm   |

**C086/12C****MODULAR DRAWER UNIT WITH PULL-OUT DRAWERS**

Connectable with other drawers through guides to create infinite combinations. Equipped with drawer locking to prevent the contents from accidentally falling and rear fixing holes for wall mounting. Made of resistant plastic, it is suitable for use in the construction site, at home and in the workshop.



|                   |                     |
|-------------------|---------------------|
| Dimensions        | 295 x 165 x 200h mm |
| Drawers number    | 12                  |
| Drawer dimensions | 60 x 160 x 50 mm    |

**C086/04C/D****DIVIDER KIT FOR MODULAR DRAWER UNIT**

|            |             |
|------------|-------------|
| Dimensions | 111 x 63 mm |
| 4 Pcs      |             |

**C086/12C/D****DIVIDER KIT FOR MODULAR DRAWER UNIT**

|            |              |
|------------|--------------|
| Dimensions | 49,5 x 41 mm |
| 12 Pcs     |              |



**C090-****UNIVERSAL STORAGE BIN**

Modular and stackable.



Art.

## Dimensions

|        |                     |
|--------|---------------------|
| C090/2 | 108 x 167 x 75h mm  |
| C090/3 | 151 x 237 x 126h mm |
| C090/4 | 213 x 350 x 164h mm |
| C090/5 | 310 x 490 x 190h mm |
| C090/6 | 380 x 610 x 250h mm |

**0849****ALUMINUM CASE SET**

Ergonomic handles and lock with key.



Alu

3 Pcs

Aluminum



|                  |   |
|------------------|---|
| Cases dimensions | 730 x 380 x 360h mm - 680 x 310 x 320h mm - 475 x 260 x 210h mm |
| Net weight       | 14 kg   |

**0382-****ALUMINUM CASE**

With key lock.



Art.

## External Dimensions

## Internal dimensions

## Net weight

|         |   |   |       |
|---------|---|---|-------|
| 0382    | 760 x 335 x 250h mm,<br>1240 x 385 x 385h mm,<br>1445 x 520 x 460h mm | 710 x 285 x 225h mm,<br>1185 x 335 x 365h mm,<br>1395 x 435 x 440h mm | 40 kg |
| 0382/02 | 760 x 335 x 250h mm   | 745 x 310 x 225h mm   | 6 kg  |
| 0382/03 | 1240 x 385 x 385h mm  | 1185 x 335 x 365h mm  | 14 kg |
| 0382/04 | 1445 x 520 x 460h mm  | 1405 x 435 x 440h mm  | 21 kg |

**C088****TOOL ROLLING CABINET**

Separable into 3 pieces.

NEW



ABS

Steel

## Dimensions

520 x 320 x 720h mm

## Maximum capacity

40 Kg

## Net weight


16 kg

**0363-****3 PCS STEEL CASE SET**

Padlockable.



| Art.    | External Dimensions  | Internal dimensions  | Net weight |
|---------|--|--|------------|
| 0363    | 770 x 420 x 305h mm,<br>915 x 440 x 565h mm,<br>1220 x 620 x 700h mm | 750 x 400 x 300h mm,<br>825 x 350 x 410h mm,<br>1130 x 520 x 550h mm | 107 kg     |
| 0363/30 | 770 x 420 x 305h mm  | 750 x 400 x 300h mm  | 14,5 kg    |
| 0363/36 | 915 x 440 x 565h mm  | 825 x 350 x 410h mm  | 35 kg      |
| 0363/48 | 1220 x 620 x 700h mm   | 1130 x 520 x 550h mm   | 57 kg      |



### C900/A

#### TOOL CHEST

Can be combined with trolley carts. Retractable side handles, 6 drawers, mounted on telescopic ball-bearing slides, removable tray, and front central locking with 2 foldable keys.



##### Dimensions

661 x 309 x 363h mm

##### Drawer dimensions

3: 174 x 267 x 45h mm | 2: 578 x 267 x 45h mm

1: 578 x 267 x 60h mm

##### Compartment dimensions

655 x 250 x 80h mm

##### Drawer capacity

25 kg

##### Net weight

20 kg

### C900/B

#### TOOL ROLLING CABINET

Side handle, polypropylene foam worktop, 6 drawers with internal oil-resistant mat, mounted on telescopic ball-bearing slides, front central locking supplied with 2 foldable keys, 2 fixed and 2 swivel casters with foot-operated brake, made of shockproof and non-slip thermoplastic rubber.



##### Dimensions

744 x 461 x 964h mm

##### Drawer dimensions

569 x 406 mm

##### Drawers height

4 x 45 mm - 1 x 145 mm - 1 x 225 mm

##### Drawer capacity

25 kg

##### Net weight

44 kg


# DETAILS MAKE THE DIFFERENCE

We thought about meeting your needs. How? By taking care of the details and the choice of optionals, making the tool rolling cabinet your personal product to work easily and smoothly every day. So, the new FERVI rolling cabinets were born.

Simple and easy to set up, thanks to the compliant list of accessories for all different models. Set it up according to your needs. Our goal is to get you the tool rolling cabinet you dream, not just any rolling cabinet!

C960/PF

**PERFORATED HANGING PANEL FOR MOBILE ROLLER CAB**



Dimensions

678 x 535 x 25h mm

Working table dimensions

678 x 535 mm

Hole diameter

Ø 5 mm

Slot distance

15 mm

C960/PL

**LAMINATED WORK TOP FOR MOBILE ROLLER CAB**



Plate Dimensions

670 x 454 mm

Plate thickness

9 mm

C960/MP

**FOLDING SHELF FOR MOBILE ROLLER CAB**



Dimensions

338 x 261 x 35h mm

Steel thickness

1,5 mm

C960/PC

**PAPER ROLL HOLDER FOR MOBILE ROLLER CAB**



Dimensions

386 x 167 mm

Hose diameter

15 mm

Max. roll diameter

280 mm

C960/PD

**DOCUMENT HOLDER FOR MOBILE ROLLER CAB**



Internal dimensions

270 x 60 x 330h mm

Steel thickness

2 mm

C960/PG

**SCREWDRIVER HOLDER FOR MOBILE ROLLER CAB**



Dimensions

330 x 76 x 88h mm

Drawer dimensions

328 x 75 x 75h mm

Hole diameter

8 x Ø 8,5 mm



## C960

### TOOL ROLLING CABINET WITH 6 - 7 - 8 DRAWERS

Side handle, polypropylene foam worktop, steel sheet body with impact protection bumpers and perforated side panels, 6 - 7 - 8 full-extension drawers with oil-resistant mats, mounted on telescopic ball bearing slides, anti-tip device, side central locking supplied with 2 folding keys, 2 fixed and 2 swivel casters with brakes. Optional accessories: screwdriver holder, document holder, shelf, paper roll holder, rear pegboard and laminated top.




| Art.              | C960/F6                             | C960/F7                | C960/F8                |
|-------------------|-------------------------------------|------------------------|------------------------|
| Dimensions        | 770 x 460 x 985h mm                 | 770 x 460 x 985h mm    | 770 x 460 x 985h mm    |
| Drawer dimensions | 566 x 405 mm                        | 566 x 405 mm           | 566 x 405 mm           |
| Drawers height    | 4 x 68 mm - 1 x 147 mm - 1 x 199 mm | 6 x 68 mm - 1 x 199 mm | 7 x 68 mm - 1 x 120 mm |
| Drawer capacity   | 5 x 25 kg - 1 x 40 kg               | 6 x 25 kg - 1 x 40 kg  | 25 kg                  |
| Slot distance     | 15 mm                               | 15 mm                  | 15 mm                  |
| Hole diameter     | Ø 5 mm                              | Ø 5 mm                 | Ø 5 mm                 |
| Net weight        | 55 kg                               | 58 kg                  | 60 kg                  |

## 0466/4V

### MAGNETIC TOOL TRAY SET

Made of painted steel, to organize the best working place.





|                    |   |
|--------------------|---|
| Overall dimensions | 310 x 130 x 120h mm; 270 x 130 x 120h mm;<br>210 x 130 x 120h mm; 150 x 130 x 120h mm |
| Capacity           | 1,17 kg; 1 kg; 0,77 kg; 0,6 kg  |

Steel thickness 0,7 mm

## 0466/CV

### MAGNETIC HANGING TRAY WITH SCREWDRIVERS HOLDER

Made of painted steel, to organize the best working place.





|                   |                     |
|-------------------|---------------------|
| Dimensions        | 360 x 130 x 110h mm |
| Drawer dimensions | 305 x 115 x 30h mm  |
| Holes             | 6 x Ø 10 mm         |
| Capacity          | 3,18 kg             |
| Steel thickness   | 1 mm                |

## 0466/PB

### MAGNETIC SOCKETS HOLDER

Made of painted steel, to organize the best working place.



|                    |                    |
|--------------------|--------------------|
| Overall dimensions | 280 x 45 x 90h mm  |
| Sockets sizes      | 1/4" - 3/8" - 1/2" |
| Steel thickness    | 0,9 mm             |

## 0466/SC

### 3 HOLE MAGNETIC SPRAY CANS AND 7 SCREWDRIVERS HOLDER

Made of painted steel, to organize the best working place.



|                    |  |
|--------------------|--|
| Overall dimensions | 130 x 300 x 130h mm  |
| Holes              | 3 x Ø 75 mm; 2 x Ø 12 mm; 1 x Ø 11 mm; 1 x Ø 10 mm; 1 x Ø 9 mm; 2 x Ø 7,5 mm |
| Capacity           | 1,19 kg  |
| Steel thickness    | 0,8 mm   |

**0323/45****TOOL CHEST**

With 5 trays.



Steel

Dimensions

Net weight

450 x 200 x 205h mm

4 kg

**0323/55****TOOL CHEST**

With 5 trays.



Steel

Dimensions

Net weight

550 x 210 x 205h mm

4,5 kg

**0423/1****TOOL BOX**

With 16 small and 4 middle plastic removable trays, ideal for storing small parts. Small plastic trays dimensions: 54 x 52 x 43h mm, middle plastic trays dimensions: 54 x 105 x 43h mm. The box has two safety locks to prevent the involuntary overthrow of the hardware.



Steel

Dimensions

334 x 240 x 45h mm

**0423/2****TOOL BOX**

With 29 small and 3 middle removable plastic trays, ideal for storing small parts. Small plastic trays dimensions: 54 x 52 x 43h mm, middle plastic trays dimensions: 54 x 105 x 43h mm. The box has two safety locks to prevent the involuntary overthrow of the hardware.



Steel

Dimensions

388 x 295 x 45h mm

**0422-****POLYPROPYLENE BLISTER SET**

Useful for storing small items such as screws, bolts, nuts, small hooks, nails.



20 Pcs



Art.

0422/B1

0422/B3

Dimensions

65 x 47 x 30h mm

75 x 60 x 40h mm

**C315****TOOL ORGANIZER BOX**

With 21 compartments and movable dividers, for storing larger items than the original magazine.



Dimensions

380 x 310 x 60h mm

**C313****RACK WITH 4 PLASTIC TOOL ORGANIZER BOXES**

Modular, with 13 extractable containers of various sizes, equipped with lateral insets for stacking and rear holes for wall fixing.



Dimensions

377 x 265 x 310h mm

**C360****TOOL BOX**

With 23 compartments and 16 removable dividers.



Dimensions

443 x 317 x 80h mm

**C371****TOOL BOX**

With removable 2 big trays, 3 medium trays, 6 small trays.



Plastic



Box

Dimensions

443 x 317 x 107h mm

**C648****TOOL BOX**

With movable shelf.



INOX

Box

Dimensions

510 x 280 x 220h mm

**0682****ABS TOOL CASE**

Tools not included.



ABS

Box

|   |        |
|---|--------|
| A | 460 mm |
| B | 330 mm |
| C | 150 mm |
| D | 98 mm  |

|            |        |
|------------|--------|
| E          | 52 mm  |
| Capacity   | 25 kg  |
| Net weight | 2,9 kg |

**0683****TROLLEY ABS TOOL CASE**

Tools not included.



ABS

Box

|   |        |
|---|--------|
| A | 460 mm |
| B | 330 mm |
| C | 190 mm |
| D | 98 mm  |

|            |        |
|------------|--------|
| E          | 92 mm  |
| Capacity   | 25 kg  |
| Net weight | 4,5 kg |

**068x****ALUMINIUM TOOL CASE**

Tools not included.



| Art. | A      | B      | C      | D      | E     | Capacity | Net weight |
|------|--------|--------|--------|--------|-------|----------|------------|
| 0680 | 510 mm | 375 mm | 185 mm | 110 mm | 75 mm | 30 kg    | 5 kg       |
| 0681 | 440 mm | 390 mm | 185 mm | 110 mm | 75 mm | 30 kg    | 4,8 kg     |

**M13x****WATERPROOF TOOL CASE**

Built in pressure valve with cubed-foam interior to protect the object stored. it is ideal for instruments and test equipment.



M138

M139



PP

Box Polyprop.

| Art. | External Dimensions | Internal dimensions | Net weight |
|------|---------------------|---------------------|------------|
| M138 | 465 x 360 x 175h mm | 425 x 287 x 115h mm | 2,9 kg     |
| M139 | 570 x 410 x 215h mm | 505 x 353 x 140h mm | 4,5 kg     |



## FERVI "EKO" SERIES

The Fervi "EKO" range of eco-friendly, waterproof cases features a depressurization valve and a customizable interior with pre-cut foam, ideal for any type of item. Their high resistance to impacts, water and dust makes them suitable for multiple sectors. They are also eco-friendly as they are made from 100% recycled plastic.

### M290EKO

NEW

#### ECO-FRIENDLY WATER RESISTANT CASE

- Depressurization valve.
- Customizable interior with pre-cut foam cubes.
- Shock, water, and dust resistant.
- Made of 100% recycled plastic.



External Dimensions

337 x 292 x 177 mm

Internal dimensions

290 x 220 x 160 mm

Internal volume

10,5 L

Net weight

1,63 kg

### M415EKO

NEW

#### ECO-FRIENDLY WATER RESISTANT CASE

- Depressurization valve.
- Customizable interior with pre-cut foam cubes.
- Shock, water, and dust resistant.
- Made of 100% recycled plastic.



External Dimensions

465 x 355 x 210 mm

Internal dimensions

415 x 280 x 190 mm

Internal volume

23,5 L

Net weight

2,96 kg

### M520EKO

NEW

#### ECO-FRIENDLY WATER RESISTANT CASE

- Depressurization valve.
- Customizable interior with pre-cut foam cubes.
- Shock, water, and dust resistant.
- Made of 100% recycled plastic.



Polyprop.

External Dimensions

572 x 425 x 239 mm

Internal dimensions

520 x 350 x 210 mm


Internal volume

41,5 L

Net weight

3,34 kg





## FERVI "M" SERIES

The Fervi "M" range of cases features a depressurization valve and a customizable interior with pre-cut foam, ideal for accommodating any object. Exceptional resistance to shock, water, and dust makes them perfect for various industries and demanding applications.

IP67, STANAG 4280, DEF STAN 81-41, and MIL-STD 810 (Military Certification) certified.

### M300/B

WATERPROOF SUITCASE



PP



Box  
Polyprop.

External Dimensions

336 x 300 x 148 mm

Internal dimensions

300 x 225 x 132 mm

Internal volume

8,91 L

Working temperature

-30 / 90°C (-22 / 194°F)

Net weight

1,6 kg

### M430/B

WATERPROOF SUITCASE



PP



Box  
Polyprop.

External Dimensions

464 x 366 x 176 mm

Internal dimensions

426 x 290 x 159 mm

Internal volume

19,64 L

Working temperature

-30 / 90°C (-22 / 194°F)

Net weight

2,8 kg

### M505/B

WATERPROOF SUITCASE



PP



Box  
Polyprop.

External Dimensions

555 x 428 x 211 mm

Internal dimensions

500 x 350 x 194 mm

Internal volume

33,95 L

Working temperature

-30 / 90°C (-22 / 194°F)

Net weight

3,9 kg

### M540/BT

WATERPROOF TROLLEY



PP



Box  
Polyprop.

External Dimensions

594 x 473 x 270 mm

Internal dimensions

538 x 405 x 245 mm

Internal volume

53,38 L

Working temperature

-30 / 90°C (-22 / 194°F)

Net weight

5,2 kg



## PROFESSIONAL HARD STORAGE

Professional hard storage solutions, designed to organize and protect your equipment for everyday use. Sturdy, modular, and built to last.

### TB01

#### TOOL BOX 13"

With internal tray  
2x Organizer  
Metal hinges

ABS



NEW

### TB02

#### TOOL BOX 16"

With internal tray  
2x Organizer  
Metal hinges

ABS



NEW

### TB03

#### TOOL BOX 19"

With internal tray  
2x Organizer  
Metal hinges

ABS



NEW

### TB04

#### TOOL BOX 22"

With internal tray  
2x Organizer  
Metal hinges

ABS



NEW

**TB11****TOOL BOX 20"**

Heavy Duty design  
Aluminum handle  
Internal tray  
3x Organizer  
Metal hinges



ABS

Dimensions

20" - 500 x 283 x 248h mm

Capacity

19 l

Maximum capacity

15 kg

**TB12****TOOL BOX 22"**

Heavy Duty design  
Aluminum handle  
Internal tray  
3x Organizer  
Metal hinges



ABS

Dimensions

22" - 560 x 300 x 277h mm

Capacity

26 l

Maximum capacity

20 kg

**TB13****TOOL BOX 26"**

Heavy Duty design  
Aluminum handle  
Internal tray  
3x Organizer  
Metal hinges



ABS

Dimensions

26" - 676 x 314 x 300h mm

Capacity

38 l

Maximum capacity

22 kg

**TB21****ROLLING TOOL CHEST**

Rubber-coated track wheels. Built-in lid organizer for small accessories. Metal hinges for secure closure. Lock hole for additional protection. V-grooves in lid, ideal for cutting pipes and boards. Removable tray for easy organization. Metal handle with ergonomic grip



ABS

Dimensions

600 x 400 x 420h mm

Capacity

54 l

Maximum capacity

25 kg

**TB22****ROLLING TOOL CHEST**

Rubber-coated track wheels  
Metal hinges for secure locking  
Lock hole for additional security  
V-grooves in the lid, ideal for cutting pipes and boards  
Removable tray for easy organization  
Metal handle with ergonomic grip



ABS

Dimensions

700 x 490 x 475h mm

Capacity

92 l

Maximum capacity

30 kg

**TB31****ROLLING TOOL BOX 2IN1**

With internal tray  
2x Removable organizers  
Retractable foldable handle  
Metal hinges for safe closure  
Lockable eyelets  
Wheels with rubber-coated tracks



ABS

Dimensions


485 x 330 x 625h mm

Capacity

64 l

Maximum capacity

25 kg



## PROFESSIONAL SOFT STORAGE

Solutions designed to transport and organize your equipment with practicality and safety. Durable, flexible, and functional, everything you need is always at your side.

### 0901

#### MULTIFUNCTIONAL BACKPACK

Made of 600-denier polyester, with breathable back, removable tool holder, padded computer pocket, roomy and sturdy pockets to accommodate a large number of tools.



Polyester

External Dimensions

380 x 130 x 460h mm

Net weight

1,25 kg

### 0902

#### SOFT TOOL BAG

Made of 600-denier polyester, with comfortable shoulder strap, roomy and sturdy pockets to accommodate a large number of tools.



Polyester

Dimensions

370 x 203 x 254h mm

Net weight

1,25 kg

### 0907

#### SEMI-SOFT TOOL TROLLEY

Tool trolley made of 600-denier polyester, sturdy telescoping handle for excellent handling, convenient front strap opening, multiple roomy and sturdy pockets.



Polyester

Dimensions

410 x 310 x 445h mm

Net weight

3,1 kg

### 0903

#### SOFT TOOL BAG

Made of 600-denier polyester, with comfortable shoulder strap, roomy and sturdy pockets to accommodate a large number of tools.



Polyester

Dimensions

450 x 280 x 220h mm

Net weight

2,05 kg

**0904****SEMI-SOFT TOOL BAG**

Made of 600-denier polyester, with rigid handle for easy handling, comfortable shoulder strap, capacious and sturdy pockets.



Polyester

Dimensions  
Net weight

406 x 203 x 254h mm  
1,3 kg

**0905****SEMI-SOFT TOOL BAG**

Made of 600-denier polyester, with rigid handle for easy handling, comfortable shoulder strap, capacious and sturdy pockets.



Polyester

Dimensions  
Net weight

450 x 228 x 280h mm  
2,3 kg

**0906****SEMI-SOFT TOOL BAG**

Made of 600-denier polyester, with rigid handle for easy handling, comfortable shoulder strap, capacious and sturdy pockets.



Polyester

Dimensions  
Net weight

450 x 228 x 330h mm  
1,6 kg

**0409****TOOL BAG**

10 pockets with belt, made of polyester. It can be used to hold small tester, pliers, scissors, screwdrivers and other tools.



Polyester

Dimensions

250 x 210 x 70 mm

**0254****FITTER TOOL BAG**

Leather with belt.



Pockets

5

**0264****FITTER TOOL BAG**

Leather with belt.




Pockets


11

**0036-****STEEL VICE**

Lateral sliding adjustment.

**0036-xG****TABLE VICE WITH SWIVEL BASE**


Lateral sliding adjustment. Equipped with swivel mechanism.



| Art.     | Jaws   | Opening | Working height | Slot distance | Net weight |
|----------|--------|---------|----------------|---------------|------------|
| 0036/100 | 100 mm | 105 mm  | 60 mm          | 85 mm         | 4,9 kg     |
| 0036/125 | 125 mm | 138 mm  | 75 mm          | 110 mm        | 9,5 kg     |
| 0036/150 | 150 mm | 180 mm  | 90 mm          | 150 mm        | 19 kg      |

**0135-****FORGED STEEL VICE**

Lateral sliding adjustment.

**0140-****STEEL VICE**


Lateral sliding adjustment. Equipped with hose clamp. Recommended for heavy use.




| Art.     | Jaws   | Opening | Working height | Slot distance | Net weight |
|----------|--------|---------|----------------|---------------|------------|
| 0140/080 | 80 mm  | 80 mm   | 60 mm          | 80 mm         | 4 kg       |
| 0140/100 | 100 mm | 100 mm  | 65 mm          | 80 mm         | 5,5 kg     |
| 0140/125 | 125 mm | 125 mm  | 90 mm          | 100 mm        | 10 kg      |
| 0140/150 | 150 mm | 150 mm  | 95 mm          | 125 mm        | 14 kg      |

**0591-****STEEL VICE**

Lateral sliding adjustment. Equipped with bearing on the screw, hose clamp and interchangeable jaws.

**0145-****STEEL VICE**


Equipped with hose clamp.




| Art.     | Jaws        | Opening | Working height | Slot distance | Net weight |
|----------|-------------|---------|----------------|---------------|------------|
| 0145/80  | 80 x 20 mm  | 80 mm   | 58 mm          | 80 mm         | 3,7 kg     |
| 0145/100 | 100 x 20 mm | 100 mm  | 70 mm          | 80 mm         | 5,2 kg     |
| 0145/125 | 125 x 20 mm | 125 mm  | 75 mm          | 100 mm        | 7,4 kg     |
| 0145/150 | 150 x 27 mm | 150 mm  | 95 mm          | 120 mm        | 12 kg      |

**0174-****SG IRON BENCH VICE**

Equipped with interchangeable jaws.

**0427-****SG IRON PARALLEL BENCH VICE**

Attaches directly to the work base to ensure high stability. Equipped with interchangeable jaws and prismatic guides.



| Art.     | Jaws   | Opening | Net weight |
|----------|--------|---------|------------|
| 0427/080 | 80 mm  | 80 mm   | 6,5 kg     |
| 0427/100 | 100 mm | 100 mm  | 10 kg      |
| 0427/125 | 135 mm | 125 mm  | 12 kg      |

**0146/60****STEEL VICE WITH SWIVEL BASE**

Cast Iron

|                |        |
|----------------|--------|
| Jaws           | 60 mm  |
| Opening        | 60 mm  |
| Clamp capacity | 51 mm  |
| Net weight     | 1,5 kg |

**0042-****ALUMINUM MAGNETIC JAW COUPLE**

Ribbed with grooves.



Alu

2 Pcs Aluminum

| Art.     | Jaws   | Height  | Thickness |
|----------|--------|---------|-----------|
| 0042/100 | 100 mm | 28 mm   | 7,5 mm    |
| 0042/125 | 125 mm | 28,5 mm | 7,5 mm    |
| 0042/150 | 150 mm | 28,5 mm | 7,5 mm    |

**0520-xG****ALUMINIUM MAGNETIC JAW PAIR WITH RUBBER FACE**

With durable rubber.



Alu

2 Pcs Blister Aluminum

**0520-xP****PRISMATIC MAGNETIC JAW PAIR**

With trapezoidal jaws.



Alu

2 Pcs Blister Aluminum

**0520-xS****SERIES OF ALUMINUM MAGNETIC JAW PAIRS**

Includes the items 0520-xA, 0520-xF, 0520-xG, 0520-xP.



Alu

8 Pcs Blister Aluminum

| Art.      | Length |
|-----------|--------|
| 0520/100S | 100 mm |
| 0520/125S | 125 mm |
| 0520/150S | 150 mm |

**0520-xA****ALUMINIUM MAGNETIC JAW PAIR**

Ribbed with grooves.



Alu

2 Pcs Blister Aluminum



| Art.      | Length | Height  | Thickness |
|-----------|--------|---------|-----------|
| 0520/100A | 100 mm | 28,3 mm | 8,9 mm    |
| 0520/125A | 125 mm | 28,3 mm | 8,9 mm    |
| 0520/150A | 150 mm | 28,3 mm | 8,9 mm    |

**0520-xF****MAGNETIC JAW PAIR WITH FIBER FACE**

With strong fiber.



Alu

2 Pcs Blister Aluminum



| Art.      | Length | Height  | Thickness |
|-----------|--------|---------|-----------|
| 0520/100F | 100 mm | 28,7 mm | 10,3 mm   |
| 0520/125F | 125 mm | 28,7 mm | 10,3 mm   |
| 0520/150F | 150 mm | 28,7 mm | 10,3 mm   |





## 1515

NEW

## FOLDABLE VICE STAND

Made of heavy duty steel, designed to hold materials weighing up to 300 kg, ideal for lumber, wooden boards and pipes.



Steel




|                |             |
|----------------|-------------|
| Opening size   | 0÷1040 mm   |
| Jaw dimensions | 205 x 80 mm |
| Working height | 840 mm      |
| Capacity       | 300 kg      |
| Maximum torque | 1000 kg     |
| Net weight     | 20,0 kg     |

## 0205

## SPECIAL VICE FOR 90° WELDING

Adjustable jaw.



Alu

Box Aluminum

Capacity 70 mm + 70 mm

Working height 35 mm E 70 mm

A 150 mm F 55 mm

B Min 250 mm - Max 345 mm G 49 mm

C 97 mm H 217 mm

D 60 mm J 92 mm

## 1515/SU

NEW

## UNIVERSAL HOLDER FOR PORTABLE VICE STAND



Steel

Net weight

1,8 kg

## 1515/GL

NEW

## WOOD JAWS FOR PORTABLE VICE STAND



Steel

Net weight

1,9 kg

## 1515/GM

NEW

## METAL JAWS FOR PORTABLE VICE STAND



Steel

Net weight

3,65 kg

## 0205/120

## SPECIAL VICE FOR 90° WELDING

Adjustable jaw.



Box Cast Iron

Capacity 110 mm + 110 mm

Working height 60 mm E 126 mm

A 257 mm F 90 mm

B Min 290 mm - Max 458 mm G 77 mm

C 135 mm H 340 mm

D 109 mm J 112 mm

**M006-****GENERAL USE STEEL CLAMP WITH T-SPINDLE**

| Art.      | Span x Depth  | Beam         | Maximum torque |
|-----------|---------------|--------------|----------------|
| M006/200  | 200 x 120 mm  | 22 x 10,5 mm | 550 kg         |
| M006/300  | 300 x 140 mm  | 25 x 12 mm   | 600 kg         |
| M006/400  | 420 x 120 mm  | 25 x 12 mm   | 650 kg         |
| M006/500  | 500 x 120 mm  | 25 x 12 mm   | 650 kg         |
| M006/600  | 600 x 120 mm  | 25 x 12 mm   | 650 kg         |
| M006/800  | 800 x 120 mm  | 25 x 12 mm   | 650 kg         |
| M006/1000 | 1000 x 120 mm | 25 x 12 mm   | 650 kg         |

NEW

**M008-****HEAVY DUTY STEEL CLAMP WITH T-SPINDLE**


| Art.      | Span x Depth  | Beam         | Maximum torque |
|-----------|---------------|--------------|----------------|
| M008/300  | 300 x 140 mm  | 29,6 x 15 mm | 1100 Kg        |
| M008/400  | 400 x 120 mm  | 29,6 x 15 mm | 1100 Kg        |
| M008/600  | 600 x 120 mm  | 29,6 x 15 mm | 1100 Kg        |
| M008/800  | 800 x 140 mm  | 29,6 x 15 mm | 1100 Kg        |
| M008/1000 | 1000 x 120 mm | 29,6 x 15 mm | 1100 Kg        |

**M007-****GENERAL USE STEEL CLAMP RATCHET**

Quick clamping.



| Art.      | Span x Depth  | Beam       | Maximum torque |
|-----------|---------------|------------|----------------|
| M007/250  | 250 x 120 mm  | 25 x 12 mm | 500 Kg         |
| M007/300  | 300 x 140 mm  | 25 x 12 mm | 500 Kg         |
| M007/400  | 400 x 120 mm  | 25 x 12 mm | 500 Kg         |
| M007/500  | 500 x 120 mm  | 25 x 12 mm | 500 Kg         |
| M007/600  | 600 x 120 mm  | 25 x 12 mm | 500 Kg         |
| M007/800  | 800 x 120 mm  | 25 x 12 mm | 500 Kg         |
| M007/1000 | 1000 x 120 mm | 25 x 12 mm | 500 Kg         |

**M018-****GENERAL USE STEEL CLAMP WITH T-SPINDLE**

| Art.      | Span x Depth  | Beam           | Maximum torque |
|-----------|---------------|----------------|----------------|
| M018/0200 | 200 x 100 mm  | 19 x 9,5 mm    | 500 Kg         |
| M018/0300 | 300 x 100 mm  | 19 x 9,5 mm    | 500 Kg         |
| M018/0400 | 400 x 120 mm  | 21,5 x 10,5 mm | 500 Kg         |
| M018/0500 | 500 x 120 mm  | 21,5 x 10,5 mm | 500 Kg         |
| M018/0600 | 600 x 120 mm  | 21,5 x 10,5 mm | 500 Kg         |
| M018/0800 | 800 x 120 mm  | 21,5 x 10,5 mm | 500 Kg         |
| M018/1000 | 1000 x 120 mm | 21,5 x 10,5 mm | 500 Kg         |
| M018/1200 | 1200 x 120 mm | 21,5 x 10,5 mm | 500 Kg         |

**0167-****WOOD HANDLE CLAMP**

| Art.     | Span x Depth | Beam      | Maximum torque |
|----------|--------------|-----------|----------------|
| 0167/150 | 150 x 50 mm  | 15 x 5 mm | 170 kg         |
| 0167/200 | 200 x 80 mm  | 22 x 6 mm | 200 kg         |
| 0167/250 | 250 x 100 mm | 24 x 5 mm | 250 kg         |
| 0167/400 | 400 x 100 mm | 24 x 5 mm | 250 kg         |
| 0167/500 | 500 x 120 mm | 30 x 8 mm | 450 kg         |



## 0394-

## QUICK ADJUSTABLE CLAMP



ABS

| Art.     | Span x Depth | Beam        | Maximum torque |
|----------|--------------|-------------|----------------|
| 0394/150 | 150 x 63 mm  | 18 x 5,5 mm | 60 kg          |
| 0394/300 | 300 x 63 mm  | 18 x 5,5 mm | 60 kg          |
| 0394/450 | 450 x 63 mm  | 18 x 5,5 mm | 60 kg          |
| 0394/600 | 600 x 63 mm  | 18 x 5,5 mm | 60 kg          |

## 0353/085

## POLYPROPYLENE SPRING CLAMPS SET

Length 85mm, useful in the laboratory to facilitate the gluings and similar works.



12 Pcs Hangable PP

| Length  | 85 mm |
|---------|-------|
| Opening | 35 mm |

## 035x

## SPRING CLAMP

Useful in the laboratory to facilitate the gluings and similar works.



Hangable Nylon

| Art.     | Length | Opening |
|----------|--------|---------|
| 0353/150 | 150 mm | 55 mm   |
| 0354/225 | 225 mm | 100 mm  |

## 0157-

## C50 HARDENED STEEL ANVIL

Sturdy construction, round hole and square hole for punching and bending.



Box C50

| Art.     | A      | B      | E      | W      | WI     | HI     | Tolerance | Net weight |
|----------|--------|--------|--------|--------|--------|--------|-----------|------------|
| 0157/10  | 345 mm | 230 mm | 105 mm | 150 mm | 120 mm | 100 mm | ±5%       | 10 kg      |
| 0157/30  | 535 mm | 360 mm | 110 mm | 215 mm | 150 mm | 160 mm | ±5%       | 30 kg      |
| 0157/50  | 620 mm | 410 mm | 140 mm | 240 mm | 175 mm | 190 mm | ±5%       | 50 kg      |
| 0157/100 | 805 mm | 520 mm | 175 mm | 315 mm | 230 mm | 240 mm | ±5%       | 100 kg     |

## 0250

## 4-WAY CLAMPING SYSTEM

Provided in assembly kit, for doors or wooden tables (wood strips not included).



Box Plastic

Max thickness 150 mm

## 0353/110

## POLYPROPYLENE SPRING CLAMPS SET

110mm longs, useful in the laboratory to facilitate the gluings and similar works.



8 Pcs Hangable PP

| Length  | 110 mm |
|---------|--------|
| Opening | 40 mm  |

## 0265/05

## CAST IRON ANVIL

Sturdy construction, round hole and square hole for punching and bending.



Box Cast Iron

|   |         |            |       |
|---|---------|------------|-------|
| A | 230 mm  | WI         | 85 mm |
| B | 160 mm  | HI         | 95 mm |
| E | 57 mm   | Tolerance  | ±5%   |
| F | 10,5 mm | Net weight | 5 kg  |
| W | 112 mm  |            |       |







## WHAT'S SANDBLASTING?

Sandblasting is an industrial process of surface cleaning that takes place through the mechanical force of the abrasive material pushed by a jet of air. The sand acts by scratching and penetration: the abrasive material mixes with the compressed air jet and works mechanically on the workpiece. This mixture, passing through the nozzle, accelerates. This brings its speed to a level useful to carry out the required abrasive action.



Sandblasting for paint stripping



Sandblasting with glass balls (shot peening)

## TYPES OF SANDBLASTERS

There are 2 types of sandblasters available: vacuum sandblasting cabin and pressure sandblasting cabin. Each has different characteristics based on the use needed by the end user. Sandblasters are equipped with interchangeable nozzles to better adapt them to the material to be treated: on soft materials it is recommended to choose a large nozzle that allows for a high flow rate of the abrasive/air mixture at a low speed. However, for hard materials - or very thick pieces - it is recommended to choose a small nozzle that allows for a higher mixture speed at a lower flow rate.



### VACUUM SANDBLASTING CABIN

Ideal for small/medium sized metal objects to be sandblasted. It exploits the "Venturi principle" which allows sand to be sucked from a container and mixed with compressed air.

#### PROS

- Lower air consumption
- Lower abrasive wear
- Reduced maintenance

#### CONS

- Lower processing yields
- Longer processing times



### PRESSURE SANDBLASTING CABIN

Unlike the vacuum system, the pressure cabin pushes down the air and abrasive, projecting the mixture of these components into a single solution. The jet is thus more powerful and more effective.

#### PROS

- High processing efficiency
- Reduced processing times
- Possibility of adjusting the air/abrasive mixture

#### CONS

- Higher air consumption
- Increased maintenance
- Higher abrasive wear due to higher jet power

## HOW TO CHOOSE THE ABRASIVE

The choice of abrasive for sandblasters is frequently dictated by experience and ease of use. In fact, Sandblasting with manual machines is a process characterised by many variables at play. Furthermore, in order to achieve an optimal result, the operator must try to find the right balance. Here are 5 good rules for the optimal choice of abrasive:

|   |  |
|---|--|
| 1) Always use the least aggressive abrasive possible that can do the job required. There is no point in using a very aggressive abrasive and then having to do an additional finishing process. You can always add a harder abrasive. However, undo the work of an overly hard abrasive requires a bigger effort. |  |
| 2) Glass is shiny, but it also makes surfaces shine: if you need a shiny look, glass microbeads are a great place to start. They are a fantastic finish and will leave your surfaces smooth and shiny.  |  |
| 3) Corundum removes paint: is it necessary to remove paint from an object? With its hard, angular structure and reusability, corundum is the right abrasive. Alternatively you can use Garnet, a natural, environmentally friendly and cheaper abrasive.  |  |
| 4) For fast and aggressive work, use silicon carbide. It is the toughest abrasive on the market. It makes quick work of etching and removing unwanted rust and paint.   |  |
| 5) Steel microspheres are suitable for shot peening, polishing and paint removal. Carefully evaluate because this type of abrasive in contact with the object to be machined changes its mechanical structure. This type of abrasive is suitable for industrial sandblasters.                                     |  |



## SANDERS

0615



0605



0601



0687



0878



0575



0575S



0487



0580



0580S



0490



0462




0310



Internal dimensions (mm)

|       |                  |
|-------|------------------|
| 0687  | 1200 x 600 x 600 |
| 0615  | 1180 x 850 x 890 |
| 0605  | 1180 x 850 x 890 |
| 0601  | 1180 x 850 x 890 |
| 0878  | 960 x 480 x 250  |
| 0575S | 860 x 560 x 560  |
| 0575  | 850 x 480 x 340  |
| 0487  | 685 x 455 x 420  |
| 0580  | 590 x 480 x 290  |
| 0580S | 560 x 460 x 280  |
| 0490  | 410 x 310 x 200  |
| 0462  |                  |
| 0310  |                  |

Air consumption (l/min)



**0615****PRESSURE SANDBLAST CABINET**

With cyclone vacuum cleaner, HEPA filter, front opening and ceiling light with 3 fluorescent lamps.



Internal dimensions

1180 x 850 x 890h mm

Maximum capacity

150 kg

Working pressure

6 + 8 bar

Avg air cons.

31 SCFM (880 L/min)

Gun nozzle

Ø 6 - 7 mm

Electric vacuum

230 V 50 Hz 0,7 kW

Filtration rate

8 micron



NEW PRICE

With light

Yes

Overall dimensions

1330 x 1515 x 2070h mm

Net weight

300 kg

Internal volume

827 L

Opening size

1000 x 480 + 1000 x 330 mm

Tank capacity

22 L

**0605****PRESSURE SANDBLAST CABINET WITH 2 DUST COLLECTORS**

With pressurized tank to have a greater abrasive effect, 2 cyclone-type dust collectors, paper filter, front opening and ceiling light with 3 fluorescent lamps.



Working area

1180 x 850 x 890h mm

Maximum capacity

150 kg

Working pressure

6 + 8 bar

Avg air cons.

31 SCFM (880 L/min)

Gun nozzle

Ø 6 - 7 mm

Electric vacuum

2 x 230 V 50 Hz 1,2 kW

Filtration rate

5 micron



NEW PRICE

With light

Yes

Overall dimensions

1800 x 1515 x 2070h mm

Net weight

245 kg

Internal volume

827 L

Opening size


1000 x 480 + 1000 x 330 mm

Tank capacity

22 L

**0601****SANDBLAST CABINET WITH DUST COLLECTOR**

Cyclone-type, paper filter, front opening and ceiling light with 3 fluorescent lamps.



Working area

1180 x 850 x 890h mm

Maximum capacity

50 kg

Working pressure

6 + 8 bar

Avg air cons.

21 SCFM (630 L/min)

Gun nozzle

Ø 6 - 7 mm

Electric vacuum

230 V 50 Hz 1,2 kW



NEW PRICE

Filtration rate

5 micron

With light

Yes

Overall dimensions

1330 x 1240 x 1770h mm

Net weight

180 kg

Internal volume

827 L

Opening size

1000 x 480 + 1000 x 330 mm

**0687****SANDBLAST CABINET WITH VACUUM**

With paper filter.

**NEW PRICE**

|                    |                            |
|--------------------|----------------------------|
| Working area       | 1200 x 600 x 600h mm       |
| Maximum capacity   | 120 kg                     |
| Working pressure   | 6,5 ÷ 7,5 bar              |
| Avg air cons.      | 21 SCFM (630 L/min)        |
| Gun nozzle         | Ø 6 - 7 mm                 |
| Electric vacuum    | 230 V 50 Hz 1,2 kW         |
| Filtration rate    | 5 micron                   |
| Overall dimensions | 1220 x 910 x 1740h mm      |
| Net weight         | 149 kg                     |
| Internal volume    | 382 L                      |
| Opening size       | 1215 x 380 + 1215 x 380 mm |

**0878****SANDBLAST CABINET WITH VACUUM**

With paper filter.

**NEW PRICE**

|                    |                           |
|--------------------|---------------------------|
| Working area       | 960 x 480 x 250 ÷ 470h mm |
| Working pressure   | 6,5 ÷ 7,5 Bar             |
| Avg air cons.      | 18 SCFM (540 L/min)       |
| Gun nozzle         | Ø 4 - 5 - 6 - 7 mm        |
| Electric vacuum    | 230 V 50 Hz 1,2 kW        |
| Filtration rate    | 5 micron                  |
| Overall dimensions | 1030 x 850 x 1640h mm     |
| Net weight         | 100 kg                    |
| Internal volume    | 295 L                     |
| Opening size       | 945 x 380 + 945 x 380 mm  |

**0575****SANDBLAST CABINET**

With provision for the connection of a vacuum cleaner, lighting with low consumption lamp, gun and gloves.

**NEW PRICE**

|                    |                               |
|--------------------|-------------------------------|
| Working area       | 850 x 480 x 340 ÷ 540h mm     |
| Working pressure   | 6,5 ÷ 7,5 bar                 |
| Avg air cons.      | 8 ÷ 10 SCFM (240 ÷ 300 L/min) |
| Gun nozzle         | Ø 4 - 5 - 6 - 7 mm            |
| Overall dimensions | 890 x 560 x 1385h mm          |
| Net weight         | 46 kg                         |
| Internal volume    | 217 L                         |
| Opening size       | 860 x 595 mm                  |

**0575S****SANDBLAST CABINET**

With provision for the connection of a vacuum cleaner, lighting with low consumption lamp, gun and gloves. In kit.

**NEW PRICE**

|                    |                               |
|--------------------|-------------------------------|
| Working area       | 860 x 560 x 560h mm           |
| Working pressure   | 6,5 ÷ 7,5 bar                 |
| Avg air cons.      | 8 ÷ 10 SCFM (240 ÷ 300 L/min) |
| Gun nozzle         | Ø 4 - 5 - 6 - 7 mm            |
| Overall dimensions | 905 x 620 x 1390h mm          |
| Net weight         | 44 kg                         |
| Internal volume    | 235 L                         |
| Opening size       | 860 x 415 mm                  |

**0487****BENCH SANDBLAST**

With provision for the connection of a vacuum cleaner, lighting with low consumption lamp, gun and gloves.

**NEW PRICE**

|                    |                               |
|--------------------|-------------------------------|
| Working area       | 685 x 455 x 420h mm           |
| Working pressure   | 6,5 ÷ 7,5 bar                 |
| Avg air cons.      | 8 ÷ 10 SCFM (240 ÷ 300 L/min) |
| Gun nozzle         | Ø 4 - 5 - 6 - 7 mm            |
| With light         | 230 V 50 Hz; 6 W 12 V         |
| Overall dimensions | 755 x 495 x 720h mm           |
| Net weight         | 26,5 kg                       |
| Internal volume    | 111 L                         |
| Opening size       | 690 x 390 mm                  |

**0580****BENCH SANDBLAST CABINET**

With provision for the connection of a vacuum cleaner, lighting with low consumption lamp, gun and gloves. In kit.

**NEW PRICE**

|                    |                               |
|--------------------|-------------------------------|
| Overall dimensions | 630 x 510 x 490h mm           |
| Working area       | 590 x 480 x 290h mm           |
| Working pressure   | 6,5 ÷ 7,5 bar                 |
| Avg air cons.      | 8 ÷ 10 SCFM (240 ÷ 300 L/min) |
| Gun nozzle         | Ø 4 - 5 - 6 - 7 mm            |
| Net weight         | 13 kg                         |
| Internal volume    | 95 L                          |
| Opening size       | 534 x 436 mm                  |

**0580S****BENCH SANDBLAST CABINET**

With provision for the connection of a vacuum cleaner, lighting with low consumption lamp, gun and gloves. In kit.

**NEW PRICE**

|                    |                               |
|--------------------|-------------------------------|
| Overall dimensions | 585 x 485 x 495h mm           |
| Working area       | 560 x 460 x 280h mm           |
| Working pressure   | 6,5 ÷ 7,5 bar                 |
| Avg air cons.      | 8 ÷ 10 SCFM (240 ÷ 300 L/min) |
| Gun nozzle         | Ø 4 - 5 - 6 - 7 mm            |
| Net weight         | 16 kg                         |
| Internal volume    | 95 L                          |
| Opening size       | 585 x 490 mm                  |

**NEW PRICE**

|                    |                     |
|--------------------|---------------------|
| Working area       | 410 x 310 x 200h mm |
| Working pressure   | 4 - 7,5 bar         |
| Gun nozzle         | Ø 3,5 mm            |
| With light         | 50 Hz, 6 W 12 V     |
| Overall dimensions | 475 x 370 x 370h mm |
| Net weight         | 12 kg               |
| Internal volume    | 32 L                |
| Opening size       | 420 x 260 mm        |
| Avg air cons.      | 50 L/min            |



## 0462

## SANDBLAST MACHINE WITH VACUUM

For rusted metallic objects that can't be put in traditional sandblast machine. If the object to be considered is flat, the vacuum cleaner allows the operator to not lose the most part of the abrasive material that is being used. The four wheels, two of which swivel, allow the operator that the machine is close to the object to be sandblasted.

NEW PRICE



|                     |                      |
|---------------------|----------------------|
| Tubes length        | 2,5 m                |
| Motor               | 230 V 50 Hz 1,2 kW   |
| Max vacuum capacity | 13 ÷ 15 kPa          |
| Working pressure    | 8 bar                |
| Avg air cons.       | 420 L/min            |
| Dimensions          | 404 x 612 x 1046h mm |
| Net weight          | 30 kg                |

NEW PRICE



## 0310

## SODA BLASTER

For external use, light weight, easy to carry, indicated for the removal of paints, rust, graffiti etc.

|                    |                                  |
|--------------------|----------------------------------|
| Overall dimensions | 350 x 400 x 788h mm              |
| Capacity           | 18 l                             |
| Working pressure   | 2,5 ÷ 6,2 bar                    |
| Avg air cons.      | 8 ÷ 10 SCFM<br>(240 ÷ 300 L/min) |
| Gun nozzle         | Ø 2 - 3 mm                       |
| Net weight         | 13 kg                            |

SA01-CTR<sup>x</sup>

## ROTARY TABLE FOR SANDBLAST CABINET

With trolley.



| Art.      | Capacity | Diameter | Overall dimensions   | Net weight |
|-----------|----------|----------|----------------------|------------|
| SA01/CTR1 | 150 kg   | 580 mm   | 920 x 580 x 1070h mm | 43,5 kg    |
| SA01/CTR2 | 150 kg   | 580 mm   | 920 x 580 x 1335h mm | 45 kg      |

## SA01/TR

## ROTARY TABLE

For sandblast cabinet.



|                    |              |
|--------------------|--------------|
| Diameter           | 380 mm       |
| Overall dimensions | 380 x 43h mm |
| Net weight         | 7 kg         |

## SA01/C

## CYCLONE FOR SAN BLAST CABINET

In two stage.



|                    |                       |
|--------------------|-----------------------|
| Filtration rate    | 8 micron              |
| Air flow           | 13500 l/min           |
| Max power          | 230 V 50 Hz 0,55 kW   |
| Overall dimensions | 540 x 1000 x 1450h mm |
| Net weight         | 55 kg                 |

## SA01/A

## SANDBLAST CYCLON

Cylindrical with paper filter, with manual filter beater and opening in the lower part.



|                  |                          |
|------------------|--------------------------|
| Electric vacuum  | 230 V 50 Hz 1,2 kW       |
| Filtration rate  | 5 micron                 |
| Air permeability | 185 l/(m <sup>2</sup> s) |
| Inlet size       | Ø 55 mm                  |
| Slot distance    | 305 X 240 mm             |
| Dimensions       | Ø 290 X 730 mm           |

**0582-****SANDBLAST CORUNDUM**

It stands out for being edgy and extremely stable by combining the properties of hardness and density. Its longevity and reusability make it the most used material for sandblasting. Being composed for the most part of aluminum oxide it is practically free of iron. Particularly suitable for cleaning metal surfaces, removing rust and oxide layers and removing temper colors.



Art.

Grit

Hardness

Net weight

0582/36

36

9 Mohs

25 kg

0582/80

80

9 Mohs

25 kg

**0578-****SILICON CARBIDE**

Black Silicon Carbide is the hardest material used for sandblasting, making it the ideal solution for all the most demanding jobs. Virtually iron-free, its abrasive properties make it very aggressive and fast in removing impurities. Its conformation allows the grains to break continuously creating new sharp and cutting edges, increasing the fineness of the grain size. Very durable it allows a high reusability. It tends to be incorporated into the material.



Art.

Grit

Hardness

Net weight

0578/36

36

9,1 Mohs

25 kg

0578/80

80

9,1 Mohs

25 kg

**0579-****GARNET**

Garnet is one of the last natural abrasives still in use. It is a natural stone, and therefore ecological, with excellent abrasive properties that allows you to create profiles without abrasive incorporation, produce little dust and have a relatively low consumption. It is excellent for removing hard coatings, paint, rust and laminate scales. It can be used for both dry and water sandblasting. Its low cost makes it an alternative to corundum.



Art.

Grit

Hardness

Net weight

0579/30

36 ÷ 60

7,5 Mohs

25 kg

0579/80

80

7,5 Mohs

25 kg

**0569****STEEL SHOT**

Thanks to their spherical surface and hardness they allow to obtain shiny surfaces. Excellent for removing paint, blemishes, burrs and rust. Their low crushing does not create dust inside the sandblasting cabin and allows a long life of the abrasive. They can be used both as a means for shot peening and for both dry and water sandblasting.



Grit

S390

Diameter ø

1,2 mm

Hardness

40 ÷ 50 HRC

Net weight

25 kg

**0581****MICRO GLASS BEADS**

Thanks to their spherical shape they are perfect for surface finishing. They create smooth and bright surfaces, leaving an incomparable satin effect. As they do not contain iron, they are very suitable for working on stainless steel for food use and aluminum. The microspheres will not damage the substrate of the material being processed but will leave an anchoring profile for subsequent painting, especially on soft materials such as brass, aluminum, plastics, etc...



Grit

50 ÷ 70 (0,3 ÷ 0,2 mm)

Hardness

5 - 7 Mohs

Net weight

25 kg

**0310B****SODA BLASTING MEDIA**

Salt composed basic bicarbonate synthetic, suitable for treating steel, aluminum, fiberglass, plastic, bricks, etc...



Grit

36 ÷ 80 (0,5 ÷ 0,3 mm)

Hardness

2,5 - 3 Mohs

Decomposition temperature

&gt; 50°C

Net weight

25 kg

**0490/11****PAIR OF SANDBLASTING GLOVES**

Gloves diameter

100 mm

**05x****PAIR OF SANDBLASTING GLOVES**

Art.

0575/29

Length

600 mm

Gloves diameter

180 mm

0580/21

450 mm

145 mm

**0490/03****WINDOW PROTECTION SET**

For sandblaster 0490.



5 Pcs

**0601/24****WINDOW PROTECTION SET**

For sandblasters: 0601, 0605, 0615.



5 Pcs

Size

670 x 300 mm

**0601/30****LAMP PROTECTION SET**

For sandblaster 0601.



5 Pcs

Size

900 x 260 mm

**0687/005****LAMP PROTECTION SET**

For sandblasters: 0687, 0878.



10 Pcs

Size

600 x 100 mm

**0575/04****WINDOW PROTECTION SET**

For sandblasters: 0575, 0575S, 0487, 0878, 0687.



10 Pcs

Size

550 x 250 mm

**0580/01-6****WINDOW PROTECTION SET**

For sandblasters: 0588, 0580S.



5 Pcs

Size

400 x 300 mm

**SA01/F****HEPA CYCLONE FILTER**

For items: 0615, SA01/C.



Diameter

320 mm

Height

600 mm

**0687/029****SANDBLAST CYCLON**

For items: 0878, 0601, 0687, 0605, SA01/A.



Diameter

170 mm

Height

305 mm

**0687/041****GUN**

For sandblasters: 0601, 0687.

**0577/17****FIXED GUN**

For sandblaster 0878.

**U004****COMPOSITE NOZZLE**

For sand blast cabinet, long life. Compatible with: 0878, 0575, 0575S, 0580, 0580S, 0487, 0290.

**0462/55****CERAMIC NOZZLE SET**

Compatible with: 0462.


**0687/102****CERAMIC NOZZLE SET**

Compatible with: 0601, 0605, 0615, 0687.

**Nozzle diameter** $\varnothing 6 - 7$  mm**0290****SANDBLAST GUN**

Metal gun, with ceramic nozzles.

Compatible with: 0878, 0575, 0575S, 0580, 0580S, 0487, 0290.



|                      |                                |
|----------------------|--------------------------------|
| Ceramic nozzles      | $\varnothing 4 - 5 - 6 - 7$ mm |
| Rubber hose length   | 1,5 m                          |
| Air inlet            | G 1/4"                         |
| Sound pressure level | < 70 dB(A)                     |
| Vibrations           | < 2,5 m/s <sup>2</sup>         |
| Working pressure     | 0,6 MPa                        |

**U003****BORON CARBIDE NOZZLE**

For sand blast cabinet, long life. Compatible with: 0601, 0605, 0615, 0687.

**Nozzle diameter** $\varnothing 7,5$  mm**0490/20****CERAMIC NOZZLE SET**

Compatible with: 0490.



4 Pcs

**Nozzle diameter** $\varnothing 3,5$  mm**0575/0580/12****CERAMIC NOZZLE SET**

Compatible with: 0878, 0575, 0575S, 0580, 0580S, 0487, 0290.

**Nozzle diameter** $\varnothing 4 - 5 - 6 - 7$  mm




## 0305

## PART WASHER WITH HEATING SYSTEM

For washing with hot water up to 60°C with non-flammable liquids, or cold solvents. Equipped a Venturium pneumatic gun.

NEW  
PRICE



|                  |                      |
|------------------|----------------------|
| Tank capacity    | 8 ÷ 14 l             |
| Avg air cons.    | 5 SCFM (145 L/min)   |
| Working area     | 760 x 560 x 380 mm   |
| Washing pressure | 5 ÷ 8 Bar            |
| Power            | 1,35 kW              |
| Dimensions       | 790 x 610 x 1260h mm |
| Net weight       | 49 kg                |

## 0203

## BENCH PART WASHER

For cold water/solvent washing, equipped with a Venturium pneumatic gun.

NEW  
PRICE



|                  |                     |
|------------------|---------------------|
| Dimensions       | 770 x 595 x 700h mm |
| Tank capacity    | 4 ÷ 9 l             |
| Avg air cons.    | 5 SCFM (145 L/min)  |
| Working area     | 765 x 560 x 380 mm  |
| Power            | 30 W                |
| Washing pressure | 5 ÷ 8 Bar           |
| Power            | 230 V 50 Hz         |
| Net weight       | 32 kg               |

## 0486

## PARTS WASHER WITH DUAL PUMP

150L capacity, with 26w pump, cleaning brush and hose, workpiece tray.

NEW  
PRICE



|                                |                      |
|--------------------------------|----------------------|
| Left tank internal dimensions  | 470 x 520 x 270 mm   |
| Right tank internal dimensions | 590 x 520 x 270 mm   |
| Tub capacity                   | 150 l                |
| Pump                           | 230V 50Hz 26 + 26 W  |
| Pump capacity                  | 10 ÷ 12 L/min        |
| Size                           | 1140 x 550 x 880h mm |
| Net weight                     | 43 kg                |

## 0038

## DEGREASER CLEANING TANK

75L capacity, with 26w pump, cleaning brush and hose, workpiece tray.

NEW  
PRICE



|                          |                     |
|--------------------------|---------------------|
| Internal tank dimensions | 710 x 480 x 260h mm |
| Tub capacity             | 75 l                |
| Pump                     | 230 V 50 Hz 26 W    |
| Pump capacity            | 10-12 L/min         |
| Dimensions               | 775 x 540 x 880h mm |
| Net weight               | 25 kg               |



0232

## DEGREASER CLEANING TANK WITH WHEEL

NEW PRICE



|                          |                     |
|--------------------------|---------------------|
| Internal tank dimensions | 710 x 480 x 200h mm |
| Tub capacity             | 60 l                |
| Pump                     | 230 V 50 Hz 26 W    |
| Pump capacity            | 10÷12 L/min         |
| Dimensions               | 970 x 540 x 930h mm |
| Net weight               | 35 kg               |

NEW PRICE



0632

## DEGREASER CLEANING PNEUMATIC TANK

0392

## BENCH MICRO CLEANER

For wall mounting.

NEW PRICE



|               |                     |
|---------------|---------------------|
| Capacity      | 14 l                |
| Neon lamp     | 24 V 8 W            |
| Pump          | 230 V 50 Hz 26 W    |
| Pump capacity | 10÷12 L/min         |
| Dimensions    | 560 x 545 x 635h mm |
| Net weight    | 25 kg               |

0233

## MOBILE PARTS WASHER

Made of ABS with rubber seals in NBR.



|                          |                    |
|--------------------------|--------------------|
| Internal tank dimensions | 460 x 660 x 260 mm |
| Capacity                 | 9 l                |
| Pump                     | 230 V 50 Hz 16 W   |

P. 370

0632/01


## PARTS WASHER BRUSH

Not suitable for hydrocarbon-based products.  
Compatible with items: 0632, 0232, 0038, 0486.

|          |                |
|----------|----------------|
| Length   | 280 mm         |
| Diameter | 35 mm          |
| Shank    | 20 mm x Ø 10mm |

0305/0203/1118

## PAIR OF GLOVES FOR PARTS WASHERS

Not suitable for hydrocarbon-based products.  
Compatible with items: 0305, 0203.

|        |        |
|--------|--------|
| Length | 540 mm |
|--------|--------|

**UC01-**

NEW

**ULTRASONIC CLEANER**

The ultrasonic cleaning tank is ideal for deep cleaning of spare parts, metal spare parts in general, mechanical / electronic components and tools. Thanks to the LCD controls it is easy to adjust time and temperature. For general cleaning, the use of water is sufficient; for a deeper cleaning use specific detergents. The tank, entirely made of stainless steel, is hygienic and easy to clean. Internal cleaning basket included.



| Art.     | Power       | Ultrasonic power | Frequency | Heating power | Capacity Liters | Emptying mode | Washing time adjustment | Temperature | External Dimensions | Compartment dimensions | Net weight |
|----------|-------------|------------------|-----------|---------------|-----------------|---------------|-------------------------|-------------|---------------------|------------------------|------------|
| UC01/20  | 230 V 50 Hz | 60 W             | 40 KHz    | 100 W         | 2 L             | Manual        | 0 - 99 min              | 0°C - 80°C  | 190 x 170 x 195 mm  | 150 x 140 x 100 mm     | 2,1 kg     |
| UC01/32  | 230 V 50 Hz | 120 W            | 40 KHz    | 100 W         | 3,2 L           | Manual        | 0 - 99 min              | 0°C - 80°C  | 270 x 170 x 220 mm  | 240 x 140 x 100 mm     | 3,2 kg     |
| UC01/65  | 230 V 50 Hz | 180 W            | 40 KHz    | 300 W         | 6,5 L           | Drain Tap     | 0 - 99 min              | 0°C - 80°C  | 330 x 180 x 280 mm  | 300 x 155 x 150 mm     | 5,2 kg     |
| UC01/100 | 230 V 50 Hz | 240 W            | 40 KHz    | 300 W         | 10 L            | Drain Tap     | 0 - 99 min              | 0°C - 80°C  | 330 x 270 x 280 mm  | 300 x 240 x 150 mm     | 6,5 kg     |
| UC01/150 | 230 V 50 Hz | 360 W            | 40 KHz    | 400 W         | 15 L            | Drain Tap     | 0 - 99 min              | 0°C - 80°C  | 360 x 330 x 280 mm  | 330 x 300 x 150 mm     | 8,3 kg     |
| UC01/300 | 230 V 50 Hz | 600 W            | 40 KHz    | 500 W         | 30 L            | Drain Tap     | 0 - 99 min              | 0°C - 80°C  | 530 x 330 x 330 mm  | 500 x 300 x 200 mm     | 12,0 kg    |

**0632-****DETERGENT LIQUID**

| Art.     | Contents | Specification                       |
|----------|----------|-------------------------------------|
| 0632/D   | 25 l     | Solvent base                        |
| 0632/DA  | 25 l     | Water dilutable max. 50%            |
| 0632/DCF | 25 l     | Water dilutable max. 20%, hot usage |

**0632/DCF05****DETERGENT LIQUID**

|               |   |
|---------------|---|
| Contents      | 5 l   |
| Specification | Water dilutable max. 20%, hot or ultrasonic usage |

**A040/201C****ASH VACUUM CLEANER 15 LT**

Ideal for vacuuming cold ashes from stoves, fireplaces and barbecues.



|            |                |
|------------|----------------|
| Power      | 1 kW           |
| Capacity   | 15 Lt          |
| Suction    | 15 Kpa         |
| Air flow   | 25 l/s         |
| Motor      | 230 V 50/60 Hz |
| Net weight | 3,20 kg        |

NEW

**A040/101****WET AND DRY VACUUM CLEANER 10 LT**

ABS tank, dual suction and blowing function, complete with accessories.

NEW  
PRICE

|              |                |
|--------------|----------------|
| Power        | 1 kW           |
| Capacity     | 10 Lt          |
| Suction      | 16 Kpa         |
| Air flow     | 28 l/s         |
| Motor        | 230 V 50/60 Hz |
| Cable length | 3,5 m          |
| Net weight   | 3,65 kg        |

**A040/301****WET AND DRY VACUUM CLEANER 30 LT**

For industrial use, complete with accessories. With dual vacuum and blowing functions.

NEW  
PRICE**A040/301P****WET AND DRY VACUUM CLEANER 30 LT WITH SOCKET**

For industrial use, complete with accessories. With dual vacuum and blowing functions. Equipped with a power tool socket with automatic on/off.

NEW  
PRICE

|              |                |
|--------------|----------------|
| Power        | 1,4 kW         |
| Capacity     | 30 Lt          |
| Suction      | 18 Kpa         |
| Air flow     | 31 l/s         |
| Motor        | 230 V 50/60 Hz |
| Cable length | 4,0 m          |
| Net weight   | 7,05 kg        |

**A040/601P**

NEW

**WET AND DRY VACUUM CLEANER 60 LT WITH SOCKET**

For industrial use, complete with accessories. With dual vacuum and blowing functions. Equipped with a power tool socket with automatic on/off.



NEW PRICE

|              |                |
|--------------|----------------|
| Power        | 1,4 kW         |
| Capacity     | 60 Lt          |
| Suction      | 18 Kpa         |
| Air flow     | 31 l/s         |
| Motor        | 230 V 50/60 Hz |
| Cable length | 4,0 m          |
| Net weight   | 11,25 kg       |

**A040/602**

NEW

**WET AND DRY VACUUM CLEANER 60 LT WITH 2 MOTORS**

For industrial use, complete with accessories. With dual vacuum and blowing functions. With two motors.



NEW PRICE

|              |                |
|--------------|----------------|
| Power        | 2,8 kW         |
| Capacity     | 60 Lt          |
| Suction      | 18 Kpa         |
| Air flow     | 36 l/s         |
| Motor        | 230 V 50/60 Hz |
| Cable length | 5,0 m          |
| Net weight   | 15,35 kg       |

**A040/802****WET AND DRY VACUUM CLEANER 80 LT WITH 2 MOTORS**

For industrial use, complete with accessories. With two motors.



NEW PRICE

|            |                    |
|------------|--------------------|
| Power      | 2 kW               |
| Capacity   | 80 l               |
| Motors     | 2 (230 V 50 Hz)    |
| Suction    | 19 Kpa             |
| Air flow   | 75 l/s             |
| Dimensions | 600 x 580 x 950 mm |
| Net weight | 25 kg              |

**A040/803****WET AND DRY VACUUM CLEANER 80 LT WITH 3 MOTORS**

For industrial use, complete with accessories. With three motors.



NEW PRICE

|            |                    |
|------------|--------------------|
| Power      | 3 kW               |
| Capacity   | 80 l               |
| Motors     | 3 (230 V 50 Hz)    |
| Suction    | 19 Kpa             |
| Air flow   | 96 l/s             |
| Dimensions | 600 x 580 x 950 mm |
| Net weight | 28 kg              |

**ACAS/001****INLET SPONGE FILTER SET**Compatible:  
- A040/602**ACAS/004****METAL EXTENSION PIPE**Compatible:  
- A040/301  
- A040/301P  
- A040/601P**ACAS/007****BAG FILTER**Compatible:  
- A040/301  
- A040/301P**ACAS/010****BIG BRUSH**Compatible:  
- A040/101  
- A040/301  
- A040/301P  
- A040/601P**ACAS/011****MULTI FUNCTION BRUSH**Compatible:  
- A040/101  
- A040/301  
- A040/301P  
- A040/601P**ACAS/014****RIGID PLASTIC TUBE**Compatible:  
- A040/101**ACAS/020****INLET SPONGE FILTER SET**Compatible:  
- A040/101**ACAS/021****PAPER BAG SET**Compatible:  
- A040/101**ACAS/022****FLEXIBLE HOSE**Compatible:  
- A040/101  
- A040/301  
- A040/301P  
- A040/601P**ACAS/023****INLET SPONGE FILTER SET**Compatible:  
- A040/301,  
- A040/301P  
- A040/601P**ACAS/024****HEPA FILTER**Compatible:  
- A040/301  
- A040/301P  
- A040/601P**ACAS/025****HEPA FILTER**Compatible:  
- A040/201C**ACAS/026****HEPA FILTER**Compatible:  
- A040/602**A040/8037****FLEXIBLE HOSE**Compatible:  
- A040/802  
- A040/803**A040/8040****PAIR OF METAL TUBES**Compatible:  
- A040/602,  
- A040/802  
- A040/803**A040/8029****BAG FILTER**Compatible:  
- A040/802  
- A040/803**A040/8047U****WET BRUSH**Compatible:  
- A040/602  
- A040/802  
- A040/803**A040/8047S****DRY BRUSH**Compatible:  
- A040/602  
- A040/802  
- A040/803**A040/8046****SHORT TIP**Compatible:  
- A040/602  
- A040/802  
- A040/803**A040/8048****ROUND BRUSH**Compatible:  
- A040/602  
- A040/802  
- A040/803

**M041****PORTABLE PNEUMATIC DOT MARKING MACHINE**

With touch screen computer.



Working area

110 x 40 mm

Working speed

3 - 5 Caracters / sec

Workpiece allowed hardness

≤ HRC62

Net weight

12 kg

**M040****PNEUMATIC DOT MARKING MACHINE**

USB Type-A connection, software Windows 7 32 bit, Windows XP, Windows 10, Windows 11.



Working area

110 x 80 mm

Working speed

30 - 40 mm / sec

Table dimensions

320 x 300 mm

Workpiece allowed hardness

≤ HRC62

Net weight

60 kg

Software compatibility

Win7 32bit - WinXP - Win10 - Win11

**M040/CF****WIRE CONTROL FOR DOT MARKING MACHINE****M040/CP****FOOT CONTROL FOR DOT MARKING MACHINE****M040/D****DIVIDER FOR DOT MARKING MACHINE****M040/SA****SHAFTS SUPPORT FOR DOT MARKING MACHINE****M040/ST****TUBE SUPPORT FOR DOT MARKING MACHINE**

**P012-L****HRC 58-60 LETTERS**

| Art.     | Punch dimensions | Shank dimensions   |
|----------|------------------|--------------------|
| P012/L03 | 3 mm             | 6 x 6 x 60h mm     |
| P012/L04 | 4 mm             | 7 x 7 x 61h mm     |
| P012/L05 | 5 mm             | 7,5 x 7,5 x 61h mm |
| P012/L06 | 6 mm             | 8,8 x 8,8 x 63h mm |
| P012/L08 | 8 mm             | 10 x 10 x 66h mm   |

**P012-LxP****HRC 58-60 LETTERS**

Micro stress.



| Art.      | Punch dimensions | Shank dimensions   |
|-----------|------------------|--------------------|
| P012/L03P | 3 mm             | 7 x 7 x 61h mm     |
| P012/L04P | 4 mm             | 7,5 x 7,5 x 61h mm |
| P012/L05P | 5 mm             | 8,8 x 8,8 x 63h mm |
| P012/L06P | 6 mm             | 10 x 10 x 66h mm   |
| P012/L08P | 8 mm             | 12 x 12 x 70h mm   |

**P012-N****NUMBERS HRC 58-60**

| Art.     | Punch dimensions | Shank dimensions   |
|----------|------------------|--------------------|
| P012/N03 | 3 mm             | 6 x 6 x 60h mm     |
| P012/N04 | 4 mm             | 7 x 7 x 61h mm     |
| P012/N05 | 5 mm             | 7,5 x 7,5 x 61h mm |
| P012/N06 | 6 mm             | 8,8 x 8,8 x 63h mm |
| P012/N08 | 8 mm             | 10 x 10 x 66h mm   |

**P012-NxP****NUMBERS HRC 58-60**

Micro stress.



| Art.      | Punch dimensions | Shank dimensions   |
|-----------|------------------|--------------------|
| P012/N03P | 3 mm             | 7 x 7 x 61h mm     |
| P012/N04P | 4 mm             | 7,5 x 7,5 x 61h mm |
| P012/N05P | 5 mm             | 8,8 x 8,8 x 63h mm |
| P012/N06P | 6 mm             | 10 x 10 x 66h mm   |
| P012/N08P | 8 mm             | 12 x 12 x 70h mm   |

**P021****ELECTRIC ENGRAVER**

On battery, with 2 diamond tip ø 2.35mm, light weight easy to use, suitable for engraving glass, ceramic, plastic, wood, inox, brass, aluminum, soft steel.



|                        |               |
|------------------------|---------------|
| Speed                  | 20000 rpm     |
| Length                 | 160 mm        |
| Not included batteries | 2 x 1,5 V AAA |

**P002****ENGINEER'S SCRIBER WITH METAL BODY AND HARD-METAL POINT**

|        |        |
|--------|--------|
| Length | 153 mm |
|--------|--------|

**P005****STEEL ENGINEER'S SCRIBER**

|        |        |
|--------|--------|
| Length | 270 mm |
|--------|--------|

**P039****ENGINEER'S SCRIBER**

With metal body and hard-metal point.



|            |        |
|------------|--------|
| Telescopic |        |
| Length     | 150 mm |

**P039/PR****SET HARD-METAL POINT**

2 Pcs



Length

40 mm

**P020****ELECTRIC VIBRATING ENGRAVER**

With vibration adjustment, suitable for engraving glass, ceramic, plastic, wood, inox, brass, aluminum, soft steel.



|            |                  |
|------------|------------------|
| Vibrations | 7200 / min       |
| Power      | 230 V 50 Hz 13 W |

**P020/P****SPARE PART BIT SET**

2 Pcs





## PRESSES

P001/100EP..



P001/75EP..



P001/75



P001/45



P001/30



P001/20



P001/12




P001/10




P001/04




Capacity (Ton)



Ram stroke (mm)



Working area



**P001/100EP400V**

NEW

**100 TON ELECTROMECHANICAL PRESS WITH 400V MOTOR**

Equipped with single-hand operated lever control, wheeled piston assembly, and height-adjustable work surface with chain-driven lifting mechanism.



|                  |                           |
|------------------|---------------------------|
| Capacity         | 100000 kg                 |
| Working area     | 800 x 350 x 690h mm       |
| Cylinder Ø       | 180 mm                    |
| Ram Ø            | 81 mm                     |
| Ram stroke       | 300 mm                    |
| Working pressure | 38,5 MPa                  |
| Dimensions       | 1300 x 950 x 2000h mm     |
| Net weight       | 785 kg                    |
| Motor            | 400 V 50-60 Hz 3 kW       |
| Tank capacity    | 60 l                      |
| Usage time       | Max 10 min continuous use |

**P001/75EP400V**

NEW

**75 TON ELECTROMECHANICAL PRESS WITH 400V MOTOR**

Equipped with single-hand operated lever control, wheeled piston assembly, and height-adjustable work surface with chain-driven lifting mechanism.



|                  |                           |
|------------------|---------------------------|
| Capacity         | 75000 kg                  |
| Working area     | 750 x 290 x 800h mm       |
| Cylinder Ø       | 160 mm                    |
| Ram Ø            | 75 mm                     |
| Ram stroke       | 280 mm                    |
| Working pressure | 36,6 MPa                  |
| Dimensions       | 1200 x 850 x 2000h mm     |
| Net weight       | 580 kg                    |
| Motor            | 400 V 50-60 Hz 3 kW       |
| Tank capacity    | 60 l                      |
| Usage time       | Max 10 min continuous use |

**P001/75EP230V**

NEW

**75 TON ELECTROMECHANICAL PRESS WITH 230V MOTOR**

**P001/75****PNEUMATIC HYDRAULIC SHOP PRESS**

Equipped with mobile piston with trolley, with winch for table handling, two speed manual control and pneumatic servo pump with foot control.



NEW PRICE

|                  |                       |
|------------------|-----------------------|
| Capacity         | 75000 kg              |
| Working area     | 800 x 279 x 850h mm   |
| Cylinder Ø       | 125 mm                |
| Ram Ø            | 78 mm                 |
| Ram stroke       | 250 mm                |
| Working pressure | 0,75 ÷ 0,85 MPa       |
| Dimensions       | 1140 x 800 x 1896h mm |
| Net weight       | 460 kg                |

**P001/45****HYDRAULIC SHOP PRESS WITH MANUAL PNEUMATIC CONTROL**

With manual winch for bench handling, equipped with manual control and pneumatic servo pump with hand control.



NEW PRICE

|                  |                       |
|------------------|-----------------------|
| Capacity         | 45000 kg              |
| Working area     | 830 x 360 x 1000h mm  |
| Cylinder Ø       | 90 mm                 |
| Ram Ø            | 58 mm                 |
| Ram stroke       | 190 mm                |
| Working pressure | 7÷ 8 bar              |
| Max. pressure    | 63,5 MPa              |
| Dimensions       | 1400 x 800 x 1700h mm |
| Net weight       | 330 kg                |

**P001/30****HYDRAULIC SHOP PRESS**

With two speed pump and movable piston.



NEW PRICE

|               |                      |
|---------------|----------------------|
| Capacity      | 30000 kg             |
| Working area  | 525 x 290 x 980h mm  |
| Cylinder Ø    | 92 mm                |
| Ram Ø         | 56 mm                |
| Ram stroke    | 160 mm               |
| Max. pressure | 69 MPa               |
| Dimensions    | 875 x 700 x 1780h mm |
| Net weight    | 145 kg               |

**P001/20****HYDRAULIC SHOP PRESS**

With moveable piston.



|               |                      |
|---------------|----------------------|
| Capacity      | 20000 kg             |
| Working area  | 495 x 200 x 1125h mm |
| Cylinder Ø    | 75 mm                |
| Ram Ø         | 48 mm                |
| Ram stroke    | 140 mm               |
| Max. pressure | 69,3 MPa             |
| Dimensions    | 690 x 600 x 1830h mm |
| Net weight    | 94 kg                |

**P001/12****HYDRAULIC SHOP PRESS**

With movable piston.



|               |                      |
|---------------|----------------------|
| Capacity      | 12000 kg             |
| Working area  | 480 x 190 x 900h mm  |
| Cylinder Ø    | 56 mm                |
| Ram Ø         | 38 mm                |
| Ram stroke    | 135 mm               |
| Max. pressure | 69 MPa               |
| Dimensions    | 730 x 550 x 1600h mm |
| Net weight    | 60 kg                |

**P001/10****HYDRAULIC SHOP PRESS**

With bench and movable piston.

NEW  
PRICE

|               |                      |
|---------------|----------------------|
| Capacity      | 10000 kg             |
| Working area  | 340 x 140 x 370h mm  |
| Cylinder Ø    | 56 mm                |
| Ram Ø         | 38 mm                |
| Ram stroke    | 130 mm               |
| Max. pressure | 69 MPa               |
| Dimensions    | 565 x 500 x 1040h mm |
| Net weight    | 52 kg                |

**P001/04****HYDRAULIC SHOP PRESS**

Counter top, 4 ton, for bearings.

NEW  
PRICE

|               |                     |
|---------------|---------------------|
| Capacity      | 4000 kg             |
| Working area  | 350 x 115 x 325h mm |
| Cylinder Ø    | 40 mm               |
| Ram Ø         | 25 mm               |
| Ram stroke    | 125 mm              |
| Max. pressure | 51 MPa              |
| Dimensions    | 450 x 400 x 655h mm |
| Net weight    | 30 kg               |

**0485****SHOP PRESS PIN SET**

Of 20t and 30t.



8 Pcs

Pins head size

24,7 mm

**P022-****RATCHET ARBOR PRESS**

With removable revolving table.

**P022/05****P022/10****P022/20**

| Art.    | Capacity | Max height piece | Max ø piece | Arbor size | Net weight |
|---------|----------|------------------|-------------|------------|------------|
| P022/05 | 5000 N   | 90 mm            | 160 mm      | 19 x 19 mm | 8 kg       |
| P022/10 | 10000 N  | 100 mm           | 180 mm      | 25 x 25 mm | 12 kg      |
| P022/20 | 20000 N  | 170 mm           | 260 mm      | 30 x 30 mm | 27 kg      |

**P029-****RATCHET ARBOR PRESS**

With removable revolving table.

**P029/2****P029/3**

| Art.   | Capacity | Dimensions          | Max height piece | Max ø piece | Arbor size                  | Net weight |
|--------|----------|---------------------|------------------|-------------|-----------------------------|------------|
| P029/2 | 15000 N  | 390 x 160 x 720h mm | 190 mm           | 180 mm      | 30 x 30 mm foro 10 mm       | 42 kg      |
| P029/3 | 25000 N  | 450 x 200 x 870h mm | 290 mm           | 250 mm      | 37,5 x 37,5 mm foro 13,8 mm | 60 kg      |

**P028-****HAND PUNCH**

With spring loaded return.

**P028/07****P028/14**

| Art.    | Capacity | Dimensions          | Max height piece | Max ø piece | Spindle travel | Net weight |
|---------|----------|---------------------|------------------|-------------|----------------|------------|
| P028/07 | 1500 N   | 240 x 155 x 335h mm | 230 mm           | 150 mm      | 50 mm          | 8,5 kg     |
| P028/14 | 2000 N   | 280 x 170 x 760h mm | 275 mm           | 180 mm      | 70 mm          | 18 kg      |



0054/10

## HYDRAULIC BODY FRAME REPAIR KIT

NEW PRICE



|            |                          |
|------------|--------------------------|
| Capacity   | 10 ton                   |
| Ram length | 330 mm                   |
| Ram stroke | 130 mm                   |
| Net weight | 30 kg                    |
| Extensions | 140 - 240 - 340 - 590 mm |

0664

## HYDRAULIC PUMP WITH PNEUMATIC PEDAL CONTROL

Useful for shop press, trolley jacks and rams.



|                     |           |
|---------------------|-----------|
| Rated pressure      | 70 MPa    |
| Working pressure    | 7 ÷ 8 bar |
| Usable oil capacity | 690 ml    |
| Avg air cons.       | 10 SCFM   |
| Net weight          | 8 kg      |

0663

## PULL BACK RAM



|               |        |
|---------------|--------|
| Capacity      | 5 ton  |
| Length closed | 560 mm |
| Length Open   | 690 mm |

0054/4

## HYDRAULIC BODY FRAME REPAIR KIT

NEW PRICE



|            |        |
|------------|--------|
| Capacity   | 4 ton  |
| Ram length | 270 mm |
| Ram stroke | 120 mm |
| Net weight | 19 kg  |

0271

## HYDRAULIC PUMP

With pump activation pedal.



|                     |          |
|---------------------|----------|
| Rated pressure      | 63,7 MPa |
| Usable oil capacity | 790 ml   |
| Hose length         | 1500mm   |
| Net weight          | 7 kg     |



**0567****LOW PROFILE HYDRAULIC TROLLEY JACK**

2 tons, made of steel.

**Capacity**

2 ton

**Dimensions**

580 x 165 x 235h mm

**Lifting**

90 ÷ 385 mm

**Net weight**

13 kg

**0457****LOW PROFILE JACK**

2 tons, made of steel, with round handle.

**Capacity**

2 ton

**Dimensions**

785 x 350 x 152 mm

**Lifting**

70 ÷ 500 mm

**Net weight**

41 kg

**0369****HYDRAULIC TROLLEY JACK**

Dual pump, with removable saddle and rubber pad.

**Capacity**

3,5 ton

**Dimensions**

745 x 335 x 180 mm

**Lifting**

110 ÷ 560 mm

**Net weight**

46 kg

**0375A****LOW PROFILE HYDRAULIC TROLLEY JACK**

2,5 ton, double pump quick lift, with load limiter.

**Capacity**

2,5 ton

**Dimensions**

680 x 345 x 220h mm

**Lifting**

75 ÷ 500 mm

**Net weight**

32,5 kg

**0065A****HYDRAULIC TROLLEY JACK**

With removable saddle.

**Capacity**

3 ton

**Dimensions**

660 x 345 x 260 mm

**Lifting**

140 ÷ 515 mm

**Net weight**

33 kg

**C038/30****HYDRAULIC TROLLEY JACK****Capacity**

3 ton

**Dimensions**

572 x 328 x 175h mm

**Lifting**

130 ÷ 465 mm

**Net weight**

28 kg

**0060****HYDRAULIC TROLLEY JACK**

Metal body frame. Handle for hand carrying. Extendable lever.



|            |                    |
|------------|--------------------|
| Capacity   | 2 ton              |
| Dimensions | 535 x 225 x 145 mm |
| Lifting    | 135 ÷ 385 mm       |
| Net weight | 11 kg              |

**C039/15****HYDRAULIC TROLLEY JACK**

Aluminium and steel hydraulic trolley jack with double pump.



|            |                     |
|------------|---------------------|
| Capacity   | 1,5 ton             |
| Dimensions | 490 x 270 x 130h mm |
| Lifting    | 90 ÷ 358 mm         |
| Net weight | 15 kg               |

**0067****COUPLE JACK STAND**

Height adjustable with fixing pin.



|            |                          |
|------------|--------------------------|
| Capacity   | 2 ton                    |
| Heights    | 240 - 270 - 320 - 365 mm |
| Net weight | 3 kg                     |

**C039/25****HYDRAULIC TROLLEY JACK**

Aluminium and steel hydraulic trolley jack with double pump.



|            |                     |
|------------|---------------------|
| Capacity   | 2.5 ton             |
| Dimensions | 659 x 289 x 165h mm |
| Lifting    | 100 ÷ 465 mm        |
| Net weight | 29,5 kg             |

**0658****HYDRAULIC JACK**

|                       |              |
|-----------------------|--------------|
| Capacity              | 10 ton       |
| Lifting range of foot | 30 ÷ 260 mm  |
| Lifting range of head | 420 ÷ 665 mm |
| Net weight            | 30 kg        |

**0069-****COUPLE JACK STAND**

| Art.    | Capacity | Height min - max | Base dimensions | Net weight |
|---------|----------|------------------|-----------------|------------|
| 0069/3  | 3 ton    | 298 ÷ 428 mm     | 190 x 210 mm    | 6,5 kg     |
| 0069/6  | 6 ton    | 400 ÷ 610 mm     | 260 x 285 mm    | 13 kg      |
| 0069/10 | 10 ton   | 468 ÷ 718 mm     | 290 x 328 mm    | 29 kg      |



## 0021/1

## HYDRAULIC FOLDING CRANE

With two pivoting wheels with brakes, cast iron wheels. Lowering system and pumping lever arranged laterally. The ability to fold the legs when not in use allows it to be stored in confined spaces.



|                               |                                      |
|-------------------------------|--------------------------------------|
| Capacity                      | 1000 kg                              |
| Dimensions                    | 1555 x 1010 x 1455h mm               |
| Fold dimensions               | 720 x 490 x 1520h mm                 |
| Min/max reach                 | 715 ÷ 990 mm                         |
| Hook heights with raised arm  | 1800 mm @ 1000 kg   1970 mm @ 250 kg |
| Hook heights with lowered arm | 160 mm @ 250 kg   400 mm @ 1000 kg   |
| Front opening                 | 890 mm                               |
| Net weight                    | 64,5 kg                              |

## 0021/2

## HYDRAULIC FOLDING CRANE

With two pivoting wheels with brakes, cast iron wheels. Lowering system and pumping lever arranged laterally. The ability to fold the legs when not in use allows it to be stored in confined spaces.



|                               |                                      |
|-------------------------------|--------------------------------------|
| Capacity                      | 2000 kg                              |
| Dimensions                    | 1730 x 1025 x 1400h mm               |
| Fold dimensions               | 760 x 760 x 1635h mm                 |
| Min/max reach                 | 750 ÷ 1280 mm                        |
| Hook heights with raised arm  | 1870 mm @ 2000 kg   2280 mm @ 500 kg |
| Hook heights with lowered arm | 0 mm @ 500 kg   430 mm @ 2000 kg     |
| Front opening                 | 910 mm                               |
| Net weight                    | 90,5 kg                              |

## 0094

## TRANSMISSION JACK

With load limiter, cross support and tilt support to better align and position gearboxes and differentials.



|                  |                      |
|------------------|----------------------|
| Capacity         | 500 kg               |
| Dimensions       | 700 x 660 x 1190h mm |
| Min - Max height | 1190 ÷ 2000 mm       |
| Net weight       | 32,5 kg              |



**S033****ENGINE STAND**

Equipped with 2 swivel wheels with brakes and 2 fixed cast iron wheels, it allows the motor to tilt in 8 positions. Includes a rotating tray for small parts.



|            |                     |   |        |
|------------|---------------------|---|--------|
| Capacity   | 600 kg              | A | 720 mm |
| Dimensions | 1200 x 840 x 930 mm | B | 840 mm |
| Net weight | 27,5 kg             | C | 170 mm |

**S068****ENGINE STAND**

2 swivel wheels with brake and 2 fixed cast iron wheels, possibility to tilt the engine. The ability to fold it when not in use allows it to be stored in confined spaces.



|            |                    |
|------------|--------------------|
| Capacity   | 680 kg             |
| Dimensions | 860 x 830 x 900 mm |
| Net weight | 31 kg              |
| A          | 820 mm             |

**S019****ENGINE STAND**

2 wheels with breaks and 2 fix wheels, possibility to tilt the motor.



|            |                    |   |        |
|------------|--------------------|---|--------|
| Capacity   | 450 kg             | B | 810 mm |
| Dimensions | 865 x 810 x 870 mm | C | 150 mm |
| Net weight | 21 kg              | D | 450 mm |
| A          | 780 mm             |   |        |

**0147****SHOP CRANE LEVELER**

Shop crane and crane leveler, easy to use, just crank to level, tilts forward and backward for easy motor mount alignment.



|                     |        |            |        |
|---------------------|--------|------------|--------|
| Capacity            | 680 kg | Chain      | 350 mm |
| Width               | 440 mm |            |        |
| Max stroke of slide | 330 mm | Net weight | 5 kg   |

**S024****ENGINE SUPPORT**

Engine support holds your engine or transmission in place during heavy automotive repairs, used to support the engine while removing gear box, transmission, replacing clutch and all motor mounts. Rubber feet for safe hold of motor, easy regulation for hold engine in its place in the car. swivel and tilting holders.



|                  |        |            |               |
|------------------|--------|------------|---------------|
| Capacity         | 500 kg | Bed length | 730 ÷ 1480 mm |
| Adjusting height | 205 mm | Net weight | 13 kg         |

**R015****CAR RAMPS SET**

Set consisting of two solid ramps to facilitate work under vehicles. These small ramps are suitable for the most common models of small cars and SUV or even longer vehicles. Made of polypropylene, the wedges are significantly more reliable than steel ramps. In addition, thanks to their non-slip structure, they offer excellent stability. Lightweight and well-shaped, the ramps are easy to transport and space-saving.



|                  |                    |
|------------------|--------------------|
| Dimensions       | 905 x 330 x 218 mm |
| Capacity         | 2,5 ton            |
| Max tire width   | 240 mm             |
| Min - Max height | 170 mm             |
| Tilting          | 15°                |
| Net weight       | 8 kg               |

**0649-****ALUMINUM RAMPS**

In aluminum with non-slip floors. Load 170kg.



| Art.      | Dimensions    | Capacity | Max Working angle | Max Working height | Net weight |
|-----------|---------------|----------|-------------------|--------------------|------------|
| 0649/1500 | 1520 x 735 mm | 170 kg   | 12,5 % (7°)       | 180 mm             | 13,5 kg    |
| 0649/1800 | 1800 x 735 mm | 150 kg   | 12,5 % (7°)       | 220 mm             | 16 kg      |

**0594****OIL DRAINER WITHOUT TANK**

With wheels, to use under lifts, for waste oil.



|                  |                |
|------------------|----------------|
| Height min - max | 1150 - 1700 mm |
| Base dimensions  | 390 x 390 mm   |
| Net weight       | 13 kg          |

**0595****OIL DRAINER**

With tank and wheels, to use under lifts, for waste oil.



|                       |                |
|-----------------------|----------------|
| Tank capacity         | 70 l           |
| Height min - max      | 1170 - 1860 mm |
| Maximum tank pressure | 0,45 bar       |
| Net weight            | 23 kg          |

**0596****PNEUMATIC OIL DRAINER**

With wheels and different size of suction probes, for waste oil, for use under lifts too.



|                         |   |
|-------------------------|---|
| Tank capacity           | 70 l  |
| Measuring tank capacity | 10 l  |
| Height max              | 1500 mm   |
| Metal probe             | 2 x Ø 6 mm x 695 mm   |
| Nylon probe             | 2 x Ø 6 mm x 680 mm   2 x Ø 8 mm x 700 mm                     |
| Suction                 | Ø 6 x 4,5 mm - 0,4 ÷ 0,8 l/min   Ø 8 x 6,5 mm - 1 ÷ 1,6 l/min |
| Rubber hose length      | Suction 1500 mm   Drain 2050 mm                               |
| Power pressure          | 8 ÷ 10 bar  |
| Maximum tank pressure   | 0,45 bar  |
| Net weight              | 25 kg   |

**0630/2720****12V ELECTRIC WINCH - DIRECT CURRENT**

Permanent magnet motor, metal frame, strong cable, with anti unwinding device and cable guide. To be used only for horizontal pulling, not suitable for lifting.



## Rated line pull

2720 kg

## Speed

1,3 - 4,5 m/min

## Motor

12 V 1,3 kW 1,8 hp

## Gear Reduction ratio

294:1

## Cable size

Ø 7,2 mm x 32 m

## Drum dimensions

Ø 63 x 228 mm

## Overall dimensions

520 x 180 x 175h mm

## Net weight

29 kg

**0630/2200****12V ELECTRIC WINCH - DIRECT CURRENT**

Permanent magnet motor, metal frame, strong cable, with anti unwinding device and cable guide. To be used only for horizontal pulling, not suitable for lifting.



## Rated line pull

2000 kg

## Speed

1,5 - 3,6 m/min

## Motor

12 V 1,0 kW 1,3 hp

## Gear reduction ratio

172:1

## Cable size

Ø 6,4 mm x 14,5 m

## Drum dimensions

Ø 45 x 97 mm

## Overall dimensions

364 x 126 x 141h mm

## Net weight

13 kg

**0630/0900****12V ELECTRIC WINCH - DIRECT CURRENT**

Permanent magnet motor, metal frame, hook with pulley for double pull, resistant cable, with anti unwinding device and cable guide. To be used only for horizontal pulling, not suitable for lifting.



## Rated line pull

450 / 900 kg

## Speed

1,3 - 3,2 m/min

## Motor

12 V 0,7 kW 0,9 hp

## Gear reduction ratio

153:1

## Cable size

Ø 4 mm x 15 m

## Drum dimensions

Ø 31,5 x 73 mm

## Overall dimensions

285 x 105 x 105h mm

## Net weight

6,7 kg

**S029****ELECTRO-HYDRAULIC MOTORCYCLE LIFT TABLE**

|                                |                                      |
|--------------------------------|--------------------------------------|
| <b>Max lifting capacity</b>    | 600 kg                               |
| <b>Platform dimensions</b>     | 2200 x 750 mm                        |
| <b>Total length</b>            | 2995 mm                              |
| <b>Service hole dimensions</b> | 550 x 340 mm                         |
| <b>Min - Max height</b>        | 260 - 520 - 625 - 710 - 780 - 840 mm |
| <b>Vice</b>                    | 330 x 320 mm                         |
| <b>Vice opening</b>            | 40 ± 180 mm                          |
| <b>Motor</b>                   | 230 V 50 Hz 0,55 kW                  |
| <b>Net weight</b>              | 225 kg                               |

**S029P****ELECTRO-HYDRAULIC MOTORCYCLE LIFT TABLE**

With pump and separate control system that give the possibility to position it at floor level.



|                                |                                      |
|--------------------------------|--------------------------------------|
| <b>Max lifting capacity</b>    | 600 kg                               |
| <b>Platform dimensions</b>     | 2200 x 750 mm                        |
| <b>Total length</b>            | 2995 mm                              |
| <b>Service hole dimensions</b> | 550 x 340 mm                         |
| <b>Min - Max height</b>        | 215 - 520 - 625 - 710 - 780 - 840 mm |
| <b>Vice</b>                    | 330 x 320 mm                         |
| <b>Vice opening</b>            | 40 ± 180 mm                          |
| <b>Motor</b>                   | 230 V 50 Hz 0,55 kW                  |
| <b>Net weight</b>              | 240 kg                               |

**S027****ELECTRO-HYDRAULIC MOTORCYCLE LIFT TABLE**

|                                |                     |
|--------------------------------|---------------------|
| <b>Max lifting capacity</b>    | 600 kg              |
| <b>Platform dimensions</b>     | 1800 x 600 mm       |
| <b>Total length</b>            | 2600 mm             |
| <b>Service hole dimensions</b> | 550 x 340 mm        |
| <b>Min - Max height</b>        | 260 - 880 mm        |
| <b>Vice</b>                    | 330 x 320 mm        |
| <b>Vice opening</b>            | 40 ± 200 mm         |
| <b>Motor</b>                   | 230 V 50 Hz 0,55 kW |
| <b>Net weight</b>              | 150 kg              |

**S027ATV****ELECTRO-HYDRAULIC ATV & MOTORCYCLE LIFT TABLE**


|                                |                     |
|--------------------------------|---------------------|
| <b>Max lifting capacity</b>    | 600 kg              |
| <b>Platform dimensions</b>     | 1800 x 1200 mm      |
| <b>Total length</b>            | 2600 mm             |
| <b>Service hole dimensions</b> | 550 x 340 mm        |
| <b>Min - Max height</b>        | 260 - 880 mm        |
| <b>Vice</b>                    | 330 x 320 mm        |
| <b>Vice opening</b>            | 40 ± 200 mm         |
| <b>Motor</b>                   | 230 V 50 Hz 0,55 kW |
| <b>Net weight</b>              | 235 kg              |

**S008/M****HYDRAULIC MOTORCYCLE LIFT TABLE**

With foot pump.



NEW PRICE



|                      |               |
|----------------------|---------------|
| Max lifting capacity | 400 kg        |
| Platform dimensions  | 1825 x 660 mm |
| Total length         | 2500 mm       |
| Min - Max height     | 195 ÷ 750 mm  |
| Vice                 | 410 x 100 mm  |
| Vice opening         | 210 x 50 mm   |
| Net weight           | 133 kg        |

**S013****HYDRAULIC LIFT TABLE**

With foot pump and pneumatic control.



|                      |                |
|----------------------|----------------|
| Max lifting capacity | 600 kg         |
| Platform dimensions  | 2000 x 1220 mm |
| Total length         | 2575 mm        |
| Min - Max height     | 185 ÷ 825 mm   |
| Net weight           | 230 kg         |

**0452****MOTORCYCLE SCISSORS LIFT**

Scissor support stand suitable for use on the floor or on a motorcycle lift to repair bikes, with 2 height adjustable and removable sliding supports.



|                      |              |
|----------------------|--------------|
| Max lifting capacity | 400 kg       |
| Platform dimensions  | 450 x 150 mm |
| Min - Max height     | 95 ÷ 400 mm  |

|              |            |
|--------------|------------|
| Stand height | 55 - 80 mm |
| Hexagon      | 22 mm      |
| Net weight   | 14 kg      |

**0241****MOTORCYCLE WHEEL BLOCK**

Strong body, simple and easy use, adjustable wheel size, safety lock.



|                    |                     |
|--------------------|---------------------|
| Wheel diameter     | 381 - 533 mm        |
| Overall dimensions | 730 x 468 x 440h mm |
| Net weight         | 10 kg               |

**0430****MOTORCYCLE DOLLY**

Powder coated steel. it is suitable for motorcycles and scooters that have the side stand. it allows you to move and to park your bike in tight spaces.



|                  |         |
|------------------|---------|
| Maximum capacity | 300 kg  |
| Length           | 1929 mm |
| Net weight       | 33 kg   |

**0217****VEHICLE POSITIONING JACK**

With wheel positioning brakes.



|                |              |
|----------------|--------------|
| Capacity       | 680 kg       |
| Lateral stroke | 370 mm       |
| Working range  | 710 - 340 mm |

|                    |                     |
|--------------------|---------------------|
| Max tire width     | 325 mm              |
| Overall dimensions | 730 x 468 x 440h mm |
| Net weight         | 15 kg               |

**S017****UNIVERSAL TELESCOPIC CART**

Adjustable in height and length, made of square steel pipes, after use it can be stored in small space, upper sides with rubber to prevent scratches and give more stability to the leaned object, 4 swivel casters of which 2 with brake, ideal for the car body repair, for repairing and spraying area.



|                  |               |
|------------------|---------------|
| Height min - max | 840 ÷ 1320 mm |
| Length           | 225 ÷ 1380 mm |
| Width            | 860 mm        |
| Capacity         | 100 kg        |
| Net weight       | 26 kg         |

**0645/S****SHOP SEAT**

With pivoting wheels, tool holder base, seat with padding.



|            |                     |
|------------|---------------------|
| Dimensions | 440 x 375 x 400h mm |
| Net weight | 4,2 kg              |

**0645/CC****THREE-DRAWER CAR SEAT**

Equipped with 3 drawers with bearings, 3 can trays and a small frontal tray, 4 pivoting wheels.



|                   |                        |
|-------------------|------------------------|
| Dimensions        | 370 x 400 x 367h mm    |
| Drawer dimensions | 3 - 150 x 300 x 40h mm |
| Maximum capacity  | 120 Kg                 |
| Net weight        | 8 kg                   |

**0645/CP****PLASTIC CREEPER**

Shockproof, with 6 wheels.



|            |                      |
|------------|----------------------|
| Dimensions | 1000 x 470 x 120h mm |
| Net weight | 4,8 kg               |

**0645/C****6 WHEELS CAR CREEPER**

|                  |                      |
|------------------|----------------------|
| Dimensions       | 1030 x 420 x 100h mm |
| Net weight       | 6,5 kg               |
| Maximum capacity | 120 Kg               |

**0645/SS****2 IN 1 CREEPER AND SEAT**

|                    |                      |
|--------------------|----------------------|
| Creeper dimensions | 1020 x 410 x 150h mm |
| Seat dimensions    | 550 x 410 x 500h mm  |
| Net weight         | 9 kg                 |
| Maximum capacity   | 120 Kg               |



## 0256-

### HYDRAULIC RAM



| Art.    | Maximum capacity | Working pressure | Min-max lifting height | Cylinder Ø | Ram stroke | Dimensions   | Net weight |
|---------|------------------|------------------|------------------------|------------|------------|--------------|------------|
| 0256/05 | 5 ton            | 63 Mpa           | 33 ÷ 39 mm             | Ø 24 mm    | 6 mm       | 45 x 95 mm   | 0,6 kg     |
| 0256/10 | 10 ton           | 63,7 Mpa         | 44 ÷ 55 mm             | Ø 38 mm    | 11 mm      | 56 x 118 mm  | 1,3 kg     |
| 0256/20 | 20 ton           | 63,7 Mpa         | 52 ÷ 63 mm             | Ø 50 mm    | 11 mm      | 76 x 138 mm  | 2,6 kg     |
| 0256/30 | 30 ton           | 63,7 Mpa         | 60 ÷ 72 mm             | Ø 63 mm    | 12 mm      | 95 x 158 mm  | 4,4 kg     |
| 0256/50 | 50 ton           | 63,7 Mpa         | 66 ÷ 78 mm             | Ø 70 mm    | 12 mm      | 118 x 186 mm | 6,7 kg     |

## 0062-

### BOTTLE JACK

Hydraulic jack. It provides an excellent stability thanks to its small size. Easy to carry and use.



| Art.    | Capacity | Min. height | Lifting | Adjusting height | Base dimensions | Ram diameter | Net weight |
|---------|----------|-------------|---------|------------------|-----------------|--------------|------------|
| 0062/2  | 2 ton    | 168 mm      | 100 mm  | 48 mm            | 95 x 78 mm      | Ø 22 mm      | 2,5 kg     |
| 0062/5  | 5 ton    | 207 mm      | 125 mm  | 70 mm            | 117 x 97 mm     | Ø 32 mm      | 4 kg       |
| 0062/10 | 10 ton   | 222 mm      | 145 mm  | 80 mm            | 124 x 106 mm    | Ø 35 mm      | 5 kg       |
| 0062/15 | 15 ton   | 227 mm      | 150 mm  | 80 mm            | 141 x 118 mm    | Ø 48 mm      | 7,5 kg     |
| 0062/20 | 20 ton   | 235 mm      | 150 mm  | 60 mm            | 152 x 124 mm    | Ø 53 mm      | 9 kg       |
| 0062/32 | 32 ton   | 285 mm      | 180 mm  | -                | 170 x 160 mm    | Ø 56 mm      | 13,5 kg    |
| 0062/50 | 50 ton   | 295 mm      | 180 mm  | -                | 215 x 175 mm    | Ø 85 mm      | 29 kg      |



**0010****LIFT TROLLEY**

With foldable handle, mechanical blocking system of the platform, swivel wheels with brakes.

**Capacity**

500 kg

**Table dimensions**

850 x 500 x 50 mm

**Lifting**

290 ÷ 880 mm

**Net weight**

86 kg

**0075****LIFT TROLLEY**

With foldable handle with mechanical blocking system, swivel wheels with brakes.

**Capacity**

300 kg

**Table dimensions**

850 x 500 x 50 mm

**Lifting**

290 ÷ 880 mm

**Net weight**

78 kg

**0467****HIGH LIFT TROLLEY**

With double scissor action, mechanical blocking system of the platform, swivel wheels with brakes.

**Capacity**

350 kg

**Table dimensions**

910 x 500 x 53 mm

**Lifting**

370 ÷ 1300 mm

**Net weight**

92 kg

**C650****THREE SHELVES TROLLEY**

Strong and easy to assemble, 2 swivel and 2 fixed casters.



|                 |                     |
|-----------------|---------------------|
| Dimensions      | 800 x 450 x 800h mm |
| Steel thickness | 1,5 mm              |
| Wheels          | Ø 80 mm             |
| Capacity        | 100 kg              |
| Net weight      | 17 kg               |

**C750****THREE SHELVES TROLLEY**

Strong and easy to assemble, 2 swivel and 2 fixed casters.



|                 |                     |
|-----------------|---------------------|
| Dimensions      | 940 x 600 x 870h mm |
| Steel thickness | 2,3 mm              |
| Wheels          | Ø 150 mm            |
| Capacity        | 200 kg              |
| Net weight      | 52 kg               |

**C065/2****PP TWO SHELVES TOOL CART**

Light weight, strong and easy to assemble, 2 swivel and 2 fixed casters.



|            |                      |
|------------|----------------------|
| Dimensions | 1010 x 440 x 840h mm |
| Wheels     | Ø 125 mm             |
| Capacity   | 250 kg               |
| Net weight | 15,5 kg              |

**C075/2****PP TWO SHELVES TOOL CART**

Light weight, strong and easy to assemble, 2 swivel and 2 fixed casters.



|            |                      |
|------------|----------------------|
| Dimensions | 1170 x 652 x 840h mm |
| Wheels     | Ø 125 mm             |
| Capacity   | 250 kg               |
| Net weight | 22,5 kg              |

**C009****CART WITH WOODEN SHELF**

Cart made of steel, with 2 fixed wheels and 2 swivel wheels with brake.



|                    |                      |
|--------------------|----------------------|
| Overall dimensions | 1000 x 800 x 810h mm |
| Steel thickness    | 2 mm                 |
| Plate thickness    | 36 mm                |
| Wheels             | Ø 150 mm             |
| Capacity           | 150 kg               |
| Net weight         | 52 kg                |

**Cx****PVC PLATFORM TROLLEY**

With foldable handle, 2 fixed casters and 2 swivel casters.



| Art. | Wheels   | Capacity | Platform dimensions | Height | Net weight |
|------|----------|----------|---------------------|--------|------------|
| C150 | Ø 100 mm | 150 kg   | 700 x 450 mm        | 820 mm | 7,8 kg     |
| C300 | Ø 125 mm | 300 kg   | 900 x 600 mm        | 890 mm | 13,4 kg    |

**C170P****FOLDING ALUMINIUM HAND TRUCK**

Folding hand truck with automatic opening through a simple push on the toe plate. Automatic locking in the open or closed position. Telescopic structure and toe plate in aluminum.



|                      |                     |
|----------------------|---------------------|
| Sizes of the wheel   | Ø 125 x 28 mm       |
| Hole diameter        | 6 mm                |
| Capacity             | 70 kg               |
| Toe plate dimensions | 385 x 275 mm        |
| Net weight           | 3,00 kg             |
| Dimensions           | 385 x 410 x 985h mm |
| Overall dimensions   | 385 x 55 x 635h mm  |

**C1101****HAND TRUCK WITH SOLID WHEELS**

For flower pots and boxes, safety handles, epoxy painting.



|                      |                       |
|----------------------|-----------------------|
| Sizes of the wheel   | Ø 200 x 40 mm         |
| Hole diameter        | 12 mm                 |
| Capacity             | 80 kg                 |
| Toe plate dimensions | 350 x 180 mm          |
| Net weight           | 5,70 kg               |
| Dimensions           | 460 x 370 x 1000 h mm |

**C1102****HAND TRUCK WITH SOFT WHEELS**

For flower pots and boxes, safety handles, epoxy painting.



|                      |               |
|----------------------|---------------|
| Pneumatic wheels     | Ø 260 x 85 mm |
| Capacity             | 200 kg        |
| Toe plate dimensions | 450 x 215 mm  |
| Net weight           | 8,5 kg        |

**C182****ALUMINUM HAND TRUCK WITH PNEUMATIC WHEELS**

Aluminum.



|                      |               |
|----------------------|---------------|
| Pneumatic wheels     | Ø 260 x 85 mm |
| Capacity             | 200 kg        |
| Toe plate dimensions | 300 x 205 mm  |
| Net weight           | 6 kg          |

**C189****MULTIFUNCTION HAND TRUCK**

With pneumatic wheels for firewood, pots, boxes and other objects. strong, easy to handle and versatile. Plastic handles.



|                      |               |
|----------------------|---------------|
| Pneumatic wheels     | Ø 260 x 85 mm |
| Capacity             | 150 kg        |
| Toe plate dimensions | 400 x 250 mm  |
| Movable grid         | 340 x 390 mm  |
| Net weight           | 11,5 kg       |

**C183****STAIR-CLIMBING HAND TRUCK**

Safety handles, epoxy painting.



|                      |                       |
|----------------------|-----------------------|
| Sizes of the wheel   | Ø 155 x 42 mm         |
| Hole diameter        | 16 mm                 |
| Capacity             | 200 kg                |
| Toe plate dimensions | 310 x 220 mm          |
| Net weight           | 13,5 kg               |
| Dimensions           | 500 x 620 x 1180 h mm |

**C184****2-IN-1 HAND TRUCK**

Can be used in two positions to facilitate the handling of heavy and bulky loads.



|                      |   |
|----------------------|---|
| Pneumatic wheels     | Ø 260 x 83 mm                               |
| Mobile wheels        | Ø 100 x 23 mm                               |
| Hole diameter        | 20 mm - 10 mm                               |
| Capacity             | 250 kg                                      |
| Toe plate dimensions | 390 x 140 mm                                |
| Movable grid         | 325 x 335 mm                                |
| Platform dimensions  | 380 x 850 mm                                |
| Net weight           | 12 kg                                       |
| Dimensions           | 590 x 420 x 1117 mm<br>590 x 1117 x 1050 mm |

**0461****POLYURETHANE WHEEL**

260 x 85mm not pierceable, with Ø 20mm bearing and adapter from 20mm to 18mm, for hand trucks with 18-20mm wheel shaft.



|                    |                   |
|--------------------|-------------------|
| Sizes of the wheel | 250 x 75 mm       |
| Hole sizes         | Ø 20 - 18 x 74 mm |

**0237-****LEVER CHAIN HOIST**

| Art.    | Capacity | Lifting | Net weight |
|---------|----------|---------|------------|
| 0237/05 | 500 kg   | 1500 mm | 5 kg       |
| 0237/15 | 1500 kg  | 1500 mm | 10 kg      |

**P019****FOLDING ANTSIP SLIP PLATFORM**

Antislip professional, made of aluminum, easy to use, suitable for a wide range of activities in different sectors, such as: home, auto and others.



|                     |                     |
|---------------------|---------------------|
| Capacity            | 150 kg              |
| Dimensions          | 1260 x 380 x 500 mm |
| Platform dimensions | 950x300 mm          |
| Net weight          | 7,5 kg              |

**0056-****CHAIN HOIST**

NEW PRICE



| Art.   | Capacity | Lifting | Net weight |
|--------|----------|---------|------------|
| 0056/1 | 1000 kg  | 3000 mm | 11 kg      |
| 0056/2 | 2000 kg  | 3000 mm | 20 kg      |

**0236****HOIST ARM**

|               |            |
|---------------|------------|
| Capacity      | 300 kg     |
| Arm           | 750 mm     |
| Slot distance | 380 mm     |
| Section       | 45 x 45 mm |
| Net weight    | 6 kg       |

**0602****ELECTRIC CABLE HOIST**

With steel cable and mechanical limit switch.

**NEW PRICE**

|              |                  |
|--------------|------------------|
| Capacity     | 200 / 400 kg     |
| Cable length | 18 m             |
| Speed        | 8 m/min          |
| Motor        | 230 V 50 Hz 1 kW |
| Net weight   | 16,7 kg          |

**0600****ELECTRIC CABLE HOIST**


With steel cable and mechanical limit switch.

**NEW PRICE**

|              |                     |
|--------------|---------------------|
| Capacity     | 200 / 400 kg        |
| Cable length | 18 m                |
| Speed        | 8 m/min             |
| Motor        | 230 V 50 Hz 0,75 kW |
| Net weight   | 16,7 kg             |

**Sx****MAGNETIC LIFTER**

Neodymium.



| Art.  | Maximum capacity | Round bar lifting cap. | Min-max lifting diameter | Dimensions             | Net weight |
|-------|------------------|------------------------|--------------------------|------------------------|------------|
| S0300 | 300 kg           | 100 kg                 | 50 ÷ 300 mm              | 189 x 163 x 92 (B) mm  | 9,5 kg     |
| S0600 | 600 kg           | 200 kg                 | 70 ÷ 400 mm              | 267 x 198 x 129 (B) mm | 19 kg      |
| S1000 | 1000 kg          | 330 kg                 | 75 ÷ 450 mm              | 350 x 277 x 156 (B) mm | 36 kg      |

**PDC4-****CHAIN SLINGS**

Grade 80 alloy steel with shortening hook, security factor 4:1, the vertical capacity is calculated on 3 arms only because the fourth arm is necessary only to equilibrate the loading. EN 818-4.



| Art.      | Length  | Capacity 0° | Capacity 45° | Chain   | Hook |
|-----------|---------|-------------|--------------|---------|------|
| PDC4/7/2  | 2000 mm | 3150        | 2240         | Ø 7 mm  | SLF  |
| PDC4/7/3  | 3000 mm | 3150        | 2240         | Ø 7 mm  | SLF  |
| PDC4/7/4  | 4000 mm | 3150        | 2240         | Ø 7 mm  | SLF  |
| PDC4/10/2 | 2000 mm | 6700        | 4750         | Ø 10 mm | SLF  |
| PDC4/10/3 | 3000 mm | 6700        | 4750         | Ø 10 mm | SLF  |
| PDC4/10/4 | 4000 mm | 6700        | 4750         | Ø 10 mm | SLF  |



**PDC2-****CHAIN SLINGS**

Grade 80 alloy steel, with shortening hooks, security factor 4:1. EN 818-4.



made in Italy

| Art.      | Length  | Capacity 0° | Capacity 45° | Chain   | Hook |
|-----------|---------|-------------|--------------|---------|------|
| PDC2/7/2  | 2000 mm | 2120        | 1500         | Ø 7 mm  | SLF  |
| PDC2/7/3  | 3000 mm | 2120        | 1500         | Ø 7 mm  | SLF  |
| PDC2/7/4  | 4000 mm | 2120        | 1500         | Ø 7 mm  | SLF  |
| PDC2/10/2 | 2000 mm | 4250        | 3150         | Ø 10 mm | SLF  |
| PDC2/10/3 | 3000 mm | 4250        | 3150         | Ø 10 mm | SLF  |
| PDC2/10/4 | 4000 mm | 4250        | 3150         | Ø 10 mm | SLF  |

**PDC1-****CHAIN SLINGS**

Grade 80 alloy steel, with shortening hook, security factor 4:1. EN 818-4.



made in Italy

| Art.      | Length  | Vertical capacity | Chain   | Hook |
|-----------|---------|-------------------|---------|------|
| PDC1/7/1  | 1000 mm | 1500 kg           | Ø 7 mm  | SLF  |
| PDC1/7/2  | 2000 mm | 1500 kg           | Ø 7 mm  | SLF  |
| PDC1/10/1 | 1000 mm | 3150 kg           | Ø 10 mm | SLF  |
| PDC1/10/2 | 2000 mm | 3150 kg           | Ø 10 mm | SLF  |

**06x****LASHING SYSTEM WITH POLYESTER RIBBON DRAFT**

EN 12195-2.



| Art. | Strap ribbon with turnbuckle | Ribbon width | Capacity | Hooks |
|------|------------------------------|--------------|----------|-------|
| 0635 | 5,50 + 0,50 m                | 35 mm        | 1000 kg  | 2     |
| 0650 | 8,00 + 0,50 m                | 50 mm        | 2000 kg  | 2     |
| 0675 | 10,00 + 1,00 m               | 75 mm        | 3000 kg  | 2     |

**0635/25****LASHING SYSTEM WITH POLYESTER RIBBON DRAFT**

EN 12195-2.



Strap ribbon mm 25 with turnbuckle and 2 hooks

4,00 + 0,30 m

Capacity

250 kg

**AN2G/12/1****2 STEEL ARMS PENDING**

|          |             |
|----------|-------------|
| Rope     | Ø 12 mm     |
| Length   | 1000 mm     |
| Capacity | 30° 2600 kg |
| Capacity | 90° 2100 kg |

**x-1000****POLYESTER COLORED SLINGS**

Double layer band lifting system, standard, security factor 7:1. EN 1492-1.

| Art.   | m | Width | Colour | Eye length | Vertical capacity | Capacity basket | Basket capacity Ø 45° kg | Basket capacity Ø 60° kg | Capacity choker |
|--------|---|-------|--------|------------|-------------------|-----------------|--------------------------|--------------------------|-----------------|
| 1/1000 | 1 | 50 mm | Purple | 250 mm     | 1000 kg           | 2000 kg         | 1400                     | 1000                     | 800 kg          |
| 2/1000 | 2 | 50 mm | Purple | 250 mm     | 1000 kg           | 2000 kg         | 1400                     | 1000                     | 800 kg          |
| 3/1000 | 3 | 50 mm | Purple | 250 mm     | 1000 kg           | 2000 kg         | 1400                     | 1000                     | 800 kg          |
| 4/1000 | 4 | 50 mm | Purple | 250 mm     | 1000 kg           | 2000 kg         | 1400                     | 1000                     | 800 kg          |

**x-2000****POLYESTER COLORED SLINGS**

Double layer band lifting system, security factor 7:1. EN 1492-1.

| Art.   | m | Width | Colour | Eye length | Vertical capacity | Capacity basket | Basket capacity Ø 45° kg | Basket capacity Ø 60° kg | Capacity choker |
|--------|---|-------|--------|------------|-------------------|-----------------|--------------------------|--------------------------|-----------------|
| 1/2000 | 1 | 60 mm | Green  | 250 mm     | 2000 kg           | 4000 kg         | 2800                     | 2000                     | 1600 kg         |
| 2/2000 | 2 | 60 mm | Green  | 250 mm     | 2000 kg           | 4000 kg         | 2800                     | 2000                     | 1600 kg         |
| 3/2000 | 3 | 60 mm | Green  | 250 mm     | 2000 kg           | 4000 kg         | 2800                     | 2000                     | 1600 kg         |
| 4/2000 | 4 | 60 mm | Green  | 250 mm     | 2000 kg           | 4000 kg         | 2800                     | 2000                     | 1600 kg         |
| 5/2000 | 5 | 60 mm | Green  | 250 mm     | 2000 kg           | 4000 kg         | 2800                     | 2000                     | 1600 kg         |
| 6/2000 | 6 | 60 mm | Green  | 250 mm     | 2000 kg           | 4000 kg         | 2800                     | 2000                     | 1600 kg         |

**x-3000****POLYESTER COLORED SLINGS**

Double layer band lifting system, security factor 7:1. EN 1492-1.

| Art.   | m | Width | Colour | Eye length | Vertical capacity | Capacity basket | Basket capacity Ø 45° kg | Basket capacity Ø 60° kg | Capacity choker |
|--------|---|-------|--------|------------|-------------------|-----------------|--------------------------|--------------------------|-----------------|
| 1/3000 | 1 | 90 mm | Yellow | 300 mm     | 3000 kg           | 6000 kg         | 4200                     | 3000                     | 2400 kg         |
| 2/3000 | 2 | 90 mm | Yellow | 300 mm     | 3000 kg           | 6000 kg         | 4200                     | 3000                     | 2400 kg         |
| 3/3000 | 3 | 90 mm | Yellow | 300 mm     | 3000 kg           | 6000 kg         | 4200                     | 3000                     | 2400 kg         |
| 4/3000 | 4 | 90 mm | Yellow | 300 mm     | 3000 kg           | 6000 kg         | 4200                     | 3000                     | 2400 kg         |
| 5/3000 | 5 | 90 mm | Yellow | 300 mm     | 3000 kg           | 6000 kg         | 4200                     | 3000                     | 2400 kg         |
| 6/3000 | 6 | 90 mm | Yellow | 300 mm     | 3000 kg           | 6000 kg         | 4200                     | 3000                     | 2400 kg         |

**FTx-1000****POLYESTER ROUND SLINGS**

External sleeve security factor 7:1. EN 1492-2.

| Art.     | Ring | Colour | Vertical | Capacity basket | Basket capacity Ø 45° kg | Basket capacity Ø 60° kg | Capacity choker |
|----------|------|--------|----------|-----------------|--------------------------|--------------------------|-----------------|
| FT1/1000 | 1 m  | Purple | 1000 kg  | 2000 kg         | 1400                     | 1000                     | 800 kg          |
| FT2/1000 | 2 m  | Purple | 1000 kg  | 2000 kg         | 1400                     | 1000                     | 800 kg          |
| FT3/1000 | 3 m  | Purple | 1000 kg  | 2000 kg         | 1400                     | 1000                     | 800 kg          |
| FT4/1000 | 4 m  | Purple | 1000 kg  | 2000 kg         | 1400                     | 1000                     | 800 kg          |
| FT5/1000 | 5 m  | Purple | 1000 kg  | 2000 kg         | 1400                     | 1000                     | 800 kg          |
| FT6/1000 | 6 m  | Purple | 1000 kg  | 2000 kg         | 1400                     | 1000                     | 800 kg          |

**FTx-2000****POLYESTER ROUND SLINGS**

External sleeve security factor 7:1. EN 1492-2.

| Art.     | Ring | Colour | Vertical | Capacity basket | Basket capacity Ø 45° kg | Basket capacity Ø 60° kg | Capacity choker |
|----------|------|--------|----------|-----------------|--------------------------|--------------------------|-----------------|
| FT1/2000 | 1 m  | Green  | 2000 kg  | 4000 kg         | 2800                     | 2000                     | 1600 kg         |
| FT2/2000 | 2 m  | Green  | 2000 kg  | 4000 kg         | 2800                     | 2000                     | 1600 kg         |
| FT3/2000 | 3 m  | Green  | 2000 kg  | 4000 kg         | 2800                     | 2000                     | 1600 kg         |
| FT4/2000 | 4 m  | Green  | 2000 kg  | 4000 kg         | 2800                     | 2000                     | 1600 kg         |
| FT5/2000 | 5 m  | Green  | 2000 kg  | 4000 kg         | 2800                     | 2000                     | 1600 kg         |
| FT6/2000 | 6 m  | Green  | 2000 kg  | 4000 kg         | 2800                     | 2000                     | 1600 kg         |

**FTx-3000****POLYESTER ROUND SLINGS**

External sleeve security factor 7:1. EN 1492-2.

| Art.     | Ring | Colour | Vertical | Capacity basket | Basket capacity Ø 45° kg | Basket capacity Ø 60° kg | Capacity choker |
|----------|------|--------|----------|-----------------|--------------------------|--------------------------|-----------------|
| FT1/3000 | 1 m  | Yellow | 3000 kg  | 6000 kg         | 4200                     | 3000                     | 2400 kg         |
| FT2/3000 | 2 m  | Yellow | 3000 kg  | 6000 kg         | 4200                     | 3000                     | 2400 kg         |
| FT3/3000 | 3 m  | Yellow | 3000 kg  | 6000 kg         | 4200                     | 3000                     | 2400 kg         |
| FT4/3000 | 4 m  | Yellow | 3000 kg  | 6000 kg         | 4200                     | 3000                     | 2400 kg         |
| FT5/3000 | 5 m  | Yellow | 3000 kg  | 6000 kg         | 4200                     | 3000                     | 2400 kg         |
| FT6/3000 | 6 m  | Yellow | 3000 kg  | 6000 kg         | 4200                     | 3000                     | 2400 kg         |



**0791-****WIRE ROPE PULLING HOIST**

For pulling and lifting.



| Art.    | Max load | Cable           | Net weight |
|---------|----------|-----------------|------------|
| 0791/08 | 800 kg   | Ø 8,3 mm x 20 m | 11 kg      |
| 0791/16 | 1600 kg  | Ø 11 mm x 20 m  | 24 kg      |
| 0791/32 | 3200 kg  | Ø 16 mm x 20 m  | 50 kg      |

**0070/C****GEARED HAND WINCH**

Zinc-plated.



|                 |                 |
|-----------------|-----------------|
| Max load        | 500 kg          |
| Throat width    | 50 mm           |
| Max ø wheel     | 133 mm          |
| Min. ø wheel    | 40 mm           |
| Cable size      | Ø 4,5 mm x 10 m |
| Base dimensions | 140 x 90 mm     |

**0590****HAND OPERATED WINCH WITH BRAKE**

|              |        |
|--------------|--------|
| Max load     | 450 kg |
| Throat width | 49 mm  |
| Max ø wheel  | 110 mm |
| Min. ø wheel | 45 mm  |

Overall dimensions without handle 170 x 150 x 125 mm

**0066****DOUBLE RATCHET HAND PULLER**

|                |        |
|----------------|--------|
| Max load       | 800 kg |
| Cable diameter | Ø 5 mm |
| Max length     | 2 m    |
| Net weight     | 2,7 kg |

**0070****GEARED HAND WINCH**

Frame in galvanized steel. Ergonomic handle.



|                 |             |
|-----------------|-------------|
| Max load        | 500 kg      |
| Throat width    | 50 mm       |
| Max ø wheel     | 133 mm      |
| Min. ø wheel    | 40 mm       |
| Base dimensions | 140 x 90 mm |



**0028B****TRUCK PALLET WITH SCALE**

Not legal for trade, tare function powered by rechargeable battery, with polyurethane wheels.



|                 |               |
|-----------------|---------------|
| Capacity        | 2000 Kg       |
| Weight capacity | 2000 Kg       |
| Fork height     | 88 ÷ 200 mm   |
| Fork dimensions | 1150 x 570 mm |
| Reading         | 1 Kg          |
| Accuracy        | ± 2 kg        |
| Printer         | No            |
| Front wheel     | Double        |
| Net weight      | 93 Kg         |

NEW

**0028BS****TRUCK PALLET WITH SCALE AND PRINTER**

Not legal for trade, tare function powered by rechargeable battery, with polyurethane wheels.



|                 |               |
|-----------------|---------------|
| Capacity        | 2000 Kg       |
| Weight capacity | 2000 Kg       |
| Fork height     | 88 ÷ 200 mm   |
| Fork dimensions | 1150 x 568 mm |
| Reading         | 1 kg          |
| Accuracy        | ± 2 kg        |
| Printer         | Yes           |
| Front wheel     | Double        |
| Net weight      | 93,5 Kg       |

NEW

**0028R****LOWERED MANUAL PALLET TRUCK**

With polyurethane wheels.



|                       |               |
|-----------------------|---------------|
| Capacity              | 2500 kg       |
| Fork height           | 63 ÷ 165 mm   |
| Fork dimensions       | 1150 x 540 mm |
| Armor plate thickness | 3 mm          |
| Front wheel           | Double        |
| Net weight            | 68,5 kg       |

NEW PRICE

**0028****MANUAL TRUCK -PALLET**

With polyurethane wheels.



|                       |               |
|-----------------------|---------------|
| Capacity              | 2500 kg       |
| Fork height           | 85 ÷ 200 mm   |
| Fork dimensions       | 1150 x 540 mm |
| Armor plate thickness | 3 mm          |
| Front wheel           | Double        |
| Net weight            | 71,5 kg       |

**0028-XL****MANUAL TRUCK-PALLET LONG FORKS**

With polyurethane wheels.



| Art.      | Capacity | Fork height | Fork dimensions | Armor plate thickness | Front wheel | Net weight |
|-----------|----------|-------------|-----------------|-----------------------|-------------|------------|
| 0028/1500 | 2000 kg  | 85 ÷ 200 mm | 1500 x 540 mm   | 3 mm                  | Double      | 86 kg      |
| 0028/1800 | 2000 kg  | 85 ÷ 200 mm | 1800 x 540 mm   | 3 mm                  | Double      | 96 kg      |
| 0028/2000 | 2000 kg  | 85 ÷ 200 mm | 2000 x 540 mm   | 3 mm                  | Double      | 102 kg     |

**0064****MANUAL TRUCK -PALLET**

With polyurethane wheels.



|                       |              |
|-----------------------|--------------|
| Capacity              | 2500 kg      |
| Fork height           | 85 ÷ 200 mm  |
| Fork dimensions       | 900 x 540 mm |
| Armor plate thickness | 3 mm         |
| Front wheel           | Single       |
| Net weight            | 68,5 kg      |

**S2/800****HIGH LIFT TRUCK-PALLET**

Scissors.



|                 |               |
|-----------------|---------------|
| Capacity        | 1000 kg       |
| Fork height     | 85 ÷ 800 mm   |
| Fork dimensions | 1170 x 540 mm |
| Tire            | Polyurethane  |
| Front wheel     | Single        |
| Net weight      | 117 kg        |



**0782****PLATFORM STACKER WITH FORKS**

|                 |                       |
|-----------------|-----------------------|
| Capacity        | 400 kg                |
| Fork height     | 85 ÷ 1500 mm          |
| Fork dimensions | 545 x 650 mm          |
| Platform        | 576 x 650 mm          |
| Mobile wheels   | Ø 127 x 40 mm         |
| Fix wheels      | Ø 75 x 40 mm          |
| Tire            | Polyurethane          |
| Dimensions      | 1100 x 600 x 1725h mm |
| Net weight      | 95 kg                 |

**0143A****MANUAL STACKER**

With brake and lifting foot pedal.



|                 |                   |
|-----------------|-------------------|
| Capacity        | 1000 kg           |
| Fork height     | 90 ÷ 1600 mm      |
| Fork dimensions | 1150 x 550 mm     |
| Fork section    | 160 x 55 mm       |
| Upright height  | 2100 mm           |
| Tire            | Polyurethane      |
| Front wheel     | Double            |
| Dimensions      | 1690x910x2100h mm |
| Net weight      | 250 kg            |

**0143/25****MANUAL STACKER**

With double telescopic mast, brake and lifting pedal.



|                 |                       |
|-----------------|-----------------------|
| Capacity        | 1000 / 800 kg         |
| Fork height     | 75 ÷ 1600 ÷ 2500 mm   |
| Fork dimensions | 1150 x 550 mm         |
| Fork section    | 160 x 55 mm           |
| Upright height  | 1840 mm               |
| Tire            | Polyurethane          |
| Front wheel     | Double                |
| Dimensions      | 1670 x 920 x 1840h mm |
| Net weight      | 310 kg                |

**0654-xL****TRANSPORT TROLLEY**

With nylon wheels and hook for towing.



| Art.     | Capacity | Working height | Roller dimensions | Wheels | Table dimensions | Handle length | Handle swivel range | Dimensions    | Net weight |
|----------|----------|----------------|-------------------|--------|------------------|---------------|---------------------|---------------|------------|
| 0654/06L | 6 ton    | 110 mm         | 85 x 85 mm        | 8      | Ø 170 mm         | 1080 mm       | ± 90°               | 610 x 520 mm  | 41 kg      |
| 0654/09L | 9 ton    | 110 mm         | 85 x 85 mm        | 12     | Ø 170 mm         | 1080 mm       | ± 90°               | 840 x 583 mm  | 59 kg      |
| 0654/12L | 12 ton   | 110 mm         | 85 x 85 mm        | 16     | Ø 170 mm         | 1080 mm       | ± 90°               | 1030 x 620 mm | 80 kg      |

**0654-xF****TRANSPORT TROLLEY**


With nylon wheels.



| Art.     | Capacity | Working height | Roller dimensions | Wheels | Table dimensions | Lever bar length | Net weight |
|----------|----------|----------------|-------------------|--------|------------------|------------------|------------|
| 0654/06F | 6 ton    | 110 mm         | 85 x 85 mm        | 4      | 200 x 220 mm     | 640 ÷ 1030 mm    | 30 kg      |
| 0654/09F | 9 ton    | 110 mm         | 85 x 85 mm        | 6      | 200 x 320 mm     | 840 ÷ 1230 mm    | 43 kg      |
| 0654/12F | 12 ton   | 110 mm         | 85 x 85 mm        | 8      | 200 x 407 mm     | 1104 ÷ 1430 mm   | 52 kg      |

**C030-****SCRAP DUMPING CONTAINER EQUIPPED WITH WHEELS**

Additional colors and accessories available upon request.



| Art.      | Liters | A       | B       | C      | E      | F       | H      | I      | L       | Capacity | Wheels             | Net weight |
|-----------|--------|---------|---------|--------|--------|---------|--------|--------|---------|----------|--------------------|------------|
| C030/0300 | 300    | 1280 mm | 820 mm  | 395 mm | 530 mm | 650 mm  | 490 mm | 700 mm | 1010 mm | 600 kg   | Ø 125 mm x 165h mm | 95 kg      |
| C030/0500 | 500    | 1280 mm | 920 mm  | 600 mm | 750 mm | 915 mm  | 710 mm | 800 mm | 1010 mm | 1000 kg  | Ø 180 mm x 210h mm | 130 kg     |
| C030/0750 | 750    | 1280 mm | 1070 mm | 730 mm | 800 mm | 1035 mm | 830 mm | 800 mm | 1055 mm | 1350 kg  | Ø 180 mm x 210h mm | 150 kg     |
| C030/1000 | 1000   | 1510 mm | 1070 mm | 870 mm | 925 mm | 1220 mm | 975 mm | 800 mm | 1255 mm | 1700 kg  | Ø 200 mm x 245h mm | 182 kg     |
| C030/1350 | 1350   | 1510 mm | 1320 mm | 870 mm | 925 mm | 1220 mm | 975 mm | 800 mm | 1255 mm | 2000 kg  | Ø 200 mm x 245h mm | 205 kg     |

