




fervi.com   

 **FERVI**

48

THE CATALOGUE

THE CATALOGUE FOR
MRO PROFESSIONALS
(MAINTENANCE, REPAIR
AND OPERATIONS)





WRENCHES

- p. 410  Ratchets wrenches
- p. 411  Double open end wrenches
- p. 412  Combination spanners
- p. 414  Ring spanners
- p. 417  Tubular sockets
- p. 419  Hex keys
- p. 421  Tork keys
- p. 422  T-handle swivel
- p. 423  Filter wrenches
- p. 424  Torque wrenches



SOCKET WRENCHES AND SCREW EXTRACTORS

- p. 427  Quick-release ratchets
- p. 428  Sockets
- p. 442  Impact sockets
- p. 450  Screw extractors



SCREWDRIVERS AND HAND RIVETERS

- p. 451  Sockets screwdrivers
- p. 453  Screwdrivers
- p. 457  Precision screwdrivers
- p. 458  Hex bits
- p. 463  Hand riveters



PLIERS, HAMMERS, FILES AND CHISELS

- p. 464  Pliers
- p. 468  Grip pliers
- p. 469  Pipe wrenches
- p. 470  Hammers
- p. 473  Chisels
- p. 476  Files
- p. 478  Levers



UTILITY KNIVES, DEBURRING AND CUTTING TOOLS

- p. 479  Utility knives
- p. 481  Snaggers
- p. 483  Jigsaws arches
- p. 484  Scissors
- p. 485  Tube and bolt cutters



SETS AND FASTENINGS

- p. 487  Staplers and brad nailers
- p. 487  Sets




CONSTRUCTION AND PACKAGING

- p. 492  Guns for chemicals
- p. 493  Trowels and putty knives
- p. 494  Packaging material



TOOL KITS

- p. 495  Tool rolling cabinets with tools
- p. 501  Series of tools in trays
- p. 508  Tool boxes with tools

0690-
RATCHET FLEXIBLE HEAD COMBINATION SPANNER


Art.	Size	Length
0690/08	8 mm	150 mm
0690/09	9 mm	150 mm
0690/10	10 mm	160 mm
0690/11	11 mm	170 mm
0690/12	12 mm	170 mm
0690/13	13 mm	185 mm
0690/14	14 mm	205 mm
0690/15	15 mm	205 mm
0690/16	16 mm	230 mm
0690/17	17 mm	230 mm
0690/18	18 mm	250 mm
0690/19	19 mm	250 mm

0690/07P
RATCHET FLEXIBLE HEAD COMBINATION SPANNER SET

Sizes 8 - 10 - 11 - 13 - 15 - 17 - 19 mm

0690/12P
RATCHET FLEXIBLE HEAD COMBINATION SPANNER SET

Sizes 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm

0700-
RATCHET HEAD COMBINATION SPANNER


Art.	Size	Length
0700/08	8 mm	140 mm
0700/09	9 mm	150 mm
0700/10	10 mm	160 mm
0700/11	11 mm	165 mm
0700/12	12 mm	172 mm
0700/13	13 mm	180 mm
0700/14	14 mm	190 mm
0700/15	15 mm	220 mm
0700/16	16 mm	221 mm
0700/17	17 mm	225 mm
0700/18	18 mm	238 mm
0700/19	19 mm	248 mm

0700/07P
RATCHET COMBINATION SPANNER SET

Sizes 8 - 10 - 11 - 13 - 15 - 17 - 19 mm

0700/12P
RATCHET COMBINATION SPANNER SET

Sizes 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm



0201-

DOUBLE OPEN END MIRROR POLISH LONG PATTERN WRENCH



Cr-V



Chromed



3110

Art.	Size	Length
0201/06X07	6 x 7 mm	122 mm
0201/08X09	8 x 9 mm	140 mm
0201/10X11	10 x 11 mm	156 mm
0201/12X13	12 x 13 mm	172 mm
0201/14X15	14 x 15 mm	190 mm
0201/16X17	16 x 17 mm	190 mm
0201/18X19	18 x 19 mm	225 mm
0201/20X22	20 x 22 mm	235 mm
0201/21X23	21 x 23 mm	250 mm
0201/24X27	24 x 27 mm	265 mm

Art.	Size	Length
0201/25X28	25 x 28 mm	280 mm
0201/30X32	30 x 32 mm	300 mm
0201/32X36	32 x 36 mm	325 mm
0201/34X36	34 x 36 mm	325 mm
0201/35X38	35 x 38 mm	330 mm
0201/36X41	36 x 41 mm	360 mm
0201/41X46	41 x 46 mm	400 mm
0201/46X50	46 x 50 mm	450 mm
0201/50X55	50 x 55 mm	485 mm
0201/55X60	55 x 60 mm	520 mm

0200

DOUBLE OPEN END MIRROR POLISH LONG PATTERN WRENCH SET



8 Pcs



Hangable



Cr-V



Chromed



3110

Sizes 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm

0201

DOUBLE OPEN END MIRROR POLISH LONG PATTERN WRENCH SET



12 Pcs



Hangable



Cr-V




Chromed



3110

Sizes 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x27 - 25x28 - 30x32 mm

0208-
MIRROR POLISH LONG PATTERN COMBINATION SPANNER



Art.	Size	Length
0208/06	6 mm	100 mm
0208/07	7 mm	110 mm
0208/08	8 mm	120 mm
0208/09	9 mm	130 mm
0208/10	10 mm	140 mm
0208/11	11 mm	150 mm
0208/12	12 mm	160 mm
0208/13	13 mm	170 mm
0208/14	14 mm	180 mm
0208/15	15 mm	190 mm
0208/16	16 mm	200 mm
0208/17	17 mm	210 mm
0208/18	18 mm	220 mm
0208/19	19 mm	230 mm
0208/20	20 mm	240 mm
0208/21	21 mm	250 mm
0208/22	22 mm	260 mm
0208/23	23 mm	270 mm
0208/24	24 mm	280 mm
0208/25	25 mm	290 mm
0208/26	26 mm	300 mm
0208/27	27 mm	310 mm
0208/28	28 mm	320 mm
0208/30	30 mm	340 mm
0208/32	32 mm	360 mm
0208/34	34 mm	380 mm
0208/36	36 mm	400 mm
0208/38	38 mm	400 mm
0208/41	41 mm	440 mm
0208/46	46 mm	490 mm
0208/50	50 mm	530 mm

0199P-
MIRROR POLISH LONG PATTERN COMBINATION SPANNER


Inches.




Art.	Size	Length
0199P/1/4	1/4"	100 mm
0199P/5/16	5/16"	120 mm
0199P/3/8	3/8"	140 mm
0199P/7/16	7/16"	150 mm
0199P/1/2	1/2"	170 mm
0199P/9/16	9/16"	180 mm
0199P/5/8	5/8"	200 mm
0199P/11/16	11/16"	210 mm
0199P/3/4	3/4"	230 mm
0199P/13/16	13/16"	250 mm
0199P/7/8	7/8"	260 mm
0199P/15/16	15/16"	280 mm
0199P/1	1"	290 mm

0199
MIRROR POLISH LONG PATTERN COMBINATION SPANNER SET


Sizes 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 17 - 19 - 22 mm

0208
MIRROR POLISH LONG PATTERN COMBINATION SPANNER SET



Sizes 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 25 - 26 - 27 - 28 - 30 - 32 mm

0204
MIRROR POLISH LONG PATTERN COMBINATION SPANNER SET


Sizes 34 - 36 - 38 - 41 - 46 - 50 mm

0199P
MIRROR POLISH LONG PATTERN COMBINATION SPANNER SET

Inches.



Size 1/4" - 5/16" - 3/8" - 7/16" - 1/2" - 9/16" - 5/8" - 11/16" - 3/4" - 13/16" - 7/8" - 15/16" - 1"

**0222-****DOUBLE OPEN END WRENCH**

Cr-V



Satin



3110

Art.	Size	Length
0222/06X07	6 x 7 mm	122 mm
0222/08X09	8 x 9 mm	140 mm
0222/10X11	10 x 11 mm	155 mm
0222/12X13	12 x 13 mm	170 mm
0222/14X15	14 x 15 mm	190 mm
0222/16X17	16 x 17 mm	205 mm
0222/18X19	18 x 19 mm	220 mm
0222/20X22	20 x 22 mm	235 mm
0222/21X23	21 x 23 mm	250 mm
0222/24X27	24 x 27 mm	265 mm
0222/25X28	25 x 28 mm	280 mm
0222/30X32	30 x 32 mm	300 mm

0221**DOUBLE OPEN END WRENCH SET**

8 Pcs



Hangable

Cr-V



Chromed



3110


Sizes 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm
0222**DOUBLE OPEN END WRENCH SET**

12 Pcs



Hangable

Cr-V



Chromed



3110


Sizes 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x27 - 25x28 - 30x32 mm
0544**SET OF CHROME COMBINATION SPANNER WITH INCLINED HEAD**

25 Pcs



Box

Cr-V



Satin


Sizes 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-30-32 mm
0224-**COMBINATION SPANNER**

Cr-V



Satin



3113

Art.	Size	Length
0224/06	6 mm	100 mm
0224/07	7 mm	110 mm
0224/08	8 mm	120 mm
0224/09	9 mm	130 mm
0224/10	10 mm	140 mm
0224/11	11 mm	150 mm
0224/12	12 mm	160 mm
0224/13	13 mm	170 mm
0224/14	14 mm	180 mm
0224/15	15 mm	190 mm
0224/16	16 mm	200 mm
0224/17	17 mm	210 mm
0224/18	18 mm	220 mm
0224/19	19 mm	230 mm
0224/20	20 mm	240 mm
0224/21	21 mm	250 mm
0224/22	22 mm	260 mm
0224/23	23 mm	270 mm
0224/24	24 mm	280 mm
0224/25	25 mm	290 mm
0224/26	26 mm	300 mm
0224/27	27 mm	310 mm
0224/28	28 mm	320 mm
0224/30	30 mm	340 mm
0224/32	32 mm	360 mm
0224/34	34 mm	380 mm
0224/36	36 mm	400 mm

0073**COMBINATION SPANNER**

12 Pcs



Hangable

Cr-V



Chromed



3113


Sizes 6-7-8-9-10-11-12-13-14-17-19-22 mm
0223**COMBINATION SPANNER**

25 Pcs



Box

Cr-V



Chromed



3113


Sizes 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-30-32 mm

0476-
MIRROR POLISH RING SPANNERS


Hangable

Cr-V



Chromed



838



Art.	Size	Length
0476/06X07	6 x 7 mm	165 mm
0476/08X09	8 x 9 mm	180 mm
0476/10X11	10 x 11 mm	195 mm
0476/12X13	12 x 13 mm	215 mm
0476/14X15	14 x 15 mm	240 mm
0476/16X17	16 x 17 mm	260 mm
0476/18X19	18 x 19 mm	320 mm
0476/20X22	20 x 22 mm	320 mm
0476/21X23	21 x 23 mm	325 mm
0476/24X27	24 x 27 mm	335 mm
0476/25X28	25 x 28 mm	345 mm
0476/30X32	30 x 32 mm	360 mm

0477
MIRROR POLISH RING SPANNER SET


8 Pcs



Hangable



Cr-V



Chromed



838

Sizes 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm

0476
MIRROR POLISH RING SPANNER SET


12 Pcs



Hangable



Cr-V



Chromed



838

Sizes 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x27 - 25x28 - 30x32 mm

0895-
PERCUSSION OPEN WRENCHES


Cr-V



3113

Art.	Size	Length
0895/24	24 mm	160 mm
0895/27	27 mm	180 mm
0895/30	30 mm	195 mm
0895/32	32 mm	195 mm
0895/36	36 mm	215 mm
0895/38	38 mm	215 mm
0895/41	41 mm	235 mm
0895/46	46 mm	255 mm
0895/50	50 mm	280 mm
0895/55	55 mm	310 mm
0895/60	60 mm	320 mm
0895/65	65 mm	345 mm
0895/70	70 mm	370 mm

0896-
POLYGONAL PERCUSSION WRENCHES


Cr-V



7444

Art.	Size	Length
0896/24	24 mm	160 mm
0896/27	27 mm	180 mm
0896/30	30 mm	195 mm
0896/32	32 mm	195 mm
0896/36	36 mm	205 mm
0896/38	38 mm	215 mm
0896/41	41 mm	230 mm
0896/46	46 mm	240 mm
0896/50	50 mm	255 mm
0896/55	55 mm	270 mm
0896/60	60 mm	280 mm
0896/65	65 mm	300 mm
0896/70	70 mm	325 mm



0196-

STUBBY MIRROR POLISH COMBINATION SPANNERS



Cr-V



Chromed

Art.	Size	Length
0196/10	10 mm	95 mm
0196/11	11 mm	105 mm
0196/12	12 mm	105 mm
0196/13	13 mm	110 mm
0196/14	14 mm	115 mm
0196/15	15 mm	115 mm
0196/16	16 mm	125 mm
0196/17	17 mm	130 mm
0196/18	18 mm	140 mm
0196/19	19 mm	140 mm

0134-

FLAT POLYGONAL WRENCHES



Cr-V



Chromed



837

Art.	Size	Length
0134/06X07	6 x 7 mm	100 mm
0134/08X09	8 x 9 mm	115 mm
0134/10X11	10 x 11 mm	130 mm
0134/12X13	12 x 13 mm	145 mm
0134/14X15	14 x 15 mm	160 mm
0134/16X17	16 x 17 mm	170 mm
0134/18X19	18 x 19 mm	185 mm
0134/20X22	20 x 22 mm	205 mm

0196

STUBBY MIRROR POLISH COMBINATION SPANNER SET



10 Pcs



Hangable



Cr-V



Chromed

Sizes

10-11-12-13-14-15-16-17-18-19 mm

0134S

FLAT RING SPANNER SET



8 Pcs



Box



Cr-V



Chromed



837


Sizes

100 - 6x7 mm, 115 - 8x9 mm, 130 - 10x11 mm, 145 - 12x13 mm, 160 - 14x15 mm, 170 - 16x17 mm, 185 - 18x19 mm, 205 - 20x20 mm

0187

MULTILOCK COMBINATION SPANNER SET

Suitable for metric, inch, torx and XZN bolt.



8 Pcs



Hangable



Cr-V



Chromed



3113

Sizes

8 - 10 - 11 - 12 - 13 - 14 - 17 - 19 mm

Inch size

5/16" - 3/8" - 7/16" - 15/32"

1/2" - 9/16" - 11/16" - 3/4"

Torx size

E10 - E12 - E14 - E16 - E18 - E22 - E24

XZN size

M8 - M10 - M11 - M12

M13 - M14 - M17 - M19

0541S

FLARE NUT WRENCH SET

6 point from 8mm to 14mm, 12 point from 17mm to 22mm.



6 Pcs



Box



Cr-V




Chromed




3118

Sizes

140 - 8x10 mm, 150 - 9x11 mm, 175 - 11x13 mm, 175 - 12x14 mm, 210 - 17x19 mm, 220 - 19x22 mm

0614-
HALF MOON RING SPANNERS


Art.	Size
0614/08X10	8 x 10 mm
0614/10X12	10 x 12 mm
0614/11X13	11 x 13 mm
0614/13X15	13 x 15 mm
0614/14X17	14 x 17 mm
0614/16X18	16 x 18 mm
0614/19X22	19 x 22 mm

0084-
ADJUSTABLE WRENCHES



Art.	Size	Opening
0084/150	6"-150 mm	20 mm
0084/250	10"-250 mm	30 mm
0084/375	15"-375 mm	48 mm

0614
SET OF HALF MOON RING SPANNERS


Sizes 8x10 - 10x12 - 11x13 - 13x15 - 14x17 - 16x18 - 19x22 mm

0714
HOOK WRENCHES SET


Model 35+120
Sizes 35+60 60+90 90+120

0266
GAS SPANNER


Size 25 mm

0340S
DOUBLE HEAD SOCKET WRENCH SET

Ideal for loosen and tighten nuts and bolts located in positions hard to get.



Sizes 8x9-10x11-12x13-14x15-16x17-18x19 mm

**0393-****DOUBLE ENDED HEXAGON/BI-HEX SOCKET WRENCHES**

Hangable



Cr-V



Chromed

Art.	Size	Length
0393/06	6 mm	100 mm
0393/07	7 mm	105 mm
0393/08	8 mm	115 mm
0393/09	9 mm	120 mm
0393/10	10 mm	130 mm
0393/11	11 mm	135 mm
0393/12	12 mm	145 mm
0393/13	13 mm	150 mm
0393/14	14 mm	160 mm
0393/15	15 mm	170 mm
0393/16	16 mm	180 mm
0393/17	17 mm	185 mm
0393/18	18 mm	200 mm
0393/19	19 mm	200 mm
0393/20	20 mm	210 mm
0393/21	21 mm	220 mm
0393/22	22 mm	230 mm

0442-**HEXAGONAL TUBULAR SOCKET WRENCHES**

Mirror polish with hexagonal body.



Cr-V



Chromed



899

Art.	Size	Length
0442/06X07	6 x 7 mm	105 mm
0442/08X09	8 x 9 mm	110 mm
0442/10X11	10 x 11 mm	120 mm
0442/12X13	12 x 13 mm	140 mm
0442/14X15	14 x 15 mm	145 mm
0442/16X17	16 x 17 mm	155 mm
0442/18X19	18 x 19 mm	165 mm
0442/20X22	20 x 22 mm	170 mm

0393/A**DOUBLE ENDED HEXAGON/BI-HEX SOCKET WRENCHES SET**

10 Pcs



Hangable



Cr-V



Chromed

Sizes 6-7-8-10-11-12-13-14-17-19 mm
0393**DOUBLE ENDED HEXAGON/BI-HEX SOCKET WRENCHES**

13 Pcs



Carrying case



Cr-V


Sizes 6 - 7 - 8 - 10 - 11 - 12 - 13 - 14 - 17 - 19 - 22 mm
0442**HEXAGONAL TUBULAR SOCKET WRENCH SET**

Mirror polish with hexagonal body.



8 Pcs



Box



Cr-V



Chromed



899

Sizes 105 - 6x7 mm, 110 - 8x9 mm, 120 - 10x11 mm, 140 - 12x13 mm, 145 - 14x15 mm, 155 - 16x17 mm, 165 - 18x19 mm, 170 - 20x22 mm

0540-
HEXAGONAL TUBULAR SOCKET WRENCH

Light model.



Steel

Satin

Art.	Size	Length
0540/06X07	6 x 7 mm	110 mm
0540/08X09	8 x 9 mm	120 mm
0540/10X11	10 x 11 mm	125 mm
0540/12X13	12 x 13 mm	135 mm
0540/14X15	14 x 15 mm	135 mm
0540/16X17	16 x 17 mm	150 mm
0540/18X19	18 x 19 mm	160 mm
0540/20X22	20 x 22 mm	170 mm

0540/3
TOMMY BAR

3 step.




Steel

Chromed

Length	165 mm
Ø	9,5 - 7,5 - 6 mm

0540S
HEXAGONAL TUBULAR SOCKET WRENCH SET

Light model, with tommy bar.



Sizes 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm

0771
4-WAY MULTI-PURPOSE WRENCH

Multifunction wrench for electrical, plumbing, ventilation and gas maintenance.


0767
8-WAY MULTI-PURPOSE WRENCH


Multifunction wrench for electrical, plumbing, ventilation and gas maintenance.





0090-

MALE HEX KEY SET



Cr-V



Galvanized



911

Art.	L1	L2	Pack
0090/015	45 mm	15 mm	10
0090/02	50 mm	16 mm	10
0090/025	56 mm	18 mm	10
0090/03	63 mm	19 mm	10
0090/04	70 mm	25 mm	10
0090/05	72 mm	25 mm	10
0090/06	90 mm	30 mm	10
0090/08	103 mm	38 mm	5
0090/10	110 mm	38 mm	5
0090/12	115 mm	44 mm	5
0090/14	210 mm	54 mm	5
0090/17	145 mm	59 mm	5
0090/19	166 mm	65 mm	5

0545/EF

BALL POINT COLORED HEX KEY SERIES



9 Pcs



Blister



Mo-V



911

Sizes 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm

0558/EM

HEX KEY SET WITH DIAMOND TIP

The diamond tip allows a perfect grip, avoiding to ruin the head of the screw. This type of tip is also very effective with already ruined screws.



8 Pcs



Hangable



Diamond coated




2936



Sizes 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 mm

0090

HEX KEY SET



10 Pcs



Hangable



Steel

Sizes 1,5 - 2 - 2,5 - 3 - 3,5 - 4 - 5 - 6 - 8 - 10 mm

0269

HEX KEY SET



9 Pcs



Hangable



Cr-V



911

Sizes 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm

0215X

BALL POINT HEX KEY SET , LONG TYPE



9 Pcs



Blister



Satin



Art.

Size

0215 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm

0215P 1/16" - 5/64" - 3/32" - 1/8" - 5/32" - 3/16" - 1/4" - 5/16" - 3/8"

0558/EP

HEX KEY SET WITH DIAMOND TIP

The diamond tip allows a perfect grip, avoiding to ruin the head of the screw. This type of tip is also very effective with already ruined screws.



9 Pcs



Hangable



Diamond coated



2936



Sizes 5/64" - 3/32" - 7/64" - 1/8" - 9/64" - 5/32" - 3/16" - 7/32" - 1/4"

0558/GE
HEX KEY SET

With ph and slot screwdriver head, with multipurpose handle that can be used as a t-handle or as a key extension.



8 Pcs



Blister



Cr-V



Sizes	2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
Cross screwdriver	PH0 (3mm) - PH1 (4mm) - PH2 (5mm)
Slotted screwdriver	6mm

0400
MALE "T" HANDLE HEX WRENCH SET

With sliding bar making them versatile for use in difficult situations and under extreme conditions.



7 Pcs



Box




Cr-V



Chromed



2936



Sizes	2 - 3 - 4 - 5 - 6 - 8 - 10 mm
-------	-------------------------------

0400-
MALE "T" HANDLE HEX WRENCHES

With sliding bar making it versatile for use in difficult situations and under extreme conditions.



Cr-V



Chromed



2936



Art.	Size	Dimensions
0400/02	2 mm	125 x 65 mm
0400/025	2,5 mm	125 x 65 mm
0400/03	3 mm	125 x 65 mm
0400/035	3,5 mm	125 x 65 mm
0400/04	4 mm	180 x 90 mm
0400/045	4,5 mm	180 x 90 mm
0400/05	5 mm	180 x 90 mm
0400/06	6 mm	210 x 105 mm
0400/07	7 mm	250 x 105 mm
0400/08	8 mm	250 x 125 mm
0400/09	9 mm	300 x 145 mm
0400/10	10 mm	300 x 145 mm
0400/12	12 mm	320 x 165 mm
0400/14	14 mm	340 x 170 mm

C856-
BALL POINT TWO WAY HEX KEY WITH PLASTIC HANDLE


Cr-V



Phosphated



2936

Art.	Size	Lenght
C856/02.5	2,5 mm	175 mm
C856/03	3 mm	175 mm
C856/04	4 mm	175 mm
C856/05	5 mm	175 mm
C856/06	6 mm	175 mm
C856/08	8 mm	170 mm
C856/10	10 mm	170 mm

0190
3-WAY SPEEDY HEX KEY WRENCH SET

Hexagon keys made of brushed aluminium and high-strength Cr-V steel, perfect for hexagon socket screws. Practical "speedy" swivel handle for a firmer grip and greater ease and quick handling.



7 Pcs



Box



Cr-V



Chromed

Sizes	2 - 3 - 4 - 5 - 6 - 8 - 10 mm
-------	-------------------------------

0220
TORX KEY SET LONG TYPE

With tamper resistant head (hole).



9 Pcs



Blister



Cr-V



Satin



911

Sizes	T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50
-------	---

**0220/C****TORX KEY SET SHORT TYPE**

With tamper resistant head (hole).




Sizes T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50

**0545/TF****COLORED TORX KEY SERIES**

Sizes T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50

**0558/TX****TORX KEY SET WITH DIAMOND TIP**


The diamond tip allows a perfect grip, avoiding to ruin the head of the screw. This type of tip is also very effective with already ruined screws.




Sizes T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40

**0405****MALE "T" HANDLE TORX WRENCH SET**

With sliding bar making them versatile for use in difficult situations and under extreme conditions.




Sizes T8 - T9 - T10 - T15 - T20 - T25 - T30

**C855-****TWO WAY TORX KEY WITH PLASTIC HANDLE**

Art.	Size	Length
C855/T10	T10	175 mm
C855/T15	T15	175 mm
C855/T20	T20	175 mm
C855/T25	T25	175 mm
C855/T27	T27	175 mm
C855/T30	T30	175 mm
C855/T40	T40	170 mm
C855/T50	T50	170 mm

**0405-****MALE "T" HANDLE TORX WRENCH**

With sliding bar making it versatile for use in difficult situations and under extreme conditions.



Art.	Size	Length
0405/T06	T06	125 mm
0405/T07	T07	125 mm
0405/T08	T08	125 mm
0405/T09	T09	125 mm
0405/T10	T10	125 mm
0405/T15	T15	125 mm
0405/T20	T20	125 mm
0405/T25	T25	180 mm
0405/T27	T27	180 mm
0405/T30	T30	180 mm
0405/T40	T40	210 mm
0405/T45	T45	210 mm
0405/T50	T50	210 mm



0190T
3-WAY "SPEEDY" TORX KEY WRENCH SET

Torx keys made of brushed aluminium and high-strength Cr-V steel, perfect for torx socket screws. Practical "speedy" swivel handle for a firmer grip and greater ease and quick handling.



Sizes T10 - T15 - T20 - T25 - T27 - T30 - T40

0359-
T-HANDLE SPARK PLUG SOCKET WRENCH


Art.	Size	Length
0359/14L	14 mm	530 mm
0359/16L	16 mm	530 mm
0359/21L	20,8 mm	530 mm
0359/16	16 mm	275 mm

C395-
T HANDLE MAGNETIC SWIVEL HEX SOCKET


Art.	Size	Length
C395/06	6 mm	390 mm
C395/07	7 mm	390 mm
C395/08	8 mm	390 mm
C395/09	9 mm	390 mm
C395/10	10 mm	500 mm
C395/11	11 mm	500 mm
C395/12	12 mm	500 mm
C395/13	13 mm	500 mm
C395/14	14 mm	500 mm
C395/15	15 mm	500 mm
C395/16	16 mm	500 mm
C395/17	17 mm	500 mm
C395/18	18 mm	500 mm
C395/19	19 mm	500 mm

C245-
T-HANDLE DEEP SOCKET WRENCHES


Art.	Size	Length
C245/06	6 mm	320 mm
C245/07	7 mm	320 mm
C245/08	8 mm	320 mm
C245/09	9 mm	320 mm
C245/10	10 mm	320 mm
C245/11	11 mm	320 mm
C245/12	12 mm	320 mm
C245/13	13 mm	320 mm
C245/14	14 mm	320 mm
C245/17	17 mm	320 mm
C245/19	19 mm	320 mm

C391-
T-HANDLE SWIVEL HEX SOCKET

Heavy duty.




Art.	Size	Length
C391/06	6 mm	395 mm
C391/07	7 mm	395 mm
C391/08	8 mm	395 mm
C391/09	9 mm	400 mm
C391/10	10 mm	400 mm
C391/11	11 mm	400 mm
C391/12	12 mm	400 mm
C391/13	13 mm	432 mm
C391/14	14 mm	432 mm
C391/15	15 mm	450 mm
C391/16	16 mm	450 mm
C391/17	17 mm	450 mm
C391/18	18 mm	450 mm
C391/19	19 mm	500 mm

**0352-****BELT OIL FILTER WRENCH**


Art.	Filter maximum diameter	Belt
0352/01	180 mm	610 mm
0352/02	220 mm	800 mm

0357-**OIL FILTER STEEL BELT WRENCH**

Art.	Filter maximum diameter	Belt
0357/01	70 mm	180 mm
0357/02	120 mm	200 mm

0076**TAPE OIL FILTER WRENCH**

Filter maximum diameter	Belt
100 mm	195 mm

0077**OIL FILTER CHAIN WRENCH**

Filter maximum diameter	Belt
110 mm	380 mm

0018/15**OIL FILTER WRENCH SET**

Useful for the removal of oil filters for many vehicles. An adapter with 3/8" male and 1/2" female drives is included in the set.




Sizes (ø mm - sides)	65 mm - 14, 65/67 mm - 14, 68 mm - 14, 74 mm - 15, 74/76 mm - 15, 75/77 mm - 15, 76 mm - 14, 76 mm - 30, 80 mm - 15, 80/82 mm
Adapter drive	1/2" (F) 3/8" (M)

0018/30**OIL FILTER WRENCH SET**

Useful for the removal of oil filters for many vehicles. An adapter with 3/8" male and 1/2" female drives and a 3-jaw wrench are included in the set.



Sizes (ø mm - sides)	65 mm - 14, 65/67 mm - 14, 66 mm - 6, 68 mm - 14, 73 mm - 14, 74 mm - 15, 74/76 mm - 15, 75/77 mm - 15, 76 mm - 8, 76 mm - 12, 76 mm - 14, 76 mm - 30, 78 mm - 15, 80 mm - 15, 80/82 mm - 15, 86 mm - 16, 86 mm - 18, 90 mm - 15, 92 mm - 10, 93 mm - 15, 93 mm - 36, 93 mm
Adapter drive	1/2" (F) 3/8" (M)
3 - Jaw wrench	65 ÷ 120 mm

0080**CROSS RIM WRENCH**

Sizes	Dimensions
17 - 19 - 21 mm	381 x 16 mm

0426-**CROSS RIM WRENCH**


For trucks, with fixed hex sockets.



Art.	Sizes	Dimensions
0426/30	24 - 27 - 30 mm	550 x 20 mm
0426/32	24 - 27 - 32 mm	700 x 22 mm

0806/200
ELECTRONIC DIGITAL TORQUE - ANGLE WRENCH

It allows cw and ccw operation and a led and buzzer diagnostic of torque/angle status.



MEASURE UNITS:	Nm / kgf-cm / lbf-ft / lbf-in
Capacity	20 ÷ 200 Nm
Reading	0,1 Nm
Accuracy	± 2%, 10% @ 200 Nm
Angle range	0 ÷ 360°

Angle accuracy	±1%
Operation mode	Peak / Track
Torque memories - Angle	5
Length	605 mm
Battery	4x 1,5 V AAA

0809-
ELECTRONIC DIGITAL TORQUE WRENCH

It allows cw and ccw operation and a led and buzzer diagnostic of torque status.



Art.	MEASURE UNITS:	Capacity	Reading	Accuracy	Operation mode	Memory	Dr.	Length	Battery
0809/030	Nm / kgf-m / lbf-ft / lbf-in	6 ÷ 30 Nm	0,01 Nm	± 4%	Peak / Track	50	1/4"	200 mm	2 x 3 V CR2032
0809/080	Nm / kgf-m / lbf-ft / lbf-in	16 ÷ 80 Nm	0,1 Nm	± 3%	Peak / Track	50	3/8"	230 mm	2 x 3 V CR2032
0809/100	Nm / kgf-m / lbf-ft / lbf-in	20 ÷ 100 Nm	0,1 Nm	± 2%	Peak / Track	50	1/2"	275 mm	2 x 3 V CR2032

0806/020
DIGITAL TORQUE SCREWDRIVER


ISO 6789-2017, clockwise and anticlockwise tightening, sound and vibration diagnostics of the preset torque reached.



MEASURE UNITS:	Nm / lbft / lbin
Capacity	0 ÷ 20 Nm
Reading	0,01 Nm
Accuracy	± 2%
Operation mode	Peak / Track
Auto power off	5 min.
Length	175 mm
Battery	2 x 1,5 V AAA
Working temperature	0 °C - 40 °C
Storage temperature	-5 °C - 45 °C

0268A
DIGITAL TORQUE METER

Twist monitoring tool. Applied to a ratchet wrench it can be used as a torque wrench. Backlit LCD screen, Peak and Trace operating mode. Auto power off function.



Operation mode	Peak/track
MEASURE UNITS:	Nm/kgm/kgcm/lbft/lbin
Capacity	40 ÷ 200 Nm
Reading	0,1 Nm
Memory	50
Accuracy	± 2%
Dimensions	75 x 44mm
Battery	1 x 3 V CR2032
Working temperature	-10°C-60 °C (14°F-139.9 °F)
Storage temperature	-20°C -70°C (-4 °F-157.9°F)



0774-

NEW

TORQUE WRENCH



Carrying case



Chromed



45 teeth

Art.	Shank	Capacity	Reading	Teeth	Length
0774/110	3/8"	19 ÷ 110 Nm	0,5 Nm	45	370 mm
0774/210	1/2" - 3/8"	28 ÷ 210 Nm	0,5 Nm	45	470 mm

0779-

NEW

TORQUE WRENCH

With spring selector.



Carrying case



72 teeth

Art.	Shank	Capacity	Reading	Accuracy	Teeth	Length
0779/025	1/4"	5 ÷ 25 Nm	0,2 Nm	± 3%	72	240 mm
0779/050	3/8"	10 ÷ 50 Nm	0,5 Nm	± 3%	72	250 mm
0779/100	3/8"	20 ÷ 100 Nm	1 Nm	± 3%	72	410 mm
0779/210	1/2"	40 ÷ 210 Nm	1 Nm	± 3%	72	510 mm
0779/300	1/2"	60 ÷ 300 Nm	2,5 Nm	± 3%	72	550 mm

0778-

NEW

TORQUE WRENCH

With double reading window.



Carrying case



Chromed



72 teeth

Art.	Shank	Capacity	Reading	Accuracy	Teeth	Length
0778/025	1/4"	5 ÷ 25 Nm	0,2 Nm	± 3%	72	250 mm
0778/050	3/8"	10 ÷ 50 Nm	0,5 Nm	± 3%	72	310 mm
0778/100	3/8"	20 ÷ 100 Nm	0,5 Nm	± 3%	72	420 mm
0778/210	1/2"	40 ÷ 210 Nm	1 Nm	± 3%	72	500 mm
0778/300	1/2"	60 ÷ 300 Nm	1 Nm	± 3%	72	550 mm

0779/S120
NEW
TORQUE WRENCH SET

Equipped with a reversible ratchet and interchangeable fork heads, ideal for precision work in confined spaces.



7 Pcs



Carrying case



72 teeth



Spanner head	17 - 22 - 24 - 26 - 27 - 30 mm
Spanners shank	14 x 18 mm
Ratchet head	3/8"
Capacity	20 ÷ 120 Nm
Reading	1 Nm
Accuracy	± 3%
Teeth	72
Length	390 mm

0779/S210
NEW
TORQUE WRENCH SET

Equipped with a reversible ratchet and interchangeable fork heads, ideal for precision work in confined spaces.



10 Pcs



Carrying case



72 teeth



Spanner head	13-14-15-17-19-22-24-27-30 mm
Spanners shank	14 x 18 mm
Ratchet head	1/2"
Capacity	40 ÷ 210 Nm
Reading	1 Nm
Accuracy	± 3%
Teeth	72
Length	480 mm

0329
TORQUE MULTIPLIER

Labor saving wheel wrench.



7 Pcs



Carrying case



3113



1"



1" Dr. sockets	32 - 33 mm
Ratio	1:60
Maximum torque	3200 Nm
Operating torque	1200 Nm
Net weight	7,5 kg

0360
TORQUE MULTIPLIER

Labor saving wheel wrench, supplied in plastic case.



7 Pcs



Carrying case



3113



1"



1" Dr. sockets	32 - 33 mm
Ratio	1:56
Maximum torque	3000 Nm
Operating torque	1000 Nm
Net weight	7 kg





CN450N0/0

3 IN 1 QUICK CHANGE DRIVE RATCHET HANDLE



4 Pcs



Hangable



Cr-V



Cr-Mo



Chromed



72 teeth

Length	230 mm
Shank	1/2" - 3/8" - 1/4"
Teeth	72

G090-

ERGONOMIC RATCHET HANDLE



Hangable



Cr-V



Cr-Mo



Chromed



90 teeth

Art.	Length	Dr.
G090/1/4	145 mm	1/4"
G090/3/8	195 mm	3/8"
G090/1/2	265 mm	1/2"

0494-

MIRROR POLISHED ERGONOMIC RATCHET HANDLE



Hangable



Cr-V



Cr-Mo



Chromed



72 teeth

Art.	Length	Dr.
0494/1/4	165 mm	1/4"
0494/3/8	215 mm	3/8"
0494/1/2	276 mm	1/2"

CN450NX

ERGONOMIC RATCHET HANDLE



Hangable



Cr-V



Cr-Mo



Chromed



72 teeth

Art.	Length	Dr.
CN450N1/4A	150 mm	1/4"
CN450N3/8A	205 mm	3/8"
CN450N1/2A	250 mm	1/2"

0439-

ERGONOMIC RATCHET HANDLE



Hangable



Cr-V



Cr-Mo



72 teeth

Art.	Dr.	Length	Teeth
0439/1/4	1/4"	155 mm	72
0439/3/8	3/8"	200 mm	72
0439/1/2	1/2"	260 mm	72

0173

1/4" DR. SPINNER HANDLE

Made to being used also as an extension.



Hangable



Cr-V



Chromed



1/4"



1/4"

BN4E5NX
STANDARD 6 POINT HAND SOCKET


Hangable



Cr-V




Chromed



3124



1/4"



Art.	Size	D1	D2	Length
BN4E5N004A	4 mm	6,8 mm	12 mm	25 mm
BN4E5N0045A	4,5 mm	7,2 mm	12 mm	25 mm
BN4E5N005A	5 mm	7,8 mm	12 mm	25 mm
BN4E5N0055A	5,5 mm	8,4 mm	12 mm	25 mm
BN4E5N006A	6 mm	9,3 mm	12 mm	25 mm
BN4E5N007A	7 mm	10,8 mm	12 mm	25 mm
BN4E5N008A	8 mm	12 mm	11 mm	25 mm
BN4E5N009A	9 mm	13 mm	12 mm	25 mm
BN4E5N010A	10 mm	14,6 mm	12 mm	25 mm
BN4E5N011A	11 mm	16 mm	12,5 mm	25 mm
BN4E5N012A	12 mm	17 mm	13,5 mm	25 mm
BN4E5N013A	13 mm	18 mm	13,5 mm	25 mm
BN4E5N014A	14 mm	19 mm	14,5 mm	25 mm

BN4E5LX
DEEP 6 POINT HAND SOCKET


Hangable



Cr-V



Chromed



3124



1/4"



Art.	Size	D1	D2	Length
BN4E5L004A	4 mm	6,8 mm	12 mm	50 mm
BN4E5L0045A	4,5 mm	7,2 mm	12 mm	50 mm
BN4E5L005A	5 mm	7,8 mm	12 mm	50 mm
BN4E5L0055A	5,5 mm	8,4 mm	12 mm	50 mm
BN4E5L006A	6 mm	9,3 mm	12 mm	50 mm
BN4E5L007A	7 mm	10,8 mm	12 mm	50 mm
BN4E5L008A	8 mm	12 mm	11 mm	50 mm
BN4E5L009A	9 mm	13 mm	12 mm	50 mm
BN4E5L010A	10 mm	14,6 mm	12 mm	50 mm
BN4E5L011A	11 mm	16 mm	13 mm	50 mm
BN4E5L012A	12 mm	17 mm	13 mm	50 mm
BN4E5L013A	13 mm	18 mm	13 mm	50 mm
BN4E5L014A	14 mm	19 mm	14,5 mm	50 mm

BN4P5NX
STANDARD 12 POINT HAND SOCKET


Hangable



Cr-V




Chromed



1/4"



3124



Art.	Size	D1	D2	Length
BN4P5N004A	4 mm	6,8 mm	12 mm	25 mm
BN4P5N005A	5 mm	7,8 mm	12 mm	25 mm
BN4P5N0055A	5,5 mm	8,4 mm	12 mm	25 mm
BN4P5N006A	6 mm	9,3 mm	12 mm	25 mm
BN4P5N007A	7 mm	10,8 mm	12 mm	25 mm
BN4P5N008A	8 mm	12 mm	11 mm	25 mm
BN4P5N009A	9 mm	13 mm	12 mm	25 mm
BN4P5N010A	10 mm	14,6 mm	12 mm	25 mm
BN4P5N011A	11 mm	16 mm	12,5 mm	25 mm
BN4P5N012A	12 mm	17 mm	13,5 mm	25 mm
BN4P5N013A	13 mm	18 mm	13,5 mm	25 mm
BN4P5N014A	14 mm	19 mm	14,5 mm	25 mm

BN415NX
HEX BIT SOCKET


Hangable



Cr-V



Chromed




1/4"

Art.	Size	D2	Length
BN415N003A	3 mm	12 mm	37 mm
BN415N004A	4 mm	12 mm	37 mm
BN415N005A	5 mm	12 mm	37 mm
BN415N006A	6 mm	12 mm	37 mm
BN415N008A	8 mm	12 mm	37 mm



BN425NX

TORX BIT SOCKET



Hangable



Chromed




1/4"

Art.	Size	D2	Length
BN425N008A	T8	12 mm	37 mm
BN425N009A	T9	12 mm	37 mm
BN425N010A	T10	12 mm	37 mm
BN425N015A	T15	12 mm	37 mm
BN425N020A	T20	12 mm	37 mm
BN425N025A	T25	12 mm	37 mm
BN425N027A	T27	12 mm	37 mm
BN425N030A	T30	12 mm	37 mm
BN425N040A	T40	12 mm	37 mm

BN445NX

XZN BIT SOCKET



Hangable



Chromed



1/4"

Art.	Size	D2	Length
BN445N004A	M 4	15 mm	37 mm
BN445N005A	M 5	15 mm	37 mm
BN445N006A	M 6	15 mm	37 mm
BN445N008A	M 8	15 mm	37 mm
BN445N009A	M 9	15 mm	37 mm
BN445N010A	M 10	15 mm	37 mm

RN4054NA

ADAPTER



Hangable



1/4"



1/4"



Length	26 mm
--------	-------

JN405NA

UNIVERSAL JOINT



Hangable



1/4"



1/4"



Length	38 mm
--------	-------

PN405NX

EXTENSION BAR



Hangable



1/4"



Chromed



1/4"



1/4"



Art.	Length
PN405N050A	50 mm
PN405N075A	75 mm
PN405N150A	150 mm

EN405NX

WOBBLE EXTENSION BAR



Hangable



1/4"



Chromed



1/4"



1/4"



Art.	Length
EN405N050A	50 mm
EN405N075A	75 mm
EN405N150A	150 mm

LN400N1/4A

SLIDING T BAR




Hangable





1/4"

Length	115 mm
--------	--------




BN4E4NX
STANDARD 6 POINT HAND SOCKET


Art.	Size	D1	D2	Length
BN4E4N006A	6 mm	9,3 mm	17 mm	28 mm
BN4E4N007A	7 mm	10,6 mm	17 mm	28 mm
BN4E4N008A	8 mm	11,8 mm	17 mm	28 mm
BN4E4N009A	9 mm	13,2 mm	17 mm	28 mm
BN4E4N010A	10 mm	14,5 mm	17 mm	28 mm
BN4E4N011A	11 mm	15,7 mm	17 mm	28 mm
BN4E4N012A	12 mm	17 mm	16,4 mm	28 mm
BN4E4N013A	13 mm	18 mm	17 mm	28 mm
BN4E4N014A	14 mm	20 mm	17 mm	28 mm
BN4E4N015A	15 mm	20,9 mm	18 mm	28 mm
BN4E4N016A	16 mm	22 mm	18 mm	28 mm
BN4E4N017A	17 mm	24 mm	18 mm	30 mm
BN4E4N018A	18 mm	26 mm	18 mm	30 mm
BN4E4N019A	19 mm	26 mm	20 mm	30 mm
BN4E4N020A	20 mm	27,1 mm	20 mm	30 mm
BN4E4N021A	21 mm	28 mm	20 mm	30 mm
BN4E4N022A	22 mm	30 mm	20 mm	32 mm

BN4P4NX
STANDARD 12 POINT HAND SOCKET


Art.	Size	D1	D2	Length
BN4P4N006A	6 mm	9,3 mm	17 mm	28 mm
BN4P4N007A	7 mm	10,6 mm	17 mm	28 mm
BN4P4N008A	8 mm	11,8 mm	17 mm	28 mm
BN4P4N009A	9 mm	13,2 mm	17 mm	28 mm
BN4P4N010A	10 mm	14,5 mm	17 mm	28 mm
BN4P4N011A	11 mm	15,7 mm	17 mm	28 mm
BN4P4N012A	12 mm	17 mm	16,4 mm	28 mm
BN4P4N013A	13 mm	18 mm	17 mm	28 mm
BN4P4N014A	14 mm	20 mm	17 mm	28 mm
BN4P4N015A	15 mm	20,9 mm	18 mm	28 mm
BN4P4N016A	16 mm	22 mm	18 mm	28 mm
BN4P4N017A	17 mm	24 mm	18 mm	30 mm
BN4P4N018A	18 mm	26 mm	18 mm	30 mm
BN4P4N019A	19 mm	26 mm	20 mm	30 mm
BN4P4N020A	20 mm	28 mm	20 mm	30 mm
BN4P4N021A	21 mm	28 mm	20 mm	30 mm
BN4P4N022A	22 mm	30 mm	20 mm	32 mm

BN4E4LX
DEEP 6 POINT HAND SOCKET


Art.	Size	D1	D2	Length
BN4E4L006A	6 mm	9,3 mm	17 mm	63 mm
BN4E4L007A	7 mm	10,6 mm	17 mm	62 mm
BN4E4L008A	8 mm	11,8 mm	17 mm	63 mm
BN4E4L009A	9 mm	13,2 mm	17 mm	63 mm
BN4E4L010A	10 mm	14,5 mm	17 mm	63 mm
BN4E4L011A	11 mm	15,7 mm	17 mm	63 mm
BN4E4L012A	12 mm	17 mm	16,4 mm	63 mm
BN4E4L013A	13 mm	18 mm	17 mm	63 mm
BN4E4L014A	14 mm	19,6 mm	17 mm	63 mm
BN4E4L015A	15 mm	20,9 mm	18 mm	63 mm
BN4E4L016A	16 mm	22 mm	18 mm	63 mm
BN4E4L017A	17 mm	23,4 mm	18 mm	63 mm
BN4E4L018A	18 mm	24,6 mm	20 mm	63 mm
BN4E4L019A	19 mm	26 mm	20 mm	63 mm
BN4E4L020A	20 mm	27,1 mm	20 mm	63 mm
BN4E4L021A	21 mm	28 mm	20 mm	63 mm
BN4E4L022A	22 mm	30 mm	20 mm	63 mm





BN414NX

HEX BIT SOCKET



Hangable



Cr-V



Chromed



3/8"



Art.	Size	D2	Length
BN414N003A	3 mm	18 mm	48 mm
BN414N004A	4 mm	18 mm	48 mm
BN414N005A	5 mm	18 mm	48 mm
BN414N006A	6 mm	18 mm	48 mm
BN414N007A	7 mm	18 mm	48 mm
BN414N008A	8 mm	18 mm	48 mm
BN414N009A	9 mm	20 mm	48 mm
BN414N010A	10 mm	20 mm	48 mm
BN414N012A	12 mm	20 mm	48 mm

BN414LX

LONG HEX BIT SOCKET



Hangable



Cr-V



Chromed



3/8"



Art.	Size	D2	Length
BN414L003A	3 mm	18 mm	95 mm
BN414L004A	4 mm	18 mm	95 mm
BN414L005A	5 mm	18 mm	95 mm
BN414L006A	6 mm	18 mm	95 mm
BN414L007A	7 mm	18 mm	95 mm
BN414L008A	8 mm	18 mm	95 mm
BN414L009A	9 mm	20 mm	95 mm
BN414L010A	10 mm	20 mm	95 mm
BN414L012A	12 mm	20 mm	95 mm

BN424NX

TORX BIT SOCKET



Hangable



Cr-V



Chromed



3/8"



Art.	Size	D2	Length
BN424N010A	T10	18 mm	48 mm
BN424N015A	T15	18 mm	48 mm
BN424N020A	T20	18 mm	48 mm
BN424N025A	T25	18 mm	48 mm
BN424N027A	T27	18 mm	48 mm
BN424N030A	T30	18 mm	48 mm
BN424N040A	T40	18 mm	48 mm
BN424N045A	T45	18 mm	48 mm
BN424N050A	T50	20 mm	48 mm
BN424N055A	T55	20 mm	48 mm

BN424LX

LONG TORX BIT SOCKET



Hangable



Cr-V



Chromed



3/8"



Art.	Size	D2	Length
BN424L015A	T15	18 mm	95 mm
BN424L020A	T20	18 mm	95 mm
BN424L025A	T25	18 mm	95 mm
BN424L027A	T27	18 mm	95 mm
BN424L030A	T30	18 mm	95 mm
BN424L040A	T40	18 mm	95 mm
BN424L045A	T45	18 mm	95 mm

BN434NX

RIBE BIT SOCKET



Hangable



Cr-V



Chromed



3/8"



Art.	Size	D2	Length
BN434N004A	M 4	18 mm	50 mm
BN434N005A	M 5	18 mm	50 mm
BN434N006A	M 6	18 mm	50 mm
BN434N007A	M 7	18 mm	50 mm
BN434N008A	M 8	18 mm	50 mm
BN434N009A	M 9	18 mm	50 mm
BN434N010A	M 10	20 mm	50 mm

BN434LX

LONG RIBE BIT SOCKET



Hangable



Cr-V



Chromed



3/8"



Art.	Size	D2	Length
BN434L004A	M 4	18 mm	95 mm
BN434L005A	M 5	18 mm	95 mm
BN434L006A	M 6	18 mm	95 mm
BN434L007A	M 7	18 mm	95 mm
BN434L008A	M 8	18 mm	95 mm
BN434L009A	M 9	18 mm	95 mm
BN434L010A	M 10	20 mm	95 mm

BN444NX
XZN BIT SOCKET


Art.	Size	D2	Length
BN444N004A	M 4	18 mm	48 mm
BN444N005A	M 5	18 mm	48 mm
BN444N006A	M 6	18 mm	48 mm
BN444N008A	M 8	18 mm	48 mm
BN444N009A	M 9	20 mm	48 mm
BN444N010A	M 10	20 mm	48 mm
BN444N012A	M 12	20 mm	48 mm
BN444N014A	M 14	20 mm	48 mm

BN444LX
LONG XZN BIT SOCKET


Art.	Size	D2	Length
BN444L004A	M 4	18 mm	95 mm
BN444L005A	M 5	18 mm	95 mm
BN444L006A	M 6	18 mm	95 mm
BN444L008A	M 8	18 mm	95 mm
BN444L009A	M 9	20 mm	95 mm
BN444L010A	M 10	20 mm	95 mm
BN444L012A	M 12	20 mm	95 mm
BN444L014A	M 14	20 mm	95 mm

BN4C4LX
SPARK PLUG SOCKET


Art.	Size	Length
BN4C4L016A	16 mm	63 mm
BN4C4L018A	18 mm	63 mm
BN4C4L021A	21 mm	65 mm


LN400N3/8A
SLIDING T BAR


Length	200 mm
--------	--------

RN4045NA
ADAPTER



Length	27 mm
--------	-------


RN4043NA
ADAPTER


Length	35 mm
--------	-------


JN404NA
UNIVERSAL JOINT



Length	54 mm
--------	-------


PN404NX
EXTENSION BAR


Art.	Length
PN404N050A	50 mm
PN404N075A	75 mm
PN404N150A	150 mm


EN404NX
WOBBLE EXTENSION BAR



Art.	Length
EN404N038A	38 mm
EN404N075A	75 mm
EN404N150A	150 mm
EN404N250A	250 mm





BN4E3NX

STANDARD 6 POINT HAND SOCKET



Hangable



Cr-V



Chromed



3124



1/2"

Art.	Size	D1	D2	Length
BN4E3N008A	8 mm	12,2 mm	22 mm	38 mm
BN4E3N009A	9 mm	13,5 mm	22 mm	38 mm
BN4E3N010A	10 mm	15 mm	22 mm	38 mm
BN4E3N011A	11 mm	16,3 mm	22 mm	38 mm
BN4E3N012A	12 mm	17,6 mm	22 mm	38 mm
BN4E3N013A	13 mm	18,8 mm	22 mm	38 mm
BN4E3N014A	14 mm	20,4 mm	22 mm	38 mm
BN4E3N015A	15 mm	21 mm	22 mm	38 mm
BN4E3N016A	16 mm	22 mm	20,5 mm	38 mm
BN4E3N017A	17 mm	24 mm	22 mm	38 mm
BN4E3N018A	18 mm	25,4 mm	22 mm	38 mm
BN4E3N019A	19 mm	26 mm	22 mm	38 mm
BN4E3N020A	20 mm	28 mm	22 mm	38 mm
BN4E3N021A	21 mm	28 mm	22 mm	38 mm
BN4E3N022A	22 mm	30 mm	26 mm	38 mm
BN4E3N023A	23 mm	31,6 mm	26 mm	38 mm
BN4E3N024A	24 mm	32 mm	26 mm	38 mm
BN4E3N025A	25 mm	34 mm	26 mm	42 mm
BN4E3N026A	26 mm	35,4 mm	28 mm	42 mm
BN4E3N027A	27 mm	36 mm	28 mm	42 mm
BN4E3N028A	28 mm	38 mm	28 mm	42 mm
BN4E3N029A	29 mm	38 mm	28 mm	43 mm
BN4E3N030A	30 mm	40 mm	28 mm	43 mm
BN4E3N032A	32 mm	42 mm	28 mm	44 mm

BN4E3LX

DEEP 6 POINT HAND SOCKET



Hangable



Cr-V



Chromed



3124



1/2"



Art.	Size	D1	D2	Length
BN4E3L010A	10 mm	15 mm	22 mm	77 mm
BN4E3L011A	11 mm	16,3 mm	22 mm	77 mm
BN4E3L012A	12 mm	17,6 mm	22 mm	77 mm
BN4E3L013A	13 mm	18,8 mm	22 mm	77 mm
BN4E3L014A	14 mm	20,4 mm	22 mm	77 mm
BN4E3L015A	15 mm	21 mm	22 mm	77 mm
BN4E3L016A	16 mm	22 mm	20,5 mm	77 mm
BN4E3L017A	17 mm	24 mm	22 mm	77 mm
BN4E3L018A	18 mm	25,4 mm	22 mm	77 mm
BN4E3L019A	19 mm	26 mm	22 mm	77 mm
BN4E3L020A	20 mm	28 mm	22 mm	77 mm
BN4E3L021A	21 mm	28 mm	22 mm	77 mm
BN4E3L022A	22 mm	30 mm	26 mm	77 mm
BN4E3L023A	23 mm	31,6 mm	26 mm	77 mm
BN4E3L024A	24 mm	32 mm	26 mm	77 mm
BN4E3L027A	27 mm	36 mm	28 mm	77 mm
BN4E3L030A	30 mm	40 mm	28 mm	77 mm
BN4E3L032A	32 mm	42 mm	28 mm	77 mm

BN4P3NX

STANDARD 12 POINT HAND SOCKET



Hangable



Cr-V



Chromed



3124



1/2"

Art.	Size	D1	D2	Length
BN4P3N008A	8 mm	12,2 mm	22 mm	38 mm
BN4P3N009A	9 mm	13,5 mm	22 mm	38 mm
BN4P3N010A	10 mm	15 mm	22 mm	38 mm
BN4P3N011A	11 mm	16,3 mm	22 mm	38 mm
BN4P3N012A	12 mm	17,6 mm	22 mm	38 mm
BN4P3N013A	13 mm	18,8 mm	22 mm	38 mm
BN4P3N014A	14 mm	20,4 mm	22 mm	38 mm
BN4P3N015A	15 mm	21 mm	22 mm	38 mm
BN4P3N016A	16 mm	22 mm	20,5 mm	38 mm
BN4P3N017A	17 mm	24 mm	22 mm	38 mm
BN4P3N018A	18 mm	25,4 mm	22 mm	38 mm
BN4P3N019A	19 mm	26 mm	22 mm	38 mm
BN4P3N020A	20 mm	28 mm	22 mm	38 mm
BN4P3N021A	21 mm	28 mm	22 mm	38 mm
BN4P3N022A	22 mm	30 mm	26 mm	38 mm
BN4P3N023A	23 mm	31,6 mm	26 mm	38 mm
BN4P3N024A	24 mm	32 mm	26 mm	38 mm
BN4P3N025A	25 mm	34 mm	26 mm	42 mm
BN4P3N026A	26 mm	35,4 mm	28 mm	42 mm
BN4P3N027A	27 mm	36 mm	28 mm	42 mm
BN4P3N028A	28 mm	38 mm	28 mm	43 mm
BN4P3N029A	29 mm	38 mm	28 mm	43 mm
BN4P3N030A	30 mm	40 mm	28 mm	43 mm
BN4P3N032A	32 mm	42 mm	28 mm	44 mm

BN4P3LX

DEEP 12 POINT HAND SOCKET



Hangable



Cr-V



Chromed




3124




1/2"




Art.	Size	D1	D2	Length
BN4P3L010A	10 mm	15 mm	22 mm	77 mm
BN4P3L011A	11 mm	16,3 mm	22 mm	77 mm
BN4P3L012A	12 mm	17,6 mm	22 mm	77 mm
BN4P3L013A	13 mm	18,8 mm	22 mm	77 mm
BN4P3L014A	14 mm	20,4 mm	22 mm	77 mm
BN4P3L015A	15 mm	21 mm	22 mm	77 mm
BN4P3L016A	16 mm	22 mm	20,5 mm	77 mm
BN4P3L017A	17 mm	24 mm	22 mm	77 mm
BN4P3L018A	18 mm	25,4 mm	22 mm	77 mm
BN4P3L019A	19 mm	26 mm	22 mm	77 mm
BN4P3L020A	20 mm	28 mm	22 mm	77 mm
BN4P3L021A	21 mm	28 mm	22 mm	77 mm
BN4P3L022A	22 mm	30 mm	26 mm	77 mm
BN4P3L023A	23 mm	31,6 mm	26 mm	77 mm
BN4P3L024A	24 mm	32 mm	26 mm	77 mm
BN4P3L027A	27 mm	36 mm	28 mm	77 mm
BN4P3L030A	30 mm	40 mm	28 mm	77 mm
BN4P3L032A	32 mm	42 mm	28 mm	77 mm

BN413NX
HEX BIT SOCKET



Art.	Size	D2	Length
BN413N004A	4 mm	22 mm	55 mm
BN413N005A	5 mm	22 mm	55 mm
BN413N006A	6 mm	22 mm	55 mm
BN413N007A	7 mm	22 mm	55 mm
BN413N008A	8 mm	22 mm	55 mm
BN413N010A	10 mm	22 mm	55 mm
BN413N012A	12 mm	22 mm	55 mm
BN413N014A	14 mm	24 mm	55 mm
BN413N017A	17 mm	26 mm	55 mm
BN413N019A	19 mm	28 mm	55 mm

BN413LX
LONG HEX BIT SOCKET



Art.	Size	D2	Length
BN413L004A	4 mm	22 mm	100 mm
BN413L005A	5 mm	22 mm	100 mm
BN413L006A	6 mm	22 mm	100 mm
BN413L007A	7 mm	22 mm	100 mm
BN413L008A	8 mm	22 mm	100 mm
BN413L010A	10 mm	22 mm	100 mm
BN413L012A	12 mm	22 mm	100 mm
BN413L014A	14 mm	24 mm	100 mm
BN413L017A	17 mm	26 mm	100 mm
BN413L019A	19 mm	28 mm	100 mm

BN423NX
TORX BIT SOCKET



Art.	Size	D2	Length
BN423N020A	T20	22 mm	55 mm
BN423N025A	T25	22 mm	55 mm
BN423N027A	T27	22 mm	55 mm
BN423N030A	T30	22 mm	55 mm
BN423N040A	T40	22 mm	55 mm
BN423N045A	T45	22 mm	55 mm
BN423N050A	T50	22 mm	55 mm
BN423N055A	T55	22 mm	55 mm
BN423N060A	T60	22 mm	55 mm
BN423N070A	T70	22 mm	55 mm

BN423LX
LONG TORX BIT SOCKET


Art.	Size	D2	Length
BN423L020A	T20	22 mm	100 mm
BN423L025A	T25	22 mm	100 mm
BN423L027A	T27	22 mm	100 mm
BN423L030A	T30	22 mm	100 mm
BN423L040A	T40	22 mm	100 mm
BN423L045A	T45	22 mm	100 mm
BN423L050A	T50	22 mm	100 mm
BN423L055A	T55	22 mm	100 mm
BN423L060A	T60	22 mm	100 mm
BN423L070A	T70	22 mm	100 mm

BN433NX
RIBE BIT SOCKET


Art.	Size	D2	Length
BN433N008A	M 8	22 mm	55 mm
BN433N009A	M 9	22 mm	55 mm
BN433N010A	M 10	22 mm	55 mm
BN433N012A	M 12	22 mm	55 mm
BN433N013A	M 13	24 mm	55 mm
BN433N014A	M 14	24 mm	55 mm

BN433LX
LONG RIBE BIT SOCKET


Art.	Size	D2	Length
BN433L008A	M 8	24 mm	100 mm
BN433L009A	M 9	24 mm	100 mm
BN433L010A	M 10	24 mm	100 mm
BN433L012A	M 12	24 mm	100 mm
BN433L013A	M 13	24 mm	100 mm
BN433L014A	M 14	24 mm	100 mm



BN443NX

XZN BIT SOCKET



Art.	Size	D2	Length
BN443N005A	M 5	22 mm	55 mm
BN443N006A	M 6	22 mm	55 mm
BN443N008A	M 8	22 mm	55 mm
BN443N009A	M 9	22 mm	55 mm
BN443N010A	M 10	22 mm	55 mm
BN443N012A	M 12	22 mm	55 mm
BN443N014A	M 14	24 mm	55 mm
BN443N016A	M 16	24 mm	55 mm

BN443LX

LONG XZN BIT SOCKET



Art.	Size	D2	Length
BN443L005A	M 5	22 mm	100 mm
BN443L006A	M 6	22 mm	100 mm
BN443L008A	M 8	22 mm	100 mm
BN443L009A	M 9	22 mm	100 mm
BN443L010A	M 10	22 mm	100 mm
BN443L012A	M 12	22 mm	100 mm
BN443L014A	M 14	24 mm	100 mm
BN443L016A	M 16	24 mm	100 mm

BN4C3LX



SPARK PLUG SOCKET



Art.	Size	Length
BN4C3L016A	16 mm	65 mm
BN4C3L018A	18 mm	65 mm
BN4C3L021A	21 mm	65 mm

PN403NX


EXTENSION BAR



Art.	Length
PN403N050A	50 mm
PN403N075A	75 mm
PN403N150A	150 mm
PN403N250A	250 mm

EN403NX

WOBBLE EXTENSION BAR



Art.	Length
EN403N050A	50 mm
EN403N075A	75 mm
EN403N125A	125 mm
EN403N250A	250 mm
EN403N500A	500 mm

LN400N1/2A

SLIDING T BAR



Length	300 mm
--------	--------

RN4034NA

ADAPTER

With 1/2" female and 3/8" male drives



Length	36 mm
--------	-------



RN4032NA

ADAPTER



Length	46 mm
--------	-------



JN403NA

UNIVERSAL JOINT



Length	75 mm
--------	-------




BN4E2NX
STANDARD 6 POINT HAND SOCKET



Art.	Size	D1	D2	Length
BN4E2N019	19 mm	30 mm	36 mm	50 mm
BN4E2N020	20 mm	31 mm	36 mm	50 mm
BN4E2N021	21 mm	32 mm	36 mm	50 mm
BN4E2N022	22 mm	33 mm	36 mm	50 mm
BN4E2N023	23 mm	34 mm	36 mm	50 mm
BN4E2N024	24 mm	35 mm	36 mm	50 mm
BN4E2N025	25 mm	36 mm	35 mm	52 mm
BN4E2N026	26 mm	37 mm	36 mm	52 mm
BN4E2N027	27 mm	38 mm	36 mm	52 mm
BN4E2N028	28 mm	39 mm	38 mm	52 mm
BN4E2N029	29 mm	40 mm	38 mm	52 mm
BN4E2N030	30 mm	42 mm	38 mm	54 mm
BN4E2N032	32 mm	43 mm	38 mm	56 mm
BN4E2N033	33 mm	44 mm	38 mm	56 mm
BN4E2N034	34 mm	46 mm	38 mm	56 mm
BN4E2N035	35 mm	47 mm	42 mm	56 mm
BN4E2N036	36 mm	48 mm	42 mm	58 mm
BN4E2N038	38 mm	50 mm	42 mm	58 mm
BN4E2N041	41 mm	52 mm	45 mm	60 mm
BN4E2N046	46 mm	56 mm	45 mm	64 mm
BN4E2N050	50 mm	62 mm	48 mm	68 mm
BN4E2N055	55 mm	68 mm	48 mm	72 mm
BN4E2N060	60 mm	74 mm	48 mm	76 mm

BN4P2NX
STANDARD 12 POINT HAND SOCKET


Art.	Size	D1	D2	Length
BN4P2N019	19 mm	30 mm	36 mm	50 mm
BN4P2N020	20 mm	31 mm	36 mm	50 mm
BN4P2N021	21 mm	32 mm	36 mm	50 mm
BN4P2N022	22 mm	33 mm	36 mm	50 mm
BN4P2N023	23 mm	34 mm	36 mm	50 mm
BN4P2N024	24 mm	35 mm	36 mm	50 mm
BN4P2N025	25 mm	36 mm	35 mm	52 mm
BN4P2N026	26 mm	37 mm	36 mm	52 mm
BN4P2N027	27 mm	38 mm	36 mm	52 mm
BN4P2N028	28 mm	39 mm	38 mm	52 mm
BN4P2N029	29 mm	40 mm	38 mm	52 mm
BN4P2N030	30 mm	42 mm	38 mm	54 mm
BN4P2N032	32 mm	43 mm	38 mm	56 mm
BN4P2N033	33 mm	44 mm	38 mm	56 mm
BN4P2N034	34 mm	46 mm	38 mm	56 mm
BN4P2N035	35 mm	47 mm	42 mm	56 mm
BN4P2N036	36 mm	48 mm	42 mm	58 mm
BN4P2N038	38 mm	50 mm	42 mm	58 mm
BN4P2N041	41 mm	52 mm	45 mm	60 mm
BN4P2N046	46 mm	56 mm	45 mm	64 mm
BN4P2N050	50 mm	62 mm	48 mm	68 mm
BN4P2N055	55 mm	68 mm	48 mm	72 mm
BN4P2N060	60 mm	74 mm	48 mm	76 mm

PN402NX
EXTENSION BAR



Art.	Length
PN402N200A	200 mm
PN402N400A	400 mm

LN400N3/4A
SLIDING T BAR



Length	500 mm
--------	--------

RN4023NA
ADAPTER

With 3/4" female and 1/2" male drives



Length	50 mm
--------	-------

JN402NA
UNIVERSAL JOINT


Length	110 mm
--------	--------



0795/2

MULTILOCK SOCKET SET

Suitable for metric, inch, torx and XZN bolt.



19 Pcs



Carrying case



Cr-V



Chromed



1/2"

Sizes	8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 24 - 27 - 30 - 32 mm
Inch size	3/8" - 7/16" - 15/32" - 1/2" - 19/32" - 5/8" - 3/4" - 25/32" - 13/16" - 7/8" - 15/16" - 1-1/16" - 1-13/16" - 1-1/4"
Torx size	E12 - E14 - E16 - E18 - E20 - E22 - E24 - E26 - E28 - E30 - E34 - E38 - E40
XZN size	M12 - M14 - M16 - M18

0795/1

MULTILOCK SOCKET SET

Suitable for metric, inch, torx and XZN bolt.



13 Pcs



Carrying case



Cr-V



Chromed



1/4"

Sizes	4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
Inch size	5/32" - 7/32" - 1/4" - 5/16" - 11/32" - 3/8" - 7/16" - 15/32" - 1/2"
Torx size	E5 - E6 - E8 - E10 - E12 - E14 - E16 - E18
XZN size	M5 - M6 - M8 - M9 - M10 - M12 - M14 - M16 - M18

0195

E-TORX SOCKET SET

Suitable for torx bolt.



28 Pcs



Carrying case



Cr-V



Chromed



1/4" | 3/8"



1/2"

Torx size	1/4": E4 - E5 - E6 - E7 - E8 - E10 - E11 3/8": E4 - E5 - E6 - E7 - E8 - E10 - E11 - E12 - E14 - E16 - E18 - E20 1/2": E10 - E11 - E12 - E14 - E16 - E18 - E20 - E22 - E24
-----------	---



0589
LOW PROFILE GO-THROUGH SPLINE SOCKET SET

Composed of 11 go-through spline sockets, one ratchet handle and accessories, suitable for metric, inch, torx and XZN size, can operate in small spaces.



24 Pcs



Carrying case



Cr-V



Chromed



72 teeth



1/4"

Socket	4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm
Ratchet handle	1 Pcs
Extension	50 mm
Socket	1/4"
Bit holder	1 Pcs
Bits	PH: 1 - 2 - 3 (S2) Torx: T10-T15-T20-T25-T30-T40 (S2)

0624
1/4" DR. SOCKET SET


46 Pcs



Carrying case



Cr-V



Chromed

1/4" Dr. sockets	4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
Sockets with bits	1/4" : T8 - T10 - T15 - T20 - T25 - T30 - T40 - H3 - H4 - H5 - H6 - H7 - H8 - SL4 - SL5.5 - SL7 - PH1 - PH2 - PH3 - PZ1 - PZ2 - PZ3
Ratchet handle	1/4"
Flexible bar	1/4" - 150 mm
1/4" Dr. socket-bars	50 - 100 mm
Socket handle	1/4"
Universal joint	1/4"
Sliding T-bar	1/4"
Hex keys	1,27 - 1,5 - 2 - 2,5 mm

S520
1/4" DR. 6 POINT SAE SOCKET SET


20 Pcs



Carrying case



Cr-V



Chromed



1/4"

1/4" Dr. sockets	5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 13/32", 7/16", 15/32", 1/2", 9/16"
Universal joint	1/4"
1/4" Dr. socket-bars	2", 4", 6"
Sliding T-bar	1/4"
Socket handle	1/4"
Ratchet handle	1/4"

0679
3/8" AND 1/4" DR. SOCKET SET


42 Pcs



Carrying case



Cr-V



Satin



1/4" | 3/8"

3/8" Dr. sockets	9 - 10 - 11 - 12 - 13 - 14 - 15 - 17 - 19 mm
Spark plug sockets sizes	3/8" : 16 - 21 mm
3/8" Dr. socket-bars	75 - 150 mm
Universal joint	3/8"
Adapter	F. 1/2" - M. 3/8"
Ratchet handle	3/8"
1/4" Dr. sockets	4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm
Socket handle	1/4"
Adapter	F. 3/8" - M. 1/4"
Bits holder socket	1/4"
Bits	PH1 - PH2 - PH3 - H3 - H4 - H5 - H6 - H7 - SL4 - SL5,5 - SL7



S328

1/2" DR. SOCKET SET



28 Pcs



Carrying case



Cr-V



Chromed



1/2"

1/2" Dr. sockets	8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 27 - 30 - 32 mm
Spark plug sockets sizes	1/2" : 16 - 21 mm
1/2" Dr. socket-bars	75 - 150 - 250 mm
Universal joint	1/2"
Adapter	F. 3/8" - M. 1/2"
Ratchet handle	1/2"

SN4P3N027

1/2" DR. 6 POINT SAE SOCKET SET

Composed of 20 standard sockets, 2 spark plug sockets, 1 ratchet handle, 1 universal joint, 2 extension bars and 1 sliding T-bar.



27 Pcs



Carrying case



Cr-V



Chromed



1/2"

Standard sockets sizes	5/16", 3/8", 7/16", 15/32", 1/2", 9/16", 19/32", 5/8", 11/16", 3/4", 25/32", 13/16", 7/8", 15/16", 1", 1-1/16", 1-3/16", 1-1/4", 23/32", 1-1/8"
Spark plug sockets sizes	5/8", 13/16"
Extensions	3", 10"

0620

1/2" DR. SOCKET SET



24 Pcs



Carrying case



Cr-V



Chromed



1/2"

1/2" Dr. sockets	10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 27 - 30 - 32 mm
Spark plug sockets sizes	1/2" : 21 mm
1/2" Dr. socket-bars	125 - 250 mm
Universal joint	1/2"
Sliding T-bar	1/2"
Ratchet handle	1/2"

0181

3/4" DR. SOCKET SET



20 Pcs



Carrying case



40 Cr



Satin



3/4"

Sizes	19 - 21 - 22 - 23 - 24 - 26 - 27 - 30 - 32 - 34 - 36 - 38 - 41 - 46 - 48 - 50 mm
Ratchet handle	3/4"
Sliding T-bar	3/4"
Extensions	3/4" : 100 - 200 mm

0621

NEW

3/8" SOCKET SET WITH HEXAGONAL INSERTS



Shank 3/8"
Sockets with hex bits 2,5 - 3 - 4 - 5 - 6 - 7 - 8 - 10 mm

0622


SOCKET TORX BIT SET



Sizes T20 - T25 - T27 - T30 - T40 T45 - T50 - T55 - T60 - T70

S108

1/4" & 1/2" DR. SOCKET SET



1/4" Dr. sockets	4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
1/4" Dr. deep sockets	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm
1/4" Dr. deep sockets	Torx: E4 - E5 - E6 - E7 - E8 mm
1/2" Dr. sockets	10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 24 - 27 - 30 - 32 mm
1/2" Dr. deep sockets	14 - 15 - 17 - 19 - 22 mm
1/2" Dr. sockets	Torx: E10 - E11 - E12 - E14 - E16 - E18 - E20 - E24
Sockets with bits	1/4": T8 - T10 - T15 - T20 - T25 - T27 - T30 - H3 - H4 - H5 - H6 - SL4 - SL5.5 - SL6.5 - PH1 - PH2 - Pcs1 - Pcs2
Spark plug sockets sizes	1/2": 16 - 21 mm
Bits holder socket	1/2"
Bits	5/16" x 30mm: H7 - H8 - H10 - H12 - H14 - SL8 - SL10 - SL12 - PH3 - PH4 - Pcs3 - Pcs4 - T40 - T45 - T50 - T55 - T60
1/4" Dr. socket-bars	50 - 85 mm
1/2" Dr. socket-bars	125 - 250 mm
Socket handle	1/4"
Adapter	F. 3/8" - M. 1/2"
Universal joint	1/4"
Universal joint	1/2"
Sliding T-bar	1/4"
Ratchet handle	1/4"
Ratchet handle	1/2"
Hex keys	1,5 - 2 - 2,5 mm





0618

1/2" & 1/4" DR. SOCKET SET



1/4" Dr. sockets	4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
1/4" Dr. deep sockets	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm
Male adapter 1/4" Dr. and 1/4" hex	1 Pc
1/2" Dr. sockets	10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 20 - 21 - 22 - 23 - 24 - 27 - 30 - 32 mm
1/2" Dr. deep sockets	14 - 15 - 17 - 19 mm
Flexible bar	1/4" - 150 mm
Sockets with bits	1/4" : T8 - T10 - T15 - T20 - T25 - T30 - H3 - H4 - H5 - H6 - SL4 - SL5.5 - SL7 - PH1 - PH2 - Pcs1 - Pcs2
Spark plug sockets sizes	1/2" : 16 - 21 mm
Socket for 5/16" inserts	1/2"
Bits	5/16" x 30mm : H8 - H10 - H12 - H14 - SL8 - SL10 - SL12 - PH3 - PH4 - Pcs3 - Pcs4 - T40 - T45 - T50 - T55
1/4" Dr. socket-bars	50 - 100 mm
1/2" Dr. socket-bars	125 - 250 mm
Socket handle	1/4"
Adapter	F. 3/8" - M. 1/2"
Universal joint	1/4"
Universal joint	1/2"
Sliding T-bar	1/4"
Ratchet handle	1/4"
Ratchet handle	1/2"
Hex keys	1,5 - 2 - 2,5 mm



S179

DR. SOCKET SET



1/4" Dr. sockets	4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
1/4" Dr. deep sockets	6 - 7 - 8 - 9 - 10 mm
1/4" Dr. deep sockets	Torx: E4 - E5 - E6 - E7 - E8 mm
1/4" Dr. socket-bars	50 - 100 mm
Sliding T-bar	1/4"
Bits holder socket	1/4"
Sockets with bits	1/4" - Torx: T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30
Sockets with tampered bits	1/4" - Torx: T8H - T9H - T10H - T15H - T20H T25H - T27H - T30H
Sockets with bits	1/4" : PH0 - PH1 - PH2
Sockets with bits	1/4" : Pcs0 - Pcs1 - Pcs2
Sockets with hex bits	1/4" : 3 - 4 - 5 - 6 mm
Sockets with slotted bits	1/4" : 4 - 5.5 - 6.5 - 7 mm
Universal joint	1/4"
Socket handle	1/4"
Ratchet handle	1/4"
3/8" Dr. sockets	10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm
3/8" Dr. sockets	Torx: E10 - E11 - E12 - E13
3/8" Dr. deep sockets	10 - 11 - 12 - 13 - 14 - 15 mm
Spark plug sockets sizes	3/8" - 18 mm
3/8" Dr. socket-bars	150 mm
Socket for 5/16" inserts	3/8"
Universal joint	3/8"
Ratchet handle	3/8"
1/2" Dr. sockets	10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 20 - 21 - 22 - 24 - 27 - 30 - 32 mm
1/2" Dr. deep sockets	16 - 17 - 18 - 19 - 22 mm
1/2" Dr. sockets	Torx: E16 - E18 - E20 - E24
Spark plug sockets sizes	1/2" : 16 - 21 mm
1/2" Dr. socket-bars	125 - 250 mm
Socket for 5/16" inserts	1/2"
Universal joint	1/2"
Adapter	F. 3/8" - M. 1/2"
Ratchet handle	1/2"
Bits	1/4" x 25 mm XZN: M5 - M6 - M8



Bits	1/4" x 25 mm Torx: T5 - T6 - T7 - T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30
Bits	1/4" x 25 mm Ribe: RM5 - RM6 - RM7 - RM8 - RM9
Bits	1/4" x 25 mm Torx "5": TS7 - TS10 - TS15 - TS20 - TS25 - TS27 - TS30 - TS40 - TS45
Bits	5/16" x 30 mm Torx: T40 - T45 - T50 - T55 - T60 - T70
Tampered bits	5/16" x 30 mm Torx: T40H - T45H - T50H - T55H - T60H - T70H
Hex bits	5/16" x 30 mm: 7 - 8 - 10 - 12 - 14 mm
Bits	5/16" x 30 mm: PH3 - PH4
Bits	5/16" x 30 mm: Pcs3 - Pcs4
Slotted bits	5/16" x 30 mm: 8 - 10 - 12 mm
Hex keys	1,3 - 1,5 - 2 - 2,5 - 3 - 4 - 5 mm

BI4E3NX
STANDARD IMPACT SOCKET

Cr-Mo



Phosphated



3124



1/2"



Art.	Size	D1	D2	Length
BI4E3N008	8 mm	15 mm	24 mm	38 mm
BI4E3N009	9 mm	16 mm	24 mm	38 mm
BI4E3N010	10 mm	17,5 mm	24 mm	38 mm
BI4E3N011	11 mm	18,5 mm	24 mm	38 mm
BI4E3N012	12 mm	19,5 mm	24 mm	38 mm
BI4E3N013	13 mm	20,5 mm	24 mm	38 mm
BI4E3N014	14 mm	22 mm	24 mm	38 mm
BI4E3N015	15 mm	24 mm	24 mm	38 mm
BI4E3N016	16 mm	24 mm	24 mm	38 mm
BI4E3N017	17 mm	26 mm	26 mm	38 mm
BI4E3N018	18 mm	28 mm	28 mm	38 mm
BI4E3N019	19 mm	28 mm	28 mm	38 mm
BI4E3N020	20 mm	30 mm	30 mm	38 mm
BI4E3N021	21 mm	30 mm	30 mm	38 mm
BI4E3N022	22 mm	32 mm	30 mm	38 mm
BI4E3N023	23 mm	34 mm	30 mm	38 mm
BI4E3N024	24 mm	34 mm	30 mm	38 mm
BI4E3N025	25 mm	36 mm	30 mm	38 mm
BI4E3N026	26 mm	36 mm	30 mm	38 mm
BI4E3N027	27 mm	38 mm	30 mm	42 mm
BI4E3N028	28 mm	40 mm	30 mm	42 mm
BI4E3N029	29 mm	42 mm	30 mm	42 mm
BI4E3N030	30 mm	42 mm	30 mm	42 mm
BI4E3N031	31 mm	44 mm	30 mm	42 mm
BI4E3N032	32 mm	44 mm	30 mm	44 mm

BI4E3LX
DEEP IMPACT SOCKET

Cr-Mo



Phosphated



3124



1/2"



Art.	Size	D1	D2	Length
BI4E3L008	8 mm	15 mm	24 mm	78 mm
BI4E3L009	9 mm	16 mm	24 mm	78 mm
BI4E3L010	10 mm	17,5 mm	24 mm	78 mm
BI4E3L011	11 mm	18,5 mm	24 mm	78 mm
BI4E3L012	12 mm	19,5 mm	24 mm	78 mm
BI4E3L013	13 mm	20,5 mm	24 mm	78 mm
BI4E3L014	14 mm	22 mm	24 mm	78 mm
BI4E3L015	15 mm	24 mm	24 mm	78 mm
BI4E3L016	16 mm	24 mm	24 mm	78 mm
BI4E3L017	17 mm	26 mm	26 mm	78 mm
BI4E3L018	18 mm	28 mm	28 mm	78 mm
BI4E3L019	19 mm	28 mm	28 mm	78 mm
BI4E3L020	20 mm	30 mm	30 mm	78 mm
BI4E3L021	21 mm	30 mm	30 mm	78 mm
BI4E3L022	22 mm	32 mm	30 mm	78 mm
BI4E3L023	23 mm	34 mm	30 mm	78 mm
BI4E3L024	24 mm	34 mm	30 mm	78 mm
BI4E3L025	25 mm	36 mm	30 mm	78 mm
BI4E3L026	26 mm	36 mm	30 mm	78 mm
BI4E3L027	27 mm	38 mm	30 mm	78 mm
BI4E3L028	28 mm	40 mm	30 mm	78 mm
BI4E3L029	29 mm	42 mm	30 mm	78 mm
BI4E3L030	30 mm	42 mm	30 mm	78 mm
BI4E3L031	31 mm	44 mm	30 mm	78 mm
BI4E3L032	32 mm	44 mm	30 mm	78 mm





BI413L0X

IMPACT HEX BIT SOCKET



Cr-Mo



Phosphated



3129



1/2"



Art.	Size	D	Length
BI413L004	4 mm	25 mm	78 mm
BI413L005	5 mm	25 mm	78 mm
BI413L006	6 mm	25 mm	78 mm
BI413L008	8 mm	25 mm	78 mm
BI413L010	10 mm	25 mm	78 mm
BI413L012	12 mm	25 mm	78 mm
BI413L014	14 mm	25 mm	78 mm
BI413L017	17 mm	25 mm	78 mm
BI413L019	19 mm	25 mm	78 mm

BI423LX

IMPACT TORX BIT SOCKET



Cr-Mo



Phosphated



3129



1/2"



Art.	Size	D	Length
BI423L025	T25	25 mm	78 mm
BI423L027	T27	25 mm	78 mm
BI423L030	T30	25 mm	78 mm
BI423L040	T40	25 mm	78 mm
BI423L045	T45	25 mm	78 mm
BI423L050	T50	25 mm	78 mm
BI423L060	T60	25 mm	78 mm
BI423L070	T70	25 mm	78 mm
BI423L080	T80	25 mm	78 mm

BI433MX

IMPACT RIBE BIT SOCKET



Cr-Mo



Phosphated



3121-3129



1/2"



Art.	Size	D	Length
BI433M004	M 4	25 mm	60 mm
BI433M005	M 5	25 mm	60 mm
BI433M006	M 6	25 mm	60 mm
BI433M007	M 7	25 mm	60 mm
BI433M008	M 8	25 mm	60 mm
BI433M009	M 9	25 mm	60 mm
BI433M010	M 10	25 mm	60 mm
BI433M012	M 12	25 mm	60 mm
BI433M014	M 14	25 mm	60 mm
BI433M016	M 16	25 mm	60 mm
BI433M018	M 18	25 mm	60 mm

BI443MX

IMPACT XZN BIT SOCKET



Cr-Mo



Phosphated



3121-3129



1/2"



Art.	Size	D	Length
BI443M004	M 4	25 mm	60 mm
BI443M005	M 5	25 mm	60 mm
BI443M006	M 6	25 mm	60 mm
BI443M008	M 8	25 mm	60 mm
BI443M010	M 10	25 mm	60 mm
BI443M012	M 12	25 mm	60 mm
BI443M014	M 14	25 mm	60 mm
BI443M016	M 16	25 mm	60 mm
BI443M018	M 18	25 mm	60 mm
BI443M020	M 20	25 mm	60 mm

PI403X

IMPACT EXTENSION BAR



Phosphated



3121-3129



1/2"



Art.	D	Length
PI403075	25 mm	75 mm
PI403125	25 mm	125 mm
PI403150	25 mm	150 mm
PI403250	25 mm	250 mm

PI453X

QUICK RELEASE IMPACT EXTENSION BAR



Phosphated



3121-3129



1/2"



Art.	D	Length
PI453075	25 mm	75 mm
PI453150	25 mm	125 mm
PI453250	25 mm	250 mm

BI4E2NX
STANDARD IMPACT SOCKET

Cr-Mo



Phosphated



3121-3129



3/4"



Art.	Size	D1	D2	Length
BI4E2N018	18 mm	30 mm	44 mm	51 mm
BI4E2N019	19 mm	32 mm	44 mm	51 mm
BI4E2N020	20 mm	33 mm	44 mm	51 mm
BI4E2N021	21 mm	35 mm	44 mm	51 mm
BI4E2N022	22 mm	36 mm	44 mm	51 mm
BI4E2N023	23 mm	38 mm	44 mm	51 mm
BI4E2N024	24 mm	39 mm	44 mm	51 mm
BI4E2N025	25 mm	41 mm	44 mm	54 mm
BI4E2N026	26 mm	41 mm	44 mm	54 mm
BI4E2N027	27 mm	42 mm	44 mm	54 mm
BI4E2N028	28 mm	44 mm	44 mm	54 mm
BI4E2N029	29 mm	46 mm	44 mm	54 mm
BI4E2N030	30 mm	46 mm	44 mm	54 mm
BI4E2N032	32 mm	48 mm	44 mm	57 mm
BI4E2N033	33 mm	50 mm	44 mm	57 mm
BI4E2N034	34 mm	52 mm	44 mm	57 mm
BI4E2N035	35 mm	52 mm	44 mm	57 mm
BI4E2N036	36 mm	54 mm	44 mm	57 mm
BI4E2N038	38 mm	56 mm	44 mm	57 mm
BI4E2N041	41 mm	60 mm	44 mm	58 mm
BI4E2N046	46 mm	66 mm	44 mm	68 mm
BI4E2N050	50 mm	71 mm	54 mm	68 mm
BI4E2N055	55 mm	77 mm	54 mm	73 mm
BI4E2N060	60 mm	84 mm	54 mm	75 mm
BI4E2N065	65 mm	88 mm	54 mm	78 mm

BI4E2LX
DEEP IMPACT SOCKET

Cr-Mo



Phosphated



3121-3129



3/4"



Art.	Size	D1	D2	Length
BI4E2L018	18 mm	30 mm	44 mm	90 mm
BI4E2L019	19 mm	32 mm	44 mm	90 mm
BI4E2L020	20 mm	33 mm	44 mm	90 mm
BI4E2L021	21 mm	35 mm	44 mm	90 mm
BI4E2L022	22 mm	36 mm	44 mm	90 mm
BI4E2L023	23 mm	38 mm	44 mm	90 mm
BI4E2L024	24 mm	39 mm	44 mm	90 mm
BI4E2L025	25 mm	41 mm	44 mm	90 mm
BI4E2L026	26 mm	41 mm	44 mm	90 mm
BI4E2L027	27 mm	42 mm	44 mm	90 mm
BI4E2L028	28 mm	44 mm	44 mm	90 mm
BI4E2L029	29 mm	46 mm	44 mm	90 mm
BI4E2L030	30 mm	46 mm	44 mm	90 mm
BI4E2L032	32 mm	48 mm	44 mm	90 mm
BI4E2L033	33 mm	50 mm	44 mm	90 mm
BI4E2L034	34 mm	52 mm	44 mm	90 mm
BI4E2L035	35 mm	52 mm	44 mm	90 mm
BI4E2L036	36 mm	54 mm	44 mm	90 mm
BI4E2L038	38 mm	56 mm	44 mm	90 mm
BI4E2L041	41 mm	60 mm	44 mm	90 mm
BI4E2L046	46 mm	66 mm	44 mm	90 mm
BI4E2L050	50 mm	71 mm	54 mm	90 mm

PI402X
IMPACT EXTENSION BAR

Cr-Mo


Phosphated



3121-3129



3/4"



Art.	D	Length
PI402175	44 mm	175 mm
PI402200	44 mm	200 mm
PI402300	44 mm	300 mm
PI402400	44 mm	400 mm





BI4E1NX

STANDARD IMPACT SOCKET



Cr-Mo




Phosphated



3129



1"



Art.	Size	D1	D2	Length
BI4E1N021	21 mm	38 mm	54 mm	58 mm
BI4E1N022	22 mm	39 mm	54 mm	58 mm
BI4E1N023	23 mm	41 mm	54 mm	58 mm
BI4E1N024	24 mm	42 mm	54 mm	58 mm
BI4E1N025	25 mm	43 mm	54 mm	58 mm
BI4E1N026	26 mm	44 mm	54 mm	58 mm
BI4E1N027	27 mm	46 mm	54 mm	58 mm
BI4E1N028	28 mm	47 mm	54 mm	58 mm
BI4E1N029	29 mm	48 mm	54 mm	58 mm
BI4E1N030	30 mm	49 mm	54 mm	62 mm
BI4E1N031	31 mm	50 mm	54 mm	62 mm
BI4E1N032	32 mm	52 mm	54 mm	62 mm
BI4E1N033	33 mm	54 mm	54 mm	62 mm
BI4E1N034	34 mm	54 mm	54 mm	62 mm
BI4E1N035	35 mm	54 mm	54 mm	62 mm
BI4E1N036	36 mm	56 mm	54 mm	65 mm
BI4E1N037	37 mm	57 mm	54 mm	65 mm
BI4E1N038	38 mm	58 mm	54 mm	65 mm
BI4E1N039	39 mm	59 mm	54 mm	65 mm
BI4E1N040	40 mm	60 mm	54 mm	65 mm
BI4E1N041	41 mm	61 mm	54 mm	68 mm
BI4E1N042	42 mm	64 mm	54 mm	68 mm
BI4E1N043	43 mm	66 mm	54 mm	68 mm
BI4E1N044	44 mm	66 mm	54 mm	68 mm
BI4E1N045	45 mm	67 mm	54 mm	68 mm
BI4E1N046	46 mm	68 mm	54 mm	72 mm
BI4E1N047	47 mm	69 mm	54 mm	72 mm
BI4E1N048	48 mm	70 mm	54 mm	72 mm
BI4E1N050	50 mm	74 mm	54 mm	75 mm
BI4E1N052	52 mm	75 mm	54 mm	75 mm
BI4E1N054	54 mm	78 mm	54 mm	80 mm
BI4E1N055	55 mm	80 mm	54 mm	83 mm
BI4E1N056	56 mm	81 mm	54 mm	83 mm
BI4E1N060	60 mm	86 mm	54 mm	87 mm
BI4E1N065	65 mm	92 mm	54 mm	90 mm
BI4E1N070	70 mm	97 mm	54 mm	93 mm
BI4E1N075	75 mm	104 mm	86 mm	95 mm
BI4E1N080	80 mm	112 mm	86 mm	95 mm
BI4E1N085	85 mm	115 mm	86 mm	100 mm
BI4E1N090	90 mm	124 mm	86 mm	105 mm
BI4E1N095	95 mm	130 mm	86 mm	105 mm
BI4E1N100	100 mm	135 mm	86 mm	105 mm

BI4E1LX

DEEP IMPACT SOCKET



Cr-Mo




Phosphated



3129



1"



Art.	Size	D1	D2	Length
BI4E1L021	21 mm	38 mm	54 mm	90 mm
BI4E1L022	22 mm	39 mm	54 mm	90 mm
BI4E1L023	23 mm	41 mm	54 mm	90 mm
BI4E1L024	24 mm	42 mm	54 mm	90 mm
BI4E1L027	27 mm	46 mm	54 mm	90 mm
BI4E1L028	28 mm	47 mm	54 mm	90 mm
BI4E1L030	30 mm	49 mm	54 mm	90 mm
BI4E1L032	32 mm	52 mm	54 mm	90 mm
BI4E1L033	33 mm	54 mm	54 mm	90 mm
BI4E1L034	34 mm	54 mm	54 mm	90 mm
BI4E1L035	35 mm	54 mm	54 mm	90 mm
BI4E1L036	36 mm	56 mm	54 mm	90 mm
BI4E1L038	38 mm	58 mm	54 mm	95 mm
BI4E1L039	39 mm	59 mm	54 mm	95 mm
BI4E1L040	40 mm	60 mm	54 mm	95 mm
BI4E1L041	41 mm	61 mm	54 mm	95 mm
BI4E1L042	42 mm	64 mm	54 mm	95 mm
BI4E1L043	43 mm	66 mm	54 mm	95 mm
BI4E1L044	44 mm	66 mm	54 mm	95 mm
BI4E1L045	45 mm	67 mm	54 mm	95 mm
BI4E1L046	46 mm	68 mm	54 mm	95 mm
BI4E1L048	48 mm	70 mm	54 mm	100 mm
BI4E1L049	49 mm	72 mm	54 mm	100 mm
BI4E1L050	50 mm	74 mm	54 mm	100 mm
BI4E1L051	51 mm	74 mm	54 mm	100 mm
BI4E1L052	52 mm	74 mm	54 mm	100 mm
BI4E1L054	54 mm	78 mm	54 mm	100 mm
BI4E1L055	55 mm	80 mm	54 mm	105 mm
BI4E1L057	57 mm	82 mm	54 mm	105 mm
BI4E1L060	60 mm	86 mm	54 mm	110 mm
BI4E1L065	65 mm	92 mm	54 mm	115 mm
BI4E1L070	70 mm	97 mm	54 mm	120 mm
BI4E1L075	75 mm	104 mm	86 mm	135 mm
BI4E1L080	80 mm	112 mm	86 mm	135 mm
BI4E1L085	85 mm	115 mm	86 mm	140 mm
BI4E1L090	90 mm	124 mm	86 mm	140 mm
BI4E1L095	95 mm	130 mm	86 mm	140 mm

I340
STANDARD & DEEP IMPACT SOCKET SET


40 Pcs



Carrying case



Cr-Mo



Phosphated



1/2"



1/2" Dr. sockets

9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 26 - 27 - 30 mm

1/2" Dr. deep sockets

9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 26 - 27 - 30 mm

Universal joint


1/2"

1/2" Dr. socket-bars

125 mm

SI4E3N013
HEXAGONAL IMPACT SOCKET SET

Metal box.



13 Pcs



Box



Cr-Mo



Phosphated



3129



1/2"

Socket

10, 11, 12, 13, 14, 16, 17, 19, 21, 22, 24, 27, 30 mm

SI413M006
IMPACT HEX BIT SOCKET SET


6 Pcs



Carrying case



Cr-Mo



Phosphated



3129

Socket

8, 10, 12, 14, 17, 19 mm

Length

60 mm

SI423M006
IMPACT TORX BIT SOCKET SET


6 Pcs



Carrying case



Cr-Mo



Phosphated



3129

Socket

T40, T45, T50, T55, T60, T70

Length

60 mm

0341-X
IMPACT HEX SOCKET WITH PLASTIC SLEEVE


Cr-Mo



1/2"

Art.	Size	Length
0341/17	17 mm	87 mm
0341/19	19 mm	87 mm
0341/21	21 mm	87 mm
0341/22	22 mm	87 mm
0341/24	24 mm	87 mm

0341
DEEP IMPACT HEX SOCKET SET WITH PLASTIC SLEEVE


3 Pcs



Box



Cr-Mo



1/2"

Sizes

17 - 19 - 21 mm

Length

87 mm



0341/5S

IMPACT HEX SOCKET SET WITH PLASTIC SLEEVE



5 Pcs



Box



Cr-Mo



1/2"

Sizes	17 - 19 - 21 - 22 - 24 mm
Length	87 mm

0341-XL

LONG IMPACT HEX SOCKET WITH PLASTIC SLEEVE



Cr-Mo



1/2"

Art.	Size	Length
0341/17L	17 mm	150 mm
0341/19L	19 mm	150 mm
0341/21L	21 mm	150 mm

0341/3LS

IMPACT HEX SOCKET SET WITH PLASTIC SLEEVE



3 Pcs



Box



Cr-Mo



1/2"

Sizes	17 - 19 - 21 mm
Length	150 mm

0341-SX

PLASTIC SLEEVE FOR HEX IMPACT SOCKETS



Plastic

Art.	Size
0341/S19	19 mm
0341/S21	21 mm
0341/S22	22 mm
0341/S24	24 mm

I306

LONG IMPACT SOCKET SET



3 Pcs



Box



Cr-Mo



Chromed



1/2"

Sizes	17 - 19 - 21 mm
Length	150 mm

I217

METRIC STANDARD IMPACT SOCKET SET



17 Pcs



Carrying



Cr-Mo




Phosphated




3/4"


Sizes	19 - 21 - 22 - 24 - 27 - 30 - 32 - 33 - 34 - 35 - 36 - 38 - 40 - 41 - 46 - 50 - 55 mm
-------	---

SI4E2N008
HEXAGONAL IMPACT SOCKET SET



Socket 26, 27, 29, 30, 32, 35, 36, 38 mm

I109
IMPACT SOCKET SET


1" Dr. sockets 21 - 22 - 24 - 26 - 30 - 38 mm
1" Dr. deep sockets 27 - 28 - 32 mm

SI4E1N008
HEXAGONAL IMPACT SOCKET SET


Socket 24, 27, 30, 32, 33, 36, 38, 41 mm

SI40N006
IMPACT ADAPTER SET



Sizes 1/4" int. - 3/8" ext.; 3/8" int. - 1/4" ext.; 3/8" int. - 1/2" ext.; 1/2" int. - 3/8" ext.; 1/2" int. - 3/4" ext.
Blow mould case 126 x 100 x 52 mm

PI401X
IMPACT EXTENSION BAR


Art.	D	Length
PI401175	54 mm	175 mm
PI401200	54 mm	200 mm
PI401250	54 mm	250 mm
PI401300	54 mm	300 mm
PI401400	54 mm	400 mm

JI40XL
IMPACT UNIVERSAL JOINT


Heavy duty, 3/4" dr., made of 42CRM02 alloy steel.




Art.	Dr.	Length	D
JI401L	1"	130 mm	54 mm
JI402L	3/4"	105 mm	44 mm

JI40XN
IMPACT UNIVERSAL JOINT

1" dr., made of 42CRM02 alloy steel.



Art.	Dr.	D	Length
JI401N	1"	54 mm	115 mm
JI402N	3/4"	44 mm	90 mm
JI403N	1/2"	30 mm	63 mm

RI40X
IMPACT ADAPTER


Art.	Female connection	External thread connection	D	Length
RI4012N	1"	3/4"	54 mm	70 mm
RI4021N	3/4"	1"	44 mm	63 mm
RI4023N	3/4"	1/2"	44 mm	58 mm
RI4032N	1/2"	3/4"	30 mm	48 mm



0471

O-RING REMOVAL SET

Suitable for removing motor seals.



4 Pcs



Hangable



Steel



Chromed

Length

135 mm

0456

O-RING REMOVAL SET

Equipped of hex handle with magnet.



4 Pcs



Hangable



Steel



Chromed

Handle dimensions

8 x 90 mm

E003

HSS SCREW EXTRACTOR SET



5 Pcs



Hangable



HSS



1/4"

num. 0	2-3 mm
num. 1	4-5 mm
num. 2	6-8 mm
num. 3	8-10 mm
num. 4	10-12 mm

E001

SCREW EXTRACTOR SET



5 Pcs



Box



Steel

num. 1	M3 - M6
num. 2	M6 - M8
num. 3	M8 - M11
num. 4	M11 - M14
num. 5	M14 - M18

E005

BOLT REMOVER SET

External hex.



11 Pcs




Box


Cr-Mo



3/8"

Sizes	9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 19 mm
Height	27 mm



E191-
3 JAW GEAR PULLER


Art.	Dimensions
E191/120	Max Ø 120 mm - h 101 mm
E191/200	Max Ø 200 mm - h 150 mm

E190-
2 JAW GEAR PULLER


Art.	Dimensions
E190/080	Max Ø 80 mm - h 100 mm
E190/130	Max Ø 130 mm - h 100 mm
E190/160	Max Ø 160 mm - h 150 mm
E190/200	Max Ø 200 mm - h 150 mm

E190-BX
EXTENDED JAWS


Art.	Length
E190/B2	300 mm



**CB01-****NUT DRIVER WITH PLASTIC HANDLE**

Ansi.



Art.	Size	L	L1	L2	L3	L4	A	B	C
CB01/04	4 mm	185 mm	75 mm	4 ~ 5 mm	20,5 mm	110 mm	Ø 5,9 mm	Ø 7 mm	Ø 3,3 mm
CB01/05	5 mm	185 mm	75 mm	4,5 ~ 5,5 mm	20 mm	110 mm	Ø 5,9 mm	Ø 8,3 mm	Ø 3,7 mm
CB01/055	5,5 mm	185 mm	75 mm	5,5 ~ 6,5 mm	19 mm	110 mm	Ø 5,9 mm	Ø 9 mm	Ø 3,7 mm
CB01/06	6 mm	185 mm	75 mm	6,5 ~ 7,5 mm	18 mm	110 mm	Ø 5,9 mm	Ø 9,5 mm	Ø 3,7 mm
CB01/07	7 mm	185 mm	75 mm	7,5 ~ 8,5 mm	17 mm	110 mm	Ø 5,9 mm	Ø 10,5 mm	Ø 3,7 mm
CB01/08	8 mm	185 mm	75 mm	8,5 ~ 9,5 mm	16 mm	110 mm	Ø 7,2 mm	Ø 11,9 mm	Ø 5 mm
CB01/09	9 mm	185 mm	75 mm	8,5 ~ 9,5 mm	16 mm	110 mm	Ø 7,2 mm	Ø 12,8 mm	Ø 5 mm
CB01/10	10 mm	185 mm	75 mm	10,5 ~ 11,5 mm	14 mm	110 mm	Ø 9,3 mm	Ø 14,1 mm	Ø 7 mm
CB01/11	11 mm	185 mm	75 mm	10,5 ~ 11,5 mm	14 mm	110 mm	Ø 9,3 mm	Ø 15 mm	Ø 7 mm
CB01/12	12 mm	185 mm	75 mm	10,5 ~ 11,5 mm	14 mm	110 mm	Ø 9,3 mm	Ø 16 mm	Ø 7 mm
CB01/13	13 mm	185 mm	75 mm	11,5 ~ 12,5 mm	14 mm	110 mm	Ø 11 mm	Ø 17 mm	Ø 8,5 mm

CB02-**HOLLOW NUT DRIVER WITH PLASTIC HANDLE**

Ansi.



Art.	Size	L	L1	L2	L3	L4	A	B	C
CB02/04	4 mm	185 mm	75 mm	4 ~ 5 mm	75 mm	110 mm	Ø 7,2 mm	Ø 7 mm	Ø 3,3 mm
CB02/05	5 mm	185 mm	75 mm	4,5 ~ 5,5 mm	13,3 mm	110 mm	Ø 7,2 mm	Ø 8,3 mm	Ø 3,7 mm
CB02/055	5,5 mm	185 mm	75 mm	5,5 ~ 6,5 mm	74,5 mm	110 mm	Ø 7,2 mm	Ø 9 mm	Ø 3,7 mm
CB02/06	6 mm	185 mm	75 mm	6,5 ~ 7,5 mm	65 mm	110 mm	Ø 7,2 mm	Ø 9,5 mm	Ø 3,7 mm
CB02/07	7 mm	185 mm	75 mm	7,5 ~ 8,5 mm	64,5 mm	110 mm	Ø 7,2 mm	Ø 10,5 mm	Ø 3,7 mm
CB02/08	8 mm	185 mm	75 mm	8,5 ~ 9,5 mm	101 mm	110 mm	Ø 9,3 mm	Ø 11,9 mm	Ø 5 mm
CB02/09	9 mm	185 mm	75 mm	8,5 ~ 9,5 mm	101 mm	110 mm	Ø 9,3 mm	Ø 12,8 mm	Ø 5 mm
CB02/10	10 mm	185 mm	75 mm	10,5 ~ 11,5 mm	94,5 mm	110 mm	Ø 9,3 mm	Ø 14,1 mm	Ø 7 mm
CB02/11	11 mm	185 mm	75 mm	10,5 ~ 11,5 mm	64 mm	110 mm	Ø 11 mm	Ø 15 mm	Ø 7 mm
CB02/12	12 mm	185 mm	75 mm	10,5 ~ 11,5 mm	130 mm	110 mm	Ø 11 mm	Ø 16 mm	Ø 7 mm
CB02/13	13 mm	185 mm	75 mm	11,5 ~ 12,5 mm	70 mm	110 mm	Ø 11 mm	Ø 17 mm	Ø 8,5 mm

CBF1-**FLEXIBLE NUT DRIVER WITH PLASTIC HANDLE**

Ansi.



Art.	Size	L	L1	L2	L3	A	B
CBF1/05	5 mm	265 mm	150 mm	9,5 mm	115 mm	Ø 11 mm	Ø 11,8 mm
CBF1/055	5,5 mm	265 mm	150 mm	9,5 mm	115 mm	Ø 11 mm	Ø 11,8 mm
CBF1/06	6 mm	265 mm	150 mm	9,5 mm	115 mm	Ø 11 mm	Ø 11,8 mm
CBF1/07	7 mm	265 mm	150 mm	9,5 mm	115 mm	Ø 11 mm	Ø 11,8 mm
CBF1/08	8 mm	265 mm	150 mm	9,5 mm	115 mm	Ø 11 mm	Ø 11,8 mm
CBF1/09	9 mm	265 mm	150 mm	9,5 mm	115 mm	Ø 11 mm	Ø 13 mm
CBF1/10	10 mm	265 mm	150 mm	10 mm	115 mm	Ø 11 mm	Ø 14,5 mm
CBF1/11	11 mm	265 mm	150 mm	9 mm	115 mm	Ø 11 mm	Ø 15,9 mm
CBF1/12	12 mm	265 mm	150 mm	9 mm	115 mm	Ø 11 mm	Ø 17 mm
CBF1/13	13 mm	265 mm	150 mm	8,5 mm	115 mm	Ø 11 mm	Ø 17,8 mm

CBF1/10P
FLEXIBLE NUT DRIVER SET WITH PLASTIC HANDLE

Ansi, bicomponent.



Sizes 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm

CB01/04P
NUT DRIVER SET WITH PLASTIC HANDLE

Ansi, bicomponent.



Sizes 10 - 11 - 12 - 13 mm

CB01/07P
NUT DRIVER SET WITH PLASTIC HANDLE

Ansi, bicomponent.



Sizes 4 - 5 - 5,5 - 6 - 7 - 8 - 9 mm

CB01/11P
NUT DRIVER SET WITH PLASTIC HANDLE

Ansi, bicomponent.



Sizes 4 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm

CB02/04P
HOLLOW NUT DRIVER SET WITH PLASTIC HANDLE

Ansi, bicomponent with deep hole.



Sizes 10 - 11 - 12 - 13 mm

CB02/07P
HOLLOW NUT DRIVER SET WITH PLASTIC HANDLE

Ansi, bicomponent with deep hole.



Sizes 4 - 5 - 5,5 - 6 - 7 - 8 - 9 mm

CB02/11P
HOLLOW NUT DRIVER SET WITH PLASTIC HANDLE

Ansi, bicomponent with deep hole.




Sizes 4 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm

**DIN 2380-1**

Featuring a black blade and a three-component handle made of highly elastic TPR resin and oil-resistant polypropylene. The diamond-tipped tip ensures a flawless grip, preventing damage to the screw head. This type of tip is also very effective on already damaged screws.

D883-**ELECTRICIAN FLAT SCREWDRIVER WITH DIAMOND TIP**

Art.	Size	Pole length	Total length
D883/3075	3 mm	75 mm	115 mm
D883/4100	4 mm	100 mm	145 mm

D884/6038**FLAT SCREWDRIVER WITH DIAMOND TIP**

Size	6 mm
Pole length	38 mm
Total length	70 mm

D882/2038**CROSS SCREWDRIVER PH WITH DIAMOND TIP**

Size	PH 2
Pole length	38 mm
Total length	70 mm

D885/2038**CROSS SCREWDRIVER PZ WITH DIAMOND TIP**

Size	PZ 2
Pole length	38 mm
Total length	70 mm

D884-**FLAT SCREWDRIVER WITH DIAMOND TIP**


Art.	Size	Pole length	Total length
D884/3075	3 mm	75 mm	115 mm
D884/4100	4 mm	100 mm	180 mm
D884/5125	5 mm	125 mm	230 mm
D884/6150	6 mm	150 mm	260 mm
D884/8150	8 mm	150 mm	210 mm

D882-**CROSS SCREWDRIVER PH WITH DIAMOND TIP**

Art.	Size	Pole length	Total length
D882/1075	PH 1	75 mm	180 mm
D882/2100	PH 2	100 mm	210 mm
D882/3150	PH 3	150 mm	270 mm

D885-**CROSS SCREWDRIVER PZ WITH DIAMOND TIP**

Art.	Size	Pole length	Total length
D885/1075	PZ 1	75 mm	120 mm
D885/2100	PZ 2	100 mm	150 mm
D885/3150	PZ 3	150 mm	210 mm

D880/006**DIAMOND TIP SCREWDRIVER SET**

Sizes Slot	(-) 4 x 100 mm, (-) 5 x 125 mm, (-) 6 x 150 mm
Cross	(+) PH 1 x 75 mm, (+) PH 2 x 100 mm, (+) PH 3 x 150 mm

C884-
SLOTTED SCREWDRIVER.

With black phosphatized magnetic tip, handle made of high elastic resin TPR and polypropylene material oil resistant.



Art.	Size	Pole length	Total length
C884/3075	3 mm	75 mm	155 mm
C884/4100	4 mm	100 mm	200 mm
C884/5125	5 mm	125 mm	225 mm
C884/6150	6 mm	150 mm	260 mm
C884/8150	8 mm	150 mm	260 mm

C884/6038
SLOTTED SCREWDRIVER.

With black phosphatized magnetic tip, handle made of high elastic resin TPR and polypropylene material oil resistant.



Size	6 mm
Pole length	38 mm
Total length	100 mm

C882-
CROSS SCREWDRIVER PH.

With black phosphatized magnetic tip, handle made of high elastic resin TPR and polypropylene material oil resistant.



Art.	Size	Pole length	Total length
C882/1075	PH 1	75 mm	180 mm
C882/2100	PH 2	100 mm	210 mm
C882/3150	PH 3	150 mm	260 mm

C882/2038
CROSS SCREWDRIVER PH.

With black phosphatized magnetic tip, handle made of high elastic resin TPR and polypropylene material oil resistant.



Size	PH 2
Pole length	38 mm
Total length	100 mm

C885-
CROSS SCREWDRIVER PZ.

With black phosphatized magnetic tip, handle made of high elastic resin TPR and polypropylene material oil resistant.



Art.	Size	Pole length	Total length
C885/1075	PZ 1	75 mm	170 mm
C885/2100	PZ 2	100 mm	210 mm
C885/3150	PZ 3	150 mm	260 mm

C885/2038
CROSS SCREWDRIVER PZ.

With black phosphatized magnetic tip, handle made of high elastic resin TPR and polypropylene material oil resistant.



Size	PZ 2
Pole length	38 mm
Total length	100 mm

**C883-****ELECTRICIAN SCREWDRIVER.**

Slotted, with black phosphatized magnetic tip, handle made of high elastic resin TPR and polypropylene material oil resistant.



Art.	Size	Pole length	Total length
C883/3075	3 mm	75 mm	160 mm
C883/4100	4 mm	100 mm	200 mm

C881-**TORX SCREWDRIVER**


With black phosphatized magnetic tip, handle made of high elastic resin TPR and polypropylene material oil resistant.



Art.	Sizes	Pole length	Total length
C881/07075	T7	75 mm	160 mm
C881/08075	T8	75 mm	160 mm
C881/10075	T10	75 mm	160 mm
C881/15100	T15	100 mm	200 mm
C881/20100	T20	100 mm	200 mm
C881/25125	T25	125 mm	225 mm
C881/27125	T27	125 mm	225 mm
C881/30150	T30	150 mm	260 mm
C881/35150	T35	150 mm	260 mm
C881/40150	T40	150 mm	260 mm

C880/006**SCREWDRIVER SET**


With black phosphatized magnetic tip, handle made of high elastic resin TPR and polypropylene material oil resistant.




Slotted	(-) 4 x 100 mm, (-) 5 x 125 mm, (-) 6 x 150 mm
Cross	(+) PH 1 x 75 mm, (+) PH 2 x 100 mm, (+) PH 3 x 150 mm

C881/006**TORX SCREWDRIVER SET**


With black phosphatized magnetic tip, handle made of high elastic resin TPR and polypropylene material oil resistant.



Torx	T10x75mm, T15x100mm, T20x100mm, T25x125mm, T27x125mm, T30x150mm
------	---

0633**SCREWDRIVER SET WITH STEEL HEAD**

Slotted	(-) 5,0x1,0x75 mm, (-) 6,0x1,2x100 mm, (-) 6,0x1,2x125 mm, (-) 8,0x1,2x150 mm
Cross	(+) PH 1x5x75 mm, (+) PH 2x6x100 mm

0634**SCREWDRIVER SET**

Slotted	(-) 4x0,8x75 mm, (-) 5,5x1,0x100 mm, (-) 6,5x1,2x150 mm
Cross	(+) PH 0x3x75 mm, (+) PH 1x5x100 mm, (+) PH 2x6x125 mm

CI82-
INSULATED CROSS SCREWDRIVER

1000V IEC 60900, with black phosphatized magnetic tip and polypropylene material oil resistant bi-color handle.



Hangable



Mo-V

Art.	Size	Pole length	Total length
CI82/0060	PH0 x 3 mm	60 mm	160 mm
CI82/1080	PH1 x 4,5 mm	80 mm	185 mm
CI82/2100	PH2 x 6 mm	100 mm	210 mm
CI82/3150	PH3 x 8 mm	150 mm	265 mm

CI83-
INSULATED SLOT SCREWDRIVER

1000V IEC 60900, with black phosphatized magnetic tip and polypropylene material oil resistant bi-color handle.



Hangable



Mo-V

Art.	Size	Pole length	Total length
CI83/25075	0,4 x 2,5 mm	75 mm	175 mm
CI83/30100	0,6 x 3 mm	100 mm	200 mm
CI83/40100	0,8 x 4 mm	100 mm	200 mm
CI83/55125	1 x 5,5 mm	125 mm	230 mm
CI83/65150	1,2 x 6,5 mm	150 mm	260 mm
CI83/80175	1,6 x 8 mm	175 mm	290 mm

CI80/006
INSULATED SCREWDRIVER SET

1000V IEC 60900, with black phosphatized magnetic tip and polypropylene material oil resistant bi-color handle.



6 Pcs



Hangable



Mo-V

Slotted	(-) 0,6 x 3 x 100 mm, (-) 0,8 x 4 x 100 mm, (-) 1 x 5,5 x 125 mm
Cross	(+) PH 0 x 3 x 60 mm, (+) PH 1 x 4,5 x 80 mm, (+) PH 2 x 6 x 100 mm

0083
IMPACT DRIVER

Supplied in plastic box.



7 Pcs



Box



Steel



Satin

Dimensions	165 x 42 mm
Bits	6
Shank	5/16"

0207
DOUBLE HEAD SCREWDRIVER BIT SET


9 Pcs



Box



Cr-V



Chromed

Blade length	110 mm
Handle length	170 mm



**P883-****SLOT PRECISION SCREWDRIVER**

With burnished magnetic tip, handle in two-component material with free end part to rotate for a perfect grip.



Cr-V



Phosphated



2380-1

Art.	Size	Pole length	Total length
P883/1250	1,2 mm	50 mm	140 mm
P883/1650	1,6 mm	50 mm	140 mm
P883/1850	1,8 mm	50 mm	140 mm
P883/2050	2,0 mm	50 mm	140 mm
P883/2450	2,4 mm	50 mm	140 mm
P883/3050	3,0 mm	50 mm	140 mm
P883/3550	3,5 mm	50 mm	140 mm
P883/4050	4,0 mm	50 mm	140 mm

P882-**PH PRECISION SCREWDRIVER**

With burnished magnetic tip, handle in two-component material with free end part to rotate for a perfect grip.



Cr-V



Phosphated



8764

Art.	Size	Pole length	Total length
P882/0150	PH 1	50 mm	140 mm
P882/1050	PH 0	50 mm	140 mm
P882/2050	PH 00	50 mm	140 mm

P881-**TORX PRECISION SCREWDRIVER**

With burnished magnetic tip, handle in two-component material with free end part to rotate for a perfect grip.



Cr-V



Phosphated

Art.	Size	Pole length	Total length
P881/0550	T5	50 mm	140 mm
P881/0650	T6	50 mm	140 mm
P881/0750	T7	50 mm	140 mm
P881/0850	T8	50 mm	140 mm
P881/0950	T9	50 mm	140 mm
P881/1050	T10	50 mm	140 mm
P881/1550	T15	50 mm	140 mm

P886-**HEXAGONAL PRECISION SCREWDRIVER**

With burnished magnetic tip, handle in two-component material with free end part to rotate for a perfect grip.



Cr-V



Phosphated



2936

Art.	Size	Pole length	Total length
P886/1350	1,3 mm	50 mm	140 mm
P886/1550	1,5 mm	50 mm	140 mm
P886/2050	2,0 mm	50 mm	140 mm
P886/2550	2,5 mm	50 mm	140 mm
P886/3050	3,0 mm	50 mm	140 mm

P880/06S**PRECISION SCREWDRIVER SERIES**

With burnished magnetic tip, handle in two-component material with free end part to rotate for a perfect grip.



6 Pcs



Hangable



Cr-V



Phosphated

Slotted	1,2 x 50 mm, 2 x 50 mm, 3 x 50 mm
Cross	PH 00 x 50 mm, PH 0 x 50 mm, PH 1 x 50 mm

P881/06S**TORX PRECISION SCREWDRIVER SERIES**

With burnished magnetic tip, handle in two-component material with free end part to rotate for a perfect grip.



6 Pcs



Hangable



Cr-V



Phosphated

Tee star	T5 x 50 mm, T6 x 50 mm, T7 x 50 mm, T8 x 50 mm, T9 x 50 mm, T10
----------	---

0466/DM
SCREWDRIVERS MAGNETIZER/DEMAGNETIZER


Dimensions

52 x 50 x 28,5 mm

PIF1
FLEXIBLE NUT DRIVER


L	265 mm	L3	115 mm
L1	150 mm	A	10 mm
L2	9,5 mm	B	11,8 mm

0562N
SHANK MAGNETIC HANDLE

Tricomponent handle made of highly elastic TPR resin and oil-resistant polypropylene material.



Length 110 mm

0406
QUICK CHANGE 6 POINT BIT HOLDER


Length 60 mm

0888
L-SHAPED DRIVER

Bits inside the handle.



Aluminum Satin 1/4"

0304
1/4 SHANK MAGNETIC HANDLE


Hangable Chromed 1/4"

0562
SHANK MAGNETIC HANDLE


Tricomponent handle made of highly elastic TPR resin and oil-resistant polypropylene material.



Length 200 mm

0407
BIT HOLDER

Straight and 90°, easy to use in small spaces.


 Length 105 mm
Phillips 1 - 2

 Pozi-driv 1 - 2
Slotted 2 - 3 - 4 mm



0732

HEX BIT SET

Composed of 30 bit, 1 bit adapter and 1 bit holder.



33 Pcs



Blister

Cr-V

Magnetic bit holder	1 x 25 mm
Slotted	3 - 4 - 5,5 - 7 mm
Spanner	3 - 4 - 5 - 6
Phillips	PH1 - PH2 - PH3 - PH4
Pozi-driv	PZ1 - PZ2 - PZ3 - PZ4
Tee star	T10 - T15 - T20 - T25 - T30 - T35 - T40
Tamper proof tee star	T10 - T15 - T20 - T25 - T30 - T35 - T40

0403

HEX BIT AND SOCKET SET

Composed of , 6 sockets, 1 socket adapter and 1 ratchet screwdriver bit holder.



26 Pcs



Blister

Cr-V

Mo-V



Nickel plated



1/4"



1/4"

Ratchet bit handle	1
Magnetic bit holder	1
Socket	25 mm
Socket	5 - 6 - 7 - 8 - 9 - 10 mm
Slotted	3 - 4 - 5 - 6 - 7 mm
Phillips	0 - 1 - 2 - 3
Pozi-driv	0 - 1 - 2 - 3
Square bits	S0 - S1 - S2 - S3

0404

HEX BIT AND SOCKET SET

With nichel coated bits made of S2 steel, sockets made of CR-V steel and quick change bit holder.



35 Pcs



Blister

Cr-V

Mo-V



Nickel plated



1/4"



1/4"

Socket	1 x 25 mm
Magnetic bit holder	1
Socket holder extension	1
Socket	5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 mm
Slotted	3 - 4 - 5 - 5,5 - 6 - 7 mm
Phillips	0 - 1 - 2 - 3
Pozi-driv	0 - 1 - 2 - 3
Square bits	S0 - S1 - S2 - S3
Tee star	T10 - T15 - T20 - T25 - T30 - T40

0402

HEX BIT SET

Made of s2 steel and nichel coated, composed of 40 bits and 1 72t ratchet handle.



41 Pcs



Blister

Cr-V

Mo-V



Nickel plated



1/4"



1/4"

Shank	1/4"
Slotted	3 - 4 - 5 - 5,5 - 6 - 7 mm
Phillips	2 x 0 - 2 x 1 - 2 x 2 - 2 x 3
Pozi-driv	2 x 0 - 2 x 1 - 2 x 2 - 2 x 3
Square bits	S0 - S1 - S2 - S3
Tee star	T10 - T15 - T20 - T25 - T27 - T30 - T40
Hexagonal	2 - 2,5 - 3 - 4 - 5 - 5,5 - 6 mm


PI063
MULTIFUNCTION REPAIR TOOL KIT

62 pieces kit with magnetic revolving handle for precision repair of your tools, including smartphones, watches and appliances. The magnetic tray and the click-clack function allow to keep the bits organized without losing them.



63 Pcs



Box

Cr-V

Magnetic bit holder	1
Phillips	PH00000-PH0000-PH000-PH00-PH0-PH1-PH2
Slotted	1 - 1,3 - 1,5 - 2 - 2,5 - 3 - 4
Hexagonal	0,7 - 0,9 - 1,3 - 1,5 - 2 - 2,5 - 3 - 3,5 - 4
Pozi-driv	PZ000 - PZ00 - PZ0 - PZ1
Square	0 - 1 - 2
"Y" adapter	Y0.6 - Y1.5 - Y2.3 - Y3.0
Pentagram	0,8 - 1,2 - 1,5 - 2
Triangle	2 - 2,3 - 3
U Type	U2.3 - U2.6
G	G3.8 - G4.5
M	M2,5 - M3 - M4
MID	
ICS	


0358
SCREWDRIVER BIT AND SOCKET SET


122 Pcs



Box



Cr-V



Satin

1/4"

Bits	
Phillips	0 - 1 - 2 (x5 Pcs/Pcs) - 3
Pozi-driv	0 - 1 - 2 (x5 Pcs/Pcs) - 3
Slotted	3 - 4 - 4,5 - 5 - 5,5 - 6 - 6,5 - 7 - 8 mm
Spanner	4 - 6 - 8 - 10
Tee star	8 - 10 - 15 - 20 - 25 - 27 - 30 - 40 - 45
Triplay	1 - 2 - 3 - 4
Tamper proof tee star	8 - 10 - 15 - 20 - 25 - 27 - 30 - 35 - 40
Tee cross	6 - 8 - 10
Metric hex	1,5 - 2 - 2,5 - 3 - 4 - 5 - 5,5 - 6 - 8 mm
Square	0 - 1 - 2 - 3
Inch hex	1/16 - 5/64 - 3/32 - 7/64 - 1/8 - 9/64 5/32 - 3/16 - 7/32 -
Spline	M5 - M6 - M8
Hex tamper proof	2 - 2,5 - 3 - 4 - 5 - 6 - 5/64 - 3/32 - 7/64 1/8 - 9/64 - 5/32
Clutch	1 - 2 - 3
Male adapter 1/4" Dr. and 1/4" hex	25 mm
Male adapter 1/4" Dr. and 1/4" hex	50 mm
"Y" adapter	1 Pcs
Bit holder	1 Pcs
Magnetic bit holder	60 mm
Bit Holder	1 Pcs
Nut bit driver	4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 5/32 - 3/13 - 7/32 -


0104
BITS SET

3/8" hexagonal connection



40 Pcs



Carrying case

Cr-V



Satin



1/2" - 3/8"

1 Socket bit 1/2"	10 mm
1 Socket bit 3/8"	10 mm
7 Hex bits 4-5-6-7-8-10-12 mm	30 mm
7 Hex bits 4-5-6-7-8-10-12 mm	75 mm
5 Bits "XZN" 5-6-8-10-12 mm	30 mm
5 Bits "XZN" 5-6-8-10-12 mm	75 mm
Bits TORX T20-T25-T30-T40-T45-T50-T55	30 mm
Bits TORX T20-T25-T30-T40-T45-T50-T55	75 mm





0640

BIT SET

1/4" hexagonal connection



100 Pcs



Box



Satin

Mo-V



1/4"

Phillips	0 - 1 - 2 (x5 Pcs/Pcs) - 3
Pozi-driv	0 - 1 - 2 (x5 Pcs/Pcs) - 3
Slotted	3 - 4 - 4,5 - 5 - 5,5 - 6 - 6,5 - 7 - 8 mm
Spanner	4 - 6 - 8 - 10
Tee star	8 - 10 - 15 - 20 - 25 - 27 - 30 - 40 - 45
Tripley	1 - 2 - 3 - 4
Tamper proof tee star	8 - 10 - 15 - 20 - 25 - 27 - 30 - 35 - 40
Tee cross	6 - 8 - 10
Metric hex	1,5 - 2 - 2,5 - 3 - 4 - 5 - 5,5 - 6 - 8 mm
Square	0 - 1 - 2 - 3
Inch hex	1/16 - 5/64 - 3/32 - 7/64 - 1/8 - 9/64 - 5/32 - 3/16 - 7/32 - 1/4
Spline	M5 - M6 - M8
Hex tamper proof	2 - 2,5 - 3 - 4 - 5 - 6 - 5/64 - 3/32 - 7/64 - 1/8 - 9/64 - 5/32
Clutch	1 - 2 - 3

0277

HEX BIT AND SOCKET SET

With bit holder and ratchet handle.



58 Pcs



Box



1/4"

Cr-V



1/4"

Bits	25 mm
Phillips (25 mm)	1 - 2 - 3
Pozi-driv	1 - 2 - 3
Slotted	3,5 - 4,5 - 5,5 - 6,5 mm
Spanner	4 - 6 - 8
Tee star	10 - 15 - 20 - 25 - 27 - 30 - 40
Tri-wing	1 - 2 - 3 - 4
Tee cross	6 - 8 - 10
Hexagonal	2 - 3 - 4 - 5 - 6 - 8 mm
Square	1 - 2 - 3
Spline	5 - 6 - 8
Clutch	1 - 2 - 3
Hex. sockets	5 - 6 - 7 - 8 - 10 mm
Hex. sockets	3/16 - 1/4 - 9/32 - 5/16 - 3/8
Socket	1/4"
"Y" adapter	1
Socket	1
Magnetic bit holder	1
Bit Holder	1
Ratchet handle	1/4"

IS25-ESX

HEXAGONAL BITS



Mo-V



Phosphated



3126



1/4"



Art.	Size	Length	Pack
IS25/ES2	2 mm	25 mm	10
IS25/ES25	2.5 mm	25 mm	10
IS25/ES3	3 mm	25 mm	10
IS25/ES4	4 mm	25 mm	10
IS25/ES5	5 mm	25 mm	10
IS25/ES6	6 mm	25 mm	10
IS25/ES8	8 mm	25 mm	10
IS25/ES10	10 mm	25 mm	10

IS25-PHXAS

CROSS BITS PH ANTI SLIP



Mo-V



Phosphated



3126



1/4"

Art.	Size	Length	Pack
IS25/PH1AS	PH 1	25 mm	10
IS25/PH2AS	PH 2	25 mm	10
IS25/PH3AS	PH 3	25 mm	10

IS25-PHX

CROSS BITS PH



Mo-V



Phosphated



3126



1/4"

Art.	Size	Length	Pack
IS25/PH0	PH 0	25 mm	20
IS25/PH1	PH 1	25 mm	20
IS25/PH2	PH 2	25 mm	20
IS25/PH3	PH 3	25 mm	20

IS25-PZX

CROSS BITS PZ



Mo-V



Phosphated




3126




1/4"


Art.	Size	Length	Pack
IS25/PZ1	PZ 1	25 mm	20
IS25/PZ2	PZ 2	25 mm	20
IS25/PZ3	PZ 3	25 mm	20

IS25-PZXAS
CROSS BITS PZ ANTI SLIP


Art.	Size	Length	Pack
IS25/PZ1AS	PZ 1	25 mm	10
IS25/PZ2AS	PZ 2	25 mm	10
IS25/PZ3AS	PZ 3	25 mm	10

IS25-TGX
SLOTTED BITS



Art.	Size	Length	Pack
IS25/TG3	3 x 0,5 mm	25 mm	10
IS25/TG4	4 x 0,8 mm	25 mm	10
IS25/TG5.5	5,5 x 0,8 mm	25 mm	10
IS25/TG6	6 x 1 mm	25 mm	10
IS25/TG8	8 x 1,2 mm	25 mm	10

IS25-TXX
TORX BITS


Art.	Size	Length	Pack
IS25/TX10	T10	25 mm	10
IS25/TX15	T15	25 mm	10
IS25/TX20	T20	25 mm	10
IS25/TX25	T25	25 mm	10
IS25/TX30	T30	25 mm	10
IS25/TX35	T35	25 mm	10
IS25/TX40	T40	25 mm	10
IS25/TX45	T45	25 mm	10
IS25/TX50	T50	25 mm	10
IS25/TX55	T55	25 mm	10

IS50-ESX
HEXAGONAL BITS


Turn-down body.



Art.	Size	Length	Pack
IS50/ES2	2 mm	50 mm	5
IS50/ES25	2,5 mm	50 mm	5
IS50/ES3	3 mm	50 mm	5
IS50/ES4	4 mm	50 mm	5
IS50/ES5	5 mm	50 mm	5
IS50/ES6	6 mm	50 mm	5
IS50/ES8	8 mm	50 mm	5
IS50/ES10	10 mm	50 mm	5

IS50-PHX
CROSS BITS PH


With turn-down body.



Art.	Size	Length	Pack
IS50/PH1	PH 1	50 mm	10
IS50/PH2	PH 2	50 mm	10
IS50/PH3	PH 3	50 mm	10

IS50-PZX
CROSS BITS PZ


With turn-down body.



Art.	Size	Length	Pack
IS50/PZ1	PZ 1	50 mm	10
IS50/PZ2	PZ 2	50 mm	10
IS50/PZ3	PZ 3	50 mm	10

IS50-TGX
SLOTTED BITS


With turn-down body.



Art.	Size	Length	Pack
IS50/TG3	3 x 0,5 mm	50 mm	5
IS50/TG4	4 x 0,8 mm	50 mm	5
IS50/TG5.5	5,5 x 0,8 mm	50 mm	5
IS50/TG6	6 x 1 mm	50 mm	5
IS50/TG8	8 x 1,2 mm	50 mm	5

IS50-TXX
TORX BITS

With turn-down body.




Art.	Size	Length	Pack
IS50/TX10	T10	50 mm	5
IS50/TX15	T15	50 mm	5
IS50/TX20	T20	50 mm	5
IS50/TX25	T25	50 mm	5
IS50/TX30	T30	50 mm	5
IS50/TX35	T35	50 mm	5
IS50/TX40	T40	50 mm	5

**S018****HAND RIVETER SET**

Rivets	50 x Ø 2,4 mm - 50 x Ø 3,2 mm - 50 x Ø 4 mm - 50 x Ø 4,8 mm
Nut rivets	50 x M3 - 50 x M4 - 25 x M5 - 25 x M6 - 20 x M8
Description	330 x 170 x 150 mm

0455**DOUBLE HAND NUT RIVETER**


Long levers for effortless work, with 7 nosepieces.



Nosepieces	M3 - M4 - M5 - M6 - M8 - M10 - M12
Length	400 mm

0469**HAND NUT RIVETER**

With 4 nosepieces. Ergonomic handles.



Nosepieces	M3 - M4 - M5 - M6
Length	200 mm

0453**DOUBLE HAND RIVETER**

Long levers for effortless work, even with 6.4mm rivets. Plastic reservoir for sheared nail recovery.



Rivets	Ø 3,2 - 4,0 - 4,8 - 6,0 - 6,4 mm
Length	400 mm

0454**DOUBLE HAND RIVETER WITH ROTATING HEAD**

Long levers for effortless work, even with 6.4mm rivets. Plastic reservoir for sheared nail recovery. With 4-position rotating head.



Rivets	Ø 3,2 - 4,0 - 4,8 - 6,4 mm
Length	400 mm

0470**HAND RIVETER WITH MULTI-SIDES BLOCKER**

With rotating head - 4 positions.



Rivets	Ø 2,4 - 3,2 - 4,0 - 4,8 mm
--------	----------------------------

0872/P
DOUBLE JOINT LONG PLIER SET


3 Pcs



Hangable



Cr-V



Chromed



Length	335 mm
Thickness	10 mm

0872/PDD
DOUBLE X LONG REACH PLIER LONG NOSE


Hangable

Cr-V



Chromed



Length	335 mm
Thickness	10 mm

0872/PCD
DOUBLE X LONG REACH PLIER LONG BENT NOSE 45°


Hangable



Cr-V



Chromed



Length	335 mm
Thickness	10 mm

0872/OPD
DOUBLE X LONG REACH PLIER

With round tips and grip not inferior to 8mm.



Hangable



Cr-V



Chromed



Length	335 mm
Thickness	10 mm

0873-U
COMBINATION PLIERS


Hangable



Cr-V



Chromed



Art.	Length	Thickness
0873/U6	160 mm	11 mm
0873/U7	180 mm	10,5 mm
0873/U8	200 mm	12 mm

0873-BD
LONG NOSE PLIERS



Hangable



Cr-V



Chromed



Art.	Length	Thickness
0873/BD6	160 mm	9 mm
0873/BD8	200 mm	10 mm

0873-BC
BENT NOSE PLIERS 45°


Hangable



Cr-V



Chromed



Art.	Length	Thickness
0873/BC6	160 mm	9 mm
0873/BC8	200 mm	10 mm

0873/TL
DIAGONAL SIDE CUTTING NIPPERS


Hangable



Cr-V



Chromed



Length	160 mm
Thickness	9 mm



0873/TF

END CUTTING NIPPERS




Hangable

Cr-V



Chromed



Length 160 mm
Thickness 11 mm

0020/1

EXTRA LONG NOSE MINI PLIERS



Blister



Steel



Chromed



Length 150 mm

0020/2

BENT NOSE MINI PLIERS



Blister



Steel



Chromed



Length 125 mm

0020/3

FLAT NOSE MINI PLIERS



Blister



Steel



Chromed



Length 125 mm

0020/4

LONG NOSE MINI PLIERS



Blister



Steel



Chromed



Length 125 mm

0020/5

END CUTTING MINI NIPPERS




Blister



Steel



Chromed



Length 110 mm

0020/6

DIAGONAL SIDE CUTTING MINI NIPPERS




Blister



Steel



Chromed



Length 110 mm

0020

FINE POLISHED MINI PLIERS SET



5 Pcs



Blister



Steel



Bakelite



Chromed

Length 110 ÷ 125 mm

08X
COMBINATION PLIERS


Hangable



Satin



Art.	Length	Thickness
0810	160 mm	11 mm
0811	180 mm	11 mm
0850	200 mm	13 mm

0812
LONG NOSE PLIERS


Hangable



Satin



Length	160 mm
Thickness	10 mm

0813
BENT NOSE PLIERS 45°


Hangable



Satin



Length	160 mm
Thickness	10 mm

0814
DIAGONAL SIDE CUTTING NIPPERS


Hangable



Satin



Length	160 mm
Thickness	10 mm

0841
RATCHET CRIMPING TOOL

With release lever.



Blister



Steel



For insulated terminals	Ø 0,8 ÷ 3,5 mm / 0,25 ÷ 6 mm ² AWG 22-10
Length	230 mm
Thickness	12 mm

0843
RATCHET CRIMPING TOOL

With release lever.



Blister



Steel



For barrel open terminals	Ø 1 ÷ 3,5 mm / 0,5 ÷ 6 mm ² AWG 20-10
Length	230 mm
Thickness	12 mm

0847
CRIMPING PLIERS FOR END SLEEVES TERMINALS

With release lever.




Blister



Steel



Satin



Terminals	0,25 ÷ 6 mm ² AWG 23-10
Length	175 mm
Thickness	12 mm

0628
MODULAR PLUG CRIMPING TOOL

With release knob.



Blister



Steel



Electric plugs	RJ-11 (6P4C); RJ-12 (6P6C); RJ-45 (8P8C)
----------------	--



0826

CRIMPING PLIER AND WIRE STRIPPER

Car and computer crimping plier with wire stripper for thin wire.



Blister



Steel



Length	215 mm
Terminals	AWG 30-26 - AWG 24-20 - AWG 18-14
Cutting capacity	Ø 0,25 - 0,3 - 0,4 - 0,5 - 0,65 - 0,8 - 1,0 mm AWG30 - AWG28 - AWG26 - AWG24 - AWG22 - AWG20 - AWG18

0122

UNIVERSAL CRIMPING PLIER SET

With insulated terminals.



Blister



Steel



Length	220 mm
--------	--------

024XE

CIRCLIP PLIERS

External straight nose.



Hangable

Cr-V



Art.	Circlips	Length
0246	Ø 19 ÷ 60 mm	185 mm
0636	Ø 10 ÷ 25 mm	160 mm
0674	Ø 3 ÷ 10 mm	150 mm
0676	Ø 32 ÷ 80 mm	225 mm

024XI

CIRCLIP PLIERS

Internal straight nose.



Hangable

Cr-V



Art.	Circlips	Length
0248	Ø 19 ÷ 60 mm	175 mm
0638	Ø 8 ÷ 25 mm	150 mm
0619	Ø 3 ÷ 10 mm	135 mm
0631	Ø 32 ÷ 80 mm	225 mm

063XE

CIRCLIP PLIERS

External curved nose.



Hangable

Cr-V



Art.	Circlips	Length
0247	Ø 19 ÷ 60 mm	175 mm
0637	Ø 10 ÷ 25 mm	150 mm
0108	Ø 3 ÷ 10 mm	135 mm
0324	Ø 32 ÷ 80 mm	215 mm

063XI

CIRCLIP PLIERS

Internal curved nose.



Hangable

Cr-V



Art.	Circlips	Length
0249	Ø 19 ÷ 60 mm	165 mm
0639	Ø 8 ÷ 25 mm	150 mm
0340	Ø 3 ÷ 10 mm	135 mm
0364	Ø 32 ÷ 80 mm	215 mm

0136

NYLON CLAMP SET

Automotive hose.



3 Pcs



Blister

Nylon



Length	158 - 185 - 254 mm
Hose diameter	10 - 15 - 24 mm

0603

AUTO REPAIRING PLIERS SET FOR CARS ZIP TIES



9 Pcs



Carrying case



Steel



0118
WATER PUMP PLIERS

6 positions.



Steel

Length 240 mm

0831-
WATER PUMP PLIERS

7 positions.



Hangable

Cr-V



8976/C

Art.	Length
0831/175	175 mm
0831/250	250 mm
0831/300	300 mm

0834-
TOWER PINCERS


Hangable



Steel



9242

Art.	Length
0834	220 mm
0834/200	200 mm
0834/250	250 mm
0834/280	280 mm

0206
CARPENTER PINCER


Hangable



Steel

Length 200 mm

0121
LOCKING L-GRIP CLAMP


Box



Steel



Satin

Length 230 mm
Adjustable 0 ÷ 155 mm

0120
4 POSITIONS ADJUSTABLE LOCK WRENCH


Box



Steel



Satin

Length 230 mm
Opening 18 - 39 - 43 mm

0119-
ADJUSTABLE LOCK WRENCH


Blister



Steel



Satin

Art.	Length
0119/5	130 mm
0119/7	180 mm
0119	220 mm

0379
FOUR JAWS ADJUSTABLE LOCK WRENCH


Box



Steel



Satin

Length 225 mm



0368-

AUTOMATIC LOCK WRENCH



Box

Cr-V



Satin

Art.	Length
0368/7	160 mm
0368/10	230 mm

0370/11

LONG NOSE AUTOMATIC LOCK WRENCH



Box

Cr-V



Satin

Length	275 mm
--------	--------

0373-

"C" NOSE AUTOMATIC LOCK WRENCH



Box

Cr-V



Satin

Art.	Length	Opening
0373/9	210 mm	65 mm
0373/11	300 mm	95 mm

0130-

HEAVY DUTY PIPE WRENCH



Cr-V

Art.	Dimensions	Max Opening
0130/350	350 mm - 14"	50 mm
0130/600	600 mm - 24"	90 mm

0225-

45° BENT NOSE PIPE WRENCH



Cr-V

Art.	Dimensions	Max Opening
0225/340	340 mm - 1"	46 mm
0225/440	440 mm - 1,5"	62 mm
0225/580	580 mm - 2"	72 mm
0225/700	700 mm - 3"	100 mm

0227-

90° BENT NOSE PIPE WRENCH



Cr-V

Art.	Dimensions	Max Opening
0227/340	330 mm - 1"	38 mm
0227/440	415 mm - 1,5"	52 mm
0227/580	580 mm - 2"	75 mm
0227/700	700 mm - 3"	100 mm

0511
SLEDGE HAMMER

With safety fiberglass plastic handle with black rubber grip.



Glass fiber

Length	820 mm
Head weight	3,50 kg
Net weight	4,45 kg

0781
STONING HAMMER

With safety fiberglass plastic handle with black rubber grip.



Glass fiber



6475

Length	260 mm
Net weight	1000 g

0780
CLAW HAMMER

With safety fiberglass plastic handle with black rubber grip.



Glass fiber

Net weight	500 g
------------	-------

0514-
MACHINIST'S HAMMER GERMAN TYPE

With safety fiberglass plastic handle with black rubber grip.



Glass fiber



1041

Art.	Net weight
0514/200	200 g
0514/300	300 g
0514/400	400 g
0514/500	500 g
0514/1000	1000 g

0154-
MACHINIST'S HAMMER GERMAN TYPE


Wood



1041

Art.	Net weight
0154/100DIN	100 g
0154/200DIN	200 g
0154/300DIN	300 g
0154/400DIN	400 g
0154/500DIN	500 g
0154/600DIN	600 g
0154/800DIN	800 g
0154/1000DIN	1000 g
0154/1500DIN	1500 g
0154/2000DIN	2000 g

0153-
STONING HAMMER


Wood



6475

Art.	Net weight
0153/800DIN	800 g
0153/1000DIN	1000 g
0153/1250DIN	1250 g
0153/1500DIN	1500 g



0169-

CLAW HAMMER ITALIAN TYPE

Magnetic.



Wood

Art.	Net weight
0169/300	300 g
0169/400	400 g

0216/400

CHIPPING HAMMER

With wooden handle.



Wood

Handle length	380 mm
Net weight	400 g

0239/400

CHIPPING HAMMER

With fiberglass plastic handle with black rubber grip.



Glass fiber

Handle length	380 mm
Net weight	400 g

0148/500

RUBBER MALLET



Wood

Head	Ø 65 mm
Net weight	500 g

0243-

TWO WAY MALLET



Steel

Art.	Head	Net weight
0243/30	Ø 30 mm	350 g
0243/40	Ø 40 mm	500 g

0794-

TWO WAY RUBBER MALLET

Equipped of fiberglass handle.



Glass fiber

Art.	Head	Net weight
0794/350	Ø 55 mm	350 g
0794/450	Ø 58 mm	500 g

0808-
MALLET

Aluminium with anatomic handle and polyethylene heads.



Wood

Art.	Head	Net weight
0808/35	Ø 35 mm	350 g
0808/60	Ø 60 mm	800 g

033X
DEAD BLOW RUBBER MALLET


Art.	Head	Net weight	Hardness
0336	Ø 45 mm	500 g	90ah
0337	Ø 50 mm	900 g	90ah

0840-
DEAD BLOW MALLET

Nylon, spare part head.



made in Italy

Art.	Head	Net weight
0840/40	Ø 40 mm	750 g
0840/50	Ø 50 mm	1000 g
0840/60	Ø 60 mm	1500 g

0840-XT
SPARE PART HEAD

For dead blow mallet 0840-.



made in Italy

Art.	Head
0840/40T	Ø 40 mm
0840/50T	Ø 50 mm
0840/60T	Ø 60 mm

G009
SAFE SPRING HOOK

To put in safety tools when working on ladders or scaffolds.



Blister

INOX

Capacity	5 kg
Length	430 ÷ 1600 mm





B006-

CENTER PUNCH

With octagonal body.



Cr-Mo



Art.	Sizes	Length
B006/4	4 mm	120 mm
B006/5	5 mm	150 mm

C012-

DRIFT PIN

With octagonal body.



Cr-Mo

Art.	Dimensions	Length
C012/02	Ø 2 mm	150 mm
C012/03	Ø 3 mm	150 mm
C012/04	Ø 4 mm	150 mm
C012/05	Ø 5 mm	150 mm
C012/06	Ø 6 mm	150 mm
C012/08	Ø 8 mm	150 mm

S022-

CHISEL FOR METAL



Cr-Mo

Art.	Dimensions	Length
S022/18	18 mm	150 mm
S022/21	21 mm	200 mm
S022/25	25 mm	250 mm
S022/26	26 mm	240 mm

C015-

DRIFT PIN

With octagonal body and hand guard.



Hangable

Cr-Mo



Chromed

Art.	Size	Length
C015/2	Ø 2 x 8 mm	140 mm
C015/3	Ø 3 x 8 mm	150 mm
C015/4	Ø 4 x 10 mm	180 mm
C015/5	Ø 5 x 10 mm	220 mm
C015/6	Ø 6 x 12 mm	210 mm
C015/7	Ø 7 x 12 mm	210 mm

C015

DRIFT PIN SET

With octagonal body and hand guard.



6 Pcs



Hangable

Cr-Mo



Chromed

Sizes Ø 2 - 3 - 4 - 5 - 6 - 7 - 8 mm

0126

DRIFT PIN SET WITH PLASTIC HOLDER



6 Pcs



Blister

Cr-V

Dimensions Ø 3-4-5-6-8-10 mm
Length 150 mm

0127

MECHANIC CHISEL, PIN PUNCH AND CENTER PUNCH SET WITH PLASTIC HOLDER



6 Pcs



Blister

Cr-V

Length 120 - 150 mm

0396

CHISEL SET FOR METAL



3 Pcs



Hangable

Cr-V

Dimensions 10 x 8 x 140 mm, 13 x 9,5 x 150 mm, 16 x 12 x 170 mm

0381
AUTOMATIC CENTER PUNCH

With spring.



Blister



Steel

Length 125 mm

0733
AUTOMATIC CENTER PUNCH

Spring-loaded. Possibility of adjusting the punching depth.



Blister




Steel

Length 140 mm

0734-
HOLE MARKERS

For centring within existing bores, the spring-loaded, conical front provides accurate centring.



Box



Steel



Art.	Length	Hole diameter
0734/1	82 mm	Ø5 ÷ Ø15 mm
0734/2	100 mm	Ø5 ÷ Ø30 mm

0391
MECHANIC CHISEL, PIN PUNCH AND CENTER PUNCH SET WITH HAND GUARD


6 Pcs



Hangable

Cr-V



Chisel	10 x 135 mm, 13 x 150 mm, 16 x 160 mm
Center punches	Ø4 x 130 mm
Solid punch	Ø3 x 120 mm
Pin punch	Ø3 x 120 mm

0258
FLAT POINT COLD CHISEL WITH HAND GUARD


Steel


Dimensions 16 x 300 mm

0259
POINT COLD CHISEL WITH HAND GUARD


Steel


Dimensions 16 x 300 mm




0300

WOOD CHISEL SET



4 Pcs



Blister



Steel

Hardness	HRC 58-60
Dimensions	10-16-20-25 mm

0301-

WOOD CHISEL

Hardness HRC 58-60.



Blister



Steel

Art.	Dimensions
0301/06	6 mm
0301/10	10 mm
0301/16	16 mm
0301/20	18,5 mm
0301/24	25 mm

0168

WOOD CHISEL SET



5 Pcs



Blister



Steel

Hardness	HRC 58-60
Sizes	240 x 6-10-16-20-24 mm

0306

CARVING CHISEL SET



12 Pcs



Box



Steel



Chromed

Hardness	HRC 58-60
Length	215 mm

0162

WOOD CHISEL SET FOR LATHE



3 Pcs



Blister



Steel

Hardness	HRC 58-60
Total length	370 mm

0166

IRON PLANER FOR WOOD



Box



Steel

Planner length	225 mm
Blade width	50 mm

0519
WOOD RASP SET WITH PLASTIC HANDLE


3 Pcs



Blister



Steel

Dimensions

200 mm - 8"

0160
FILE SET FOR METAL WITH ANATOMIC HANDLE

5 pieces: 1 flat, 1 square, 1 triangular, 1 round, 1 half-round.



5 Pcs



Blister



Steel



7261

Dimensions

200 mm - 8"

0219
NEEDLE FILE SET


6 Pcs



Blister



Steel

Total length

180 mm

L012
DIAMOND NEEDLE FILE SET


5 Pcs



Hangable



Diamond coated



Steel

Length

180 mm

L013
DIAMOND NEEDLE FILE SET


5 Pcs



Hangable



Diamond coated



Steel

Length

140 mm

L012/PIA
DIAMOND FLAT FILE


Hangable



Steel



Diamond coated

Length


180 mm



0737-

STEEL FILE

Rectangular shape, with ergonomic plastic handle.




Art.	Slotted	Dimensions	Pack
0737/150T2	Half cut	150 mm / 6"	10
0737/150T3	Dolce	150 mm / 6"	10
0737/200T2	Half cut	200 mm / 8"	10
0737/200T3	Smooth cut	200 mm / 8"	10
0737/250T2	Smooth cut	250 mm / 10"	10
0737/250T3	Half cut	250 mm / 10"	10

0738-

STEEL FILE

Triangular shape. With ergonomic plastic handle.




Art.	Slotted	Dimensions	Pack
0738/150T2	Half cut	150 mm / 6"	10
0738/150T3	Smooth cut	150 mm / 6"	10
0738/200T2	Half cut	200 mm / 8"	10
0738/200T3	Smooth cut	200 mm / 8"	10
0738/250T2	Half cut	250 mm / 10"	10
0738/250T3	Smooth cut	250 mm / 10"	10

0739-

STEEL FILE

Half round shape. With ergonomic plastic handle.



Art.	Slotted	Dimensions	Pack
0739/150T2	Half cut	150 mm / 6"	10
0739/150T3	Smooth cut	150 mm / 6"	10
0739/200T2	Half cut	200 mm / 8"	10
0739/200T3	Smooth cut	200 mm / 8"	10
0739/250T2	Half cut	250 mm / 10"	10
0739/250T3	Smooth cut	250 mm / 10"	10

0740-

STEEL FILE

Round shape. With ergonomic plastic handle.




Art.	Slotted	Dimensions	Pack
0740/150T2	Half cut	150 mm / 6"	10
0740/150T3	Smooth cut	150 mm / 6"	10
0740/200T2	Half cut	200 mm / 8"	10
0740/200T3	Smooth cut	200 mm / 8"	10
0740/250T2	Half cut	250 mm / 10"	10
0740/250T3	Smooth cut	250 mm / 10"	10

0741-

STEEL FILE

Squared shape. With ergonomic plastic handle.



Art.	Slotted	Dimensions	Pack
0741/150T2	Half cut	150 mm / 6"	10
0741/150T3	Smooth cut	150 mm / 6"	10
0741/200T2	Half cut	200 mm / 8"	10
0741/200T3	Smooth cut	200 mm / 8"	10
0741/250T2	Half cut	250 mm / 10"	10
0741/250T3	Smooth cut	250 mm / 10"	10

0742-

ANATOMIC PLASTIC FILE HANDLE



Art.	For file	Pack
0742/4	100 mm - 150 mm / 4" - 6"	12
0742/6	150 mm - 250 mm / 6" - 10"	12
0742/10	250 mm - 400 mm / 10" - 16"	12

0202
PRY BAR SET GO THROUGH TYPE


4 Pcs



Blister



Steel


Dimensions

230mm/9" - 300mm/12" - 450mm/18" - 590mm/24"

0320
WRECKING BAR


Steel

Total length

600 mm

Hexagon

15,6 mm

0192
HEAVY DUTY PRY BAR SET

1 Pc straight 910mm/36", 1 Pc bent 45° 910mm/36", 1 Pc bent 60° 610mm/24", 1 Pc bent 90° 610mm/24".



4 Pcs



Carrying case

Cr-V


0198
POINTED PRY BAR


Steel


Length

400 mm

A

30 mm

B

23 mm

Pack

5

L007
MOTORCYCLE TYRE LEVER


Box



Steel



Satin

Dimensions

215 x 16 x 5 mm

0267
TYRE LEVER


Box



Steel



Satin

Dimensions

510 x 26 x 9 mm





0623

**SNAP-OFF UTILITY KNIFE,
BLADES INCLUDED**

With automatic loading of the blade.



Blister



Steel

Standard blades	3
Blade width	18 mm



0627

**SNAP-OFF UTILITY KNIFE
BLADES INCLUDED**

With automatic loading of the blade.



Blister



Steel

Standard blades	5
Blade width	9 mm



0617

**AUTOMATIC SNAP-OFF UTILITY
KNIFE BLADES INCLUDED**



Expositor



Steel

Standard blades	3
Blade width	18 mm



0613

**AUTOMATIC SNAP-OFF UTILITY
KNIFE BLADES INCLUDED**

ISO 9001.



Blister



Steel

Standard blades	3
Blade width	9 mm



0096

**SNAP-OFF UTILITY KNIFE,
BLADES INCLUDED**



Expositor



Steel

Standard blades	3
Blade width	18 mm



0612

**AUTOMATIC SNAP-OFF UTILITY
KNIFE BLADES INCLUDED**



Blister



Steel

Standard blades	3
Blade width	9 mm



0611
AUTOMATIC SNAP-OFF UTILITY KNIFE BLADES INCLUDED


Standard blades	3
Blade width	9 mm


0035
SECURITY SNAP-OFF UTILITY KNIFE, BLADES INCLUDED


Standard blades	4
Trapezoidal blade	19 x 61 x 0,6 mm


0792
AUTOMATIC SNAP-OFF UTILITY KNIFE, BLADES INCLUDED


Standard blades	5
Blade width	25 mm


0696
FOLDABLE UTILITY KNIFE, BLADES INCLUDED


Standard blades	5
Blade width	20 mm


0095
SNAP-OFF KNIFE SET

P. 480

0696/L
PAPER CUTTER BLADE SET


Trapezoidal blade	19 x 61 x 0,6 mm
-------------------	------------------


0627/L
PAPER CUTTER BLADE SET


Blade width	9 mm
-------------	------





0096/L

PAPER CUTTER BLADE SET



Blade width 18 mm



0792/L

PAPER CUTTER BLADE SET



Blade width 25 mm



0420

DEBURRING TOOL WITH 1 BLADE



Length 120 mm
Max. handle diameter 9,2 mm
Blade E100 - Ø 3,2 mm
Blade material HSS

0411


DEBURRING TOOL WITH 1 BLADE



Length 124 mm
Max. handle diameter 29 mm
Blade E100 - Ø 3,2 mm
Blade material HSS

0415


DEBURRING TOOL WITH 2 BLADE



Length 125 mm
Max. handle diameter 22 mm
Blade E100 - E200 - Ø 3,2 mm
Blade material HSS

S002

EXTENSIBLE DEBURRING TOOL WITH 3 BLADES




Blade Ø 3,2 mm
Blade dimensions E100 - E200 - E300

0420/S

DEBURRING SET WITH BLADES

For internal and external deburring of hard and soft materials. Comfortable and practical equipped with clips to always carry them with you and have them available at the right time. With ergonomic handle and different colors to immediately identify the right deburrer for the right material: purple for aluminum, red for brass and cast iron, blue for steel and yellow for plastic



Length 120 mm
Blade Ø 3,2 mm

S002/E100

HSS LONG SHANK BLADE SET

For internal and external deburring for long chips material like steel, aluminum, plastic materials.



S002/E200

HSS BIDIRECTIONAL BLADE SET

For internal and external deburring short chips material like brass and cast iron.



S002/E300

HSS BIDIRECTIONAL BLADE SET

For internal and external deburring for holes until 4mm of thickness.



S005
DOUBLE DEBURRER WITH HSS DISK BLADE

For steel, aluminum, brass, copper and plastic sheets deburring max 10mm.


HSS
S005/R
DISK BLADE SET

HSS
0384
INNER-OUTER REAMER

For copper and ferrous metals.


Plastic

2 Pcs

Box

Capacity
 $3 \div 32 \text{ mm } 3/16" \div 1-1/2"$
0647/25
PAINT SCRAPER WITH 25MM CARBIDE BLADE THREE CUTTING EDGES

HM


Blister

Satin

0647/50
PAINT SCRAPER WITH 50MM CARBIDE BLADE TWO CUTTING EDGES

HM


Blister

Satin

0647/65
PAINT SCRAPER WITH 65MM CARBIDE BLADE TWO CUTTING EDGES

HM


Blister

Satin

0647/25L
2 PCS BLADE SET

HM

2 Pcs

Blister

0647/50L
2 PCS BLADE SET

HM

2 Pcs

Blister

0647/65L
2 PCS BLADE SET

HM

2 Pcs

Blister



**0869****HANDSAW FOR JOINER**


Steel

Blade length

400 mm

0226**HACKSAW FRAME WITH ALUMINUM ALLOY HANDLE**

With handle for small cut. Bi-metal hack saw blade and aluminum body.



Alu

Aluminum

Blade length

310 mm

0629**HACKSAW WITH BLADE**

Bi-metal hack saw blade and aluminum body.



Alu

Aluminum

Blade length

300 mm

0161**MINI HACKSAW WITH BLADE**

Alu

Aluminum

Blade length

150 mm

0724/B**BI-METAL HACK SAW BLADE**

ISO 2336-1.



Box

HSS

Sizes

300 x 12,7 x 0,62 mm x 24T - 12" x 1/2" x 0,025" x 24T

Pack

10

0159**HACKSAW BLADE**

ISO 2336-1.



Box

Sizes

300 x 12,7 x 0,62 mm x 24T - 12" x 1/2" x 0,025" x 24T

Pack

100

0670**NIBBLER FOR POWER DRILL**

Double head nibbler, with accessory for round and straight cutting purpose.

0670/U**CUTTER HOLDERS**

Box

HSS

TiN

Cutting capacity

iron plates

1,8 mm

stainless steel plate

1,2 mm

copper and aluminum plate

2,0 mm



plastic materials

2,0 mm

Round speed

1500 ÷ 3000 rpm

Collar

Ø 43,2 mm

Metal box

0655/L
LEFT HAND AVIATION TIN SNIP

With serrated and hardened blade and ergonomic handles.



Blister



Cr-V



Chromed

Length 245 mm
Hardness 50 - 52 HRC

0655/S
STRAIGHT AVIATION TIN SNIP

With serrated and hardened blade and ergonomic handles.



Blister



Cr-V



Chromed

Length 245 mm
Hardness 50 - 52 HRC

0655/R
RIGHT HAND AVIATION TIN SNIP

With serrated and hardened blade and ergonomic handles.



Blister



Cr-V



Chromed

Length 245 mm
Hardness 50 - 52 HRC

0699/240
INOX SCISSORS

With nylon handle.



Blister

INOX



Satin

Length 240 mm

0672
ELECTRICIAN SCISSORS

With serrated blade, and ergonomic handle in abs material.



Blister

INOX



Satin

Length 5" 1/2 - 140 mm

0672/B
ELECTRICIAN SCISSORS

With serrated blade and, bicolor non-slip ergonomic handle.



Blister

INOX



Satin

Length 140 mm

0141
ELECTRICIAN SCISSORS


Blister

INOX



Satin

Length 5" 1/2 - 140 mm

F018
INSULATED ELECTRICIAN SCISSORS

1000V IEC 60900, with serrated blade, and ergonomic handle in ABS material.



Blister

INOX



Satin

Length 6" - 160 mm

0673
MULTIPURPOSE SCISSORS

With serrated blade, ergonomic bicolor non-slip plastic and rubber handle.



Blister

INOX



Satin

Length 175 mm / 7" mm


0325
MULTIPURPOSE SCISSORS

With serrated blade and ergonomic bicolor non-slip handle.


INOX


Blister

Satin

Length

210 mm / 8" mm

0424
PUNCH PLIER

It allows to perform small holes on materials of small thickness such as: paper, cardboard, rubber and leather.



Blister

Steel

Length

250 mm

0081
HOLLOW PUNCH SET


9 Pcs

Carrying case

Steel

Satin

Sizes

Ø 5 - 6 - 8 - 10 - 12,5 - 16 - 20 - 25 - 32 mm

0093/22
PIPE CUTTER FOR COPPER AND PLASTIC

With zinc alloy body.



Blister

Steel

Tempered

Cutting capacity

3÷22 mm , 1/8"÷7/8"

0093/42
PIPE CUTTER FOR COPPER AND IRON

With aluminium alloy body.



Blister

Steel

Tempered

Cutting capacity

6÷42 mm , 15 / 64" ÷ 1-21 / 32"

Hardness

HRC 58-60

0092
COPPER TUBE CUTTER


Blister

Aluminum

Capacity

3 ÷ 28 mm - 1/8" ÷ 1 1/8"

0472
PIPE FLARING TOOL FOR COPPER AND ALUMINUM


Box

Steel

Round pipe

5 - 6 - 8 - 10 - 12 - 14 - 16 mm

0253
POLYURETHANE AND RUBBER HOSE CUTTER

Suitable for pe, pu and rubber hoses, bi-component handle.



Blister

Steel

Max Opening

19 mm

Length

133 mm

0287-
BOLT CUTTER

Ideal for cutting iron rods, chains and a vast type of ferrous and non-ferrous materials.



Cr-V

Art.	Dimensions
0287/300	300 mm - 12"
0287/350	350 mm - 14"
0287/450	450 mm - 18"
0287/600	600 mm - 24"
0287/750	750 mm - 30"

0846/150
RATCHET HAND CABLE CUTTER

For electric cables.



Box

Steel

Cutting capacity	150 mm2 (Al - Cu)
Length	250 mm

0862
ADJUSTABLE AUTOMATIC WIRE STRIPPER


Blister

Steel

Max cut	Ø 0,8 ÷ 3,5mm 0,25 ÷ 6 mm2
---------	----------------------------

0101/500
WOODEN HANDLE CAMP AXE


Wood

0513
CAMP AXE WITH FIBRE-GLASS HANDLE


Glass fiber

0515
AXE WITH FIBRE-GLASS HANDLE


Glass fiber

Length	900 mm
--------	--------

0322
TELESCOPIC RATCHET LOPPING SHEARS TEFLON COATED HARDENED BLADE

Ergonomic handle.



Hangable


Steel

Tempered

Length	690 - 1030 mm
--------	---------------


0587-
STAPLES



Art.	Model	Size
0587/8006	80	12,9 x 6h mm
0587/8008	80	12,9 x 8h mm
0587/8010	80	12,9 x 10h mm
0587/8012	80	12,9 x 12h mm
0587/8014	80	12,9 x 14h mm
0587/8016	80	12,9 x 16h mm

0585-
STAPLES


Art.	Model	Size
0585/9013	90	5,7 x 13h mm
0585/9019	90	5,7 x 19h mm
0585/9032	90	5,7 x 32h mm
0585/9040	90	5,7 x 40h mm

0584-
NAILS


Art.	Model	Size
0584/F10	TI-PIN	1 x 10h mm
0584/F15	TI-PIN	1 x 15h mm
0584/F20	TI-PIN	1 x 20h mm
0584/F25	TI-PIN	1 x 25h mm
0584/F30	TI-PIN	1 x 30h mm
0584/F35	TI-PIN	1 x 35h mm
0584/F40	TI-PIN	1 x 40h mm
0584/F45	TI-PIN	1 x 45h mm
0584/F50	TI-PIN	1 x 50h mm

0588-
HEADLESS PINS



Art.	Model	Size
0588/615	0,60	0,63 x 15h mm
0588/620	0,60	0,63 x 20h mm
0588/625	0,60	0,63 x 25h mm
0588/630	0,60	0,63 x 30h mm
0588/635	0,60	0,63 x 35h mm

0151
STAPLES


Section 0,58 x 1,2 mm

0295
RIVET SET

25 Pcs 2.4x6.4 mm; 25 Pcs 2.4x8 mm; 25 Pcs 3.2x5 mm; 25 Pcs 3.2x6.4 mm; 25 Pcs 3.2x8 mm; 25 Pcs 4x6.4 mm; 25 Pcs 4x8 mm; 25 Pcs 4.8x6.4 mm; 25 Pcs 4.8x8 mm.


0376/AC
CARBON STEEL NUT RIVET SET

Yellow zinc plated, M3: 40 Pcs - M4: 40 Pcs - M5: 30 Pcs - M6: 20 Pcs - M8: 10 Pcs - M10: 5 Pcs - M12: 5 Pcs.



Nut rivets M3 - M4 - M5 - M6 - M8 - M10 - M12

0376/AL
ALUMINUM NUT RIVET SET

M4: 50 Pcs - M5: 35 Pcs - M6: 15 Pcs
- M8: 10Pcs - M10: 10 Pcs.



120 Pcs

Hangable

Aluminum

Nut rivets

M4 - M5 - M6 - M8 - M10


0376/Al
STAINLESS STEEL NUT RIVET SET

M3: 40 Pcs - M4: 40 Pcs - M5: 30
Pcs - M6: 20 Pcs - M8: 10Pcs - M10:
5 Pcs - M12: 5 Pcs.



150 Pcs

Hangable


INOX

Nut rivets

M3 - M4 - M5 - M6 - M8 - M10 - M12


0178
WASHER SET

50 Pcs Grower #6; 50 Pcs Grower #8; 50
Pcs Grower #10; 40 Pcs Grower 1/4"; 30
Pcs Grower 5/16"; 20 Pcs Grower 3/8";
50 Pcs Notched out. #6; 50 Pcs Notched
out. #8; 50 Pcs Notched out. #10; 40 Pcs
Notched out. 1/4"; 30 Pcs Notched out.
5/16"; 20 Pcs Notched out. 3/8"; 50 Pcs
Notched ins. #6; 50 Pcs Notched ins. #8;
50 Pcs Notched ins. #10; 40 Pcs Notched
ins. 1/4"; 30 Pcs Notched ins. 5/16"; 20
Pcs Notched ins. 3/8".




720 Pcs

Box

Aluminum


0229
COPPER WASHER SET

30 Pcs M6; 25 Pcs M8; 20 Pcs M10;
15 Pcs M12; 10 Pcs M14; 10 Pcs M16.



110 Pcs

Box


0294
COTTER PIN SET

150 Pcs 1/16" x 1";
150 Pcs 3/32" x 1";
100 Pcs 3/32" x 1 - 1/2";
80 Pcs 1/8" x 1-1/4";
50 Pcs 1/8" x 2";
30 Pcs 5/32" x 2-1/2".




555 Pcs

Box

Steel


0298
HITCH PIN SET

42 Pcs 3/32"x1-3/16"; 30 Pcs
5/64"x1-5/16"; 25 Pcs 5/64"x1-
9/16"; 25 Pcs 7/64"x1-5/18"; 20 Pcs
9/64"x1-3/4"; 8 Pcs 5/32"x2-15/16".




150 Pcs

Box

Steel


0231
ROLL PIN SET

4 Pcs 4x16 mm; 4 Pcs 4x26 mm; 4 Pcs 4x40
mm; 4 Pcs 6x16 mm; 4 Pcs 6x32 mm; 4 Pcs
6x45 mm; 4 Pcs 8x20 mm; 4 Pcs 8x40 mm;
4 Pcs 8x50 mm; 4 Pcs 2x6 mm; 4 Pcs 2x14
mm; 4 Pcs 2x26 mm; 4 Pcs 1.5x5 mm, 4 Pcs
1.5x20 mm; 4 Pcs 1.5x8 mm; 4 Pcs 2.5x16
mm; 4 Pcs 2.5x24 mm; 4 Pcs 2.5x32 mm; 5
Pcs 3x16 mm; 5 Pcs 3x26 mm; 5 Pcs 3x32
mm; 2 Pcs 10x20 mm; 2 Pcs 10x40 mm;
2 Pcs 10x50 mm; 4 Pcs 5.5x32 mm; 4 Pcs
5.5x45 mm; 4 Pcs 5.5x16 mm; 5 Pcs 5x16
mm; 5 Pcs 5x26 mm; 5 Pcs 5x32 mm.




120 Pcs

Box

Steel


0296
E-CLIP SET

30 Pcs 1/16"; 30 Pcs 1/8"; 40 Pcs
3/16"; 50 Pcs 1/4"; 50 Pcs 3/8"; 40
Pcs 1/2"; 20 Pcs 5/8"; 20 Pcs 3/4";
20 Pcs 7/8";



300 Pcs

Box

Steel





0179
SNAP RING SET


3 Pcs $\varnothing$ 32; 5 Pcs $\varnothing$ 25; 5 Pcs $\varnothing$ 22; 10 Pcs $\varnothing$ 16; 10 Pcs $\varnothing$ 14; 10 Pcs $\varnothing$ 10; 5 Pcs R14; 10 Pcs R12; 10 Pcs R10; 10 Pcs $\varnothing$ 9; 10 Pcs $\varnothing$ 8; 12 Pcs $\varnothing$ 6.


0257
PARALLEL KEY SET


5 Pcs 6x6x20 mm; 4 Pcs 3x3x20 mm; 4 Pcs 3x3x25 mm; 5 Pcs 8x5x32 mm; 5 Pcs 5x5x20 mm; 5 Pcs 8x7x36 mm; 5 Pcs 5x5x25 mm; 5 Pcs 10x8x40 mm; 5 Pcs 5x5x36 mm; 5 Pcs 10x8x50 mm; 5 Pcs 6x6x36 mm; 2 Pcs 12x8x40 mm; 5 Pcs 6x6x50 mm.


0263
WOODRUFF METRIC KEY SET

10 Pcs 4x7.5x19 mm; 10 Pcs 5x7.5x19 mm; 10 Pcs 3x5x13 mm; 10 Pcs 3x6.5x16 mm; 10 Pcs 4x5x13 mm; 10 Pcs 4x6.5x16 mm; 10 Pcs 5x9x22 mm; 10 Pcs 6x9x22 mm. Tolerance ± 1 mm.


0116
METRIC CHROMED STEEL BALL SET


DIN 5401 grade, class III 50 Pcs 2.00mm; 50 Pcs 2.50mm; 50 Pcs 3.00mm; 50 Pcs 3.50mm; 50 Pcs 4.00mm; 50 Pcs 4.50mm; 50 Pcs 5.00mm; 30 Pcs 5.50mm; 30 Pcs 6.00mm; 20 Pcs 7.00mm; 20 Pcs 8.00mm.


0116P
INCH CHROMED STEEL BALL SET

DIN 5401 grade, class III 50 Pcs 3/32"; 50 Pcs 1/8"; 50 Pcs 5/32"; 50 Pcs 3/16"; 50 Pcs 7/32"; 50 Pcs 1/4"; 30 Pcs 9/32"; 30 Pcs 5/16"; 30 Pcs 11/32"; 20 Pcs 3/8"; 20 Pcs 13/32".


0180
SPRING SET


8 a Compress. 12 Ext. 10Pc Comp. 9/32"x 1/2"; 10Pc Ext.13/64"x 13/16"; 10Pc Comp. 3/8"x 5/8"; 10Pc Ext.5/16"x 1-1/8"; 10Pc Comp. 1/4"x 13/32"; 10Pc Ext.7/32"x 1"; 10Pc Comp. 3/8"x 3/4"; 10Pc Comp. 7/32"x 11/16"; 10Pc Ext.1/4"x 7/8"; 10Pc Ext.5/16"x 1-1/4"; 10Pc Ext.11/32"x 1-27/32"; 10Pc Ext.5/16"x 1-3/4"; 10Pc Ext.9/32"x 2"; 10Pc Ext.5/32"x 3-1/8"; 10Pc Comp. 23/64"x 1-3/8"; 10Pc Ext.3/16"x 1-3/4"; 10Pc Comp. 7/32"x 1-1/2"; 10Pc Ext.9/32"x 1-1/2"; 10Pc Comp 9/32"x 3/4"; 10Pc Ext.11/32"x 1-7/16".


0299
METRIC O-RING SET

419 pieces in 32 different sizes made of high quality NBR nitrile rubber, heat resistant, oil resistant, gas resistant.


0299/P
O-RING SET IN INCHES

Assortment made of high quality NBR nitrile rubber, heat resistant, oil resistant, gas resistant.



0177
O-RING SET

10 Pcs 3/32" x 15/64"; 20 Pcs 1/8" x 1/4"; 20 Pcs 5/32" x 9/32"; 20 Pcs 3/16" x 5/16"; 15 Pcs 7/32" x 11/32"; 15 Pcs 1/4" x 3/8"; 10 Pcs 9/16" x 3/4"; 10 Pcs 5/8" x 13/16"; 10 Pcs 11/16" x 7/8"; 10 Pcs 3/4" x 15/16"; 10 Pcs 3/4" x 1"; 10 Pcs 13/16" x 11/16"; 15 Pcs 5/16" x 7/16"; 10 Pcs 3/8" x 1/2"; 10 Pcs 5/8" x 3/4"; 10 Pcs 3/8" x 9/16"; 10 Pcs 7/16" x 5/8"; 10 Pcs 1/2" x 11/16".



225 Pcs



Hangable



Box

0261
HOSE CLIP SET

2 Pcs 12.8x0.9x50-70 mm; 4 Pcs 12.8x0.9x35-50 mm; 8 Pcs 12.8x0.9x25-40 mm; 6 Pcs 10x0.8x12-22 mm.



20 Pcs



Box



Steel

Dimensions

10 x 0,8 x 12-22 mm; 12,8 x 0,9 x 25-40 mm; 12,8 x 0,9 x 35-50 mm; 12,8 x 0,9 x 50-70 mm

0876
NYLON CABLE TIE SET


650 Pcs



Box

300 Pcs	2,5 x 100 mm
200 Pcs	3,6 x 150 mm
150 Pcs	4,8 x 200 mm

0398
SCREW AND U TYPE CUSHIONS ASSORTMENT

Screws: 3x8mm 40Pcs 4x16mm 20Pcs 5x12mm 15Pcs 6x20mm 10Pcs U clips: 3mm 20Pcs 4mm with notch 20Pcs 4mm 20Pcs 5mm 15Pcs 6mm 10Pcs.



170 Pcs



Box



Steel

0465
RUBBER GROMMET ASSORTMENT

Grommets sizes: 5 Pcs - D 21 mm - ID 15 mm - OD 26 mm - T 2,2 mm 40 Pcs - D 9 mm - ID 6 mm - OD 13 mm - T 2,1 mm 5 Pcs - D 15 mm - ID 12 mm - OD 19 mm - T 1,9 mm 40 Pcs - D 5,8 mm - ID 2,5 mm - OD 7,9 mm - T 1,8 mm 40 Pcs - D 7,5 mm - ID 4,8 mm - OD 9,8 mm - T 1,8 mm 20 Pcs - D 12 mm - ID 10,5 mm - OD 15 mm - T 1,8 mm 25 Pcs - D 11 mm - ID 8,5 mm - OD 14,5 mm - T 1,5 mm 5 Pcs - D 25 mm - ID 18 mm - OD 32 mm - T 1,5 mm.



180 Pcs



Box

0468
CONNECTING PLATE AND SCREW ASSORTMENT

4 Pcs Assembly square: 25x25x16x2.0mm 8 Pcs Assembly square: 40x40x16x2.0mm 4 Pcs Assembly square: 60x60x16x2.0mm 4 Pcs Assembly square: 75x75x16x2.0mm 4 Pcs L Flat angle plate: 40x40x12x2.0mm 4 Pcs L Flat angle: 60x60x12x2.0mm 4 Pcs Flat plate Connector: 80x15x2.0mm 4 Pcs Flat plate Connector: 40x15x2.0mm 144 Pcs screws: 3x16mm.



180 Pcs



Box



Steel

0307/1
GLASS FUSE SET

Fast: 10 x 1A F1, 10 x 1.25A F1, 10 x 1.6A F1, 10 x 2A F1, 10 x 2.5A F1, 10 x 4A F1, 10 x 5A F1, 10 x 6.3A F1, 10 x 10A F1, time delay: 10 x 1A F1 T, 10 x 1.25A F1 T, 10 x 1.6A F1 T, 10 x 2A F1 T, 10 x 2.5A F1 T, 10 x 4A F1 T, 10 x 5A F1 T, 10 x 6.3A F1 T, 10 x 10A F1 T.



180 Pcs



Hangable

Dimensions 5 x 20 mm

0307/2
GLASS FUSE SET

Time delay: 10 Pcs 100mA T, 10 Pcs 160mA T, 10 Pcs 200mA T, 10 Pcs 250mA T, 10 Pcs 315mA T, 10 Pcs 400mA T, 10 Pcs 500mA T, 10 Pcs 630mA T, 10 Pcs 800mA T, fast: 10 Pcs 100mA F, 10 Pcs 160mA F, 10 Pcs 200mA F, 10 Pcs 250mA F, 10 Pcs 315mA F, 10 Pcs 400mA F, 10 Pcs 500mA F, 10 Pcs 630mA F, 10 Pcs 800mA F.



180 Pcs



Hangable

Dimensions 5 x 20 mm

**0317****CAR FUSE SET**

3A 15 Pcs, 5A 15 Pcs, 7.5A 15 Pcs,
10A 15 Pcs, 15A 15 Pcs, 20A 15 Pcs,
25A 15 Pcs, 30A 15 Pcs, Fuse puller
1 Pc.



120 Pcs



Hangable

Dimensions

19,1 x 5,1 x 18,5 mm

0318**CAR FUSE SET**

2 AMP x 10 pz; 3 AMP x 10 pz; 4 AMP
x 10 pz; 5 AMP x 10 pz; 7.5 AMP x 20
pz; 10 AMP x 10 pz; 15 AMP x 20 pz;
20 AMP x 20 pz; 25 AMP x 20 pz; 30
AMP x 10 pz; Fuse Puller x 1.



141 Pcs



Hangable

Dimensions

10,9 x 3,6 x 16,3 mm

0293**INSULATED TERMINAL SET**

15 Pcs FDD1-110 2.8x0.5/0.8 mm; 15
Pcs FDD1-187 4.75x0.5/0.8 mm; 10 Pcs
FDD2-187 6.35x0.5/0.8 mm; 15 Pcs FDD1-
250 4.75x0.5/0.8 mm; 10 Pcs FDD2-250
6.35x0.8 mm; 10 Pcs FDD5-250 6.35x0.8
mm; 10 Pcs BV1; 10 Pcs BV2; 10 Pz BV5;
10 Pcs MDD1-250; 10 Pcs MDD2-250; 10
Pcs MDD5-250; 10 Pcs SVL1.25-3.7; 10
Pcs SVL1.25-4; 10 Pcs SVL1.25-5.3; 10 Pcs
SVM2-4; 10 Pcs SVS2-5; 10 Pcs SVL5-4; 10
Pcs SVL5.5-4.



200 Pcs



Box

0877**END TERMINAL SET**

50 Pcs 0.5mm²; 100 Pcs
0.75mm²; 100 Pcs 1.0 mm²; 100
Pcs 1.5 mm²; 50 Pcs 2.5 mm².



400 Pcs



Box

White end	100 x 0,5 mm ²
Grey end	100 x 0,75 mm ²
Red end	50 x 1 mm ²
Black end	100 x 1,5 mm ²
Blue end	50 x 2,5 mm ²

**0380****PVC SHRINKABLE TUBE ASSORTMENT**

30 Pcs 5/64"x1-9/16"; 25 Pcs
3/32"x1-9/16"; 20 Pcs 1/8"x1-
9/16"; 30 Pcs 3/16"x1-9/16"; 16 Pcs
9/32"x3-1/8"; 8 Pcs 3/8"x3-1/8"; 8
Pcs 1/2"x3-3/8".



127 Pcs



Box

0176**GREASE FITTING SET**

Pcs. 35 straight M6x1; Pcs. 15
Straight 1/8"-27; Pcs. 5 45° 1/8"-27;
Pcs. 5 45° M6x1; Pcs. 10 45° M8x1;
Pcs. 5 45° M10x1; Pcs. 10 Straight
M10x1; Pcs. 10 Straight M8x1; Pcs.
5 90° M6x1; Pcs. 5 90° M8x1; Pcs. 5
90° M10x1.



110 Pcs



Box

SR44W**BATTERIES FOR DIGITAL INSTRUMENTS**

Hangable

Voltage	1,5 V
Pack	10

**CR20X****BATTERIES FOR DIGITAL INSTRUMENTS**

Art.	Voltage	Pack
CR2025	3 V	10
CR2032	3 V	10



0678
POLYURETHANE FOAM GUN

Mount and foam adjustment.



Box

Length

290 mm

0085
9" HEAVY DUTY CAULKING GUN


Nickel plated


0521
9" HEAVY DUTY CAULKING GUN


Nickel plated


0234
9" REINFORCED CAUL KING GUN SKELETON TYPE EXAGONAL ROD


Steel


0091
9" RATCHET CAUL KING GUN BARREL TYPE

0861
9" EPOXY SEAL CAUL KING GUN


Nickel plated



**0819-****BRICKLAYING TROWELS ROUND NOSE**

Steel



Art.	Length
0819/18	180 mm
0819/20	200 mm

0820-**SQUARE TROWELS**

Steel



Art.	Length
0820/18	180 mm
0820/20	200 mm

0822**PLASTERING TROWEL WITH ABS HANDLE**

Steel



Length	280 x 120 mm
--------	--------------

0823**NOTCHED TROWEL WITH ABS HANDLE**

Steel



Length	280 x 120 mm
--------	--------------

0184-**PUTTY KNIFE WITH CLIPPED PLASTIC HANDLE MIRROR POLISH****INOX**

Art.	Blade dimensions
0184/01	30 x 90h mm
0184/02	50 x 85h mm
0184/03	75 x 100h mm
0184/04	100 x 100h mm

0606**POLYETHYLENE BUCKET**

Dimensions	Ø 360 x 240h mm
Capacity	14 l



0043
RED AND WHITE SIGNAL TAPE


Length	200 m
Height	70 mm

0103
TAPE FILM DISPENSER


Box


0747
PPL TAPE HAVANA COLOR


Belt dimensions	50 mm x 66 m
Pack	6

0760
STRETCH FILM HANDLE DISPENSER

PVC300/125
PPL FILM


Dimensions	0,125h x 100 m
Thickness	20 µm
Pack	48

0748
PPL FILM HANDLE DISPENSERS

PVC300
PPL FILM


Dimensions	0,5h x 300 m
Thickness	23 µm
Pack	6

028X
POLYETHYLENE PROTECTION COVER SHEET, TWO-COLOUR GRAY/BLUE

Protected to uv rays, woven polyethylene tarpaulin 140/150 g/ m2, eyelets every 50cm.



Art.	Dimensions	Net weight
0281	2,86 x 1,90 m	0,9 kg
0282	4 x 5 m	2,8 kg
0283	5 x 8 m	5,6 kg
0284	6 x 10 m	8 kg


C960/AM01
TOOL ROLLING CABINET WITH AUTOMOTIVE TOOLS


142 Pcs


Included foam trays	TM01/047, TM01/048, TM01/049
Dimensions	770 x 460 x 985h mm
Drawer dimensions	566 x 405 mm
Drawers height	6 x 68 mm - 1 x 199 mm
Drawer capacity	6 x 25 kg - 1 x 40 kg


C960/CC01
TOOL ROLLING CABINET WITH TOOLS


159 Pcs


Included foam trays	TM01/002, TM01/010, TM01/012, TM01/014, TM01/016, TM01/018, TM01/023, TM01/025, TM01/030, TM01/033, TM01/042
Dimensions	770 x 460 x 985h mm
Drawer dimensions	566 x 405 mm
Drawers height	6 x 68 mm - 1 x 199 mm
Drawer capacity	6 x 25 kg - 1 x 40 kg



C960/CC03
TOOL ROLLING CABINET WITH TOOLS


253 Pcs

Included foam trays	TM01/068, TM01/069, TM01/070
Dimensions	770 x 460 x 985h mm
Drawer dimensions	566 x 405 mm
Drawers height	6 x 68 mm - 1 x 199 mm
Drawer capacity	6 x 25 kg - 1 x 40 kg


C960/CC04
TOOL ROLLING CABINET WITH TOOLS


219 Pcs


Included foam trays	TM01/058, TM01/063, TM01/064, TM01/061
Dimensions	770 x 460 x 985h mm
Drawer dimensions	566 x 405 mm
Drawers height	6 x 68 mm - 1 x 199 mm
Drawer capacity	6 x 25 kg - 1 x 40 kg





C960CA

TOOL ROLLING CABINET WITH TOOLS



290 Pcs

Included foam trays	C960/1A, C960/2A, C960/3A, C960/4A, C960/5A, C960/7A, C960/8A
Dimensions	770 x 460 x 985h mm
Drawer dimensions	566 x 405 mm
Drawers height	6 x 68 mm - 1 x 199 mm
Drawer capacity	6 x 25 kg - 1 x 40 kg



C960C3C


TOOL ROLLING CABINET WITH TOOLS



235 Pcs


Included foam trays	C960/1A, C960/3A, C960/4A
Dimensions	770 x 460 x 985h mm
Drawer dimensions	566 x 405 mm
Drawers height	6 x 68 mm - 1 x 199 mm
Drawer capacity	6 x 25 kg - 1 x 40 kg



C900/CC01
TOOL ROLLING CABINET WITH TOOLS


113 Pcs

Included foam trays	TM01/001, TM01/012, TM01/014, TM01/020, TM01/022, TM01/024, TM01/042
Tool cabinet size	744 x 461 x 964h mm
Drawer dimensions	569 x 406 mm
Drawers height	4 x 45 mm - 1 x 145 mm - 1 x 225 mm
Drawer capacity	25 kg

C900/CC03
TOOL ROLLING CABINET WITH TOOLS



253 Pcs

Included foam trays	TM01/068, TM01/069, TM01/070
Dimensions	744 x 461 x 964h mm
Drawer dimensions	569 x 406 mm
Drawers height	4 x 45 mm - 1 x 145 mm - 1 x 225 mm
Drawer capacity	25 kg



C900/CC04

TOOL ROLLING CABINET WITH TOOLS




219 Pcs

Included foam trays	TM01/058, TM01/063, TM01/064, TM01/061
Dimensions	744 x 461 x 964h mm
Drawer dimensions	569 x 406 mm
Drawers height	4 x 45 mm - 1 x 145 mm - 1 x 225 mm
Drawer capacity	25 kg



C900CA


TOOL ROLLING CABINET WITH TOOLS



290 Pcs

Included foam trays	C960/1A, C960/2A, C960/3A, C960/4A, C960/5A, C960/7A, C960/8A
Dimensions	744 x 461 x 964h mm
Drawer dimensions	569 x 406 mm
Drawers height	4 x 70 mm - 1 x 145 mm - 1 x 225 mm
Drawer capacity	25 kg



C900C3C
TOOL ROLLING CABINET WITH TOOLS


235 Pcs

Included foam trays	C960/1A, C960/3A, C960/4A
Dimensions	744 x 461 x 964h mm
Drawer dimensions	569 x 406 mm
Drawers height	4 x 70 mm - 1 x 145 mm - 1 x 225 mm
Drawer capacity	25 kg







**SCAN THE
DEDICATED QR CODE
AND DISCOVER THE
DETAILED CONTENT!**

C960/1A

TOOLS IN FOAM TRAY FOR ROLLING CABINETS



Dimensions

570 x 390 x 35 mm

C960/2A

TOOLS IN FOAM TRAY FOR ROLLING CABINETS




Dimensions

570 x 390 x 35 mm

C960/3A

TOOLS IN FOAM TRAY FOR ROLLING CABINETS



Dimensions

570 x 390 x 35 mm

C960/4A

TOOLS IN FOAM TRAY FOR ROLLING CABINETS




Dimensions

405 x 390 x 35 mm

C960/5A

TOOLS IN FOAM TRAY FOR ROLLING CABINETS




Dimensions

405 x 390 x 35 mm

C960/7A

TOOLS IN FOAM TRAY FOR ROLLING CABINETS



Dimensions

405 x 240 x 35 mm

C960/8A

TOOLS IN FOAM TRAY FOR ROLLING CABINETS




Dimensions

405 x 240 x 35 mm

TM01/001
COMBINATION SPANNER SET IN FOAM TRAY


Dimensions 188 x 405 x 33 mm


TM01/002
COMBINATION SPANNER SET IN FOAM TRAY



Dimensions 188 x 405 x 33 mm


TM01/005
OPEN END WRENCHES SET IN FOAM TRAY



Dimensions 376 x 405 x 33 mm


TM01/006
OPEN END WRENCHES SET IN FOAM TRAY


Dimensions 376 x 405 x 33 mm


TM01/056
FOAM TRAY WITH ART. 0690 RATCHET SPANNER SET 8-19MM



Dimensions 188 x 405 x 33 mm


TM01/008
MALE T-HANDLE HEX WRENCH SET IN FOAM TRAY


Dimensions 376 x 405 x 33 mm


TM01/009
MALE T-HANDLE TORX WRENCH SET IN FOAM TRAY


Dimensions 188 x 405 x 33 mm


TM01/010
T HANDLE MAGNETIC SWIVEL HEX SOCKET SET IN FOAM TRAY


Dimensions 565 x 405 x 33 mm





TM01/011


T HANDLE MAGNETIC SWIVEL HEX SOCKET SET IN FOAM TRAY



Dimensions 565 x 405 x 33 mm

TM01/012


TWO WAY HEX KEY WITH ANATOMIC PLASTIC HANDLE SET IN FOAM TRAY



Dimensions 188 x 405 x 33 mm

TM01/014

TWO WAY TORX KEY WITH ANATOMIC PLASTIC HANDLE SET IN FOAM TRAY



Dimensions 188 x 405 x 33 mm

TM01/063


TOOLS SERIES FOR AUTOMOTIVE IN FOAM TRAY



Dimensions 565 x 405 x 33 mm

TM01/068


TOOLS SERIES FOR AUTOMOTIVE IN FOAM TRAY



Dimensions 565 x 405 x 33 mm

TM01/016


FLAT SCREWDRIVER SET IN FOAM TRAY



Dimensions 188 x 405 x 33 mm

TM01/018

CROSSTIP SCREWDRIVER SET IN FOAM TRAY



Dimensions 188 x 405 x 33 mm

TM01/020

MIXED SCREWDRIVER SET IN FOAM TRAY



Dimensions 188 x 405 x 33 mm

TM01/044
FLAT SCREWDRIVER SET WITH DIAMOND TIP IN FOAM TRAY


8 Pcs



Diamond coated



Dimensions

188 x 405 x 33 mm

TM01/045
CROSSTIP SCREWDRIVER SET WITH DIAMOND TIP IN FOAM TRAY


8 Pcs



Diamond coated



Dimensions

188 x 405 x 33 mm

TM01/046
MIXED SCREWDRIVER SET WITH DIAMOND TIP IN FOAM TRAY


8 Pcs



Diamond coated



Dimensions

188 x 405 x 33 mm

TM01/070
TOOLS SERIES FOR AUTOMOTIVE IN FOAM TRAY


194



Dimensions

565 x 405 x 33 mm

TM01/022
HEXAGONAL HAND SOCKET SET IN FOAM TRAY


30 Pcs



Chromed



1/2"



Dimensions

188 x 405 x 33 mm

TM01/023
BI-HEXAGONAL HAND SOCKET SET IN FOAM TRAY


30 Pcs



Chromed



1/2"



Dimensions

188 x 405 x 33 mm

TM01/024
HEXAGONAL HAND SOCKET SET IN FOAM TRAY


42 Pcs



Chromed



1/4" | 3/8"



Dimensions

188 x 405 x 33 mm

TM01/025
BI-HEXAGONAL HAND SOCKET SET IN FOAM TRAY


42 Pcs



Chromed



1/4" | 3/8"



Dimensions

188 x 405 x 33 mm

**TM01/026****INSULATED SCREWDRIVER SET IN FOAM TRAY****Mo-V**

8 Pcs

**Dimensions**

188 x 405 x 33 mm

TM01/027**NUT DRIVER SET IN FOAM TRAY****Cr-V**

7 Pcs



Chromed

**Dimensions**

188 x 405 x 33 mm

TM01/028**NUT DRIVER SET IN FOAM TRAY****Cr-V**

7 Pcs



Chromed

**Dimensions**

188 x 405 x 33 mm

TM01/029**FLEXIBLE NUT DRIVER SET IN FOAM TRAY****Cr-V**

7 Pcs



Chromed

**Dimensions**

188 x 405 x 33 mm

TM01/030**RING SPANNER SET IN FOAM TRAY****Cr-V**

8 Pcs



Chromed

**Dimensions**

188 x 405 x 33 mm

TM01/031**RING SPANNER SET IN FOAM TRAY****Cr-V**

4 Pcs



Chromed

**Dimensions**

188 x 405 x 33 mm

TM01/032**COMBINATION SPANNER SET IN FOAM TRAY****Cr-V**

4 Pcs



Chromed

**Dimensions**

188 x 405 x 33 mm

TM01/033**COMBINATION SPANNER SET IN FOAM TRAY****Cr-V**

4 Pcs



Chromed

**Dimensions**

188 x 405 x 33 mm

TM01/035
HEXAGONAL TUBULAR SOCKET AND FLARE NUT WRENCH SET IN FOAM TRAY


16 Pcs

Cr-V


Chromed


Dimensions

188 x 405 x 33 mm

TM01/036
HEXAGONAL TUBULAR SOCKET AND FLARE NUT WRENCH SET IN FOAM TRAY


17 Pcs

Cr-V


Chromed


Dimensions

188 x 405 x 33 mm

TM01/069
TOOLS SERIES FOR AUTOMOTIVE IN FOAM TRAY


23 Pcs

Cr-V


Chromed


Dimensions

565 x 405 x 33 mm

TM01/037
DRIFT PIN SET IN FOAM TRAY


7 Pcs

Cr-Mo


Chromed


Dimensions

188 x 405 x 33 mm

TM01/038
DRIFT PIN SET WITH HAMMER IN FOAM TRAY


12 Pcs

Cr-Mo


Chromed


Dimensions


188 x 405 x 33 mm

TM01/064
TOOLS SERIES FOR AUTOMOTIVE IN FOAM TRAY


13 pcs

Cr-V


Chromed


Dimensions

565 x 405 x 33 mm

TM01/042
PLIER SET IN FOAM TRAY


4 Pcs

Cr-V


Chromed


Dimensions

188 x 405 x 33 mm

TM01/043
HEXAGONAL IMPACT SOCKET SET IN FOAM TRAY


16 Pcs

Cr-Mo


1/2"



Dimensions

188 x 405 x 33 mm



TM01/047


TOOLS SERIES FOR AUTOMOTIVE IN FOAM TRAY



Dimensions 565 x 405 x 33 mm

TM01/048

TOOLS SERIES FOR AUTOMOTIVE IN FOAM TRAY



Dimensions 565 x 405 x 33 mm

TM01/049

TOOLS SERIES FOR AUTOMOTIVE IN FOAM TRAY



Dimensions 565 x 405 x 33 mm

TM01/052

PNEUMATIC SERIES FOR AUTOMOTIVE IN FOAM TRAY



Dimensions 565 x 405 x 33 mm

TM01/054

EMPTY FOAM TRAY FOR A007/16 CABINET



External Dimensions 155 x 405 x 33 mm
Internal dimensions 2: 103 x 166 x 25 mm

TM01/055

EMPTY FOAM TRAY FOR A007/16 CABINET



External Dimensions 155 x 405 x 33 mm
Internal dimensions 3: 103 x 104 x 25 mm

TM01/100

EMPTY FOAM TRAY FOR SMALL ITEMS



Dimensions 188 x 405 x 33 mm

TM01/110

EMPTY FOAM TRAY FOR SMALL ITEMS



Dimensions 376 x 405 x 33 mm

TM01/120

EMPTY FOAM TRAY FOR SMALL ITEMS



Dimensions 564 x 405 x 33 mm

0105T
TOOL TROLLEY WITH ACCESSORIES


162 Pcs



Box

Cr-V



Hex keys	1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
Screwdrivers	(-) 5 x 75 - 6 x 100 mm - (+) 1 x 75 - 2 x 100 mm
Electric tester	100 ÷ 250 V
Precision screwdrivers	(-) 2 x 140 - 2,4 x 140 - 3 x 140 - (+) 00 x 140 mm - 0 x 140 mm
Pliers	160 mm
Adjustable wrench	200 mm
Diagonal cutting nippers	160 mm
Long nose pliers	160 mm
Tower pincers	220 mm
Multipurpose scissors	175 mm
Punches and chisel	5 Pcs
Snap ring pliers with 4 heads	4 Pcs
Water pump pliers	240 mm
Combination spanner	8-10-11-12-13-15-17-19-21 mm
1/4" Dr. sockets	4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
1/2" Dr. sockets	12-13-14-15-16-17-18-19-21-24-27-30-32 mm
Sliding T-bar	1/4"
Universal joint	1/4" - 1/2"
1/4" Dr. socket-bars	50 mm - 100 mm
1/2" Dr. socket-bars	125 mm - 250 mm

3 way joint	1 Pc
Spark plug sockets sizes	16 mm - 21 mm
Ratchet handles	1/4" - 1/2"
File	200 mm
German hammer	300 g
Precision tape	5 m
Mini hacksaw	1 Pc
Blade	3 Pcs
Aluminum flashlight	1 Pc
Crimping pliers	200 mm
Terminals	35 Pcs
Utility knife	1 Pc
Level	300 mm
Vernier caliper	150 mm
Magnetic bit holder	1 Pc
Bits	30 - 1/4"
Ratchet bit handle	1 Pc
Male adapter 1/4" Dr. and 1/4" hex	1 Pc
Case size	470 x 350 x 135 mm
Net weight	12 kg

0110T
TOOL TROLLEY WITH ACCESSORIES


135 Pcs



Box

Cr-V



Hex keys	1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 mm
Screwdrivers	(-) 3 x 75 - 5 x 75 - 6 x 100 - 8 x 150 mm - (+) 0 x 75 - 1 x 75
Precision screwdrivers	(-) 2,4 x 140 - (+) 00 x 140 mm - 0 x 140 mm
Pliers	180 mm
Slip joint pliers	150 mm
Diagonal cutting nippers	115 mm
Long nose pliers	150 mm
Wire stripper plier	160 mm
Scissors	200 mm
Water pump pliers	240 mm
Combination spanner	6-8-10-13-14-15-17-19 mm
1/4" Dr. sockets	4-5-6-7-8-9-10-11-12-13-14 mm
1/2" Dr. sockets	8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm
Sliding T-bar	1/4"
Universal joint	1/4" - 1/2"
1/4" Dr. socket-bars	100 mm
1/2" Dr. socket-bars	250 mm
3 way joint	1 Pc

Spark plug sockets sizes	16 mm - 21 mm
Ratchet handles	1/4" - 1/2"
Flexible bar	1/4" - 145 mm
Bits holder socket	1/4"
German hammer	300 g
Precision tape	5 m
Mini hacksaw	1 Pc
Terminals	20 Pcs
Utility knife	1 Pc
Blade	5 Pcs
Level	300 mm
Socket handle	1/4"
Magnetic bit holder	1/4"
Bits	30 - 1/4"
Male adapter 1/4" Dr. and 1/4" hex	1 Pc
Case size	470 x 350 x 135 mm
Net weight	10 kg



0105

TOOL BOX WITH ACCESSORIES



162 Pcs



Box

Cr-V



Hex keys	1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
Screwdrivers	(-) 5 x 75 - 6 x 100 mm - (+) 1 x 75 - 2 x 100 mm
Electric tester	100 ÷ 250 V
Precision screwdrivers	(-) 2 x 140 - 2,4 x 140 - 3 x 140 - (+) 00 x 140 mm - 0 x 140 mm
Pliers	160 mm
Adjustable wrench	200 mm
Diagonal cutting nippers	160 mm
Long nose pliers	160 mm
Tower pincers	220 mm
Multipurpose scissors	175 mm
Punches and chisel	5 Pcs
Snap ring pliers with 4 heads	4 Pcs
Water pump pliers	240 mm
Combination spanner	8-10-11-12-13-15-17-19-21 mm
1/4" Dr. sockets	4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
1/2" Dr. sockets	12-13-14-15-16-17-18-19-21-24-27-30-32 mm
Sliding T-bar	1/4"
Universal joint	1/4" - 1/2"
1/4" Dr. socket-bars	50 mm - 100 mm
1/2" Dr. socket-bars	125 mm - 250 mm

3 way joint	1 Pc
Spark plug sockets sizes	16 mm - 21 mm
Ratchet handles	1/4" - 1/2"
File	200 mm
German hammer	300 g
Precision tape	5 m
Mini hacksaw	1 Pc
Blade	3 Pcs
Aluminum flashlight	1 Pc
Crimping pliers	200 mm
Terminals	35 Pcs
Utility knife	1 Pc
Level	300 mm
Vernier caliper	150 mm
Magnetic bit holder	1 Pc
Bits	30 - 1/4"
Ratchet bit handle	1 Pc
Male adapter 1/4" Dr. and 1/4" hex	1 Pc
Case size	470 x 350 x 135 mm
Net weight	11,5 kg

0110

TOOL BOX WITH ACCESSORIES



135 Pcs



Box

Cr-V



Hex keys	1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 mm
Screwdrivers	(-) 3 x 75 - 5 x 75 - 6 x 100 - 8 x 150 mm - (+) 0 x 75 - 1 x 75 - 2 x 100 3 x 100 mm
Precision screwdrivers	(-) 2,4 x 140 - (+) 00 x 140 mm - 0 x 140 mm
Pliers	180 mm
Slip joint pliers	150 mm
Diagonal cutting nippers	115 mm
Long nose pliers	150 mm
Wire stripper plier	160 mm
Scissors	200 mm
Water pump pliers	240 mm
Combination spanner	6-8-10-13-14-15-17-19 mm
1/4" Dr. sockets	4-5-6-7-8-9-10-11-12-13-14 mm
1/2" Dr. sockets	8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm
Sliding T-bar	1/4"
Universal joint	1/4" - 1/2"
1/4" Dr. socket-bars	100 mm
1/2" Dr. socket-bars	250 mm

3 way joint	1 Pc
Spark plug sockets sizes	16 mm - 21 mm
Ratchet handles	1/4" - 1/2"
Flexible bar	1/4" - 145 mm
Bits holder socket	1/4"
German hammer	300 g
Precision tape	5 m
Mini hacksaw	1 Pc
Terminals	20
Utility knife	1 Pc
Blade	5 Pcs
Level	300 mm
Socket handle	1/4"
Magnetic bit holder	1/4"
Bits	30 - 1/4"
Male adapter 1/4" Dr. and 1/4" hex	1 Pc
Case size	470 x 350 x 135 mm
Net weight	9,5 kg

0171
NEW
TOOL BOX WITH ACCESSORIES


95 Pcs



Box

Cr-V

Hex keys	1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
Screwdrivers	(-) 5x75 - 6x100 mm (+) 1x75 - 2x100 mm
Water pump pliers	250 mm
Multipurpose scissors	170 mm
Long round nose pliers	150 mm
Combination plier	170 mm
Diagonal cutting nippers	150 mm
1/4" Dr. sockets	4-5-6-7-8-9-10-11-12-13-14 mm
1/2" Dr. sockets	10-12-13-15-17-18-19-20-22-24-27-30-32 mm
1/2" Dr. spark plug sockets	16-21 mm
Hammer	300 g
Ratchet gear wrenches	1/2" - 1/4"
Spinner handle	1/4"
Bits	31 - 1/4"
Socket	1/2" F > 3/8" M
Combination spanner	8-10-11-12-13-15-17-19 mm
Sliding T-bar	1/4"
Joints	1/2" - 1/4"
1/2" Dr. socket-bars	250 mm
1/4" Dr. socket-bars	100 mm
Male adapter 1/4" Dr. and 1/4" hex	1 Pc
Plastic case size	470 x 330 x 100h mm
Net weight	16,0 kg


0399
TOOL BOX WITH TOOLS AND ACCESSORIES

Durable case with ergonomic handle.



87 Pcs



Box

Cr-V

Hex keys	1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 mm
Screwdrivers	(-) 5 x 75 - 6 x 100 mm - (+) 1 x 75 - 2 x 100 mm
Pliers	150 mm
Adjustable wrench	250 mm
Diagonal cutting nippers	150 mm
Long nose pliers	150 mm
Multipurpose scissors	150 mm
Water pump pliers	240 mm
Combination spanner	8-10-11-12-13-14-15-17 mm
1/4" Dr. sockets	4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
1/2" Dr. sockets	10-13-14-15-16-17-19-21-22 mm
Sliding T-bar	1/4"
Universal joint	1/4" - 1/2"
1/4" Dr. socket-bars	50 mm - 100 mm
1/2" Dr. socket-bars	125 mm
Spark plug sockets sizes	16 mm - 21 mm
Ratchet handles	1/4" - 1/2"
German hammer	300 g
Utility knife	1 Pc
Magnetic bit holder	1 Pc
Bits	30 Pcs
Bit holder	1/4"
Ratchet bit handle	1 Pc
Male adapter 1/4" Dr. and 1/4" hex	1 Pc
Case size	450 x 360 x 120 mm
Net weight	7 kg



**0434****TOOL BOX WITH TOOLS AND ACCESSORIES**

53 Pcs



Box

Cr-V

Hex keys	1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
Screwdrivers	(-) 5 x 75 - 6 x 100 mm - (+) 1 x 75 - 2 x 100 mm
Pliers	150 mm
Adjustable wrench	200 mm
Long nose pliers	150 mm
Water pump pliers	240 mm
Male adapter 1/4" Dr. and 1/4" hex	1 Pc
German hammer	300 g
Utility knife	1 Pc
Magnetic bit holder	1 Pc
Bits	30 - 1/4"
Ratchet bit handle	1 Pc
Precision tape	5 m
Case size	400 x 270 x 120 mm
Net weight	3 kg

**0164****FABRIC TOOL CASE WITH TOOLS AND ACCESSORIES**

Functional ultra-resistant fabric briefcase with double top logo-embroidered handle and practical shoulder strap. Composed of 59 tools and accessories.



59 Pcs

Cr-V



Water pump pliers	250 mm
Hex keys	1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
Combination plier	180 mm
Scissors	200 mm
Utility knife	18 mm
Magnetic bit holder	1 Pc
Bits	30 - 1/4"
Ratchet bit handle	1 Pc
German hammer	300 g
Screwdrivers	(-) 3 x 75 - 5 x 100 mm - (+) 0 x 75 - 1 x 100 - 2 x 100 mm
Precision tape	5 m
Combination spanner	7 - 8 - 10 - 13 - 17 - 19 mm

0172**HOME SUITCASE WITH TOOLS**

NEW



39 Pcs

Cr-V



Hex keys	1,5 - 2 - 2,5 - 3 - 4 - 5 - 5,5 - 6 mm
Slip joint pliers	150 mm
Bits	20 Pcs
Bit Holder	1 Pc
Extension	60 mm
Precision screwdrivers	(+) PH0, PH1, (-) SL2.4, SL3.0
Utility knife	1 Pc
Hammer	230 g
Precision tape	3 mt
Scissors	200 mm
Plastic case size	320 x 190 x 80 h mm
Net weight	2,0 kg