



400

450

600

INDICE

FERVI IS:

GENERAL TOOLS

**SEVERAL TOOLS
FOR ALL YOUR
SPECIAL PROJECTS**

**Customised quality
for professionals of every sector**

Yet another new section of products to enhance and complete our catalogue: this Fervi range includes all tools and machinery useful for the professional execution of specific jobs in the most disparate fields of installation, repair and maintenance. Any professional in any sphere can easily find the most suitable tools for the trade, the workshop or the factory.

BENCH VICES, CLAMPS AND ANVILS  **PAG. 578**

PNEUMATIC  **PAG. 584**

SOLDERINGS, HOT AIR GUNS AND GLUE GUNS  **PAG. 602**

ACCESSORIES FOR HYDROCARBONS  **PAG. 606**

LIGHTING AND HEATERS  **PAG. 612**

GENERATORS  **PAG. 634**

CONSTRUCTION AND PACKAGING  **PAG. 636**

GARDENING  **PAG. 640**

SAFETY AND PROTECTION  **PAG. 646**





0036-

STEEL VICE



Jaw	Opening	Working height	Slot distance	Weight	Art.	€
100 mm	90 mm	60 mm	85 mm	4,9 kg	0036/100	€ 112,00
125 mm	138 mm	75 mm	110 mm	10 kg	0036/125	€ 165,00
150 mm	190 mm	90 mm	150 mm	19 kg	0036/150	€ 280,00



0036-xG

TABLE VICE WITH SWIVEL BASE



Jaw	Opening	Weight	Art.	€
100 mm	90 mm	5 kg	0036/100G	€ 132,00
125 mm	138 mm	11 kg	0036/125G	€ 180,00
150 mm	190 mm	23 kg	0036/150G	€ 310,00



0135-

FORGED STEEL VICE



Jaws	Opening	Working height	Slot distance	Weight	Art.	€
100 mm	125 mm	60 mm	98 mm	5,8 kg	0135/100	€ 120,00
125 mm	160 mm	70 mm	111 mm	9,8 kg	0135/125	€ 170,00
150 mm	190 mm	85 mm	136 mm	17,8 kg	0135/150	€ 270,00

WITH SLIDE ADJUSTMENT



0140-

STEEL VICE



Jaws	Opening	Working height	Slot distance	Weight	Art.	€
80 mm	80 mm	60 mm	81 mm	4 kg	0140/080	€ 45,00
100 mm	100 mm	65 mm	81 mm	6,1 kg	0140/100	€ 52,50
125 mm	125 mm	90 mm	103 mm	10,9 kg	0140/125	€ 77,50
150 mm	150 mm	95 mm	123 mm	14,9 kg	0140/150	€ 97,50


HEAVY DUTY WITH PIPE JAWS AND SLIDE ADJUSTMENT

**STEEL VICE**

0591-

Jaw	Opening	Weight	Art.	€
100 mm	105 mm	6,1 kg	0591/100	€ 148,00
125 mm	138 mm	12,3 kg	0591/125	€ 208,00
150 mm	230 mm	26,6 kg	0591/150	€ 315,00

WITH BEARING ON SCREW, INTERCHANGEABLE JAWS AND PIPEJAWS

**STEEL VICE WITH PIPE JAW**

0145-

Jaws	Opening	Working height	Slot distance	Weight	Quantity	Art.	€
80 x 20 mm	80 mm	58 mm	76 mm	3,8 kg	6	0145/80	€ 38,00
100 x 20 mm	100 mm	70 mm	85 mm	5,5 kg	4	0145/100	€ 42,20
125 x 20 mm	125 mm	75 mm	90 mm	7,4 kg	2	0145/125	€ 56,10
150 x 27 mm	150 mm	95 mm	105 mm	12 kg	2	0145/150	€ 91,30

**SG IRON BENCH VICE**

0174-

Jaws	Opening	Working height	Slot distance	Weight	Quantity	Art.	€
100 x 20 mm	100 mm	50 mm	85 mm	4,8 kg	4	0174/100	€ 60,00
125 x 22 mm	130 mm	60 mm	95 mm	7,7 kg	2	0174/125	€ 74,80
150 x 22 mm	150 mm	75 mm	105 mm	10 kg	2	0174/150	€ 93,50

WITH INTERCHANGEABLE JAWS

**SG IRON PARALLEL BENCH VICE**

0427-

Jaws	Opening	Weight	Quantity	Art.	€
80 mm	80 mm	6,5 kg	2	0427/080	€ 75,90
100 mm	100 mm	10,1 kg	2	0427/100	€ 97,90
125 mm	125 mm	12,2 kg	2	0427/125	€ 130,00

WITH PRISMATIC GUIDES





STEEL VICE WITH SWIVEL BASE

0146/60

€ 24,70

Jaw	60 mm
Opening	50 mm
Clamp capacity	45 mm
Weight	2,3 kg
Quantity	2*/10



ALUMINUM MAGNETIC JAW COUPLE

0042-

Jaw	Quantity
100 mm	100
125 mm	100
150 mm	100


Art.	€
0042/100	€ 13,50
0042/125	€ 20,80
0042/150	€ 21,30



SPECIAL VICE FOR 90° WELDING

0205

€ 33,30



Capacity	70 mm + 70 mm
Working height	35 mm
Weight	0,9 kg
Quantity	20



SPECIAL VICE FOR 90° WELDING

0205/120

€ 115,00



Capacity	110 mm + 110 mm
Working height	60 mm
Weight	10 kg



4-WAY CLAMPING SYSTEM

0250

€ 43,00

Max thickness	150 mm
Weight	1,9 kg
Quantity	8

PROVIDED IN ASSEMBLY KIT, FOR DOORS OR WOODEN TABLES (WOOD STRIPS NOT INCLUDED)




**CAST IRON ANVIL**


0265/05

€ 37,30

A	230 mm
B	160 mm
E	57 mm
F	10,5 mm
W	112 mm
WI	85 mm
HI	95 mm
Tolerance	±5%
Weight	5 kg
Quantity	4

**C50 HARDENED STEEL ANVIL**

0157-



A	B	E	F	W	WI	HI	Tolerance	Weight	Art.	€
270 mm	185 mm	80 mm	30 mm	195 mm	85 mm	150 mm	±5%	10 kg	0157/10	€ 110,00
415 mm	265 mm	110 mm	50 mm	245 mm	160 mm	185 mm	±5%	30 kg	0157/30	€ 265,00
500 mm	310 mm	140 mm	60 mm	300 mm	190 mm	220 mm	±5%	50 kg	0157/50	€ 384,00
635 mm	420 mm	200 mm	85 mm	350 mm	250 mm	260 mm	±5%	100 kg	0157/100	€ 804,00



M006-



GENERAL USE STEEL CLAMP WITH T-SPINDLE

Span x Depth	Rail	Weight	Quantity	Art.	€
200 x 120 mm	22 x 10,5 mm	1,20 kg	4 / 16	M006/200	€ 28,90
300 x 140 mm	25 x 12 mm	1,80 kg	12	M006/300	€ 40,60
420 x 120 mm	25 x 12 mm	1,90 kg	12	M006/400	€ 41,10
500 x 120 mm	25 x 12 mm	2,10 kg	8	M006/500	€ 45,60
600 x 120 mm	25 x 12 mm	2,30 kg	8	M006/600	€ 65,50
800 x 120 mm	25 x 12 mm	3,00 kg	8	M006/800	€ 78,70
1000 x 120 mm	25 x 12 mm	3,50 kg	4	M006/1000	€ 93,50



M007-



GENERAL USE STEEL CLAMP RATCHET

Span x Depth	Rail	Weight	Quantity	Art.	€
250 x 120 mm	22 x 10,5 mm	1,46 kg	12	M007/250	€ 56,70
300 x 140 mm	25 x 12 mm	2,42 kg	10	M007/300	€ 65,50
400 x 120 mm	25 x 12 mm	2,55 kg	10	M007/400	€ 71,50
500 x 120 mm	25 x 12 mm	2,76 kg	10	M007/500	€ 77,00
600 x 120 mm	25 x 12 mm	2,97 kg	8	M007/600	€ 85,80



M018-



GENERAL USE STEEL CLAMP WITH T-SPINDLE

Span x Depth	Rail	Weight	Quantity	Art.	€
200 x 100 mm	19 x 9,5 mm	0,90 kg	20	M018/0200	€ 20,00
300 x 100 mm	19 x 9,5 mm	1,00 kg	20	M018/0300	€ 24,00
400 x 120 mm	21,5 x 10,5 mm	1,40 kg	10	M018/0400	€ 27,40
500 x 120 mm	21,5 x 10,5 mm	1,60 kg	10	M018/0500	€ 30,00
600 x 120 mm	21,5 x 10,5 mm	1,70 kg	10	M018/0600	€ 30,00
800 x 120 mm	21,5 x 10,5 mm	2,00 kg	8	M018/0800	€ 35,00
1000 x 120 mm	21,5 x 10,5 mm	2,20 kg	8	M018/1000	€ 40,00
1200 x 120 mm	21,5 x 10,5 mm	2,50 kg	8	M018/1200	€ 45,00



0167-



WOOD HANDLE CLAMP

Span x Depth	Quantity	Art.	€
150 x 50 mm	5* / 20	0167/150	€ 3,36
200 x 80 mm	5* / 20	0167/200	€ 6,30
250 x 100 mm	5* / 20	0167/250	€ 7,00
400 x 100 mm	5* / 20	0167/400	€ 9,60
500 x 120 mm	5* / 10	0167/500	€ 12,00





QUICK ADJUSTABLE CLAMP

0394-



Span x Depth	Rail	Weight	Quantity	Art.	€
150 x 63 mm	18 x 5,5 mm	0,50 kg	6* / 48	0394/150	€ 8,10
300 x 63 mm	18 x 5,5 mm	0,60 kg	6* / 24	0394/300	€ 10,90
450 x 63 mm	18 x 5,5 mm	0,70 kg	6* / 24	0394/450	€ 12,50
600 x 63 mm	18 x 5,5 mm	0,80 kg	6* / 24	0394/600	€ 15,20



POLYPROPYLENE SPRING CLAMPS SET

0353/085

€ 6,90



12 Pcs Hanger

Length	85 mm
Opening	35 mm

LENGTH 85 mm, USEFUL IN THE LABORATORY TO FACILITATE THE GLUINGS AND SIMILAR WORKS



POLYPROPYLENE SPRING CLAMPS SET

0353/110

€ 8,00



8 Pcs Hanger

Length	110 mm
Opening	40 mm

110 mm LONGS, USEFUL IN THE LABORATORY TO FACILITATE THE GLUINGS AND SIMILAR WORKS



SPRING CLAMP

035x



Hanger

Length	Opening	Quantity	Art.	€
150 mm	55 mm	10* / 100	0353/150	€ 3,50
225 mm	100 mm	10* / 80	0354/225	€ 4,80

PACKED IN HANGING POLYBAG





0149

HEAVY DUTY STAPLE GUN TACKER**€ 29,50**

Blister

Quantity	24
WITH 500 STAPLES AND 500 NAILS	



C586

AIR BRAD NAILER**€ 140,00**

Blow mold case

Loader capacity	120
Working pressure	5 - 7 bar
Overall sizes	260 x 240 x 65 mm
Nails	F - 10 / 50 mm
Weight	1,30 kg
Quantity	10



F585

2 IN 1 AIR STAPLER AND BRAD NAILER**€ 145,00**

Blow mold case

Loader capacity	100
Working pressure	5 - 7 bar
Overall sizes	255 x 230 x 67 mm
Nails	F - 10 / 50 mm
Staples	90 - 10 / 40 mm
Weight	1,40 kg
Quantity	5



0587

AIR STAPLER**€ 99,00**

Blow mold case

Loader capacity	100
Working pressure	5 - 7 bar
Overall sizes	225 x 165 x 45 mm
Staples	80 - 6 / 16 mm
Weight	0,86 kg
Quantity	6



F588/6

**AIR BRADDER
FOR MINI PINS****€ 135,00**

Blow mold case

Loader capacity	195
Working pressure	5 - 7 bar
Overall sizes	235 x 198 x 46 mm
Staples	0,60 - 12 / 25 mm
Weight	1,00 kg
Quantity	10



0585

**2 IN 1 AIR STAPLER
AND BRAD NAILER****€ 120,00**

Blow mold case

Loader capacity	80
Working pressure	5 - 7 bar
Overall sizes	245 x 230 x 55 mm
Nails	F - 10 / 50 mm
Staples	90 - 10 / 40 mm
Weight	1,38 kg
Quantity	10



0586

AIR BRAD NAILER**€ 110,00**

Blow mold case

Loader capacity	110
Working pressure	5 - 7 bar
Overall sizes	245 x 225 x 55 mm
Nails	F - 10 / 50 mm
Weight	1,48 kg
Quantity	10



0588/6

**AIR BRADDER
FOR MINI PINS****€ 93,50**

Blow mold case

Loader capacity	130
Working pressure	5 - 7 bar
Overall sizes	225 x 170 x 45 mm
Staples	0,60 - 12 / 25 mm
Weight	1,05 kg
Quantity	10





C589

AIR PALM NAILER

€ 80,00



Color box

Working pressure	5 - 7 bar
Overall sizes	111 x 115 x 70 mm
Nails	ø 2.5 ÷ 4.1 - head ø 6.3 ÷ 8.7 - length 38 ÷ 90 mm
Weight	0,46 kg
Quantity	20

COMPATIBILITY CHART

Art.	€	0587/8006	0587/8008	0587/8010	0587/8012	0587/8014	0587/8016	0585/9013	0585/9019	0585/9032	0585/9040	Pag
0149	29,50											584
0585	120,00											585
F585	145,00											584
0586	110,00											585
C586	140,00											584
0587	99,00											584
0588/6	93,50											585
F588/6	135,00											585
C589	80,00											586

Art.	€	0584/F10	0584/F15	0584/F20	0584/F25	0584/F30	0584/F35	0584/F40	0584/F45	0584/F50	0588/615	0588/620	0588/625	0150	0151	Pag
0149	29,50															584
0585	120,00															585
F585	145,00															584
0586	110,00															585
C586	140,00															584
0587	99,00															584
0588/6	93,50															585
F588/6	135,00															585
C589	80,00															586

Art.	€	0049	0240/15	S075/08x5	S075/10x6.5	S075/08x5	S100/08x5	S100/10x6.5	S100/12x8	0783/1M	0777/2	0777/3	Pag
0149	29,50												584
0585	120,00												585
F585	145,00												584
0586	110,00												585
C586	140,00												584
0587	99,00												584
0588/6	93,50												585
F588/6	135,00												585
C589	80,00												586



0573

AIR IMPACT WRENCH

€ 124,00



3/8"



Color box

Square	3 / 8"
Speeds	10000 rpm
Torque	244 Nm
Avg air cons.	4 SCFM (120 l/min)
Working pressure	6 bar / 90 psi
Weight	1,5 kg
Quantity	10



0571

AIR IMPACT WRENCH

€ 169,00



1/2"



Color box



Square	1/2"
Speeds	7000 rpm
Torque	610 Nm
Avg air cons.	5 SCFM (150 l/min)
Working pressure	6 bar / 90 psi
Weight	2,6 kg
Quantity	8



AIR IMPACT WRENCH

0576

€ 164,00



1/2" Color box



Square	1/2"
Speeds	7000 rpm
Torque	435 Nm
Avg air cons.	5 SCFM (150 l/min)
Working pressure	6 bar / 90 psi
Weight	2,48 kg
Quantity	10



AIR IMPACT WRENCH

0786

€ 276,00



3/4" Color box



Square	3/4"
Speeds	4200 rpm
Torque	950 Nm
Avg air cons.	8 SCFM (240 l/min)
Working pressure	6 bar / 90 psi
Weight	4,8 kg
Quantity	4



AIR IMPACT WRENCH SET

0044

€ 99,00



13 Pcs 1/2" Color box



Square	1 / 2"
Speeds	7000 rpm
Torque	320 Nm
Socket	9-10-11-13-14-17-19-22-24-27 mm
Extension	125 mm
Avg air cons.	5 SCFM (150 l/min)
Working pressure	6 bar/90 psi
Weight	4,2 kg
Quantity	4



AIR IMPACT WRENCH

0045

€ 59,40



1/2" Color box



Square	1 / 2"
Speeds	7000 rpm
Torque	320 Nm
Avg air cons.	5 SCFM (150 l/min)
Working pressure	6 bar / 90 psi
Weight	2,3 kg
Quantity	6





AIR IMPACT WRENCH

0052

€ 129,00



3/4"



Color box



Square	3 / 4"
Speeds	4800 rpm
Torque	680 Nm
Avg air cons.	6 SCFM (180 l/min)
Working pressure	6 bar / 90 psi
Weight	4,7 kg
Quantity	4

1 1/4" REVERSIBLE
AIR SCREWDRIVER

0047

€ 75,50



Color box

Speeds	9000 rpm
Capacity	4-5 mm
Torque	2,3 - 6,8 Nm
Length	180 mm
Avg air cons.	5 SCFM (150 l/min.)
Working pressure	6 bar / 90 psi
Quantity	20

AIR RATCHET
WRENCH SET

0046

€ 93,50



16 Pcs



1/2"



Color box

Square	1/2"
Speeds	160 rpm
Torque	65 Nm
Socket	9-10-11-13-14-17-19 mm
Extension	75 mm
Universal joint	1/2"
Bit holder	1/4"
Avg air cons.	4 SCFM (120 l/min.)
Working pressure	6 bar / 90 psi
Weight	2,86 kg
Quantity	10

REVERSIBLE
AIR DRILL

0339

€ 77,00



Color box

Chuck sizes	Ø 10 mm
Speeds	1800 rpm
Avg air cons.	5 SCFM (150 l/min.)
Working pressure	6 bar / 90 psi
Weight	1,1 kg
Quantity	10



REVERSIBLE AIR DRILL

0574

€ 94,60



Color box

Chuck sizes	Ø 10 mm
Speeds	1800 rpm
Avg air cons.	5 SCFM (150 l/min)
Working pressure	6 bar / 90 psi
Weight	1 kg
Quantity	10

COMPATIBILITY CHART

Art.	€	0049	0240/15	S075/08x5	S075/10x6.5	S075/08x5	Pag
0573	124,00	•	•	•	•	•	586
0571	169,00	•	•	•	•	•	586
0576	164,00	•	•	•	•	•	587
0786	276,00	•	•	•	•	•	587
0044	99,00	•	•	•	•	•	587
0045	59,40	•	•	•	•	•	587
0052	129,00	•	•	•	•	•	588
0046	93,50	•	•	•	•	•	588
0047	75,50	•	•	•	•	•	588
0339	77,00	•	•	•	•	•	588
0574	94,60	•	•	•	•	•	589

Art.	€	S100/08x5	S100/10x6.5	S100/12x8	0783/1M	0777/2	0777/3	Pag
0573	124,00	•	•	•	•	•	•	586
0571	169,00	•	•	•	•	•	•	586
0576	164,00	•	•	•	•	•	•	587
0786	276,00	•	•	•	•	•	•	587
0044	99,00	•	•	•	•	•	•	587
0045	59,40	•	•	•	•	•	•	587
0052	129,00	•	•	•	•	•	•	588
0046	93,50	•	•	•	•	•	•	588
0047	75,50	•	•	•	•	•	•	588
0339	77,00	•	•	•	•	•	•	588
0574	94,60	•	•	•	•	•	•	589

5" AIR ANGLE
DIE GRINDER

0313

€ 105,00



Color box

Saw blade	Ø 125 mm
Speeds	10000 rpm
Avg air cons.	5 SCFM (150 l/min)
Working pressure	6 bar / 90 psi
Weight	2,2 kg
Quantity	10

AIR DIE
GRINDER SET

0050

€ 41,70



Blow mold case

Collets	Ø 3 mm - Ø 6 mm
Mounted stone	10 Pz / Pcs
Speeds	22000 rpm
Avg air cons.	4 SCFM (120 l/min.)
Working pressure	6 bar / 90 psi
Weight	1,4 kg
Quantity	10





AIR DIE GRINDER

0051

€ 28,40



Color box

Collets	ø 3 mm - ø 6 mm
Speeds	22000 rpm
Avg air cons.	4 SCFM (120 l/min.)
Working pressure	6 bar / 90 psi
Weight	0,8 kg
Quantity	20



AIR DIE GRINDER

0115

€ 53,30



Color box

Collets	ø 3 mm - ø 6 mm
Speeds	20000 rpm
Length	295 mm
Avg air cons.	4 SCFM (120 l/min.)
Working pressure	6 bar / 90 psi
Weight	0,7 kg
Quantity	25



AIR DIE GRINDER SET

0570

€ 95,70



Blow mold case

Collets	ø 3 mm - ø 6 mm
Mounted stone	10 Pcs
Speeds	21000 rpm
Power	0,45 hp
Avg air cons.	5 SCFM (150 l/min.)
Working pressure	6 bar / 90 psi
Rear exhaust	
Weight	1,3 kg
Quantity	10

FLEXIBLE PNEUMATIC
MICROGRINDING WHEEL

0641

€ 66,00



Blow mold case

Collet capacity	3 mm
Speeds	56000 rpm
Avg air cons.	2 SCFM (60 l/min.)
Working pressure	6 bar / 90 psi
Weight	0,82 kg
Quantity	10

**AIR BELT SANDER**

0784

€ 71,50



Color box

Speeds	16000 rpm
Avg air cons.	6 SCFM (180 l / min.)
Working pressure	6 bar / 90 psi
Belt	10 x 330 mm
Quantity	10

**PNEUMATIC AXIAL GRINDING WHEEL**

0644

€ 42,70



Blow mold case

Saw blade	Ø 75 x 1,5 x Ø 10 mm
Speeds	15000 rpm
Avg air cons.	5 SCFM (150 l/min.)
Working pressure	6 bar / 90 psi
Weight	0,72 kg
Quantity	20

**HEAVY DUTY AIR HAMMER WITH 4 HEXAGONAL CHISELS**

0059

€ 33,30



Color box

Speeds	BPM 3500
Bore-stroke	19 x 66 mm / 3/4" x 2 5/8"
Avg air cons.	4,5 SCFM (135 l/min)
Working pressure	6 bar / 90 psi
Weight	1,5 kg
Quantity	10

**MINI AIR DIE GRINDER**

0413

€ 32,20



Color box

Collets	Ø 3 mm - Ø 6 mm
Speeds	25000 rpm
Avg air cons.	4 SCFM (113 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Weight	350 g
Quantity	40



3 AND 6 mm, WITH REAR EXHAUST 360°, EXCLUSIVE COMPOSITE BODY DESIGN

**AIR DIE GRINDER**

0414

€ 36,70


Color box

Collets	ø 3 mm - ø 6 mm
Speeds	22000 rpm
Avg air cons.	7 SCFM (198 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Weight	580 g
Quantity	30

3 AND 6 MM, WITH REAR EXHAUST 360°, EXCLUSIVE COMPOSITE BODY DESIGN

**90° AIR DIE GRINDER**

0416

€ 57,20


Color box


Collets	ø 3 mm - ø 6 mm
Speeds	20000 rpm
Avg air cons.	4 SCFM (113 l/min)
Working pressure	6 bar / 90 psi
Weight	550 g
Air inlet	1/4"
Quantity	30

3 AND 6 MM, WITH REAR EXHAUST 360°, EXCLUSIVE COMPOSITE BODY DESIGN

**LONG TYPE AIR DIE GRINDER**

0417

€ 58,30


Color box

Collets	ø 3 mm - ø 6 mm
Length	295 mm
Speeds	20000 rpm
Avg air cons.	4 SCFM (113 l/min)
Working pressure	6 bar / 90 psi
Weight	600 g
Air inlet	1/4"
Quantity	25

3 AND 6 mm, WITH REAR EXHAUST 360°, EXCLUSIVE COMPOSITE BODY DESIGN

**REVERSIBLE AIR DRILL**

0418

€ 51,70


Color box

Chuck sizes	10 Ø mm
Speeds	1800 rpm
Avg air cons.	4 SCFM (113 l/min)
Working pressure	6 bar / 90 psi
Weight	850 g
Air inlet	1/4"
Quantity	20

3/8", WITH REAR EXHAUST 360°, EXCLUSIVE COMPOSITE BODY DESIGN



0419

6" AIR ORBIT SANDER WITH SUCTION**€ 94,60**

Color box

Disc diameter	150 mm - 6"
Orbit	5 mm, 3/16"
Speeds	10500 rpm MAX.
Avg air cons.	3 SCFM (85 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Length	200 mm
Weight	950 g
Quantity	10

AND SPEED CONTROL, HOOK & LOOP PAD, 360° REAR EXHAUST, DIE CAST ALUMINUM BODY WITH SOFT HANDLE GRIP IN LIGHTWEIGHT AND ERGONOMIC DESIGN



0421

6" AIR ORBIT SANDER WITH SELF-INTEGRATED SUCTION**€ 103,00**

Color box

Disc diameter	150 mm - 6"
Orbit	5 mm, 3/16"
Speeds	10500 rpm
Avg air cons.	3 SCFM (85 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Length	200 mm
Weight	980 g
Quantity	10

SPEED CONTROL, HOOK & LOOP PAD, 360° REAR EXHAUST, DIE CAST ALUMINUM BODY WITH SOFT HANDLE GRIP IN LIGHTWEIGHT AND ERGONOMIC DESIGN, CORRUGATED HOSE AND DUST BAG



0458

6" AIR ORBIT SANDER WITH SUCTION**€ 94,60**

Color box

Disc diameter	150 mm - 6"
Orbit	2,5 mm - 3 / 32"
Max speed	10500 rpm
Avg air cons.	3 SCFM (85 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Length	200 mm
Weight	950 g
Quantity	10

SPEED CONTROL, 2.5 mm ORBIT, HOOK & LOOP PAD, 360° REAR EXHAUST, DIE CAST ALUMINUM BODY WITH SOFT HANDLE GRIP IN LIGHTWEIGHT AND ERGONOMIC DESIGN



0460

6" AIR ORBIT SANDER WITH SELF-INTEGRATED SUCTION**€ 103,00**

Color box

Disc diameter	150 mm - 6"
Orbit	2,5 mm - 3 / 32"
Max speed	10500 rpm
Avg air cons.	3 SCFM (85 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Length	200 mm
Weight	980 g
Quantity	10

SPEED CONTROL, 2.5mm ORBIT, HOOK AND LOOP PAD, 360° REAR EXHAUST, DIE CAST ALUMINUM BODY WITH SOFT HANDLE GRIP IN LIGHTWEIGHT AND ERGONOMIC DESIGN, CORRUGATED HOSE AND DUST BAG





HOOK AND LOOP PAD

0459

€ 8,00



Disc diameter	150 mm - 6"
Max speed	12000 rpm
Weight	130 g

COMPATIBILITY CHART

Art.	€	0459	0049	0240/15	S075/08x5	S075/10x6.5	S075/08x5	S100/08x5	S100/10x6.5	S100/12x8	0783/1M	0777/2	0777/3	Pag
0313	105,00	*	*	*	*	*	*	*	*	*	*	*	*	589
0050	41,70	*	*	*	*	*	*	*	*	*	*	*	*	589
0051	28,40	*	*	*	*	*	*	*	*	*	*	*	*	590
0570	95,70	*	*	*	*	*	*	*	*	*	*	*	*	590
0115	53,30	*	*	*	*	*	*	*	*	*	*	*	*	590
0641	66,00	*	*	*	*	*	*	*	*	*	*	*	*	590
0784	71,50	*	*	*	*	*	*	*	*	*	*	*	*	591
0644	42,70	*	*	*	*	*	*	*	*	*	*	*	*	591
0059	33,30	*	*	*	*	*	*	*	*	*	*	*	*	591



1 1/4" OILER

0049

€ 9,20



Blister

Quantity 10* / 50

Art.	€	0459	0049	0240/15	S075/08x5	S075/10x6.5	S075/08x5	S100/08x5	S100/10x6.5	S100/12x8	0783/1M	0777/2	0777/3	Pag
0413	32,20	*	*	*	*	*	*	*	*	*	*	*	*	591
0414	36,70	*	*	*	*	*	*	*	*	*	*	*	*	592
0416	57,20	*	*	*	*	*	*	*	*	*	*	*	*	592
0417	58,30	*	*	*	*	*	*	*	*	*	*	*	*	592
0418	51,70	*	*	*	*	*	*	*	*	*	*	*	*	592
0419	94,60	*	*	*	*	*	*	*	*	*	*	*	*	593
0421	103,00	*	*	*	*	*	*	*	*	*	*	*	*	593
0458	94,60	*	*	*	*	*	*	*	*	*	*	*	*	593
0460	103,00	*	*	*	*	*	*	*	*	*	*	*	*	593

CAR EMERGENCY
DIGITAL TIRE GAUGE

0543

€ 20,00



Double blister

Range	3÷150 psi, 0.21÷10.34 bar, 21÷1034 kPa
Working temperature	-20°C ~ + 50° C
Included batteries	2 AA
Weight	0,152 kg
Quantity	72

SUITABLE IN EMERGENCY CONDITIONS, IT CAN BE USED IN 4 DIFFERENT WAYS: DIGITAL TIRE GAUGE, LED FLASHLIGHT, GLASS BREAKER HAMMER, SEAT BELT CUTTER

DIGITAL
PRESSURE GAUGE

0836

€ 18,00



Blister

Range	0,5 ÷ 99.5 psi, 0.034 ÷ 6.86 bar, 3,45 ÷ 686 kPa
Accuracy	±1%
Included batteries	3 x SR44
Quantity	60

WITH TYRE DEPTH GAUGE AND LED LIGHT

**BLOW GUN****W021PA****€ 7,50**

Blister

Nozzle	2.0 mm
Working pressure	2 - 6 bar
Quantity	20* / 40

**TYRE INFLATING GUN****W021PG****€ 19,00**

Blister

Max. pressure	12 bar (170 psi)
Working pressure	2 - 4 bar (30 - 60 psi)
Accuracy	±1%
Rubber hose length	440 mm
Quantity	10 / 40

**WASHING GUN****W021PN****€ 15,50**

Color box

Capacity	900 ml
Nozzle	4.5 mm
Working pressure	3 - 4 bar
Weight	520 g
Quantity	20

WITH ALUMINIUM BODY AND STEEL CUP

**BLOW GUN****0607****€ 6,80**

Blister


Quantity	10* / 40
----------	----------

**DIGITAL TYRE GAUGE****0125****€ 39,00**

Blister

Max. pressure	8 bar (110 psi)
Working pressure	2 - 4 bar (30 - 60 psi)
Reading	0.05 bar (0.7 psi)
Not included batteries	2 x 1.5V AAA
Rubber hose length	80 mm
Quantity	4 / 24

WITH BACKLIGHT AND VARIOUS MEASUREMENT UNITS

**TYRE INFLATING GUN****0608****€ 19,10**

Blister

Manometer	ø 63 mm
Reading	0 ÷ 12 bar (0 ÷ 174 psi)
Rubber hose length	420 mm
Quantity	40



**WASHING GUN**

0610

€ 15,70



Color box

Capacity	1000 cc
Quantity	10

**BLOW GUN**

0725

€ 7,00




Blister

Hose length	100 mm
Quantity	25 / 50

**TYRE INFLATING GUN**

0609

€ 46,70



Blister

Manometer	ø 80 mm
Reading	0 ÷ 12 bar (0 ÷ 174 psi)
Rubber hose length	1.000 mm
Quantity	6

**LONG NOSE BLOW GUN**

0725L

€ 9,50



Blister

Hose length	275 mm
Quantity	50

**BLOW GUN**

0412

€ 11,20



Blister

Hose length	100 mm
Air inlet	1/4"
Quantity	25 / 50

HIGH QUALITY, WITH CHROMED STEEL 100 MM NOZZLE
GUN BODY IN POM PLASTIC (POLYOXYMETHYLENE), BRASS VALVE





GRAVITY FEED SPRAY GUN

TH601A

€ 158,00



Color box

Capacity	600 ml
Nozzle diameter	1,3 mm
Fluid delivery	130 ml/min
Working pressure	2 bar (29 PSI)
Working distance	200 mm
Pattern	280 - 300 mm
Weight	500 g
Quantity	10

600 ml FEED HVLP SPRAY GUN, NYLON GRAVITY CUP, MADE WITH CNC MACHINE, WITHOUT O-RING, WITH STAINLESS STEEL NOZZLE AND NEEDLE, BRASS AIR CAP, ALUM CLAMP AND KNOBS, MALE THREAD FITTING 1/4"

HVLP = HIGH VOLUME, LOW PRESSURE



GRAVITY FEED SPRAY GUN

TH602A

€ 119,00



Color box

Capacity	100 ml
Nozzle diameter	1,0 mm
Fluid delivery	50 ml/min
Working pressure	1,5 bar (20 PSI)
Working distance	150 mm
Pattern	160 mm
Weight	300 g
Quantity	20

100 ml FEED HVLP SPRAY GUN, NYLON GRAVITY CUP, MADE WITH CNC MACHINE, WITHOUT O-RING, WITH STAINLESS STEEL NOZZLE AND NEEDLE, BRASS AIR CAP, ALUM CLAMP AND KNOBS, MALE THREAD FITTING 1/4"

HVLP = HIGH VOLUME, LOW PRESSURE



GRAVITY FEED SPRAY GUN

TH901A

€ 158,00



Color box

Capacity	600 ml
Nozzle diameter	1,3 mm
Fluid delivery	140 ml/min
Working pressure	2 ÷ 2,2 bar (29 ÷ 32 PSI)
Working distance	200 mm
Pattern	270 - 300 mm
Weight	500 g
Quantity	10

600 ml FEED LVMP SPRAY GUN, NYLON GRAVITY CUP, MADE WITH CNC MACHINE, WITHOUT O-RING, WITH STAINLESS STEEL NOZZLE AND NEEDLE, BRASS AIR CAP, ALUM CLAMP AND KNOBS, MALE THREAD FITTING 1/4"

LVMP = LOW VOLUME, MEDIUM PRESSURE



SUCTION SPRAY GUN

A601DS

€ 96,80



Color box

Nozzle	ø 1,4mm
Capacity	1000 cc
Working pressure	2,5 - 3 bar
Quantity	20

1000 ml SUCTION HVLP SPRAY GUN WITH BAIONET LOCK, ALUMINUM CUP, MADE WITH CNC MACHINE, WITHOUT O-RING, WITH STAINLESS STEEL NOZZLE AND NEEDLE BRASS AIR CAP, ALUM CLAMP AND KNOBS, CHROME PLATED SPRAY GUN BODY, MALE THREAD FITTING 1/4"

HVLP = HIGH VOLUME, LOW PRESSURE





A601A

GRAVITY FEED SPRAY GUN

€ 93,50



Color box

Nozzle	ø 1,4mm
Capacity	600 cc
Working pressure	2,5 - 3,5 bar
Quantity	20

600 ml FEED HVLP SPRAY GUN, NYLON GRAVITY CUP, MADE WITH CNC MACHINE, WITHOUT O-RING, WITH STAINLESS STEEL NOZZLE AND NEEDLE BRASS AIR CAP, BLUE COLOR ALUM CLAMP AND KNOBS, CHROME PLATED SPRAY GUN BODY, MALE THREAD FITTING 1/4" HVLP = HIGH VOLUME, LOW PRESSURE



A901A

GRAVITY FEED SPRAY GUN

€ 99,60



Color box

Capacity	600 ml
Nozzle diameter	1,4 mm
Fluid delivery	200-380 ml/min
Max. pressure	2-3 bar (30-43 PSI)
Weight	606 g
Quantity	20

600 ml FEED LVMP SPRAY GUN, NYLON GRAVITY CUP, MADE WITH CNC MACHINE, WITHOUT O-RING, WITH STAINLESS STEEL NOZZLE AND NEEDLE, BRASS AIR CAP, BLUE COLOR ALUM CLAMP AND KNOBS, CHROME PLATED SPRAY GUN BODY, MALE THREAD FITTING 1/4" LVMP = LOW VOLUME, MEDIUM PRESSURE

A602A

GRAVITY FEED SPRAY GUN

€ 65,50



Color box

Nozzle	ø 1,0mm
Capacity	100 cc
Working pressure	2 - 2,5 bar
Quantity	20

10 ml FEED HVLP SPRAY GUN, NYLON GRAVITY CUP, MADE WITH CNC MACHINE, WITHOUT O-RING, WITH STAINLESS STEEL NOZZLE AND NEEDLE BRASS AIR CAP, BLUE COLOR ALUM CLAMP AND KNOBS, CHROME PLATED SPRAY GUN BODY, MALE THREAD FITTING 1/4" HVLP = HIGH VOLUME, LOW PRESSURE



A902A

GRAVITY FEED SPRAY GUN

€ 61,60



Color box

Capacity	100 ml
Nozzle diameter	1 mm
Fluid delivery	45 - 65 ml/min
Max. pressure	1.5 - 2.5 bar [22 - 36 PSI]
Weight	306 g
Quantity	20

100 ml FEED LVMP SPRAY GUN, NYLON GRAVITY CUP, MADE WITH CNC MACHINE, WITHOUT O-RING, WITH STAINLESS STEEL NOZZLE AND NEEDLE BRASS AIR CAP, BLUE COLOR ALUM CLAMP AND KNOBS, CHROME PLATED SPRAY GUN BODY, MALE THREAD FITTING 1/4" LVMP = LOW VOLUME, MEDIUM PRESSURE

**SPRAY GUN WITH FLUID CUP
PROVIDED WITH BAYONET LOCK****A162DS****€ 40,00**

Color box

Nozzle	ø 1,8 mm
Capacity	1000 cc
Working pressure	4-8 bar
Air consumption	100-200 l/min
Quantity	10

**SPRAY GUN WITH FLUID CUP
PROVIDED WITH RAPID LOCK****A162C****€ 28,40**

Color box

Nozzle	ø 1,8 mm
Capacity	1000 cc
Working pressure	4-8 bar
Air consumption	100-200 l/min
Quantity	10

**SPRAY GUN WITH
GRAVITY FLOW CUP****A162A****€ 24,00**

Color box

Nozzle	ø 1,8 mm
Capacity	500 cc
Working pressure	4-8 bar
Air consumption	100-200 l/min
Quantity	20

MINI SPRAY GUN**0048****€ 16,80**

Plastic box

Quantity	20
----------	----

FITTING FOR PRESSURIZED AIR CONTAINER AND 1/4" FITTING FOR AIR COMPRESSOR

SPRAY GUNS SPARE PARTS

Art.	TH601A	TH602A	TH901A	A601DS	A601A	A602A	A901A	A902A	A162DS	A162C	A162A
TH601A13	.										
TH601A14	.										
TH601A17	.										
TH601A20	.										
TH602A08		.									
TH602A10		.									
TH901A13			.								
TH901A14			.								
TH901A17			.								
TH901A20			.								
A601DS14				.							
A601DS17				.							
A601DS20				.							
A601A14					.						
A601A17					.						
A601A20					.						
A602A08						.					

Art.	TH601A	TH602A	TH901A	A601DS	A601A	A602A	A901A	A902A	A162DS	A162C	A162A
A602A10						.					
A901A14							.				
A901A17							.				
A901A20							.				
A902A08								.			
A902A10								.			
A162DS/1.2C									.		
A162DS/1.5C									.		
A162DS/1.8C									.		
A162DS/2.0C									.		
A162DS/2.5C									.		
U1500R/1.2C										.	.
U1500R/1.5C										.	.
U1500R/1.8C										.	.
U1500R/2.0C										.	.
U1500R/2.5C										.	.





PRESSURE REGULATOR

TH250

€ 16,00



Blister

Manometer	ø 40 mm
Reading	0 ÷ 11 bar (0 ÷ 160 psi)
Quantity	50



PRESSURE REGULATOR

TH500

€ 28,00



Blister

Manometer	ø 30 mm
Reading	0 ÷ 10 bar (0 ÷ 145 psi)
Quantity	50



COMPATIBILITY CHART

Art.	€	TH601A	TH602A	TH901A	A601DS	A601A	A602A	A901A	A902A	A162DS	A162C	A162A	Pag
TH250	16,00	•	•	•	•	•	•	•	•	•	•	•	600
TH500	28,00	•	•	•	•	•	•	•	•	•	•	•	600
S075/08x5	13,50	•	•	•	•	•	•	•	•	•	•	•	601
S075/10x6.5	18,90	•	•	•	•	•	•	•	•	•	•	•	601

Art.	€	TH601A	TH602A	TH901A	A601DS	A601A	A602A	A901A	A902A	A162DS	A162C	A162A	Pag
S100/08x5	16,30	•	•	•	•	•	•	•	•	•	•	•	601
S100/10x6.5	24,00	•	•	•	•	•	•	•	•	•	•	•	601
S100/12x8	26,50	•	•	•	•	•	•	•	•	•	•	•	601
0783/1F	2,74	•	•	•	•	•	•	•	•	•	•	•	601



AUTO REWIND AIR HOSE REEL

0481/15

€ 122,00



Color box

Air flow	16 bar / 250 psi
Hose length	15 + 1 m
Male Fitting	1/4" BSPT
Hose diameter	ø 12 x 8 mm
Working temperature	0 ÷ 45° C
Weight	5 kg



MADE OF ABS, WITH PU MESH HOSE, UNIVERSAL FEMALE QUICK COUPLER, GERMAN TYPE FEMALE PLUG AND REGULATION FOR DISTRIBUTING EVENLY THE TUBE IN THE INTERNAL PART



AUTO REWIND AIR HOSE REEL

0240/15

€ 145,00

Capacity	16 bar / 250 psi
Hose length	15 m + 1m
Male Fitting	1/4" BSPT
Hose diameter	12 x 8 mm






S075-

POLYURETHANE SPIRAL HOSE WITH SWIVEL MALE FITTING

Length	Diameter	Thread	Quantity
7,5 m	Ø 8 x 5 mm	1/4"	60
7,5 m	Ø 10 x 6,5 mm	1/4"	48
10 m	Ø 8 x 5 mm	1/4"	60
10 m	Ø 10 x 6,5 mm	1/4"	48
10 m	Ø 12 x 8 mm	3/8"	10

Art.	€
S075/08X5	€ 13,50
S075/10X6.5	€ 18,90
S100/08X5	€ 16,30
S100/10X6.5	€ 24,00
S100/12X8	€ 26,50



0785-xM

SET 2 PCS UNIVERSAL MALE QUICK COUPLER

Shank	Quantity	Art.	€
1/4"	10* / 100	0785/1M	€ 10,50
3/8"	10* / 100	0785/2M	€ 10,50



0785-xF

SET 2 PCS UNIVERSAL FEMALE QUICK COUPLER

Shank	Quantity	Art.	€
1/4"	10* / 100	0785/1F	€ 10,50
3/8"	10* / 100	0785/2F	€ 10,50



0783-xM

SET 2 PCS OF GERMAN TYPE MALE PLUG

Shank	Quantity	Art.	€
1/4"	10* / 100	0783/1M	€ 2,74
3/8"	10* / 100	0783/2M	€ 2,74



0783-xF

2 PCS SET GERMAN TYPE FEMALE PLUG

Shank	Quantity	Art.	€
1/4"	10* / 100	0783/1F	€ 2,74
3/8"	10* / 100	0783/2F	€ 2,74



0777/2

REDUCER WITH GAUGE AND FILTER

€ 40,30



0777/3

REDUCER WITH GAUGE, FILTER AND OILER

€ 71,50



Shank	1/4" - 3/8" - 1/2"
Quantity	50

Shank	1/4" - 3/8" - 1/2"
Reading	0 ÷ 10 bar (0 ÷ 140 psi)
Quantity	25





0033

HIGH PRECISION TEMPERATURE -CONTROLLED SOLDERING IRON STATION

€ 109,00



Melting point	215°C
Working temperature	215 ÷ 300°C
Max temperature	420°C
Power station supply	230 V 50 Hz
Soldering power supply	24 V 48 W
Quantity	8

0027

SOLDERING IRON

€ 12,40



Power	230 V 50 Hz 30 W
Working temperature	450°C ± 10%
Quantity	10* / 100

0793

WOOD-BURNING PEN SET WITH 6 PINS OF DIFFERENT SHAPE

€ 19,10



Power	230 V 50 Hz 30 W
Quantity	5* / 50

0033/TIP1

SOLDERING IRON TIP SET

€ 17,40



7 Pcs

Quantity	5* / 300
----------	----------

0037

SOLDERING IRON COMBINATION SET

€ 18,50



Power	230V 50Hz 30W
Quantity	5* / 20

0037/TIP

SOLDERING IRON SPARE PART TIP

€ 16,40



5 Pcs

Quantity	5* / 20
----------	---------



GAS SOLDERING IRON

0864

€ 42,50



Overall sizes 165 x 23 mm
Quantity 100

TIP AND SOLDER HEADS WITH PROTECTION CAP AND GAS IGNITER



SOLDERING GUN

0026

€ 18,90



Power 230 V 50 Hz 100 W
Quantity 5* / 20

WITH TIN AND A SPARE POINTER



FAST HEATING SOLDERING GUN

0443

€ 53,30



 Blow mold case

Power 230V 50Hz 200W
Temperature 70 °C ÷ 500 °C
Weight 1350 g
Quantity 10

WITH ADJUSTABLE TEMPERATURE



HOT AIR GUN

0024

€ 28,40



2 speeds 375 °C - 495 °C
Air stream 280 l/min - 480 l/min
Power 230 V 50Hz 1,5 kW
Quantity 10



**HOT AIR GUN SET**

0694

€ 42,20



10 Pcs



Blow mold case

2 speeds	300 °C - 600 °C
Air stream	500 l/min - 650 l/min
Power	230 V 50 Hz 1 - 2 kW
Quantity	10

**DIGITAL HOT AIR GUN SET**

0444

€ 79,50



6 Pcs

Power	230 V, 50 Hz, 2000 W
Temperature	I 50°C - II 70°C ÷ 600°C - III 70°C ÷ 600°C
Air stream	I 300L/min - II 300L/min - III 500L/min
Weight	735 g
Quantity	10

WITH ELECTRONIC TEMPERATURE CONTROL, LCD DISPLAY TO SHOW THE TEMPERATURE, 2 LEVELS OF AIR FLOW, IDEAL FOR HEATING, FOLDING, BENDING, REMOVING PAINT



Color box

Power	230 V, 50 Hz, 2000 W
Temperature	600° C
Weight	1 kg
Quantity	10

LIGHTS CHARCOAL ON THE BARBECUE OR IN THE FIREPLACE COMPLETELY WITHOUT CHEMICALS AND MATCHSTICKS. HIGH-PERFORMANCE 2000 W BARBECUE AND FIREPLACE LIGHTER GENERATES 600°C HEAT AND SETS CHARCOAL ON FIRE IN APPROX. 30 - 60 SECONDS



0865

€ 60,00

**HOT KNIFE FOR POLYSTYRENE WITH ADJUSTABLE TEMPERATURE**

0441

€ 66,00

Power	230 V, 50 Hz, 220 W
Temperature	120 - 220 - 330 - 400 - 450 °C
Cutting capacity with adjustment	20 ÷ 90 mm
Max cut	150 mm
Weight	770 g
Quantity	10



FOR POLYSTYRENE, PLASTIC, FOAM AND SPONGE, ADJUSTABLE CUTTING LENGTH, METAL STAND



0321

**HOT KNIFE FOR POLYSTYRENE
WITH ADJUSTABLE TEMPERATURE**

€ 45,00



Power	230 V, 50 Hz, 130 W
Temperature	Max 450 °C
Cutting capacity with adjustment	14 ÷ 97 mm
Max cut	120 mm
Weight	0,72 kg
Quantity	18

FOR POLYSTYRENE, PLASTIC, FOAM AND SPONGE, ADJUSTABLE
CUTTING LENGTH, METAL STAND

0333

**HOT KNIFE FOR
POLYSTYRENE WITH
ADJUSTABLE TEMPERATURE**

€ 105,00



Power	230 V, 50 Hz, 150 W
Temperature	Max 500 °C
Max cut	150 mm
Weight	1,20 kg
Quantity	10

FOR POLYSTYRENE, PLASTIC, FOAM AND SPONGE, ADJUSTABLE
CUTTING LENGTH, METAL STAND

0706

**GLUE GUN
TRIGGER FEED**

€ 34,50



Power	230 V 40W 300 °C
Glue stick	ø 12 mm
Quantity	24



0508

**GLUE GUN
TRIGGER FED**

€ 12,90



Power	230 V 28 W 160 °C
Glue stick	ø 12 mm
Quantity	6* / 24



0333/150

SPARE BLADE

€ 17,00



0431

**GLUE GUN
TRIGGER FEED**

€ 17,00



Power	230 V, 35 W, 200 °C
Glue stick	ø 12 mm
Glue flow	16 ÷ 20 g/min
Weight	413 g
Quantity	12 / 24

EQUIPPED WITH AUTOMATIC ADVANCE AND LED FOR REPORTING THE
GUN'S CONNECTION TO THE POWER GRID

0034

**HOT MELT
GLUE STICKS**

€ 5,20



10 Pcs

Dimensions ø 12 x 200 mm Tot. 200 gr
Quantity 10* / 30

0071

**HOT MELT
GLUE STICKS**

€ 5,50



10 Pcs

Overall sizes ø 12 x 200 mm 200 gr
Quantity 10* / 30



0156-

FLEXIBLE OIL-CAN

Capacity	Quantity	Art.	€
200 cc	10* / 100	0156/200	€ 6,00
500 cc	10* / 100	0156/500	€ 7,50



0164/250

PLASTIC OILER WITH VERTICAL FLEXIBLE SPOUT

€ 7,20



Capacity	250 cc
Quantity	10* / 160



0171/2

MEASURING PLASTIC CAN WITH TOP COVER AND FLEXIBLE SPOUT

€ 11,20



Capacity	2 l
Quantity	2* / 24



0158/500

PLASTIC OILER WITH FLEXIBLE SPOUT

€ 8,40



Capacity	500 cc
Quantity	10* / 80



0473-

OIL DRAIN PAN

Capacity	Dimensions	Weight	Quantity	Art.	€
10 l	Ø400 x 120h mm	0,83 kg	5	0473/10	€ 19,60
15 l	Ø500 x 130h mm	1 kg	4	0473/15	€ 21,30



0171-

MEASURING JUG

Capacity	Art.	€
3 l	0171/3	€ 10,30
5 l	0171/5	€ 14,00

MADE OF PLASTIC, WITH FLEXIBLE SPOUT, SCREW COVER AND ANTI-DIPPING END CAP



0183/750

PLASTIC CAN WITH SPOUT

€ 3,32



Capacity	750 cc
Quantity	10* / 90

**PLASTIC FUNNEL**

0172/150

€ 8,60



Diameter	Ø150 mm
Height	435 mm

WITH DIAMETER DI Ø 150 mm, CLOSING SCREW, FLEXIBLE SPOUT, ANTI-DRIPPING TOP/END COVERS AND UPPER HANDLE FOR THE HANGING

**PLASTIC FUNNEL WITH TOP COVER AND FLEXIBLE SPOUT**

0172/180

€ 11,40



Diameter	180 mm
Height	435 mm
Quantity	2* / 36

Ø 180 mm, DIVIDED IN 2 PARTS WITH SCREW TYPE CONNECTION, TOP COVER, FLEXIBLE SPOUT, INTERNAL FILTER, ANTI-DRIPPING SCREW TYPE END COVER

**PLASTIC FUEL TANK**

0660-

Capacity Liters	Dimensions	Weight	Quantity	Art.	€
5	260 x 120 x 250h mm	540 g	12*	0660/05	€ 11,20
10	330 x 160 x 300h mm	680 g	5*	0660/10	€ 16,30
20	400 x 200 x 360h mm	1080 g	4*	0660/20	€ 21,30

WITH FLEXIBLE FILLER, "UN" CERTIFIED ACCORDING TO EUROPEAN DIRECTIVES

**METAL FUEL TANK**

0189-

Capacity Liters	Weight	Quantity	Art.	€
5	1,50 kg	5	0189/05C	€ 38,90
10	2,50 kg	5	0189/10C	€ 39,50
20	3,80 kg	5	0189/20C	€ 45,00

WITH FLEXIBLE FILLER, "UN" CERTIFIED ACCORDING TO EUROPEAN DIRECTIVES

**FUEL CAN RUBBER GASKET**

0194x



Description	Quantity	Art.	€
Fuel can rubber gasket	10*	0189/G	€ 1,82
Metal pouring spout	5* / 25	0194	€ 13,50
Spout rubber gasket	10*	0194/G	€ 2,02



**OIL DRAINER
WITHOUT TANK**

0594

€ 135,00



Base dimensions	390 x 390 mm
Height max	1700 mm
Weight	15 kg

WITH WHEELS, TO USE UNDER LIFTS, FOR WASTE OIL

**OIL DRAINER**

0595

€ 271,00



Tank capacity	70 l
Height min - max	1170 ÷ 1860 mm
Weight	26 kg

WITH TANK AND WHEELS, TO USE UNDER LIFTS, FOR WASTE OIL

**PNEUMATIC OIL DRAINER**

0596

€ 436,00

Tank capacity	70 l
Measuring tank capacity	10 l
Height max	1410 mm
Metal probe	1 x $\varnothing$ 8 x 7 mm - 1 x $\varnothing$ 6 x 5 mm
Nylon probe	2 x $\varnothing$ 8 x 7 mm - 2 x $\varnothing$ 6 x 5 mm
Suction	6 x 4,5 mm - 0,4 ÷ 0,8 L/min 8 x 6,5 mm - 1 ÷ 1,6 L/min
Power pressure	8 ÷ 10 bar
Weight	22,5 kg



WITH WHEELS AND DIFFERENT SIZE OF SUCTION PROBES, FOR WASTE OIL, FOR USE UNDER LIFTS TOO





P024/06

ALUMINIUM LEVER ACTION HAND PUMP**€ 48,50**

Color box

Single stroke capacity	0.1 l
Capacity	6 l/min
Pump thread	2" / 1-1/2"
Weight	1.5 kg
Quantity	12

FOR OIL, DIESEL AND KEROSENE HAND PUMP, WITH STEEL PIPE $\varnothing$ 16 x 700 mm WITH M16 x 1 THREAD AND DELIVERY PLASTIC HOSE



P024/15

ALUMINIUM LEVER ACTION HAND PUMP**€ 57,50**

Color box

Single stroke capacity	0.350 l
Capacity	15 l/min
Pump thread	2" / 1-1/2"
Weight	2.2 kg
Quantity	12

ALUMINIUM LEVER ACTION OIL, DIESEL AND KEROSENE HAND PUMP, WITH STEEL PIPE $\varnothing$ 20 x 820 mm WITH 1/2" GAS THREAD AND DELIVERY PLASTIC HOSE



0385

ALUMINUM ROTARY HAND OIL PUMP**€ 54,40**

Color box

Capacity	20 l/min
Pump thread	2"
Weight	1,4 kg
Quantity	10

WITH TELESCOPIC PIPE



0386

LEVER ACTION HAND OIL PUMP**€ 38,90**

Color box

Capacity	18 l/min
Pump thread	2" / 1-1/2"
Weight	2 kg
Quantity	10

WITH TELESCOPIC PIPE



**PVC DIESEL GUN****0474/PP****€ 15,70**

Capacity	60÷80 l/min
Nozzle	ø25 mm
Inlet thread	1" BSP
Weight	0,8 kg
Quantity	10

WITH Ø 25 mm NOZZLE

**ALUMINUM
NOZZLE OIL GUN****0474/PE****€ 27,80**

Capacity	60÷120 l/min
Nozzle	ø25 mm
Inlet thread	1" BSP
Weight	0,80 kg
Quantity	10

WITH Ø 25 mm NOZZLE AND SWIVEL
CONNECTOR**AUTOMATIC DIESEL GUN****0474/PA****€ 74,80**

Capacity	90 l/min
Nozzle	ø25 mm
Inlet thread	1" BSP
Weight	1,4 kg
Quantity	10

WITH Ø 25 mm NOZZLE AND SWIVEL CONNECTOR


**12V DC DIESEL PUMP****0755****€ 98,00**

Base dimensions	200 x 120 x 110 mm
Motor	DC 12 V, 175 W
Motor speed	4500 rpm
Pump capacity	40 l/min
Hydraulic head	2 m
Suction	4 m
Inlet thread	25 mm
Weight	3.8 kg

PUMP FOR MINERAL OIL AND DIESEL, MAXIMUM CONTINUOUS SERVICE
30 min**DRILL PUMP****0272****€ 13,50****Blister**

Weight	450 g
Quantity	6*

FOR NO FLAMMABLE, EXPLOSIVE, CORROSIVE AND OILY LIQUID





**1800 W INFRARED HEATER WITH SUPPORT FOR WALL MOUNTING**

R607

€ 102,00

Power 230 V, 2000 W
Weight 1,8 kg

DUST AND WATER PROOF IP55, METAL HOUSING,
 WITH METAL NET-COVER

**2000 W INFRARED HEATER WITH SUPPORT FOR WALL MOUNTING**

R608

€ 230,00

Power 230 V, 2000 W
Weight 3,0 kg

DUST AND WATER PROOF IP55, METAL HOUSING,
 WITH METAL NET-COVER AND REMOTE CONTROL

**1300 W INFRARED HEATER WITH SUPPORT FOR WALL MOUNTING**

R609

€ 109,00

Power 230 V, 1300 W
Weight 2,75 kg
Quantity 4

DUST AND WATER PROOF IP20, METAL HOUSING,
 WITH METAL NET-COVER, WITH R7S 1300W INFRARED BULB,
 0.3m H07RN-F 3X1.5mm2 POWER CORD

**2000 W INFRARED HEATER WITH SUPPORT FOR WALL MOUNTING**

R610

€ 150,00

Power 230 V, 2000 W
Weight 3,2 kg
Quantity 4

DUST AND WATER PROOF IP20, METAL HOUSING,
 WITH METAL NET-COVER, WITH R7S 2000W INFRARED BULB,
 0.3m H07RN-F 3X1.5mm2 POWER CORD





R60xA

TRIPOD ELECTRIC RADIANT INFRARED HEATER

Power	Tripod height without heaters	Degree of protection	Art.	€
230 V 1,3 kW	600 ÷ 1500 mm	IP20	R609A	€ 145,00
230 V 2 kW	600 ÷ 1500 mm	IP20	R610A	€ 208,00



R60xB

ELECTRIC RADIANT INFRARED HEATER WITH STAND

Power	Degree of protection	Art.	€
230 V 1,3 kW	IP20	R609B	€ 138,00
230 V 2 kW	IP20	R610B	€ 181,00



B609

INFRARED BULB

€ 31,10



230V, 1300 W



B610

INFRARED BULB

€ 41,10



230V, 2000 W

COMPATIBILITY CHART

Art.	€	R609	R610	R609A	R610A	R609B	R610B	Pag
B609	31,10	•		•		•		532
B610	41,10		•		•		•	532
T609	44,40	•	•					532



T609

ADJUSTABLE HEIGHT TRIPOD

€ 44,40



Height	600 ÷ 1500 mm
Upper fixing	M 8
Weight	2,3 kg
Quantity	4

SUITABLE FOR LIGHT, HEATER



0345

**HALOGEN LAMP
WITH BULB****€ 16,80**

Color box

Power	230 V 400 W
Dust and splash proof	IP54
Quantity	16



0346

**HALOGEN LAMP WITH
STAND AND BULB****€ 32,20**

Color box

Power	230 V 400 W
Dust and splash proof	IP54
Cable	1,5 m 3 x 1 mm ² H07RN-F
Quantity	8



0348

SINGLE HEAD TRIPOD LIGHT WITH HALOGEN BULB**€ 71,50**

Color box

Power	230 V 400 W
Dust and splash proof	IP54
Cable	3 m 3 x 1 mm ² H07RN-F
Height min - max	630 ÷ 1520 mm
Quantity	4



0347-

HALOGEN BULB

Power	Length	Life hours	Quantity	Art.	€
230 V 300 W	118 mm	1800	25* / 100	0347/300	€ 5,10
230 V 400 W	118 mm	1800	20* / 200	0347/500	€ 5,10





S448/10

10 W 850 lm OUTDOOR SAMSUNG* LED FLOOD LIGHT**€ 46,00**
Color box

Power	110 - 265 V, 50 - 60 Hz, 10 W
LED number	9 SMD, 850 lm
Degree of protection	IP 65
Cable	30 cm, 3x1 mm ² H05VV-F
Life hours	30000
Color temperature	4000° K
Weight	0,7 kg



*Samsung is a registered trade mark property of Samsung Group



S448/20

20 W 1700 lm OUTDOOR SAMSUNG* LED FLOOD LIGHT**€ 88,00**
Color box

Power	110 - 265 V, 50 - 60 Hz, 20 W
LED number	16 SMD, 1700 lm
Degree of protection	IP 65
Cable	30 cm, 3x1 mm ² H05VV-F
Life hours	30000
Color temperature	4000° K
Weight	0,7 kg



*Samsung is a registered trade mark property of Samsung Group



S450/10

10 W 850 lm OUTDOOR SAMSUNG* LED FLOOD LIGHT WITH STAND**€ 61,00**
Color box

Power	110 - 265 V, 50 - 60 Hz, 10 W
LED number	9 SMD, 850 lm
Dust and splash proof	IP 65
Cable	2 m, 3x1 mm ² H05VV-F
Life hours	30000
Color temperature	4000° K
Weight	1 kg



*Samsung is a registered trade mark property of Samsung Group



S450/20

20 W 1700 lm OUTDOOR SAMSUNG* LED FLOOD LIGHT WITH STAND**€ 105,00**
Color box

Power	110 - 265 V, 50 - 60 Hz, 20 W
LED number	16 SMD, 1700 lm
Dust and splash proof	IP 65
Cable	2 m, 3x1 mm ² H05VV-F
Life hours	30000
Color temperature	4000° K
Weight	2 kg



*Samsung is a registered trade mark property of Samsung Group



S464/10

10 W 850 lm OUTDOOR SAMSUNG* LED FLOOD LIGHT WITH SENSOR**€ 58,00**

Color box

Power	110 - 265 V, 50 - 60 Hz, 10 W
LED number	9 SMD, 850 lm
Dust and splash proof	IP 65
Cable	30 cm, 3x1 mm ² H05VV-F
Life hours	30000
Color temperature	4000° K
Weight	0,6 kg



WITH MOTION AND LUMINOSITY SENSOR

*Samsung is a registered trade mark property of Samsung Group



S464/20

20 W 1700 lm OUTDOOR SAMSUNG* LED FLOOD LIGHT WITH SENSOR**€ 102,00**

Color box

Power	110 - 265 V, 50 - 60 Hz, 20 W
LED number	16 SMD, 1700 lm
Dust and splash proof	IP 65
Cable	30 cm, 3x1 mm ² H05VV-F
Life hours	30000
Color temperature	4000° K
Weight	1,1 kg



WITH MOTION AND LUMINOSITY SENSOR

*Samsung is a registered trade mark property of Samsung Group



0218-

10W LED FLOODLIGHT

Color box

Power	Intensity	LED number	Cable	Color temperature	Art.	€
AC220-240V, 50Hz, 10W	800 lm	15 SMD LED	30 cm, H05RN-F 3x1.0 mm ²	4000° K	0218/10	€ 13,00
AC220-240V, 50Hz, 20W	1600 lm	28 SMD LED	30 cm, H05RN-F 3x1.0 mm ²	4000° K	0218/20	€ 19,00
AC220-240V, 50Hz, 30W	2400 lm	42 SMD LED	30 cm, H05RN-F 3x1.0 mm ²	4000° K	0218/30	€ 31,00
AC220-240V, 50Hz, 50W	3500 lm	57 SMD LED	30 cm, H05RN-F 3x1.0 mm ²	4000° K	0218/50	€ 44,00

ALUMINIUM SUPER SLIM DIE-CAST HOUSING, TEMPERED GLASS



**LED FLOODLIGHT WITH MAGNETIC BASE**

0713/15

€ 62,00

Power	DC 9 ÷ 32 V (12 V, 24 V) 15 W
LED number	5 x 3 W 1050 lm
Lighting distance	5 m - 23 lux; 8,5 m - 10 lux
Color temperature	6000° K
Degree of protection	IP 65
Cable length	2 m
Projector size	108 x 108 mm
Base dimensions	ø 86,50 mm
Back holes center distance	87 x 28 mm M6
Overall dimensions	108 x 86,50 x 160 mm
Weight	0,55 kg
Quantity	20

**LED FLOODLIGHT WITH MAGNETIC BASE**

0713/18

€ 70,00

Power	DC 9 ÷ 32 V (12 V, 24 V) 18 W
LED number	6 x 3 W 1260 lm
Lighting distance	5 m - 45 lux; 12 m - 10 lux
Color temperature	6000° K
Degree of protection	IP 65
Cable length	2 m
Projector size	ø 116 mm
Base dimensions	ø 86,50 mm
Back holes center distance	87 x 28 mm M6
Overall dimensions	116 x 86,50 x 165 mm
Weight	0,6 kg
Quantity	20

**LED FLOODLIGHT WITH MAGNETIC BASE**

0713/27

€ 108,00

Power	DC 9 ÷ 32 V (12 V, 24 V) 27 W
LED number	9 x 3 W 1890 lm
Lighting distance	5 m - 85 lux; 15,5 m - 10 lux
Color temperature	6000° K
Degree of protection	IP 65
Cable length	2 m
Projector size	ø 116 mm
Base dimensions	ø 86,50 mm
Back holes center distance	87 x 28 mm M6
Overall dimensions	116 x 86,50 x 165 mm
Weight	0,8 kg
Quantity	20



WITH MAGNETIC BASE TO FIT ON CARS, OFFROADS, CAMPERS, BOATS, AGRICULTURAL MACHINES AND EARTHMOVING MACHINES,
WITH 3 A FUSE AND CAR PLUG LIGHTER



**FLEXIBLE ARM LAMP**

0343

€ 26,40

Color box

Power	110 / 230 V 50 / 60 Hz max 40 W, E27
Range	800 mm
Clamp capacity	35 mm
Quantity	12

**48 LED MAGNIFIER LAMP**

0366

€ 108,00

Color box

Power	230 V 50 Hz 4,8 W
Magnification	2x
Lens	Ø 127 mm
Range	810 mm
Clamp capacity	70 mm
Quantity	4

**LOW CONSUMPTION LAMP**

0530

€ 120,00

Color box

Power	230 V 50 Hz 22 W
Magnification	2x
Lens	Ø 120 mm
Range	810 mm
Clamp capacity	70 mm
Quantity	6

**LOW CONSUMPTION LAMP**

0891

€ 181,00

Color box

Power	230 V 50 Hz 2 x 9 W
Magnification	2x + 6x
Lens	190 x 157 mm
Range	810 mm
Clamp capacity	70 mm
Quantity	4





LOW CONSUMPTION LAMP

0516

€ 153,00



Color box

Power	230V 50Hz 2 x 9W
Magnification	2x
Lens	190 x 157 mm
Range	810 mm
Clamp capacity	70 mm
Quantity	6



FLEXIBLE ARM LAMP WITH MAGNIFYING LENS

0344

€ 34,00



Color box

Power	230 V 50/60 Hz
Bulb not included	Max 60 W, E27
Magnification	2x
Lens	Ø 100 mm
Range	800 mm
Clamp capacity	35 mm
Quantity	6



TABLE LAMP

0661

€ 51,10



Color box

Power	230 V 50 Hz 11 W
Magnification	2x
Lens	Ø 89 mm
Quantity	6

FLUORESCENT
LIGHT 22W0530/N
€ 12,00FLUORESCENT
LIGHT PL 9W G230516/N
€ 7,70FLUORESCENT
LIGHT 11W0661/N1
€ 9,30

COMPATIBILITY CHART

Art.	€	0530	0516	0661	Pag
0530/N	12,00	•			540
0516/N	7,70		•		540
0661/N1	9,30			•	540

**HEAD LIGHT WITH MAGNIFYING LEN SET**

0625

€ 33,30

Multiplier	Target distance mm
1,2x	520 ÷ 620
1,8x	230 ÷ 320
2,5x	150 ÷ 250
3,5x	80 ÷ 120



Color box

Bulb	2,2 V - 0,25 A
Battery	2 AAA
Quantity	24

**CRYSTAL LENS SET**

0659

€ 38,90

12 Pcs

Contents	Magnifications
3 Pcs ø 50	3x - 10x mm
3 Pcs ø 60	3x - 8x mm
3 Pcs ø 75	3x - 8x mm
3 Pcs ø 90	3x - 8x mm

Quantity	8
-----------------	---

**CRYSTAL LENS**

0659-

ø	Magnification	Quantity	Art.	€
50 mm	3x - 10x	10* / 200	0659/50	€ 4,22
60 mm	3x - 8x	10* / 200	0659/60	€ 5,50
75 mm	3x - 8x	10* / 200	0659/75	€ 6,90
90 mm	3x - 8x	10* / 120	0659/90	€ 11,60

**LED MAGNIFIER**

L005

€ 29,50

Color box

Lens	Ø 125 mm
Magnification	2x
LED	6 - 9000 mcd
Battery	4 AA
Quantity	6

**LED MAGNIFIER**

L006

€ 10,30

Color box

Lens	50 x 50 mm
Magnification	3x
LED	5 - 9000 mcd
LED	1
Battery	4 Ag10
Quantity	10* / 120





0447

12 V - 2 A INTELLIGENT DIGITAL BATTERY CHARGER**€ 66,00**

Power	220 ÷ 240 V, 50 ÷ 60 Hz
Power	14,4 V 4 A max
Weight	430 g
Quantity	30



MICRO-PROCESSOR BUILT-IN, 3 STAGE AUTOMATIC CHARGE, BATTERY TYPE: LEAD ACID, AGM, GEL, WET, VRLA, MF
CHARGING MODE: 14.4V 2A, LONG LIFE BATTERY MAINTAINING MODE



0432

6 - 12 V - 4 A INTELLIGENT DIGITAL BATTERY CHARGER**€ 89,10**

Power	230 V 50 ÷ 60 Hz
Power	14,7 V 4 A max
Weight	500 g
Quantity	30



MICRO-PROCESSOR BUILT-IN, BATTERY RECOVERY MODE, 9 STAGE AUTOMATIC CHARGE, BATTERY TYPE: LEAD ACID, AGM, GEL, WET, VRLA, MF
MOTORBIKE MODE: 14.4V 1A, CAR MODE: 14.4V 4A, WINTER MODE: 14.7V 4A, 6V BATTERY CHARGE MODE: 7.2V 4A, LONG LIFE BATTERY MAINTAINING MODE



0478

12 V - 8 A INTELLIGENT DIGITAL BATTERY CHARGER**€ 125,00**

Power	230 V, 50 ÷ 60 Hz
Power	14.4 V, 8 A
Weight	1,07 kg



SUITABLE FOR CHARGING ALL TYPES OF 12V LEAD-ACID BATTERIES INCLUDING WET, GEL AND AGM. THIS CHARGER ALSO CHARGES BATTERIES IN COLD CONDITIONS. WITH ADVANCED 9-STEP CHARGING PROGRAMME, THIS CHARGER RECHARGES THE BATTERIES AT ALMOST 100% OF THEIR ORIGINAL CAPACITY. IT CAN AUTOMATICALLY RECOVER SLIGHTLY SULPHATED BATTERIES. CHARGE AND RESCUE DRAINED BATTERIES.



0479

12 V 2 - 6 - 12A INTELLIGENT DIGITAL BATTERY CHARGER**€ 137,00**

Power	230V 50Hz
Power	12 V 2 - 6 - 12 A
Weight	1,4 kg

3 STEP, WITH SOCKET FOR DC 12V 12A DEVICES





0643-

WATERPROOF PORTABLE BATTERY LAMP**Blister**

Bulb	batteries	Packing	Quantity	Art.	€
Krypton	2 AA	Blister	12* / 96	0643/1	€ 5,50
Krypton	2 D	Blister	12* / 24	0643/2	€ 8,30
Krypton	3 D	Blister	6* / 24	0643/3	€ 12,40

NOT INCLUDED BATTERIES



0436

WATERPROOF LED TORCH

€ 18,00

**Blister**

Not included batteries	4 AA
LED power	3 W
Weight	200 g
Quantity	72

DISTANCE CAPACITY MORE THAN 150 m, LONG LIFE



0437

HIGH POWERFUL LED TORCH

€ 24,70

**Color box**

Not included batteries	4 C
LED power	3 W
Autonomy	25 h / 100 %
Weight	350 g
Quantity	32

LONG RANGE , DISTANCE CAPACITY MORE THAN 150 m, LONG LIFE



0480

2PC BICYCLE LED LIGHT SET

€ 4,80

**Blister**

LED number	2, 400 - 500 mcd
Included batteries	2 x CR-2032
Weight	23 g
Quantity	400

MADE OF SILICON, 3 FUNCTIONS: FOCUS, FAST FLASH, SLOW FLASH



0482/09

BIKE LED LAMP AND HEAD LAMP

€ 59,60

**Color box**

Battery	4,2 V Lithium
Autonomy	4 - 5 h
Weight	0,42 kg
Quantity	30

RECHARGEABLE , WITH BATTERY CHARGER. 3 FUNCTIONS: 200 lm, 900 lm AND FLASH LIGHT



0482/30

BIKE LED LAMP AND HEAD LAMP

€ 93,80

**Color box**

Battery	8,4 V Lithium
Autonomy	2 h x 100% - 3000 lumen
Weight	0,52 kg
Quantity	30

AND HEAD LAMP, WITH BATTERY CHARGER. 4 FUNCTIONS: 1 LED - 2 LED - 3 LED - 3 FLASH LED





0491

BIKE/POCKET LED FLASHLIGHT SET

€ 67,00



12 Pcs Display box

Not included batteries	3 x AAA
LED number	9
Intensity	20 lm
Sizes	ø 36 x 36 x 105 mm
Autonomy	8 h
Weight	0,6 kg

MADE OF ABS AND RUBBER COVER, WITH CLAMP



0493/1

LED HEADLIGHT

€ 8,50



Color box

Not included batteries	3 x AAA
Intensity	80 lm
Sizes	ø 50 x 42 x 58 mm
Autonomy	10 h
Weight	0,096 kg

80 lm, MADE OF ABS AND RUBBER COVER, WITH ELASTIC BELT, 2 FUNCTIONS: FOCUS AND FLASH, FOR USING WITH 3 BATTERIES AAA TYPE



0493/2

LED HEADLIGHT

€ 22,00



Color box

Not included batteries	3 x AAA
Intensity	120 lm
Sizes	ø 75 x 45 x 45 mm
Autonomy	5 h
Weight	0,136 kg

120 lm, MADE OF ALUMINUM, WITH ELASTIC BELT, 2 FUNCTIONS: FOCUS AND FLASH, FOR USING WITH 3 BATTERIES AAA TYPE



0309/12

FLEXIBLE LED FLASHLIGHT

€ 17,00



Double blister

LED number	12 - 13,000 mcd per LED
Dimensions	210 x 71 mm
Not included batteries	3 x AAA
Weight	0,162 kg
Quantity	24

MAGNETIC, MADE OF ABS AND SILICON, 3 FUNCTIONS: 4 LED, 12 LED, FLASH



0309/15

FLEXIBLE LED FLASHLIGHT

€ 31,00



Double blister

LED number	15 - 13,000 mcd per LED
Dimensions	350 x 21 mm
Not included batteries	3 x AAA
Weight	0,33 kg
Quantity	24

MAGNETIC, MADE OF ABS AND SILICON, 3 FUNCTIONS: 6 LED, 15 LED, FLASH



0309/16

FLEXIBLE LED FLASHLIGHT

€ 29,20



Double blister

LED number	16 - 13,000 mcd per LED
Dimensions	340 x 18 mm
Not included batteries	3 x AAA
Weight	0,33 kg
Quantity	24

MAGNETIC, MADE OF ABS AND SILICON, 3 FUNCTIONS: 6 LED, 16 LED, FLASH



0309/21

FLEXIBLE LED FLASHLIGHT

€ 20,00



Double blister

LED number	21 - 13,000 mcd per LED
Dimensions	250 x 71 mm
Not included batteries	3 x AAA
Weight	0,2 kg
Quantity	24

MAGNETIC, MADE OF ABS AND SILICON, 3 FUNCTIONS: 7 LED, 21 LED, FLASH

**10 + 1 LED MAGNETIC
WORK LIGHT**

0209

€ 35,00



Intensity	50 - 300 lm
Not included batteries	3 AAA
Tilting head	180°
Revolution	180°
Dimensions	35 x 330 mm
Weight	208 g

WITH ROTATING HEAD, LED ON THE TOP AND FRONT WITH 2
BRIGHTNESS LEVELS

**7 LED POCKET TORCH LIGHT**

0397

€ 6,90



Not included batteries	3 AAA
Sizes	33 x 16 x 160 mm
Quantity	12* / 96

WITH MAGNETIC AND SWIVEL CLIP, LONG LASTING, SMALL SIZE AND
HIGH BRIGHTNESS MAKE IT ESSENTIAL IN PROFESSIONAL AND DO-IT-
YOURSELF LINES

**12 + 1 LED POCKET TORCH
LIGHT WITH MAGNET**

0128

€ 11,00



Included batteries	3 AAA
Sizes	174 x 3.4 x 2.2 mm
Intensity	30 lm
Weight	49 g
Quantity	12* / 96

AND SWIVEL CLIP, LONG LASTING, SMALL SIZE AND HIGH BRIGHTNESS
MAKE IT ESSENTIAL IN PROFESSIONAL AND DO-IT-YOURSELF LINES

**ALUMINUM WHITE LED FLASHLIGHT
WITH EXTRA BRIGHTNESS**

0671/8

€ 14,00



Blister

Not included batteries	2 AA
LED number	8 - 9000 mcd
Sizes	Ø 25 x 20 x 140 mm
Quantity	10* / 200

**ALUMINUM WHITE LED FLASHLIGHT
WITH EXTRA BRIGHTNESS**

0671/1P

€ 7,10



Blister

Not included batteries	2 AAA
LED number	1 - 9000 mcd
Sizes	Ø 12,5 x 141 mm
Quantity	10* / 200

**BLACK COLOR MINI
LED FLASHLIGHT SET**

0489/2B

€ 111,00



3 + 3 Pcs Display box

Not included batteries	3 x AA - 2 x AA
Sizes	3 x Ø 30 x 22 x 220 mm; 3 x Ø 30 x 22 x 170 mm
LED power	120 lm
Autonomy	4 - 5 h
Display box	
Weight	0,608 kg

MADE OF ALUMINUM, WITH LONG LIFE WHITE LED, WITH 3 FUNCTIONS:
FIX LIGHT, FLASH LIGHT AND ADJUSTMENT OF FOCAL LENGTH




**SILVER COLOR MINI
LED FLASHLIGHT SET**

0489/2S

€ 111,00



3 + 3 Pcs Display box

Not included batteries	3 x AA - 2 x AA
Sizes	3 x ø 30 x 22 x 220 mm; 3 x ø 30 x 22 x 170 mm
LED power	120 lm
Autonomy	4 - 5 h
Display box	
Weight	0,608 kg

MADE OF ALUMINUM, WITH LONG LIFE WHITE LED, 3 FUNCTIONS: FIX LIGHT, FLASH LIGHT AND ADJUSTMENT OF FOCAL LENGTH


BLACK COLOR MAXI LED FLASHLIGHT

0489/3B

€ 38,00



Not included batteries	2 x D
Sizes	ø 50 x 35 x 275 mm
LED power	Lumen 120 lm
Autonomy	9 ore
Weight	0,375 kg

MADE OF ALUMINUM, WITH 3 FUNCTIONS: FIX LIGHT, FLASH LIGHT AND ADJUSTMENT OF FOCAL LENGTH


**SILVER COLOR MAXI
LED FLASHLIGHT**

0489/3S

€ 38,00



Not included batteries	2 x D
Sizes	ø 50 x 35 x 275 mm
LED power	Lumen 120 lm
Life hours	9
Weight	0,375 kg

MADE OF ALUMINUM, WITH 2 3 FUNCTIONS: FIX LIGHT, FLASH LIGHT AND ADJUSTMENT OF FOCAL LENGTH


**BLACK COLOR MAGNUM
LED FLASHLIGHT**

0489/4B

€ 40,00



Not included batteries	3 x D
Sizes	ø 50 x 35 x 315 mm
LED power	Lumen 120 lm
Life hours	12
Weight	0,415 kg

MADE OF ALUMINUM, WITH 3 FUNCTIONS: FIX LIGHT, FLASH LIGHT AND ADJUSTMENT OF FOCAL LENGTH


**SILVER COLOR MAGNUM
LED FLASHLIGHT**

0489/4S

€ 40,00



Not included batteries	3 x D
Sizes	ø 50 x 35 x 315 mm
LED power	Lumen 120 lm
Autonomy	12
Weight	0,415 kg

MADE OF ALUMINUM, WITH 3 FUNCTIONS: FIX LIGHT, FLASH LIGHT AND ADJUSTMENT OF FOCAL LENGTH


**ALUMINUM
TORCH**

0787

€ 19,60



Blister

Not included batteries	2 C
LED number	8 LED 11000 mcd
Sizes	ø 48,5 x 31 x 215 mm
Quantity	6* / 60



0492

**LED FLASHLIGHT SET WITH
TELESCOPIC MAGNET**

€ 71,00



6 Pcs Display box

Button batteries	4-LR44
LED number	6
Intensity	6 x 10 lm
Sizes	ø 30 x 21 x 180 mm
Max length	710 mm
Autonomy	3 h
Display box	
Weight	0,12 kg



0107

30 + 7 LED MAGNETIC LIGHT

€ 8,00



Single LED life	100000 hours
Body	ABS
Intensity	50 lm
Not included batteries	3 AA
Dimensions	40 x 35 x 203 mm
Weight	130 g
Quantity	12* / 24 / 48

WITH MAGNET AND HOOK ON THE BACK SIDE



0311

24 LED MAGNETIC LIGHT

€ 11,20



Single LED life	100000 hours
Body	ABS
Not included batteries	3 AA
Quantity	12* / 48

WITH MAGNET AND HOOK ON THE BACK SIDE



0291

24 + 3 LED MAGNETIC LIGHT

€ 9,20



Single LED life	100000 hours
Body	ABS
Not included batteries	3 AAA
Quantity	12* / 48

WITH MAGNET AND HOOK ON THE BACK SIDE





0338

**ALUMINUM HAND TORCH WITH
1 LED AND MANUAL ZOOM**

€ 38,90



Battery	1 lithium (rechargeable), 3 AAA
LED	Q3 3 W
Sizes	Ø 34,5 x 28 x 135 mm
Battery charger	110 / 230 V 50 / 60 Hz
Autonomy	4 h
Weight	350 g
Quantity	40

3 LIGHT TYPES: STRONG, MEDIA AND FLASHING; ADAPTER TO WORK
WITH 3 BATTERIES AAA TYPE IN A BOX



0597

**RECHARGEABLE LED
LIGHT WITH MAGNET**

€ 27,00



Battery	3.7 V 1800 mAh
LED	8 SMD + 5 LED
Recharging time	8 ÷ 10 h
Autonomy	7 ÷ 8 h
Weight	0,55 kg

WITH BATTERY CHARGER DC12V AND AC 230V, FOLDABLE, HANGING
AND MAGNETIC



0889

**RECHARGEABLE LED
LIGHT WITH MAGNET**

€ 60,50



Color box

Battery	3,7 V - 1100 mAh - Lithium
LED	21 + 5 - 9000 mcd
Recharging time	4 ÷ 5 h
Autonomy	4 ÷ 6 h
Quantity	20

WITH BATTERY CHARGER DC12V AND AC 230V, FOLDABLE, HANGING
AND MAGNETIC



0693

RECHARGEABLE LED LAMP

€ 120,00



Color box

Battery	7,4 V - 1900 mAh - Lithium
LED	30 - 9000 mcd
Recharging time	5 ÷ 6 h
Autonomy	8 h
Quantity	8



0401

**COB LED TECHNOLOGY
RECHARGEABLE LAMP**

€ 88,00

 **Color box**

Power	100 ÷ 240 V , 50 ÷ 60 Hz
Battery	3,7 V 2 x 2000 mAh Lithium
Recharging time	6 h
Autonomy	3,5 h
Weight	550 g
Quantity	20



L008

**SLIM INSPECTION
CORDLESS LED LIGHT**

€ 128,00

 **Color box**

Power	100 ÷ 240 V , 50 ÷ 60 Hz
Battery	3,7 V 2400 mAh Lithium
Recharging time	3,5 h
Autonomy	3 - 10 h
Weight	115 g
Quantity	12

RECHARGEABLE, HIGH CAPACITY LITHIUM BATTERY FOR LONG TIME OPERATION, STRONG LIGHT OUTPUT 400 LUMEN, THE SLIM DESIGN AND ROBUST STRUCTURE MAKE IT INDESTRUCTIBLE EVEN IF IT FALLS FROM A HEIGHT OF ONE METER OR, IF IT IS FORGOTTEN ON A FLAT FLOOR, THE CAR PASSES OVER IT



0123

**MULTIFUNCTION USB
RECHARGEABLE LED LIGHT**

€ 62,00



Battery	1 lithium (rechargeable) 3.7V, 1800 mAh
LED	24 Cree XPG R5
Intensity	30 - 300 lm
Dimensions	191 x 99 x 148 mm
Battery charger	USB 110 - 230 V 50 - 60 Hz
Autonomy	2.5 h
Weight	386 g
Quantity	5 / 10

WITH FRONT TORCH WITH VARIOUS STEPS OF BRIGHTNESS, LATERAL WHITE AND RED LEDs WITH FLASHING FUNCTION. USB RECHARGING CABLE AND TRANSFORMER. CHARGE AND RECHARGE STATUS LED. IT CAN BE CHARGED DIRECTLY FROM A COMPUTER.




20W 600/1450 lm RECHARGEABLE LED FLOODLIGHT

0445/20

€ 156,00

Power	DC 12 - 24 V, 20 W; AC 230 V 20W
Intensity	600 - 1450 lm
Battery	7.4V Li-Ion, 5400mAh
Degree of protection	IP 65
Weight	1,5 kg



WITH SWITCH TO WORK AT 600 lm, ADAPTERS TO RECHARGE BATTERIES WITH CAR DC LIGHTER AND HOME AC 230 V


**WORKING LAMP HOLDER
WITH 5 m POWER CORD**

0429

€ 25,80

Hanger

Cable length	5 m
Screw cup bulb	E27
Voltage	12 ÷ 230 V
Weight	1000 g
Quantity	20



WITHOUT ON/OFF SWITCH, WORKING LIGHT IP54, MAX 60 W FOR INCANDESCENT LAMPS, E27 SCREW CUP BULB, VOLTAGE RANGE 12 ÷ 230 V; BULB NOT INCLUDED


**PORTABLE NEON
LAMP WITH HOOK**

0342

€ 15,50


Blister


Power	230 V 50 Hz 8 W
Dimensions	ø 31 x 435 mm
Cable	5 m
Quantity	5* / 20


RECHARGEABLE LED LAMP WITH ADJUSTABLE HOOKS AND MAGNETS

0840

€ 120,00

Power	DC 12 V 7,2 W; AC 230V
Working lamp dimensions	ø 38 x 1080 mm
Adjustable extension clamps	1210 ÷ 1950 mm
Battery	7.4 V, 1800 mAh Lithium
Intensity	900 lm, 36 SMD
Recharging time	4 - 5 h
Autonomy	3h



MADE OF ABS AND POLYCARBONATE, WITH LITHIUM BATTERY, 12 V CAR PLUG ADAPTER AND 230 V HOME ADAPTER, CHARGING INDICATOR LIGHT

**AUTO RE-ENTERING CABLE REEL**

0621/A3

€ 108,00

**Color box****Without lamp**

Cable length	10 m
Cable type	3 x 1,50 mm ² H05VV-F
Power	12 V ÷ 240 V
Max power for rolled cable	1200 W
Max power for unrolled cable	1800 W
Quantity	4

**AUTOMATIC CABLE REEL WITH LAMP HOLDER**

0428

€ 105,00

**Color box**

Cable size	13 + 1 m - H05RR-F - 2 x 1mm ²
Screw cup bulb	E27
Voltage	12 ÷ 230 V
Weight	3,2 kg
Quantity	4

OVERLOAD PROTECTION, CABLE REEL IP20, MAX 60 W FOR INCANDESCENT LAMPS, E27 SCREW CUP BULB, LED LIGHT ON THE CABLE REEL TO SHOW THE PRESENCE OF POWER, VOLTAGE RANGE 12 ÷ 230 V; BULB NOT INCLUDED

**CABLE REEL**

A010-x

Cable length	Section	Drum	Quantity	Art.	€
10 m	3 x 1,5 mm ²	ø 200 mm	10	A010/10	€ 36,60
20 m	3 x 1,5 mm ²	ø 250 mm	10	A010/20	€ 59,40

COMPLIES WITH STANDARD EN61242, DOUBLE ISOLATION CABLE <HAR> H05VV-F HOMOLOGATED, HOMOLOGATED PVC PRESSURE-CAST PLUG, THERMAL CIRCUIT BREAKER WITH MANUAL RESET, MAX. POWER WITH ROLLED CABLE 1,2 kW, MAX. POWER WITH UNROLLED CABLE 3,4 kW

**CABLE REEL**

A010-

Cable length	Section	Drum	Quantity	Art.	€
15 m	3 x 1,5 mm ²	ø 190 mm	4	A010/15	€ 53,30
25 m	3 x 1,5 mm ²	ø 240 mm	2	A010/25	€ 77,00
50 m	3 x 1,5 mm ²	ø 310 mm	2	A010/50	€ 137,00

COMPLIES WITH STANDARD EN61242, DOUBLE ISOLATION CABLE <HAR> H05VV-F HOMOLOGATED, HOMOLOGATED PVC PRESSURE-CAST PLUG, THERMAL CIRCUIT BREAKER WITH MANUAL RESET, MAX. POWER WITH ROLLED CABLE 1,2 kW, MAX. POWER WITH UNROLLED CABLE 3,4 kW



**GARDEN CABLE REEL**

A010/20G

€ 55,00

Cable length	20 m
Section	3 x 1 mm ²
Drum	ø 250 mm
Quantity	10

20 m COMPLIES WITH STANDARD EN61242, DOUBLE ISOLATION CABLE <HAR> H05VV-F HOMOLOGATED, HOMOLOGATED SCHUKO PLUG AND SCHUKO SOCKET, THERMAL CIRCUIT BREAKER WITH MANUAL RESET, MAX. POWER WITH ROLLED CABLE 1.2 kW, MAX. POWER WITH UNROLLED CABLE 3.4 kW

**CABLE REEL**

A010/30

€ 250,00

Power	230 V
Cable length	30 m
Section	3 x 2,5 mm ²
Drum	ø 340 mm

CONFORM TO STANDARD EN61316, FLEXIBLE CORD <HAR> H07RN-F NEOPRENE HOMOLOGATED, IP44 PLUGS, THERMAL CIRCUIT BREAKER WITH MANUAL RESET, MAX. POWER WITH ROLLED CORD 5 KW MAX. POWER WITH UNROLLED CORD 11 KW

**CABLE REEL**

A010/30T

€ 345,00

Power	380 V
Cable length	30 m
Section	4 x 2,5 mm ²
Drum	ø 340 mm

COMPLIES WITH STANDARD EN61316, FLEXIBLE CORD <HAR> H07RN-F, NEOPRENE HOMOLOGATED, IP44 PLUGS, THERMAL CIRCUIT BREAKER, WITH MANUAL RESET, MAX. POWER WITH ROLLED CORD 5 kW, MAX. POWER WITH UNROLLED CORD 11 kW



**5 ITALIAN AND GERMAN TYPE POWER SOCKET AND ITALIAN PLUG 16A**

0651/5

€ 11,20



Cable	3 x 1 mm ²
Cable length	1,5 m
Quantity	6* / 48

**6 ITALIAN AND GERMAN TYPE POWER SOCKET AND ITALIAN PLUG 16A**

0651/6

€ 12,00



Cable	3 x 1 mm ²
Cable length	1,5 m
Quantity	6* / 48

**5 ITALIAN AND GERMAN TYPE POWER SOCKET AND GERMAN PLUG**

0651/5S

€ 11,10



Cable	3 x 1 mm ²
Cable length	1,5 m
Quantity	6* / 48

**6 ITALIAN AND GERMAN TYPE POWER SOCKET, WITH OVERLOAD PROTECTION AND GERMAN PLUG**

0651/6S

€ 11,40



Cable	3 x 1 mm ²
Cable length	1,5 m
Quantity	6* / 48



**INVERTER GENERATOR WITH ELECTRIC STARTER AND WHEELS**

GI01/32AE

€ 2300,00

Power	230 V 50 Hz 3,5 kVA
Rated AC output	3,1 kVA
Rated DC Output	12 V / 8,3 A
Frequency	50 Hz
Tension	230 V
Fuel tank capacity	6 l
Fuel	Benzina verde
Power outlet	Schuko
Dimensions	571 x 436 x 462 mm
Displacement-EngineType	161 cc - 4 tempi, OHV
Max engine power Output	4,5 kW / 4000 rpm
Noise Level	61 dB(A) a 7m
Weight	43 kg



3,5 kVA SILENCED INVERTER, CONSISTING OF STRONG IRON AND PLASTIC ELEMENTS, WITH ELECTRIC STARTER WITH REMOTE CONTROL, TRANSISTORISED IGNITION SYSTEM, AC CIRCUIT BREAKER, OIL SENSOR BREAKER AND AIR COOLING SYSTEM

**INVERTER GENERATOR WITH WHEELS**

GI01/32

€ 1890,00

Power	230 V 50 Hz 3,5 kVA
Rated AC output	3,1 kVA
Rated DC Output	12 V / 8,3 A
Frequency	50 Hz
Tension	230 V
Fuel tank capacity	6 l
Fuel	Benzina verde
Power outlet	Schuko
Dimensions	571 x 436 x 462 mm
Displacement-EngineType	161 cc - 4 tempi, OHV
Max engine power Output	4,5 kW / 4000 rpm
Noise Level	61 dB(A) a 7m
Weight	43 kg



3,5 kVA SILENCED INVERTER, CONSISTING OF STRONG IRON AND PLASTIC ELEMENTS, WITH TRANSISTORISED IGNITION SYSTEM, AC CIRCUIT BREAKER, OIL SENSOR BREAKER AND AIR COOLING SYSTEM

**INVERTER GENERATOR**

GI01/20

€ 1410,00

Max power	2 kVA
Rated AC output	1,6 kVA
Rated DC Output	12 V / 8,3 A
Frequency	50 Hz
Tension	230 V
Fuel tank capacity	3,8 l
Fuel	Benzina verde
Power outlet	Schuko
Dimensions	490 x 335 x 415 mm
Displacement-EngineType	80 cc - 4 tempi, OHV
Max engine power Output	2,5 kW / 5500 rpm
Noise Level	60 dB(A) a 7m
Weight	24,5 kg



2 kVA SILENCED INVERTER, CONSISTING OF STRONG IRON AND PLASTIC ELEMENTS, WITH TRANSISTORISED IGNITION SYSTEM, AC CIRCUIT BREAKER, OIL SENSOR BREAKER AND AIR COOLING SYSTEM

**INVERTER GENERATOR**

GI01/11

€ 1112,00

Max power	1,1 kVA
Rated AC output	0,9 kVA
Frequency	50 Hz
Tension	230 V
Fuel tank capacity	2,8 l
Fuel	Benzina verde
Power outlet	Schuko
Dimensions	450 x 280 x 395 mm
Displacement-EngineType	49,7 cc - 4 tempi, OHV
Max engine power Output	1,4 kW / 5500 rpm
Noise Level	59,5 dB(A) a 7 m
Weight	18,4 kg



1.1 kVA SILENCED INVERTER, CONSISTING OF STRONG IRON AND PLASTIC ELEMENTS, WITH TRANSISTORISED IGNITION SYSTEM, AC CIRCUIT BREAKER, OIL SENSOR BREAKER AND AIR COOLING SYSTEM






0678

POLYURETHANE FOAM GUN**€ 20,20**

Length	290 mm
Quantity	20

MOUNT AND FOAM ADJUSTMENT



0085

9" HEAVY DUTY CAULKING GUN**€ 12,40**

Weight	700 g
Quantity	12*



0521

9" HEAVY DUTY CAULKING GUN**€ 9,20**

Weight	600 g
Quantity	12*



0234

9" REINFORCED CAULKING GUN SKELETON TYPE HEXAGONAL ROD**€ 4,00**

Weight	380 g
Quantity	24*

**9" RATCHET CAUL KING GUN BARREL TYPE**

0091

€ 3,78



Weight 380 g
Quantity 24*

**9" EPOXY SEAL CAUL KING GUN**

0604

€ 20,20



Weight 1000 g
Quantity 6* / 12

**9" EPOXY SEAL CAUL KING GUN**

0861

€ 20,20



Weight 950 g
Quantity 24*

**BRICKLAYING TROWELS ROUND NOSE**

0819-



Length	Quantity	Art.	€
180 mm	6* / 72	0819/18	€ 4,50
200 mm	6* / 72	0819/20	€ 4,66

**SQUARE TROWELS**

0820-



Length	Quantity	Art.	€
180 mm	6* / 72	0820/18	€ 4,50
200 mm	6* / 72	0820/20	€ 4,66





0821/14

BRICKLAYING TROWEL ROUND NOSE**€ 3,48**

Length	140 mm
Quantity	12* / 120



0822

PLASTERING TROWEL WITH ABS HANDLE**€ 5,40**

Length	280 x 120 mm
Quantity	6* / 60



0823

NOTCHED TROWEL WITH ABS HANDLE**€ 5,40**

Length	280 x 120 mm
Quantity	6* / 60



0184-

PUTTY KNIFE WITH CLIPPED PLASTIC HANDLE MIRROR POLISH

Blade sizes	Quantity	Art.	€
30 x 90h mm	12* / 240	0184/01	€ 1,50
50 x 95h mm	12* / 240	0184/02	€ 1,50
75 x 100h mm	12* / 240	0184/03	€ 1,94
100 x 100h mm	6* / 240	0184/04	€ 2,98



0606

POLYETHYLENE BUCKET**€ 4,06**

Overall sizes	ø 360 x 240h mm
Capacity	14 l
Weight	720 g
Quantity	10



0043

RED AND WHITE SIGNAL TAPE**€ 5,30**

Length	200 m
Height	70 mm
Quantity	12* / 24

**TAPE FILM DISPENSER**

0103

€ 8,00



Quantity

6* / 36

**PPL TAPE HAVANA COLOR**

0747

€ 2,34



Belt dimensions

50 mm x 66 m

Quantity

6* / 36

**STRETCH FILM HANDLE DISPENSER**

0760

€ 8,00



Quantity

12* / 48

**PPL FILM**

PVC300/125

€ 5,20



Dimensions

0,125h x 100 m

Thickness

20 µm


Quantity

48*

**PPL FILM HANDLE DISPENSERS**

0748

€ 9,60



Quantity

6* / 32

**PPL FILM**

PVC300

€ 18,20



Dimensions

0,5h x 300 m

Thickness

23 µm

Quantity

6*

**POLYETHYLENE PROTECTION COVER SHEET, TWO COLOURS: GREEN - BLUE**

028x

Dimensions	Weight	Quantity	Art.	€
2 x 3 m	0,8 kg	25	0281	€ 10,90
4 x 5 m	2,8 kg	8	0282	€ 31,70
5 x 8 m	5,6 kg	4	0283	€ 63,30
6 x 10 m	8,4 kg	2	0284	€ 82,50

PROTECTED TO UV RAYS, WOVEN POLYETHYLENE TARPAULIN 140/150 g/m2, EYELETS EVERY 50 cm





0410/01

**SPRAY GUN WITH 10
SELECTABLE SPRAY PATTERNS**

€ 12,90



Hanger

Quantity

48

MADE BY METAL AND RUBBER, REAR TRIGGER WITH STOPPER PIN TO
ADJUST THE WATER JET, SUITABLE WITH OTHER BRANDS



0410/02

**SPRAY GUN WITH 3
SELECTABLE SPRAY PATTERNS**

€ 14,70



Hanger

Quantity

48

MADE BY METAL AND RUBBER, REAR TRIGGER WITH STOPPER PIN TO
ADJUST THE WATER JET, SUITABLE WITH OTHER BRANDS



0410/03

6" ADJUSTABLE TWIST NOZZLE

€ 3,88



ABS Hanger

Quantity

144

REGULATION OF THE WATER JET TO WASH OR FOR WATERING,
CONTINUOUSLY ADJUSTABLE JET FROM POWERFUL AND
CONCENTRATED TO LIGHT AND NEBULIZED, SUITABLE WITH OTHER
BRANDS



0410/04

**FAN SPRAY NOZZLE
AND METAL SPIKE**

€ 5,10



Hanger

Quantity

48

ORBIT PLASTIC FAN SPRAY WATER NOZZLE, SUITABLE FOR SMALL
AREAS WITH LOW PRESSURE, COMPATIBLE WITH OTHER BRANDS



0410/05

ABS 3 ARM ROTATORY SPRINKLER

€ 6,70

ABS Color box

Quantity

48

FOR SMALL AND MEDIUM AREAS, WITH ADJUSTABLE NOZZLES TO DISTRIBUTE THE WATER EVENLY, SUITABLE WITH
OTHER BRANDS





0410/06

**IMPULSE SPRINKLER
WITH 2-WAY ZINC SPIKE**

€ 19,10



Hanger

Quantity

24

ABS AND METAL SECTOR SPRINKLER WITH 2-WAY NO TURN ZINC SPIKE,
FOR LARGE AREA, SUITABLE WITH OTHER BRANDS

0410/07

**IMPULSE SPRINKLER
WITH 2-WAY ZINC SPIKE**

€ 9,60



Hanger

Quantity

48

ABS SECTOR SPRINKLER, FOR LARGE AREA, SUITABLE WITH OTHER
BRANDS

0410/18

1" - 3/4" 4-WAY TAP CONNECTOR

€ 12,40



ABS



Hanger

Quantity

36

TO CONNECT 4 HOSES TO THE TAP, SUITABLE WITH OTHER BRANDS



0410/19

3/4" AND 1/2" 2-WAY TAP CONNECTOR MADE BY BRASS

€ 21,80



Hanger

Quantity

120

BODY MADE BY BRASS, TO CONNECT 2 HOSES TO THE TAP, SUITABLE
WITH OTHER BRANDS

0410/08

3/4" ÷ 5/8" QUICK HOSE CONNECTOR

€ 2,74



ABS



Hanger

Quantity

200

EASY TO CONNECT OR DISCONNECT TO SPRINKLERS OR TO THE TAP,
SUITABLE WITH OTHER BRANDS

0410/09

**3/4" ÷ 5/8" QUICK HOSE
CONNECTOR WITH WATER STOP**

€ 2,98



ABS



Hanger

Quantity

200

EASY TO CONNECT OR DISCONNECT SPRINKLERS WITHOUT CLOSING
THE WATER, SUITABLE WITH OTHER BRANDS



0410/10

1/2" QUICK HOSE CONNECTOR

€ 2,28



ABS Hanger

Quantity 200



EASY TO CONNECT OR DISCONNECT TO SPRINKLERS OR TO THE TAP, SUITABLE WITH OTHER BRANDS



0410/11

1/2" QUICK HOSE CONNECTOR WITH WATER STOP

€ 2,52



ABS Hanger

Quantity 200



EASY TO CONNECT OR DISCONNECT SPRINKLERS WITHOUT CLOSING THE WATER, SUITABLE WITH OTHER BRANDS



0410/12

1/2" HOSE CONNECTOR

€ 2,18



ABS Hanger

Quantity 200



EASY TO REPAIR HOSES WITHOUT TOOLS



0410/13

3/4" ÷ 5/8" HOSE CONNECTOR

€ 2,40



ABS Hanger

Quantity 200



EASY TO REPAIR HOSES WITHOUT TOOLS



0410/14

1" AND 3/4" TAP CONNECTOR

€ 2,06



ABS Hanger

Quantity 200



SUITABLE WITH OTHER BRANDS



0410/15

3/4" AND 1/2" 2-WAY TAP CONNECTOR

€ 1,14



ABS Hanger

Quantity 200



2-WAY TAP CONNECTOR, SUITABLE WITH OTHER BRANDS



0410/16

ABS 3-WAY SNAP-IN COUPLING

€ 1,38



ABS Hanger

Quantity 200



THE DEVICE CAN EASY CONNECT TWO SPRINKLERS OR IT CAN CONNECT DIFFERENT DIAMETERS OF HOSES, SUITABLE WITH OTHER BRANDS



0410/17

ABS 2-WAY SNAP-IN COUPLING

€ 1,26



ABS Hanger

Quantity 200



THE HOSE CAN BE EASILY EXTENDED OR REDUCED AND THE DEVICE CAN CONNECT TWO HOSES OF DIFFERENT DIAMETER, SUITABLE WITH OTHER BRANDS

**PRUNING SHEARS, HARDENED BLADE**

0319

€ 19,60



Blister

Length	210 mm
Quantity	60

**RATCHET PRUNING SHEARS**

0863

€ 14,00



Blister

Length	205 mm
Max cut	Ø 24 mm
Quantity	10* / 60

**PRUNING SHEARS, TEFLON COATED HARDENED BLADE**

0314

€ 11,90



Blister

Length	182 mm
Quantity	10* / 60

**PRUNING SHEARS, HARDENED BLADE**

0328

€ 11,90



Blister

Length	182 mm
Quantity	10* / 60

**PRUNING SHEARS, TEFLON COATED HARDENED BLADE**

0858

€ 8,90



Blister

Length	200 mm
Quantity	10* / 60

**PRUNING SHEARS, HARDENED BLADE**

0330

€ 3,84



Blister

Length	200 mm
Quantity	10* / 100





0322

**TELESCOPIC RATCHET
LOPPING SHEARS TEFLON
COATED HARDENED BLADE**

€ 43,70



Hanger

Length 690 - 1030 mm
Quantity 12



0860

TELESCOPIC LOPPING SHEARS

€ 25,00



Hanger

Length 660 - 990 mm
Quantity 12



0866

**TELESCOPIC EDGE
CLIPPER TEFLON COATED
HARDENED BLADES**

€ 23,50



Hanger

Blade length 250 mm
Quantity 12



0326

**TREE PRUNER WITH
TELESCOPIC ALUM POLE**

€ 40,80



Pole length 1600 ÷ 3100 mm
Blade length 320 mm
Quantity 20

HARDENED HAND SAW
TEFLON COATED BLADE LOPPING SHEARS



0868

**FOLDING HAND SAW, TRIPLE
DIAMOND DRESSED SHARPENING**

€ 12,70



Blister

Blade length 210 mm
Quantity 6* / 72



0761

**ADJUSTABLE LAWN RAKE
WITH WOODEN HANDLE**

€ 9,60



Number of teeth 22
Quantity 24



0101/500

CAMP AXE

€ 8,70



Total weight 600 g
Quantity 6* / 24



0513

**CAMP AXE WITH
FIBRE-GLASS HANDLE**

€ 12,00



Total weight 1 kg
Quantity 6* / 24



0515

AXE WITH FIBRE-GLASS HANDLE**€ 27,40**

Total weight	2,6 kg
Length	900 mm
Quantity	6



0842

UNIVERSAL GRAFTING MACHINE**€ 35,80**

4 Pcs

Quantity	60
----------	----



0356

TROLLEY PRESSURE SPRAYER WITH BRASS LANCE PIPE**€ 58,30**

Color box

Capacity	16 l
Quantity	2

WITH FPM GASKETS



0303

PRESSURE SPRAYER WITH BRASS LANCE PIPE**€ 43,10**

Color box

Capacity	8 l
Quantity	2

WITH GAUGE AND FPM GASKETS



0274

PRESSURE SPRAYER WITH BRASS NOZZLE € 7,70

Capacity	2 l
Quantity	20

WITH FPM GASKETS



0289

PRESSURE SPRAYER WITH BRASS NOZZLE € 5,60

Capacity	2 l
Weight	0,35 kg
Quantity	15

RUBBER GASKETS





GL642-

COW GRAIN LEATHER GLOVE



Size	Quantity	Art.	€
7	12*/120	GL642/07	€ 6,20
8	12*/120	GL642/08	€ 6,20
9	12*/120	GL642/09	€ 6,20
10	12*/120	GL642/10	€ 6,20
11	12*/120	GL642/11	€ 6,20

HEMMED WITH INTERNAL ELASTIC CUFF



GL814-

COW GRAIN/SPLIT LEATHER GLOVE



Size	Quantity	Art.	€
7	12*/120	GL814/07	€ 5,30
8	12*/120	GL814/08	€ 5,30
9	12*/120	GL814/09	€ 5,30
10	12*/120	GL814/10	€ 5,30
11	12*/120	GL814/11	€ 5,30

EXTRA-QUALITY, WING THUMB, COW GRAIN LEATHER PALM, COW SPLIT BACK. HEMMED WRIST WITH INTERNAL ELASTIC CUFF



GL349-

NBR COATED COTTON JERSEY GLOVE



Size	Quantity	Art.	€
7	12*/120	GL349/07	€ 1,90
8	12*/120	GL349/08	€ 1,90
9	12*/120	GL349/09	€ 1,90
10	12*/120	GL349/10	€ 1,90
11	12*/120	GL349/11	€ 1,90

PALM, FINGERS AND KNUCKLES COATED, LIGHTWEIGHT, GOOD ABRASION RESISTANCE, KNITWRIST CUFF AND PARTIALLY AERATED BACK



GL650-

SHEEP GRAIN LEATHER-COTTON GLOVE



Size	Quantity	Art.	€
8 - Blue	12*/120	GL650/08	€ 7,80
9 - Yellow	12*/120	GL650/09	€ 7,80
10 - Red	12*/120	GL650/10	€ 7,80
11 - Black	12*/120	GL650/11	€ 7,80

SHEEP GRAIN LEATHER PALM, STRETCH COTTON BACK, CUFF ADJUSTABLE WITH VELCRO



GL345-

**NBR COATED COTTON
JERSEY GLOVE**

Size	Quantity	Art.	€
9	12*/120	GL345/09	€ 3,20
10	12*/120	GL345/10	€ 3,20

PALM, FINGERS AND KNUCKLES COATED, EXCELLENT RESISTANCE TO ABRASION, GREASE AND OIL, HYDROCARBONS AND DIRT, COTTON CANVAS SAFETY CUFF



GL373-

SEAMLESS POLYESTER GLOVE / NITRILE

Size	Quantity	Art.	€
7	12*/240	GL373/07	€ 1,54
8	12*/240	GL373/08	€ 1,54
9	12*/240	GL373/09	€ 1,54
10	12*/240	GL373/10	€ 1,54

PALM COATED WITH NITRILE FOR GOOD PROTECTION IN THE PRESENCE OF LIQUIDS, OILS AND/OR GREASE, EXCELLENT ABRASION RESISTANCE, ERGONOMIC DESIGN FOR A COMFORTABLE FIT, KNITWRIST CUFF AND BREATHABLE BACK



GL365-

SEAMLESS POLYESTER GLOVE / NITRILE

Size	Quantity	Art.	€
8	12*/120	GL365/08	€ 3,28
9	12*/120	GL365/09	€ 3,28
10	12*/120	GL365/10	€ 3,28

PALM COATED WITH NITRILE FOR GOOD PROTECTION IN THE PRESENCE OF LIQUIDS, OILS AND/OR GREASE, EXCELLENT ABRASION RESISTANCE, ERGONOMIC DESIGN FOR A COMFORTABLE FIT, KNITWRIST CUFF



GL722-

**SEAMLESS NYLON GLOVE /
POLYURETHANE NINJA LITE**

Size	Quantity	Art.	€
7	12*/120	GL722/07	€ 5,50
8	12*/120	GL722/08	€ 5,50
9	12*/120	GL722/09	€ 5,50
10	12*/120	GL722/10	€ 5,50

PALM COATED WITH A SPECIAL ULTRALIGHT POLYURETHANE COMPOUND, EXTRA LIGHTWEIGHT AND ELASTIC WITH HIGH TACTILE SENSITIVITY AND DEXTERITY, EXCELLENT DRY & WET GRIP, WITH ANTIBACTERIAL SANITIZED® TREATMENT, ERGONOMIC DESIGN FOR A COMFORTABLE FIT, KNITWRIST CUFF AND BREATHABLE BACK





GL764-

SEAMLESS POLYESTER GLOVE/POLYURETHANE



Size	Quantity	Art.	€
7	12*/120	GL764/07	€ 1,60
8	12*/120	GL764/08	€ 1,60
9	12*/120	GL764/09	€ 1,60
10	12*/120	GL764/10	€ 1,60

PALM COATED WITH POLYURETHANE, SUPERIOR DEXTERITY AND TACTILE SENSITIVITY, LIGHTWEIGHT, FLEXIBLE, WITH EXCELLENT ABRASION AND WEAR RESISTANCE, ERGONOMIC DESIGN FOR A COMFORTABLE FIT, KNITWRIST CUFF AND BREATHABLE BACK



GL762-

SEAMLESS NYLON GLOVE/POLYURETHANE



Size	Quantity	Art.	€
M	12*/120	GL762/M	€ 3,34
L	12*/120	GL762/L	€ 3,34
XL	12*/120	GL762/XL	€ 3,34
XXL	12*/120	GL762/XXL	€ 3,34

PALM COATED WITH POLYURETHANE, LIGHTWEIGHT, ELASTIC, WITH EXCELLENT TACTILE SENSITIVITY, SUGGESTED FOR DELICATE AND PRECISION JOBS, EXCELLENT ABRASION RESISTANCE AND DURABILITY, ERGONOMIC DESIGN FOR A COMFORTABLE FIT, KNITWRIST CUFF AND BREATHABLE BACK



GL516-

SEAMLESS NYLON GLOVE / LATEX



Size	Quantity	Art.	€
8	12*/120	GL516/08	€ 3,32
9	12*/120	GL516/09	€ 3,32
10	12*/120	GL516/10	€ 3,32

PALM COATED WITH LATEX, WRINKLE FINISH FOR EXTRAORDINARY DRY & WET GRIP, ERGONOMIC DESIGN FOR A COMFORTABLE FIT, KNITWRIST CUFF AND BREATHABLE BACK



GL515-

SEAMLESS COTTON- POLYESTER GLOVE / LATEX



Size	Quantity	Art.	€
8	12*/120	GL515/08	€ 3,20
9	12*/120	GL515/09	€ 3,20
10	12*/120	GL515/10	€ 3,20

PALM COATED WITH LATEX, WRINKLE FINISH FOR EXTRAORDINARY DRY & WET GRIP, ERGONOMIC DESIGN FOR A COMFORTABLE FIT, KNITWRIST CUFF AND BREATHABLE BACK



GL398-

15-GAUGE SEAMLESS NYLON-ELASTANE GLOVE / NITRILE FOAM

Size	Quantity	Art.	€
7	12*/120	GL398/07	€ 5,70
8	12*/120	GL398/08	€ 5,70
9	12*/120	GL398/09	€ 5,70
10	12*/120	GL398/10	€ 5,70

PALM COATED WITH NITRILE FOAM WHICH MAKES THE GLOVE SOFT, LIGHT AND BREATHABLE, DOTS ON PALM FOR BETTER GRIP AND WEAR RESISTANCE, ANTI-PILLING, WATER AND OIL REPELLENT, EXCELLENT ABRASION RESISTANCE, TOGETHER WITH HIGH FLEXIBILITY AND DEXTERITY, ERGONOMIC DESIGN FOR A COMFORTABLE FIT, KNITWRIST CUFF AND BREATHABLE BACK



GL396-

15-GAUGE SEAMLESS NYLON-ELASTANE GLOVE / NITRILE FOAM

Size	Quantity	Art.	€
7	12*/120	GL396/07	€ 7,00
8	12*/120	GL396/08	€ 7,00
9	12*/120	GL396/09	€ 7,00
10	12*/120	GL396/10	€ 7,00

PALM COATED WITH NITRILE FOAM WITH NFT™ TECHNOLOGY, FOR OUTSTANDING GRIP AND NON-SLIP PROPERTIES, BOTH IN DRY & WET CONDITIONS, OR IN CONTACT WITH OILY SURFACES AND FOR INCREASED ABRASION RESISTANCE, WITH ANTIBACTERIAL SANITIZED® TREATMENT, CONSIDERABLE FLEXIBILITY AND DEXTERITY, ERGONOMIC DESIGN FOR A COMFORTABLE FIT, KNITWRIST CUFF AND BREATHABLE BACK



GL503-

SEAMLESS NYLON GLOVE / LATEX

Size	Quantity	Art.	€
8	12*/120	GL503/08	€ 5,50
9	12*/120	GL503/09	€ 5,50
10	12*/120	GL503/10	€ 5,50

PALM COATED WITH A SPECIAL SOFT LATEX FOAM, WRINKLE FINISH FOR EXTRAORDINARY DRY & WET GRIP, YELLOW FLUO LINER FOR HIGHER VISIBILITY WHEN USED IN HALF-LIGHT OR LOW VISIBILITY CONDITIONS, HIGH WEAR AND TEAR RESISTANCE, EXCEPTIONAL FLEXIBILITY, GOOD TACTILE SENSITIVITY, ERGONOMIC DESIGN FOR A COMFORTABLE FIT, KNITWRIST CUFF AND BREATHABLE BACK



GL750-

13-GAUGE SEAMLESS GLOVE WITH DYNEEMA® + LYCRA® / POLYURETHANE

Size	Quantity	Art.	€
8	12*/120	GL750/08	€ 12,60
9	12*/120	GL750/09	€ 12,60
10	12*/120	GL750/10	€ 12,60

POLYURETHANE PALM COATED, WITH DYNEEMA® FIBER FOR MEDIUM TO HIGH CUT RESISTANCE WHILE ENHANCING WEARER COMFORT AND DEXTERITY, MAXIMUM PROTECTION WHEN PERFORMING PRECISION LONG-LASTING OPERATIONS WHEN ULTRA HIGH RESISTANCE TO CUT IS ESSENTIAL WITHOUT LOSING TACTILITY, WITH ANTIBACTERIAL SANITIZED® TREATMENT, EXCELLENT LEVELS OF MECHANICAL RESISTANCE, KNITWRIST CUFF AND BREATHABLE BACK





GL386-

13 GAUGE SEAMLESS POLYESTER GLOVE / NITRILE

Size	Quantity	Art.	€
8	12*/120	GL386/08	€ 2,25
9	12*/120	GL386/09	€ 2,25
10	12*/120	GL386/10	€ 2,25

PALM COATED WITH NITRILE WITH A SLIGHTLY WRINKLE FINISH DUE TO THE PROCESSING OF THE LINER, VERY GOOD GRIP, HIGH FLEXIBILITY AND DEXTERITY, HIGH ABRASION RESISTANCE, ERGONOMIC DESIGN FOR A COMFORTABLE FIT, KNITWRIST CUFF AND BREATHABLE BACK



GL918-

NITRILE GLOVE

Size	Thickness	Quantity	Art.	€
7	0,22 mm	12*/144	GL918/07	€ 3,60
8	0,22 mm	12*/144	GL918/08	€ 3,60
9	0,22 mm	12*/144	GL918/09	€ 3,60
10	0,22 mm	12*/144	GL918/10	€ 3,60

CHLORINATED, EXTERNAL NON-SLIP PATTERN PROVIDES GOOD GRIP, EXCELLENT TACTILE SENSITIVITY (EXTREMELY THIN, IS A GOOD COMPROMISE BETWEEN A DISPOSABLE GLOVE AND A CLASSIC INDUSTRIAL NITRILE GLOVE), SUITABLE FOR FOOD CONTACT



GL626-

LATEX GLOVE

Size	Thickness	Quantity	Art.	€
M	0,55 mm	12*/120	GL626/M	€ 3,32
L	0,55 mm	12*/120	GL626/L	€ 3,32
XL	0,55 mm	12*/120	GL626/XL	€ 3,32

SMOOTH INSIDE, EXTERIOR EMBOSSED TEXTURE ON PALM AND FINGERS FOR INCREASED GRIP



GL343-

NITRILE GLOVE CLEAN MONKEY

50 Pcs

Size	Thickness	AQL	Quantity	Art.	€
M	0,20 mm	1,5	10	GL343/M	€ 31,10
L	0,20 mm	1,5	10	GL343/L	€ 31,10
XL	0,20 mm	1,5	10	GL343/XL	€ 31,10
XXL	0,20 mm	1,5	10	GL343/XXL	€ 31,10

DISPOSABLE AND AMBIDEXTROUS, POWDER-FREE, FISHSCALE GRIP ON PALM AND BACK, HIGH COMFORT, SENSITIVITY AND DEXTERITY, SUITABLE FOR FOOD CONTACT



GL340-

NITRILE GLOVE GREASE MONKEY



50 Pcs

Size	Thickness	AQL	Quantity	Art.	€
M	0,15 mm	1,5	10	GL340/M	€ 16,50
L	0,15 mm	1,5	10	GL340/L	€ 16,50
XL	0,15 mm	1,5	10	GL340/XL	€ 16,50
XXL	0,15 mm	1,5	10	GL340/XXL	€ 16,50



DISPOSABLE, AMBIDEXTROUS, POWDER-FREE, COMPLETELY LATEX-FREE, FISHSCALE GRIP ON PALM AND BACK, HIGH COMFORT, SENSITIVITY AND DEXTERITY, EXTRAORDINARY RESISTANCE TO OILS/GREASES, SUITABLE FOR FOOD CONTACT



GL230-

VINYL GLOVE



100 Pcs

Size	Thickness	AQL	Quantity	Art.	€
S	0,08 mm	1,5	10	GL230/S	€ 9,20
M	0,08 mm	1,5	10	GL230/M	€ 9,20
L	0,08 mm	1,5	10	GL230/L	€ 9,20
XL	0,08 mm	1,5	10	GL230/XL	€ 9,20



DISPOSABLE AND AMBIDEXTROUS, WITH POWDER, EXTERIOR SMOOTH FINISH, HIGH SENSITIVITY AND DEXTERITY, SUITABLE FOR MEDICAL USE, SUITABLE FOR FOOD CONTACT



GL346-

NITRILE GLOVE



100 Pcs

Size	Thickness	AQL	Quantity	Art.	€
S	0,10 mm	1,5	10	GL346/S	€ 12,50
M	0,10 mm	1,5	10	GL346/M	€ 12,50
L	0,10 mm	1,5	10	GL346/L	€ 12,50
XL	0,10 mm	1,5	10	GL346/XL	€ 12,50



DISPOSABLE AND AMBIDEXTROUS, POWDER-FREE, CHLORINATED, WITH TEXTURED FINGERTIPS, LIGHTWEIGHT, FLEXIBLE AND TOUCH SENSITIVE, SUITABLE FOR FOOD CONTACT



GL320-

NITRILE GLOVE



100 Pcs

MEDICAL DEVICES OF CLASS I

Size	Thickness	AQL	Quantity	Art.	€
S	0,10 mm	1,5	10	GL320/S	€ 15,20
M	0,10 mm	1,5	10	GL320/M	€ 15,20
L	0,10 mm	1,5	10	GL320/L	€ 15,20
XL	0,10 mm	1,5	10	GL320/XL	€ 15,20



DISPOSABLE AND AMBIDEXTROUS, WITHOUT POWDER, CHLORINATED EXTERIOR GRAINED FINISH, EXCELLENT SENSITIVITY AND DEXTERITY, SUITABLE FOR MEDICAL USE, SUITABLE FOR FOOD CONTACT





EW210

POLYCARBONATE EYEGLASS TEMPLE**€ 4,70**

EN 166

Optic class	1
Quantity	12*



SINGLE LENS WITH SIDE PROTECTIONS. IT CAN BE WORN ON TOP OF SPECTACLES



EW152

PLASTIC PANORAMIC GOGGLES**€ 3,20**

EN 166

Optic class	1
Quantity	20*



PLASTIC ONE-PIECE LENS, SIDE AERATION HOLES, ELASTIC BAND



EW154

PLASTIC PANORAMIC GOGGLES**€ 3,42**

EN 166

Optic class	1
Quantity	20*



PLASTIC ONE-PIECE LENS, AERATION VALVES, ELASTIC BAND



EW207

EYEGLASS TEMPLE**€ 7,90**

EN 166

Optic class	1
Quantity	12*



TRANSPARENT POLYCARBONATE FRAME, NO-MIST AND ANTI-SCRATCH LENSES, PANORAMIC WRAP-AROUND STRUCTURE, SIDE PROTECTIONS



EW213

EYEGLASS TEMPLE**€ 7,70**

EN 166

Optic class	1
Quantity	12*



POLYCARBONATE FRAME, NO-MIST AND ANTI-SCRATCH LENSES, PANORAMIC WRAP-AROUND STRUCTURE, TEMPLES WITH ADJUSTABLE LENGTH



**POLYTHENE HELMET**

FP120

€ 8,40



EN 397

Weight	380 g
Quantity	20

ADJUSTABLE STRAPS WITH 6 FASTENING POINTS, ELECTRIC INSULATION UP TO 440 V, SWEAT BAND

**SELF-CLOSING CONNECTOR**

FP166

€ 10,80



EN 362 - Class B

Opening	18 mm
Static resistance of spring catch	> 25 kN
Weight	180 g

MADE OF ZINC GALVANIZED STEEL

**SAFETY LANYARD WITH ENERGY ABSORBER**

FP144

€ 77,70



EN 355

Cable diameter	Ø 10,5 mm
Length	Max 2 m (connectors included) mm
Weight	345 g

"KERNMANTEL" POLYAMIDE SAFETY LANYARD, CONNECTORS NOT INCLUDED

**POSITIONING BELT**

FP190

€ 42,10



EN358

Weight	460 g
--------	-------

2 LATERAL ANCHOR RINGS, ADJUSTABLE BUCKLE, PADDED BACK SUPPORT

**ADJUSTABLE SAFETY LANYARD**

FP194

€ 35,40



EN 354 & EN 358

Cable diameter	Ø 12 mm
Length	Max 2 m (connectors included) mm
Weight	545 g

"KERNMANTEL" POLYAMIDE SAFETY LANYARD, WITH ADJUSTABLE BUCKLE, ZINC GALVANIZED STEEL CONNECTOR (Ø 18 mm) WITH SAFETY LOCK

**BODY HARNESS**

FP192

€ 45,00



EN 361

Weight	690 g
--------	-------

WITH DORSAL AND STERNAL ANCHOR POINTS, ADJUSTABLE BUCKLE FOR LEGS, ADJUSTABLE CHEST CONNECTING STRAP

**FIRST AID PRODUCTS**

0148/72

€ 37,80

- Content:
- 2 Pair sterile gloves
- 1 Bottle disinfectant 125 ml IODINE TINCTURE at 10% iodine
- 1 Bottle sterile physiological solution 250 ml
- 3 sterile gauze compresses cm 10x20
- 1 sterile gauze compress cm 18x40
- 1 Packet cotton wool
- 1 Latex Tourniquet
- 1 Sterile tweezers
- 1 Pack of 20 assorted adhesive plasters
- 1 Roll adhesive plaster 5m x 2.5 cm
- 1 gauze bandage rolls cm 10
- 1 Pair scissors
- 1 Single-use instant ice pack
- 1 Bag for sanitary waste
- 1 Multilingual first aid instruction booklet



Case size 309 x 209 x 97 mm
Quantity 5

CONFORM TO ATTACHMENT 2 FOR FIRM WITH MAX 2 PEOPLES, PACKED IN POLYPROPYLENE CASE WITH SCREWS FOR WALL MOUNT

**FIRST AID PRODUCTS**

0148/73

€ 140,00

- Content:
- 5 Pairs sterile gloves
- 1 Mask with splash guard visor
- 3 Bottles sterile physiological solution 500 ml
- 2 Bottles disinfectant 500 ml IODINE TINCTURE at 10% iodine
- 10 Packets sterile gauze compress cm 20x20
- 2 Packets sterile gauze compress cm 18x40
- 2 Sterile sheets cm. 40x60
- 2 Sterile TWEEZERS
- 1 Packet cotton wool
- 1 Box tubular elastic bandage – medium size
- 2 Packs of 20 assorted plasters
- 2 Rolls adhesive plaster 5 m x 2.5 cm
- 1 Pair scissors
- 3 Latex Tourniquets
- 2 Single-use instant ice packs
- 2 Bags for sanitary waste
- 1 Clinical thermometer CE with case
- 1 Sphygmomanometer with stethoscope
- 1 multilingual first aid instruction booklet



Case size 405 x 300 x 114 mm
Quantity 4

THAT ARE CONFORM TO ATTACHMENT 1 FOR FIRM WITH MORE THAN 2 PEOPLES, PACKED IN POLYPROPYLENE CASE WITH SCREWS FOR WALL MOUNT

**FIRST AID PRODUCTS**

0148/64

€ 23,00

- Content:
- 2 Pair sterile gloves
- 1 Bottle disinfectant 125 ml IODINE TINCTURE at 10% iodine
- 1 Bottle sterile physiological solution 250 ml
- 3 sterile gauze compresses cm 10x20
- 1 sterile gauze compress cm 18x40
- 1 Packet cotton wool
- 1 Latex Tourniquet
- 1 Sterile tweezers
- 1 Pack of 20 assorted adhesive plasters
- 1 Roll adhesive plaster 5m x 2.5 cm
- 1 gauze bandage rolls cm 10
- 1 Pair scissors
- 1 Single-use instant ice pack
- 1 Bag for sanitary waste
- 1 Multilingual first aid instruction booklet



Case size 250 x 180 x 90 mm
Quantity 10

NYLON BAG FOR VEHICLES AND FIRMS WITH LESS THAN 3 PEOPLE, INCLUDED CONTENTS OF ATTACHMENT 2, WITH HANDLE, SHOULDER STRAP AND ZIPPER.



**PROTECTIVE EARMUFF****HP207****€ 25,10**

EN 352-1

SNR	32
Weight	268 g
Quantity	20


HEAD BOW WITH SOFT PADDING FOR INCREASED COMFORT, FAST AND STABLE HEIGHT ADJUSTMENT, ADJUSTABLE ABS CUPS WITH SOFT PADDED CUSHIONS, CAN BE USED WITH HELMETS, EYE SHIELDS AND MASKS

**PROTECTIVE EARMUFF****HP205****€ 11,10**

EN 352-1

SNR	4+F286
Weight	145 g
Quantity	20

ABS BOW, TURNING IN THREE POSITIONS, CUSHIONS IN SPONGE + PVC, HEIGHT TRIGGER ADJUSTMENT, CAN BE USED WITH HELMETS, EYE SHIELDS AND MASKS

**EARPLUGS WITH BOW****HP603****€ 4,37**

EN 352-2

SNR	20
Weight	11 g
Quantity	40*/400

POLYETHYLENE BOW, EXTREMELY SOFT POLYURETHANE PLUGS WHICH LEAN ON THE EAR CANAL WITHOUT PENETRATING INSIDE

**DISPOSABLE EARPLUGS IN POLYURETHANE FOAM****HP601****€ 58,10**

200 Pcs

 EN 352-2

SNR	37
Quantity	20

ANATOMICAL SHAPE, SMOOTH SURFACE FOR IMPROVED COMFORT AND HYGIENE, 1 PAIR/BAG



PG707-

**DISPOSABLE
COVERALL WITH HOOD**

Category	Weight	Quantity	Art.	€
1	40 g/m ²	50	PG707/M	€ 3,28
1	40 g/m ²	50	PG707/L	€ 3,28
1	40 g/m ²	50	PG707/XL	€ 3,28
1	40 g/m ²	50	PG707/XXL	€ 3,28

100% POLYPROPYLENE NONWOVEN FABRIC, HYPOALLERGENIC MATERIAL, FIXED HOOD WITH ELASTIC BAND, LATEX FREE, ELASTIC BAND ON CUFF AND ANKLES, LATEX FREE, WITHOUT POCKETS, ZIPPER FASTENER



PG760-

**DISPOSABLE
COVERALL WITH HOOD**

Category	Weight	Quantity	Art.	€
3	63 g/m ²	50	PG760/M	€ 6,80
3	63 g/m ²	50	PG760/L	€ 6,80
3	63 g/m ²	50	PG760/XL	€ 6,80
3	63 g/m ²	50	PG760/XXL	€ 6,80

POLYPROPYLENE NONWOVEN FABRIC (52%) WITH MICROPOROUS POLYETHYLENE FILM (48%), HYPOALLERGENIC MATERIAL, MICROPOROUS SURFACE, FIXED HOOD WITH ELASTIC, LATEX FREE ELASTIC BAND ON CUFF, ANKLES AND WAIST, LATEX FREE, FASTENER WITH ZIPPER AND FLAP

**HYGIENIC MASK**

RP100

€ 7,90

50 Pcs

Quantity 20

NONWOVEN FABRIC





RP120

MASK IN NONWOVEN FABRIC**€ 1,40**

EN 149: 2001 + A1: 2009

Features	FFP1 NR D
Weight	12 g
Quantity	20*/240

PROTECTION AGAINST NON-TOXIC SOLID AND LIQUID AEROSOLS IN CONCENTRATIONS UP TO 4x TLV, SEMIRIGID STRUCTURE, SOFT SEAL ON THE NOSE



RP123

MASK IN NONWOVEN FABRIC**€ 1,58**

EN 149: 2001 + A1: 2009

Features	FFP2 NR D
Weight	11 g
Quantity	20*/240

PROTECTION AGAINST NON-TOXIC AND LOW-TO-AVERAGE TOXICITY SOLID AND LIQUID AEROSOLS, IN CONCENTRATION UP TO 12x TLV



RP124

MASK IN NONWOVEN FABRIC**€ 2,44**

EN 149: 2001 + A1: 2009

Features	FFP2 NR D
Weight	17 g
Quantity	10*/120

WITH EXHALATION VALVE, PROTECTION AGAINST NON-TOXIC AND LOW-TO-AVERAGE TOXICITY SOLID AND LIQUID AEROSOLS, IN CONCENTRATION UP TO 12x TLV



RP127

MASK IN NONWOVEN FABRIC WITH ACTIVE CARBONS**€ 4,42**

EN 149: 2001 + A1: 2009

Features	FFP2 NR D
Weight	22 g
Quantity	10*/120

PROTECTION AGAINST NON-TOXIC AND LOW-TO-AVERAGE TOXICITY SOLID AND LIQUID AEROSOLS, IN CONCENTRATION UP TO 12x TLV, EQUIPPED WITH NEW EXHALATION VALVE NEWTEC®, WITH ACTIVE CARBON TO PREVENT INHALATION OF STRONG ODOURS, SOFT SEAL ON THE NOSE



RP133

FLEXIBLE MASK IN NONWOVEN FABRIC**€ 4,00**

EN 149: 2001 + A1: 2009

Features	FFP3 NR D
Weight	20 g
Quantity	20*/240

PROTECTION AGAINST HIGH-TOXICITY POWDERS, INCLUDING WATER BASED AEROSOL IN CONCENTRATIONS UP TO 50x TLV, EQUIPPED WITH NEW EXHALATION VALVE NEWTEC®, SOFT SEAL ON THE NOSE, INDIVIDUALLY PACKAGED



RP126

MASK IN NONWOVEN FABRIC**€ 6,80**

EN 149: 2001 + A1: 2009

Features	FFP3 NR D
Weight	22 g
Quantity	5*/60

PROTECTION AGAINST NON - TOXIC, LOW - TO - AVERAGE TOXICITY AND HIGH - TOXICITY SOLID AND LIQUID AEROSOLS IN CONCENTRATIONS UP TO 50x TLV, EQUIPPED WITH EXHALATION VALVE NEWTEC®, SOFT SEAL PROTECTION ALONG THE INNER EDGE OF THE FACE



FW010-

PROTECTIVE LOW SHOE

EN ISO 20345: 2011

Features	Size	Quantity	Art.	€
S3 SRC	38	10	FW010/38	€ 69,60
S3 SRC	39	10	FW010/39	€ 69,60
S3 SRC	40	10	FW010/40	€ 69,60
S3 SRC	41	10	FW010/41	€ 69,60
S3 SRC	42	10	FW010/42	€ 69,60
S3 SRC	43	10	FW010/43	€ 69,60
S3 SRC	44	10	FW010/44	€ 69,60
S3 SRC	45	10	FW010/45	€ 69,60
S3 SRC	46	10	FW010/46	€ 69,60
S3 SRC	47	10	FW010/47	€ 69,60



IN SPLIT LEATHER, REFLECTIVE MATERIAL INSERTS, BREATHABLE INTERNAL LINING, REMOVABLE ANATOMIC INSOLE, DUAL DENSITY POLYURETHANE OUTSOLE, STEEL TOE CAP, STEEL LAYER, CLOSING WITH BICOLOURED LACES



FW505-

PROTECTIVE HIGH SHOE

EN ISO 20345: 2011

Features	Size	Quantity	Art.	€
S3 SRC	38	10	FW505/38	€ 58,10
S3 SRC	39	10	FW505/39	€ 58,10
S3 SRC	40	10	FW505/40	€ 58,10
S3 SRC	41	10	FW505/41	€ 58,10
S3 SRC	42	10	FW505/42	€ 58,10
S3 SRC	43	10	FW505/43	€ 58,10
S3 SRC	44	10	FW505/44	€ 58,10
S3 SRC	45	10	FW505/45	€ 58,10
S3 SRC	46	10	FW505/46	€ 58,10
S3 SRC	47	10	FW505/47	€ 58,10



IN COW GRAIN LEATHER, BREATHABLE INTERNAL LINING, REMOVABLE, PREFORMED INSOLE, QUICK TAKE-OFF DEVICE, DUAL DENSITY POLYURETHANE OUTSOLE, STEEL TOE-CAP, STEEL LAYER, CLOSURE WITH BICOLOURED LACES



FW031-

PROTECTIVE LOW SHOE

EN ISO 20345: 2011

Features	Size	Quantity	Art.	€
S1P HRO SRC	36	10	FW031/36	€ 101,00
S1P HRO SRC	37	10	FW031/37	€ 101,00
S1P HRO SRC	38	10	FW031/38	€ 101,00
S1P HRO SRC	39	10	FW031/39	€ 101,00
S1P HRO SRC	40	10	FW031/40	€ 101,00
S1P HRO SRC	41	10	FW031/41	€ 101,00
S1P HRO SRC	42	10	FW031/42	€ 101,00
S1P HRO SRC	43	10	FW031/43	€ 101,00
S1P HRO SRC	44	10	FW031/44	€ 101,00
S1P HRO SRC	45	10	FW031/45	€ 101,00
S1P HRO SRC	46	10	FW031/46	€ 101,00
S1P HRO SRC	47	10	FW031/47	€ 101,00
S1P HRO SRC	48	10	FW031/48	€ 101,00



IN SUEDE SPLIT LEATHER, UPPER IN SUEDE SPLIT LEATHER, HEEL COVERED WITH ABRASION RESISTANT INSERT, HYDROPHILIC, BREATHABLE INTERNAL LINING, PREFORMED EVA REMOVABLE INSOLE, RUBBER SOLE, COMPOSITE TOE-CAP, TEXTILE LAYER, CLOSURE WITH ORANGE LACES (GREY SPARE LACES INCLUDED)



FW035-

PROTECTIVE LOW SHOE

EN ISO 20345: 2011

Features	Size	Quantity	Art.	€
S1P HRO SRC	36	10	FW035/36	€ 101,00
S1P HRO SRC	37	10	FW035/37	€ 101,00
S1P HRO SRC	38	10	FW035/38	€ 101,00
S1P HRO SRC	39	10	FW035/39	€ 101,00
S1P HRO SRC	40	10	FW035/40	€ 101,00
S1P HRO SRC	41	10	FW035/41	€ 101,00
S1P HRO SRC	42	10	FW035/42	€ 101,00
S1P HRO SRC	43	10	FW035/43	€ 101,00
S1P HRO SRC	44	10	FW035/44	€ 101,00
S1P HRO SRC	45	10	FW035/45	€ 101,00
S1P HRO SRC	46	10	FW035/46	€ 101,00
S1P HRO SRC	47	10	FW035/47	€ 101,00
S1P HRO SRC	48	10	FW035/48	€ 101,00



IN SUEDE SPLIT LEATHER, HEEL COVERED WITH ABRASION RESISTANT INSERT, UPPER SIDE MESH INSERTS, HYDROPHILIC, BREATHABLE INTERNAL LINING, PREFORMED EVA REMOVABLE INSOLE, RUBBER SOLE, COMPOSITE TOE-CAP, TEXTILE LAYER, CLOSING WITH YELLOW LACES





FW008-

PROTECTIVE LOW SHOE

EN ISO 20345: 2011

Features	Size	Quantity	Art.	€
S1P SRC	35	10	FW008/35	€ 50,40
S1P SRC	36	10	FW008/36	€ 50,40
S1P SRC	37	10	FW008/37	€ 50,40
S1P SRC	38	10	FW008/38	€ 50,40
S1P SRC	39	10	FW008/39	€ 50,40
S1P SRC	40	10	FW008/40	€ 50,40
S1P SRC	41	10	FW008/41	€ 50,40
S1P SRC	42	10	FW008/42	€ 50,40
S1P SRC	43	10	FW008/43	€ 50,40
S1P SRC	44	10	FW008/44	€ 50,40
S1P SRC	45	10	FW008/45	€ 50,40
S1P SRC	46	10	FW008/46	€ 50,40
S1P SRC	47	10	FW008/47	€ 50,40



IN SUEDE SPLIT LEATHER, PERFORATED UPPER, BREATHABLE INTERNAL LINING, REMOVABLE ANATOMIC INSOLE, DUAL DENSITY POLYURETHANE OUTSOLE, STEEL TOE-CAP, STEEL LAYER, CLOSING WITH BICOLOURED LACES



SP01-

PROFESSIONAL BOOT MADE OF NITRILE RUBBER

Size	Art.	€
39	SP01/39	€ 29,50
40	SP01/40	€ 29,50
41	SP01/41	€ 29,50
42	SP01/42	€ 29,50
43	SP01/43	€ 29,50
44	SP01/44	€ 29,50
45	SP01/45	€ 29,50
46	SP01/46	€ 29,50
47	SP01/47	€ 29,50

EN ISO 20347:2012 **SRA**


WITH RESISTANCE TO ALL INDUSTRIAL OR BIOLOGICAL CHEMICAL PRODUCTS SUCH AS: OIL, MINERAL OILS, VEGETAL OILS ETC. IT HAS A GOOD RESISTANCE BOTH TO HIGH AND LOW TEMPERATURES (-30° G.C.), EN20347:2011



SP02-

SAFETY BOOT MADE OF NITRILE RUBBER

Size	Art.	€
39	SP02/39	€ 42,50
40	SP02/40	€ 42,50
41	SP02/41	€ 42,50
42	SP02/42	€ 42,50
43	SP02/43	€ 42,50
44	SP02/44	€ 42,50
45	SP02/45	€ 42,50
46	SP02/46	€ 42,50
47	SP02/47	€ 42,50

EN ISO 20345:2011 **SRC**


WITH RESISTANCE TO ALL INDUSTRIAL OR BIOLOGICAL CHEMICAL PRODUCTS SUCH AS: OIL, MINERAL OILS, VEGETAL OILS ETC. IT HAS A GOOD RESISTANCE BOTH TO HIGH AND LOW TEMPERATURES (-30° G.C.). IT ALSO HAS A STEEL TOE-CAP AND SOLE. REINFORCED MODEL FOR PROTECTION OF THE TIBIA, MALLEOLUS AND HEEL. SHOCK-ABSORBING SOLE MADE OF ANTI-STATIC MATERIALS.



SP03-

SAFETY BOOT MADE OF PVC

Size	Art.	€
39	SP03/39	€ 32,50
40	SP03/40	€ 32,50
41	SP03/41	€ 32,50
42	SP03/42	€ 32,50
43	SP03/43	€ 32,50
44	SP03/44	€ 32,50
45	SP03/45	€ 32,50
46	SP03/46	€ 32,50
47	SP03/47	€ 32,50

EN ISO 20345:2011 **SRC**

WITH STEEL TOE-CAP AND SOLE. REINFORCED MODEL FOR PROTECTION OF THE TIBIA, MALLEOLUS AND HEEL. SHOCK-ABSORBING SOLE MADE OF ANTI-STATIC MATERIALS



SP04-

WORKING BOOT MADE OF PVC

Size	Art.	€
39	SP04/39	€ 24,90
40	SP04/40	€ 24,90
41	SP04/41	€ 24,90
42	SP04/42	€ 24,90
43	SP04/43	€ 24,90
44	SP04/44	€ 24,90
45	SP04/45	€ 24,90
46	SP04/46	€ 24,90
47	SP04/47	€ 24,90

EN ISO 20347:2012 SRA

WITH NO-MOULD WASHABLE SOCK, INNER NAILS TO HOLD OVERALLS AND TROUSERS AND INTEGRATED PULL-OFF SPUR



SP05-

WINTER BOOT

Size	Art.	€
36	SP05/36	€ 41,50
37	SP05/37	€ 41,50
38	SP05/38	€ 41,50
39	SP05/39	€ 41,50
40	SP05/40	€ 41,50
41	SP05/41	€ 41,50
42	SP05/42	€ 41,50
43	SP05/43	€ 41,50
44	SP05/44	€ 41,50
45	SP05/45	€ 41,50
46	SP05/46	€ 41,50
47	SP05/47	€ 41,50
48	SP05/48	€ 41,50



WATERPROOF, MADE OF A COMPOUND OF PVC AND SPECIAL ADDITIVE FOR COLD RESISTANCE WITHOUT CADMIUM, LEAD AND BARIUM, WITH REINFORCED UNDER-SOLE AND TWO LAYER 4 MM INSOLE



SP06-

CANADIAN BOOT MADE OF TEFAPRENE

Size	Art.	€
39	SP06/39	€ 55,00
40	SP06/40	€ 55,00
41	SP06/41	€ 55,00
42	SP06/42	€ 55,00
43	SP06/43	€ 55,00
44	SP06/44	€ 55,00
45	SP06/45	€ 55,00
46	SP06/46	€ 55,00
47	SP06/47	€ 55,00



WITH ANTI-SLIPPING OUTSOLE, POLYESTER FUR LINING AND ANTI-RUST HOOKS



SP07-

CANADIAN BOOT MADE OF TEFAPRENE

Size	Art.	€
39	SP07/39	€ 57,50
40	SP07/40	€ 57,50
41	SP07/41	€ 57,50
42	SP07/42	€ 57,50
43	SP07/43	€ 57,50
44	SP07/44	€ 57,50
45	SP07/45	€ 57,50
46	SP07/46	€ 57,50
47	SP07/47	€ 57,50



FLEXIBLE AND RESISTANT EVEN AT LOW TEMPERATURE, WITH ANTI-SLIPPING OUTSOLE, POLYESTER FUR LINING AND ANTI-RUST HOOKS

