



FERVI IS:

ABRASIVES

**A COMPREHENSIVE NEW RANGE OF
ABRASIVES TO ADD TO OUR RANGE OF
LAMELLAR DISCS**



**From best price to maximum performance,
there's a Fervi product for everyone.**

This year our range of abrasives is even wider and more competitive, with more than 600 new items, great for anyone with a lot of work to do, who works with finishes or who's seeking the best products on the market. Discover the new range of Made in Italy cutting discs and tools, added to complete the Fervi range of abrasives.

FLAP DISCS



PAG. 232

GRINDING WHEELS AND CUTTING DISCS



PAG. 256

ABRASIVE WHEELS



PAG. 262

WIRE BRUSHES



PAG. 266

CLEANING AND POLISHING



PAG. 272

ABRASIVE DISCS AND BELTS



PAG. 282



HOW TO READ THE LABEL



1. Product line
2. Safety pictograms
3. Fast connection to safety recommendations
4. Max rpm
5. Max speed
6. Disc model
7. Product code
8. Barcode
9. Lot number
10. Disc diameter X bore
11. European standard (for safety requirements for coated abrasive products)

FOCUS ON

FLAP DISCS

PRODUCT LINES



PROFESSIONAL

PROFESSIONAL TOP LINE

Professional long-life discs with high removal speeds for the most demanding users, powered by Norton™ abrasive cloth.



PERFORMANCE

HIGH PERFORMANCE

Wide range of professional flap discs based on aluminum oxide or zirconia, available with cotton or polycotton cloth.



GRINDFLEX

MULTI PURPOSE

The "best seller", suitable for massive removals and finishing on most types of ferrous and non-ferrous metal surfaces.




ZIRCOCER inox

SHARPER & FASTER


Best solution for machining of stainless steel surfaces. Ceramic cloth, additioned with cooling "top size" layer.

DISC TYPE


CLASSIC




DUAL FLAP




REAL FLAT




BIGGER



TIGER



RAPTOR





MULTI PURPOSE

The “best seller”, suitable for massive removals and finishing on most types of ferrous and non-ferrous metal surfaces.

RECOMMENDED SPEED

Ø	RPM
115	5000/7500
125	4800/7300
180	3250/4900



GRINDFLEX FLAP DISC BIGGER

DF4600-Z



Flat Single Flap Reinforced Backing: Fiberglass Cloth: Zirconia GOLD

Flat	Single Flap	Reinforced	Backing: Fiberglass Cloth: Zirconia GOLD	Art.	€
Dimensions	Grit	rpm max			
115 x 22 mm	40	10500		DF4600.112	€ 2,50
115 x 22 mm	60	10500		DF4600.114	€ 2,50
115 x 22 mm	80	10500		DF4600.115	€ 2,50
115 x 22 mm	120	10500		DF4600.117	€ 2,50
125 x 22 mm	40	9700		DF4600.122	€ 2,80
125 x 22 mm	60	9700		DF4600.124	€ 2,80
180 x 22 mm	40	7000		DF4600.182	€ 5,00
180 x 22 mm	60	7000		DF4600.184	€ 5,00



GRIND EVEN LONGER, EVEN FASTER, AND EVEN BETTER FINISHING WITH BIGGER DISC. THE NEW STRUCTURE PROVIDES BETTER BENEFITS COMPARED TO CONVENTIONAL FLAP OR GRINDING DISCS: 50% MORE ABRASION CAPACITY, SAVING A GREAT DEAL OF WORKING TIME, 2X LONGER SERVICE LIFE, EXCELLENT VALUE FOR MONEY, COOLER GRINDING, COSTS AND WORKING TIME REDUCTION



GRINDFLEX FLAP DISC REAL FLAT

DN4550-Z



Concave Double Flap Backing: Nylon Cloth: Zirconia GOLD

Concave	Double Flap	Backing: Nylon Cloth: Zirconia GOLD	Art.	€
Dimensions	Grit	rpm max		
115 x 22 mm	40	10500	DN4550.112	€ 2,80
115 x 22 mm	60	10500	DN4550.114	€ 2,80



THANKS TO A SPECIAL CONVEX SHAPE BACKING, THIS FLAP DISCS TYPE ARE PERFECTLY FLAT DISCS WITH LARGE FLAPS AND CONSTANT DENSITY AND HARDNESS BOTH AT THE CENTRE AND ON THE PERIPHERAL DIAMETER OF THE DISC.

Minimum quantity 10* pcs for all the flap discs

**GRINDFLEX FLAP DISC CLASSIC****DF4100-Z**

	Flat	Single Flap	Backing: Fiberglass Cloth: Zirconia GOLD		
			Dimensions	Grit	rpm max
			115 x 22 mm	40	10500
			115 x 22 mm	60	10500
			115 x 22 mm	80	10500
			115 x 22 mm	120	10500
			125 x 22 mm	40	9700
			125 x 22 mm	60	9700
			125 x 22 mm	80	9700
			125 x 22 mm	120	9700
			180 x 22 mm	40	7000
			180 x 22 mm	60	7000
			180 x 22 mm	80	7000
			180 x 22 mm	120	7000

Art.	€
DF4100.112	€ 2,00
DF4100.114	€ 2,00
DF4100.115	€ 2,00
DF4100.117	€ 2,00
DF4100.122	€ 2,40
DF4100.124	€ 2,40
DF4100.125	€ 2,40
DF4100.127	€ 2,40
DF4100.182	€ 4,00
DF4100.184	€ 4,00
DF4100.185	€ 4,00
DF4100.187	€ 4,00

**GRINDFLEX FLAP DISC CLASSIC****DF4100-A**

	Flat	Single Flap	Backing: Fiberglass Cloth: Aluminium oxide GOLD		
			Dimensions	Grit	rpm max
			115 x 22 mm	40	10500
			115 x 22 mm	60	10500
			115 x 22 mm	80	10500
			115 x 22 mm	120	10500
			125 x 22 mm	40	9700
			125 x 22 mm	60	9700

Art.	€
DF4100.212	€ 1,80
DF4100.214	€ 1,80
DF4100.215	€ 1,80
DF4100.217	€ 1,80
DF4100.222	€ 2,40
DF4100.224	€ 2,40



Minimum quantity 10* pcs for all the flap discs



GRINDFLEX FLAP DISC CLASSIC

DN4100-Z



Flat



Single Flap



Backing: Nylon

Cloth: Zirconia GOLD

Dimensions	Grit	rpm max	Art.	€
115 x 22 mm	40	10500	DN4100.112	€ 2,00
115 x 22 mm	60	10500	DN4100.114	€ 2,00
125 x 22 mm	40	9700	DN4100.122	€ 2,50
125 x 22 mm	60	9700	DN4100.124	€ 2,50



GRINDFLEX FLAP DISC CLASSIC

DN4100-A



Flat



Single Flap



Backing: Nylon

Cloth: Aluminium oxide GOLD

Dimensions	Grit	rpm max	Art.	€
115 x 22 mm	40	10500	DN4100.212	€ 1,90
115 x 22 mm	60	10500	DN4100.214	€ 1,90





DF4150-Z

GRINDFLEX FLAP DISC CLASSIC



Conical	Single Flap	Backing: Fiberglass Cloth: Zirconia GOLD		
Dimensions	Grit	rpm max	Art.	€
115 x 22 mm	40	10500	DF4150.112	€ 2,00
115 x 22 mm	60	10500	DF4150.114	€ 2,00
115 x 22 mm	80	10500	DF4150.115	€ 2,00
115 x 22 mm	120	10500	DF4150.117	€ 2,00
125 x 22 mm	40	9700	DF4150.122	€ 2,40
125 x 22 mm	60	9700	DF4150.124	€ 2,40
125 x 22 mm	80	9700	DF4150.125	€ 2,40
125 x 22 mm	120	9700	DF4150.127	€ 2,40
180 x 22 mm	40	7000	DF4150.182	€ 4,00
180 x 22 mm	60	7000	DF4150.184	€ 4,00
180 x 22 mm	80	7000	DF4150.185	€ 4,00
180 x 22 mm	120	7000	DF4150.187	€ 4,00



DF4150-A

GRINDFLEX FLAP DISC CLASSIC



Conical	Single Flap	Backing: Fiberglass Cloth: Aluminium oxide GOLD		
Dimensions	Grit	rpm max	Art.	€
115 x 22 mm	40	10500	DF4150.212	€ 1,80
115 x 22 mm	60	10500	DF4150.214	€ 1,80
115 x 22 mm	80	10500	DF4150.215	€ 1,80
115 x 22 mm	120	10500	DF4150.217	€ 1,80
125 x 22 mm	40	9700	DF4150.222	€ 2,40
125 x 22 mm	60	9700	DF4150.224	€ 2,40





DN4300-Z



made in Italy



GRINDFLEX FLAP DISC DUAL FLAP



Flat




Double Flap



Backing: Nylon

Cloth: Zirconia GOLD

Dimensions	Grit	rpm max	Art.	€
115 x 22 mm	40	10500	DN4300.112	€ 2,00
115 x 22 mm	60	10500	DN4300.114	€ 2,00
115 x 22 mm	80	10500	DN4300.115	€ 2,00
115 x 22 mm	120	10500	DN4300.117	€ 2,00



Minimum quantity 10* pcs for all the flap discs



GRINDFLEX FLAP DISC DUAL FLAP

DN4300-A



Flat Double Flap Backing: Nylon
Cloth: Aluminium oxide GOLD

Dimensions	Grit	rpm max	Art.	€
115 x 22 mm	40	10500	DN4300.212	€ 1,80
115 x 22 mm	60	10500	DN4300.214	€ 1,80
115 x 22 mm	80	10500	DN4300.215	€ 1,80
115 x 22 mm	120	10500	DN4300.217	€ 1,80



Minimum quantity 10* pcs for all the flap discs



HIGH PERFORMANCE

Wide range of professional flap discs based on aluminum oxide or zirconia, available with cotton or polycotton cloth.

RECOMMENDED SPEED

Ø	RPM
115	5000/7500
125	4800/7300
180	3250/4900



DF6801-ZP

PERFORMANCE FLAP DISC RAPTOR



Flat Single Flap

Backing: Fiberglass
Cloth: Zirconia Polycotton DIAMOND

Dimensions	Grit	rpm max	Art.	€
115 x 22 mm	40	10500	DF6801.412	€ 2,50
125 x 22 mm	40	9700	DF6801.422	€ 2,80



RAPTOR HAS HIGHER CUTTING SPEED AND MAXIMUM REMOVAL POWER THANKS TO ITS PARTICULAR SHAPE



DF6700-Z

PERFORMANCE FLAP DISC TIGER




Flat Single Flap


Reinforced Backing: Fiberglass
Cloth: Zirconia DIAMOND

Dimensions	Grit	rpm max	Art.	€
115 x 22 mm	40	10500	DF6700.112	€ 2,60
115 x 22 mm	60	10500	DF6700.114	€ 2,60
115 x 22 mm	80	10500	DF6700.115	€ 2,60
115 x 22 mm	120	10500	DF6700.117	€ 2,60

TIGER IS A FLAP DISC WITH AN ADDITIONAL 70% ABRASIVE CLOTH COMPARED TO STANDARD PROFESSIONAL DISCS. ITS SHAPE ALLOWS THE FULL USE OF THE ABRASIVE AS WELL AS MAKING IT PARTICULARLY COMPACT. THIS FEATURE, COMBINED TO REINFORCED SUPPORT, ALLOWS TO EXERT A HIGHER SPECIFIC PRESSURE AND CONSEQUENTLY A MORE RAPID REMOVAL.



Minimum quantity 10* pcs for all the flap discs



DF6600-Z

PERFORMANCE FLAP DISC BIGGER



Flat	Single Flap	Reinforced	Backing: Fiberglass Cloth: Zirconia DIAMOND		
Dimensions	Grit	rpm max	Art.	€	
115 x 22 mm	40	10500	DF6600.112	€ 2,70	
115 x 22 mm	60	10500	DF6600.114	€ 2,70	
115 x 22 mm	80	10500	DF6600.115	€ 2,70	
115 x 22 mm	120	10500	DF6600.117	€ 2,70	
125 x 22 mm	40	9700	DF6600.122	€ 3,10	
125 x 22 mm	60	9700	DF6600.124	€ 3,10	
125 x 22 mm	80	9700	DF6600.125	€ 3,10	
125 x 22 mm	120	9700	DF6600.127	€ 3,10	
180 x 22 mm	40	7000	DF6600.182	€ 5,50	
180 x 22 mm	60	7000	DF6600.184	€ 5,50	



GRIND EVEN LONGER, EVEN FASTER, AND EVEN BETTER FINISHING WITH BIGGER DISC. THE NEW STRUCTURE PROVIDES BETTER BENEFITS COMPARED TO CONVENTIONAL FLAP OR GRINDING DISCS: 50% MORE ABRASION CAPACITY, SAVING A GREAT DEAL OF WORKING TIME, 2X LONGER SERVICE LIFE, EXCELLENT VALUE FOR MONEY, COOLER GRINDING, COSTS AND WORKING TIME REDUCTION



DN6550-Z

PERFORMANCE FLAP DISC REAL FLAT




Concave	Double Flap	Backing: Nylon Cloth: Zirconia DIAMOND		
Dimensions	Grit	rpm max	Art.	€
115 x 22 mm	40	10500	DN6550.112	€ 3,00
115 x 22 mm	60	10500	DN6550.114	€ 3,00
115 x 22 mm	80	10500	DN6550.115	€ 3,00
115 x 22 mm	120	10500	DN6550.117	€ 3,00

THANKS TO A SPECIAL CONVEX SHAPE BACKING, THIS FLAP DISCS TYPE ARE PERFECTLY FLAT DISCS WITH LARGE FLAPS AND CONSTANT DENSITY AND HARDNESS BOTH AT THE CENTRE AND ON THE PERIPHERAL DIAMETER OF THE DISC.



Minimum quantity 10* pcs for all the flap discs



PERFORMANCE FLAP DISC CLASSIC

DF6101-ZP


Flat Single Flap Backing: Fiberglass
Cloth: Zirconia Polycotton DIAMOND

Dimensions	Grit	rpm max	Art.	€
115 x 22 mm	40	10500	DF6101.412	€ 2,90



PERFORMANCE FLAP DISC CLASSIC

DF6100-Z


Flat Single Flap Backing: Fiberglass
Cloth: Zirconia DIAMOND

Dimensions	Grit	rpm max	Art.	€
115 x 22 mm	40	10500	DF6100.112	€ 2,20
115 x 22 mm	60	10500	DF6100.114	€ 2,20
115 x 22 mm	80	10500	DF6100.115	€ 2,20
115 x 22 mm	120	10500	DF6100.117	€ 2,20
125 x 22 mm	40	9700	DF6100.122	€ 2,70
125 x 22 mm	60	9700	DF6100.124	€ 2,70
125 x 22 mm	80	9700	DF6100.125	€ 2,70
180 x 22 mm	40	7000	DF6100.182	€ 4,50
180 x 22 mm	60	7000	DF6100.184	€ 4,50
180 x 22 mm	80	7000	DF6100.185	€ 4,50



PERFORMANCE FLAP DISC CLASSIC

DF6100-A


Flat Single Flap Backing: Fiberglass
Cloth: Aluminium oxide DIAMOND

Dimensions	Grit	rpm max	Art.	€
115 x 22 mm	40	10500	DF6100.212	€ 2,10
115 x 22 mm	60	10500	DF6100.214	€ 2,10
115 x 22 mm	80	10500	DF6100.215	€ 2,10
115 x 22 mm	120	10500	DF6100.217	€ 2,10



Minimum quantity 10* pcs for all the flap discs



DN6100-Z

PERFORMANCE FLAP DISC CLASSIC




Flat



Single Flap

Backing: Nylon
Cloth: Zirconia DIAMOND

Dimensions	Grit	rpm max	Art.	€
115 x 22 mm	40	10500	DN6100.112	€ 2,20
115 x 22 mm	60	10500	DN6100.114	€ 2,20
115 x 22 mm	80	10500	DN6100.115	€ 2,20
115 x 22 mm	120	10500	DN6100.117	€ 2,20
125 x 22 mm	40	9700	DN6100.122	€ 2,70
125 x 22 mm	60	9700	DN6100.124	€ 2,70
125 x 22 mm	80	9700	DN6100.125	€ 2,70
180 x 22 mm	40	7000	DN6100.182	€ 4,50
180 x 22 mm	60	7000	DN6100.184	€ 4,50
180 x 22 mm	80	7000	DN6100.185	€ 4,50



DN6100-A

PERFORMANCE FLAP DISC CLASSIC




Flat



Single Flap

Backing: Nylon
Cloth: Aluminium oxide DIAMOND

Dimensions	Grit	rpm max	Art.	€
115 x 22 mm	40	10500	DN6100.212	€ 2,10
115 x 22 mm	60	10500	DN6100.214	€ 2,10
115 x 22 mm	80	10500	DN6100.215	€ 2,10
115 x 22 mm	120	10500	DN6100.217	€ 2,10



Minimum quantity 10* pcs for all the flap discs



DF6151-ZP



PERFORMANCE FLAP DISC CLASSIC

Conical Single Flap Backing: Fiberglass Cloth: Zirconia Polycotton DIAMOND

Dimensions	Grit	rpm max	Art.	€
115 x 22 mm	40	10500	DF6151.412	€ 2,90



DF6150-Z



PERFORMANCE FLAP DISC CLASSIC

Conical Single Flap Backing: Fiberglass Cloth: Zirconia DIAMOND

Dimensions	Grit	rpm max	Art.	€
115 x 22 mm	40	10500	DF6150.112	€ 2,20
115 x 22 mm	60	10500	DF6150.114	€ 2,20
115 x 22 mm	80	10500	DF6150.115	€ 2,20
115 x 22 mm	120	10500	DF6150.117	€ 2,20
125 x 22 mm	40	9700	DF6150.122	€ 2,70
125 x 22 mm	60	9700	DF6150.124	€ 2,70
125 x 22 mm	80	9700	DF6150.125	€ 2,70
180 x 22 mm	40	7000	DF6150.182	€ 4,50
180 x 22 mm	60	7000	DF6150.184	€ 4,50
180 x 22 mm	80	7000	DF6150.185	€ 4,50



DF6150-A



PERFORMANCE FLAP DISC CLASSIC

Conical Single Flap Backing: Fiberglass Cloth: Aluminium oxide DIAMOND

Dimensions	Grit	rpm max	Art.	€
115 x 22 mm	40	10500	DF6150.212	€ 2,10
115 x 22 mm	60	10500	DF6150.214	€ 2,10
115 x 22 mm	80	10500	DF6150.215	€ 2,10
115 x 22 mm	120	10500	DF6150.217	€ 2,10



Minimum quantity 10* pcs for all the flap discs




DN6300-Z

PERFORMANCE FLAP DISC DUAL FLAP



Flat		Double Flap		Backing: Nylon Cloth: Zirconia DIAMOND	
Dimensions	Grit		rpm max	Art.	€
115 x 22 mm	40		10500	DN6300.112	€ 2,20
115 x 22 mm	60		10500	DN6300.114	€ 2,20
115 x 22 mm	80		10500	DN6300.115	€ 2,20
115 x 22 mm	120		10500	DN6300.117	€ 2,20
125 x 22 mm	40		9700	DN6300.122	€ 2,70
125 x 22 mm	60		9700	DN6300.124	€ 2,70
125 x 22 mm	80		9700	DN6300.125	€ 2,70
180 x 22 mm	40		7000	DN6300.182	€ 4,50
180 x 22 mm	60		7000	DN6300.184	€ 4,50
180 x 22 mm	80		7000	DN6300.185	€ 4,50




DN6300-A

PERFORMANCE FLAP DISC DUAL FLAP



Flat		Double Flap		Backing: Nylon Cloth: Aluminium oxide DIAMOND	
Dimensions	Grit		rpm max	Art.	€
115 x 22 mm	40		10500	DN6300.212	€ 2,10
115 x 22 mm	60		10500	DN6300.214	€ 2,10
115 x 22 mm	80		10500	DN6300.215	€ 2,10
115 x 22 mm	120		10500	DN6300.217	€ 2,10



Minimum quantity 10* pcs for all the flap discs



PROFESSIONAL TOP LINE

Professional long-life discs with high removal speeds for the most demanding users, powered by Norton™ abrasive cloth.

RECOMMENDED SPEED

ø	RPM
115	5000/7500
125	4800/7300
180	3250/4900




PROFESSIONAL FLAP DISC TIGER


DF8700-Z


Flat
 Single Flap
 Reinforced
 Backing: Fiberglass
 Cloth: Zirconia PLATINUM

Dimensions	Grit	rpm max	Art.	€
115 x 22 mm	40	10500	DF8700.112	€ 3,00
115 x 22 mm	60	10500	DF8700.114	€ 3,00
115 x 22 mm	80	10500	DF8700.115	€ 3,00
115 x 22 mm	120	10500	DF8700.117	€ 3,00



TIGER IS A FLAP DISC WITH AN ADDITIONAL 70% ABRASIVE CLOTH COMPARED TO STANDARD PROFESSIONAL DISCS. ITS SHAPE ALLOWS THE FULL USE OF THE ABRASIVE AS WELL AS MAKING IT PARTICULARLY COMPACT. THIS FEATURE, COMBINED TO REINFORCED SUPPORT, ALLOWS TO EXERT A HIGHER SPECIFIC PRESSURE AND CONSEQUENTLY A MORE RAPID REMOVAL.



DF8600-Z



PROFESSIONAL FLAP DISC BIGGER

Flat Single Flap Reinforced Backing: Fiberglass
Cloth: Zirconia PLATINUM

Dimensions	Grit	rpm max	Art.	€
115 x 22 mm	40	10500	DF8600.112	€ 2,90
115 x 22 mm	60	10500	DF8600.114	€ 2,90
115 x 22 mm	80	10500	DF8600.115	€ 2,90
115 x 22 mm	120	10500	DF8600.117	€ 2,90
125 x 22 mm	40	9700	DF8600.122	€ 3,40
125 x 22 mm	60	9700	DF8600.124	€ 3,40
125 x 22 mm	80	9700	DF8600.125	€ 3,40
125 x 22 mm	120	9700	DF8600.127	€ 3,40
180 x 22 mm	40	7000	DF8600.182	€ 5,90
180 x 22 mm	60	7000	DF8600.184	€ 5,90
180 x 22 mm	80	7000	DF8600.185	€ 5,90
180 x 22 mm	120	7000	DF8600.187	€ 5,90



GRIND EVEN LONGER, EVEN FASTER, AND EVEN BETTER FINISHING WITH BIGGER DISC. THE NEW STRUCTURE PROVIDES BETTER BENEFITS COMPARED TO CONVENTIONAL FLAP OR GRINDING DISCS: 50% MORE ABRASION CAPACITY, SAVING A GREAT DEAL OF WORKING TIME, 2X LONGER SERVICE LIFE, EXCELLENT VALUE FOR MONEY, COOLER GRINDING, COSTS AND WORKING TIME REDUCTION

DN8550-Z



PROFESSIONAL FLAP DISC REAL FLAT

Concave Double Flap Backing: Nylon
Cloth: Zirconia PLATINUM

Dimensions	Grit	rpm max	Art.	€
115 x 22 mm	40	10500	DN8550.112	€ 3,50
115 x 22 mm	60	10500	DN8550.114	€ 3,50
115 x 22 mm	80	10500	DN8550.115	€ 3,50
115 x 22 mm	120	10500	DN8550.117	€ 3,50



THANKS TO A SPECIAL CONVEX SHAPE BACKING, THIS FLAP DISCS TYPE ARE PERFECTLY FLAT DISCS WITH LARGE FLAPS AND CONSTANT DENSITY AND HARDNESS BOTH AT THE CENTRE AND ON THE PERIPHERAL DIAMETER OF THE DISC.

Minimum quantity 10* pcs for all the flap discs



DF8100-Z



made in Italy

PROFESSIONAL FLAP DISC CLASSIC

Flat Single Flap Backing: Fiberglass
Cloth: Zirconia PLATINUM

Dimensions	Grit	rpm max	Art.	€
115 x 22 mm	36	10500	DF8100.111	€ 2,40
115 x 22 mm	40	10500	DF8100.112	€ 2,40
115 x 22 mm	60	10500	DF8100.114	€ 2,40
115 x 22 mm	80	10500	DF8100.115	€ 2,40
115 x 22 mm	120	10500	DF8100.117	€ 2,40
125 x 22 mm	36	9700	DF8100.121	€ 3,00
125 x 22 mm	40	9700	DF8100.122	€ 3,00
125 x 22 mm	60	9700	DF8100.124	€ 3,00
125 x 22 mm	80	9700	DF8100.125	€ 3,00
180 x 22 mm	36	7000	DF8100.181	€ 5,00
180 x 22 mm	40	7000	DF8100.182	€ 5,00
180 x 22 mm	60	7000	DF8100.184	€ 5,00
180 x 22 mm	80	7000	DF8100.185	€ 5,00



DF8100-A



made in Italy

PROFESSIONAL FLAP DISC CLASSIC

Flat Single Flap Backing: Fiberglass
Cloth: Aluminium oxide PLATINUM

Dimensions	Grit	rpm max	Art.	€
115 x 22 mm	40	10500	DF8100.212	€ 2,30
115 x 22 mm	60	10500	DF8100.214	€ 2,30
115 x 22 mm	80	10500	DF8100.215	€ 2,30
115 x 22 mm	120	10500	DF8100.217	€ 2,30



Minimum quantity 10* pcs for all the flap discs

**PROFESSIONAL FLAP DISC CLASSIC****DN8100-Z**


Flat



Single Flap

Backing: Nylon
Cloth: Zirconia PLATINUM

Dimensions	Grit	rpm max	Art.	€
115 x 22 mm	36	10500	DN8100.111	€ 2,40
115 x 22 mm	40	10500	DN8100.112	€ 2,40
115 x 22 mm	60	10500	DN8100.114	€ 2,40
115 x 22 mm	80	10500	DN8100.115	€ 2,40
115 x 22 mm	120	10500	DN8100.117	€ 2,40
125 x 22 mm	40	9700	DN8100.122	€ 3,00
125 x 22 mm	60	9700	DN8100.124	€ 3,00
125 x 22 mm	80	9700	DN8100.125	€ 3,00
180 x 22 mm	40	7000	DN8100.182	€ 5,00
180 x 22 mm	60	7000	DN8100.184	€ 5,00
180 x 22 mm	80	7000	DN8100.185	€ 5,00

**PROFESSIONAL FLAP DISC CLASSIC****DN8100-A**


Flat



Single Flap

Backing: Nylon
Cloth: Aluminium oxide PLATINUM

Dimensions	Grit	rpm max	Art.	€
115 x 22 mm	40	10500	DN8100.212	€ 2,30
115 x 22 mm	60	10500	DN8100.214	€ 2,30
115 x 22 mm	80	10500	DN8100.215	€ 2,30
115 x 22 mm	120	10500	DN8100.217	€ 2,30





DF8150-Z



PROFESSIONAL FLAP DISC CLASSIC

Conical	Single Flap	Backing: Fiberglass Cloth: Zirconia PLATINUM		
Dimensions	Grit	rpm max	Art.	€
115 x 22 mm	36	10500	DF8150.111	€ 2,40
115 x 22 mm	40	10500	DF8150.112	€ 2,40
115 x 22 mm	60	10500	DF8150.114	€ 2,40
115 x 22 mm	80	10500	DF8150.115	€ 2,40
115 x 22 mm	120	10500	DF8150.117	€ 2,40
125 x 22 mm	36	9700	DF8150.121	€ 3,00
125 x 22 mm	40	9700	DF8150.122	€ 3,00
125 x 22 mm	60	9700	DF8150.124	€ 3,00
125 x 22 mm	80	9700	DF8150.125	€ 3,00
180 x 22 mm	36	7000	DF8150.181	€ 5,00
180 x 22 mm	40	7000	DF8150.182	€ 5,00
180 x 22 mm	60	7000	DF8150.184	€ 5,00
180 x 22 mm	80	7000	DF8150.185	€ 5,00



DF8150-A



PROFESSIONAL FLAP DISC CLASSIC


Conical	Single Flap	Backing: Fiberglass Cloth: Aluminium oxide PLATINUM		
Dimensions	Grit	rpm max	Art.	€
115 x 22 mm	40	10500	DF8150.212	€ 2,30
115 x 22 mm	60	10500	DF8150.214	€ 2,30
115 x 22 mm	80	10500	DF8150.215	€ 2,30
115 x 22 mm	120	10500	DF8150.217	€ 2,30




DN8300-Z
PROFESSIONAL FLAP DISC DUAL FLAP



 Flat
  Double Flap
  Backing: Nylon
 Cloth: Zirconia PLATINUM

Dimensions	Grit	rpm max	Art.	€
115 x 22 mm	36	10500	DN8300.111	€ 2,40
115 x 22 mm	40	10500	DN8300.112	€ 2,40
115 x 22 mm	60	10500	DN8300.114	€ 2,40
115 x 22 mm	80	10500	DN8300.115	€ 2,40
115 x 22 mm	120	10500	DN8300.117	€ 2,40
125 x 22 mm	40	9700	DN8300.122	€ 3,00
125 x 22 mm	60	9700	DN8300.124	€ 3,00
125 x 22 mm	80	9700	DN8300.125	€ 3,00
180 x 22 mm	40	7000	DN8300.182	€ 5,00
180 x 22 mm	60	7000	DN8300.184	€ 5,00
180 x 22 mm	80	7000	DN8300.185	€ 5,00


DN8300-A
PROFESSIONAL FLAP DISC DUAL FLAP


 Flat
  Double Flap
  Backing: Nylon
 Cloth: Aluminium oxide PLATINUM

Dimensions	Grit	rpm max	Art.	€
115 x 22 mm	40	10500	DN8300.212	€ 2,30
115 x 22 mm	60	10500	DN8300.214	€ 2,30
115 x 22 mm	80	10500	DN8300.215	€ 2,30
115 x 22 mm	120	10500	DN8300.217	€ 2,30



Minimum quantity 10* pcs for all the flap discs



SHARPER & FASTER

Best solution for machining of stainless steel surfaces.
Ceramic cloth, additioned with cooling “top size” layer.

RECOMMENDED SPEED

Ø	RPM
115	5000/7500
125	4800/7300
180	3250/4900

ZIRCOCER INOX is a flap disc composed by an abrasive cloth “**TOP SIZE**” with a mixture of **zirconia** and **ceramic abrasive grain**. These high quality materials allow a **very high cutting speed** together with an **extraordinary disc life**. The further layer “**TOP SIZE**” drastically reduces the overheating of the disc and of the



ZIRCOCER FLAP DISC RAPTOR

DF9800-ZC

Flat

Single Flap

**Backing: Fiberglass
Cloth: Zirconia + Ceramic**

Dimensions	Grit	rpm max	Art.	€
115 x 22 mm	40	10500	DF9800.312	€ 2,90
125 x 22 mm	40	9700	DF9800.322	€ 3,20

RAPTOR HAS HIGHER CUTTING SPEED AND MAXIMUM REMOVAL POWER THANKS TO ITS PARTICULAR SHAPE



ZIRCOCER FLAP DISC CLASSIC

DF9100-ZC

Flat


Single Flap

**Backing: Fiberglass
Cloth: Zirconia + Ceramic**

Dimensions	Grit	rpm max	Art.	€
115 x 22 mm	40+	10500	DF9100.312	€ 3,20
115 x 22 mm	60	10500	DF9100.314	€ 3,20
125 x 22 mm	40+	9700	DF9100.322	€ 3,60
125 x 22 mm	60	9700	DF9100.324	€ 3,60



Minimum quantity 10* pcs for all the flap discs



workpiece, with **obvious benefits when working on stainless steels**. The particularly strong fabric allows hard working pressures. The light blue color is by nature devoid of iron oxides so as to prevent contamination of stainless steels ($\geq 0,1\%$ Fe, S, Cl)

**ZIRCOCER FLAP DISC CLASSIC****DN9100-ZC****Flat****Single Flap**

Backing: Nylon
Cloth: Zirconia + Ceramic

Dimensions	Grit	rpm max	Art.	€
115 x 22 mm	40+	10500	DN9100.312	€ 3,20
115 x 22 mm	60	10500	DN9100.314	€ 3,20
125 x 22 mm	40+	9700	DN9100.322	€ 3,60
125 x 22 mm	60	9700	DN9100.324	€ 3,60

**ZIRCOCER FLAP DISC CLASSIC****DF9150-ZC****Conical****Single Flap**

Backing: Fiberglass
Cloth: Zirconia + Ceramic

Dimensions	Grit	rpm max	Art.	€
115 x 22 mm	40+	10500	DF9150.312	€ 3,20
115 x 22 mm	60	10500	DF9150.314	€ 3,20
125 x 22 mm	40+	9700	DF9150.322	€ 3,60
125 x 22 mm	60	9700	DF9150.324	€ 3,60



Minimum quantity 10* pcs for all the flap discs



Minimum quantity 10* pcs for all the flap discs


MFDxZ

MINI FLAP DISC

Zirconia

Diameter ø	Grit	rpm max	Quantity	Art.	€
50 mm	40	25000	10*	MFD050/040Z	€ 3,34
50 mm	60	25000	10*	MFD050/060Z	€ 3,34
50 mm	80	25000	10*	MFD050/080Z	€ 3,34
50 mm	120	25000	10*	MFD050/120Z	€ 3,34
75 mm	40	20000	10*	MFD075/040Z	€ 4,84
75 mm	60	20000	10*	MFD075/060Z	€ 4,84
75 mm	80	20000	10*	MFD075/080Z	€ 4,84
75 mm	120	20000	10*	MFD075/120Z	€ 4,84

FAST LOCK. LONG LIFE, DEBURRING AND BLENDING SMALL AREAS, GRINDING EDGES.



MFDxZC

CERAMIC MINI FLAP DISC

Ceramic

Diameter ø	Grit	rpm max	Quantity	Art.	€
50 mm	40	25000	10*	MFD050/040ZC	€ 4,10
50 mm	60	25000	10*	MFD050/060ZC	€ 4,10
50 mm	80	25000	10*	MFD050/080ZC	€ 4,10

FAST LOCK. CERAMIC ABRASIVE IS HARD AND SELF SHARPENING, WITH FASTER STOCK REMOVAL AND MUCH LONGER LIFE COMPARED TO ZIRCONIA. IDEAL TO WORK ON EDGES OR WITH HEAVY PRESSURE.



MCDxZ

MINI CUP FLAP DISC

Zirconia

Diameter ø	Grit	rpm max	Quantity	Art.	€
50 mm	40	25000	10*	MCD050/040Z	€ 3,94
50 mm	60	25000	10*	MCD050/060Z	€ 3,94
50 mm	80	25000	10*	MCD050/080Z	€ 3,94
50 mm	120	25000	10*	MCD050/120Z	€ 3,94

FAST LOCK. SUITED FOR CONTOURED SURFACES. MORE FLEXIBLE AND CONFORMABLE COMPARED TO MINI DISCS.


SGFx

RUBBER HOLDER



Diameter ø	Shank	rpm max	Art.	€
50 mm	6 mm	30000	SGF050/06	€ 9,40
75 mm	6 mm	28000	SGF075/06	€ 10,80


SFFx

RUBBER HOLDER



Diameter ø	Thread	rpm max	Art.	€
50 mm	M14	30000	SFF050/M14	€ 14,10
75 mm	M14	28000	SFF075/M14	€ 16,00







PROFESSIONAL CUTTING DISC

MTP8x



EN 12413

Dimensions	Specification	Quantity	Art.	€
Ø 115 x 1,0 x 22 mm	A60S	25*	MTP8115/1.0	€ 1,78
Ø 115 x 1,3 x 22 mm	A60S	25*	MTP8115/1.3	€ 1,82
Ø 115 x 1,6 x 22 mm	A60S	25*	MTP8115/1.6	€ 1,88
Ø 125 x 1,0 x 22 mm	A60S	25*	MTP8125/1.0	€ 1,90
Ø 125 x 1,3 x 22 mm	A60S	25*	MTP8125/1.3	€ 1,94
Ø 125 x 1,6 x 22 mm	A60S	25*	MTP8125/1.6	€ 2,10
Ø 230 x 2,0 x 22 mm	A60S	25*	MTP8230/2.0	€ 3,96



INOX CUTTING DISC

MTP9x



EN 12413

Dimensions	Specification	Quantity	Art.	€
Ø 115 x 1,0 x 22 mm	A60SX	25*	MTP9115/1.0	€ 1,92
Ø 115 x 1,3 x 22 mm	A60SX	25*	MTP9115/1.3	€ 2,04
Ø 115 x 1,6 x 22 mm	A60SX	25*	MTP9115/1.6	€ 2,12
Ø 125 x 1,0 x 22 mm	A60SX	25*	MTP9125/1.0	€ 2,10
Ø 125 x 1,3 x 22 mm	A60SX	25*	MTP9125/1.3	€ 2,28
Ø 125 x 1,6 x 22 mm	A60SX	25*	MTP9125/1.6	€ 2,34
Ø 230 x 2,0 x 22 mm	A60SX	25*	MTP9230/2.0	€ 4,90



PROFESSIONAL GRINDING DISC

MSD8x



EN 12413

Dimensions	Specification	Quantity	Art.	€
Ø 115 x 6,5 x 22 mm	A-Q	25*	MSD8115/6.5	€ 2,70
Ø 125 x 6,5 x 22 mm	A-Q	25*	MSD8125/6.5	€ 2,96
Ø 230 x 7,0 x 22 mm	A-Q	25*	MSD8230/7.0	€ 7,20





PERFORMANCE CUTTING DISC

EN 12413

Dimensions	Specification	Quantity	Art.	€
Ø 75 x 1,5 x 10 mm	A46-S-BF 80	25*	MTP6075/1.5	€ 1,60
Ø 115 x 1,0 x 22 mm	A46-R-BF 80	25*	MTP6115/1.0	€ 1,40
Ø 115 x 1,3 x 22 mm	A46-R-BF 80	25*	MTP6115/1.3	€ 1,40
Ø 115 x 1,6 x 22 mm	A46-R-BF 80	25*	MTP6115/1.6	€ 1,40
Ø 125 x 1,0 x 22 mm	A46-S5-BF	25*	MTP6125/1.0	€ 1,50
Ø 125 x 1,3 x 22 mm	A46-S5-BF	25*	MTP6125/1.3	€ 1,50
Ø 125 x 1,6 x 22 mm	A46-S5-BF	25*	MTP6125/1.6	€ 1,50
Ø 230 x 2,0 x 22 mm	A30-R-BF 80	25*	MTP6230/2.0	€ 3,70

MTP6x



made in Italy



PERFORMANCE CUTTING DISC

EN 12413

Dimensions	Specification	Quantity	Art.	€
Ø 115 x 3,0 x 22 mm	A30-R-BF 80	25*	MTD6115/3.0	€ 1,60
Ø 125 x 3,2 x 22 mm	A30-S-BF	25*	MTD6125/3.2	€ 1,90
Ø 230 x 3,0 x 22 mm	A30-R-BF 80	25*	MTD6230/3.0	€ 3,20

MTD6x



made in Italy



PERFORMANCE GRINDING DISC

EN 12413

Dimensions	Specification	Quantity	Art.	€
Ø 115 x 6,0 x 22 mm	A24-R-BF 80	25*	MSD6115/6.0	€ 2,20
Ø 125 x 6,5 x 22 mm	A30-S-BF	25*	MSD6125/6.5	€ 2,60
Ø 230 x 6,0 x 22 mm	A24-R-BF 80	25*	MSD6230/6.0	€ 6,10
Ø 350 x 3,0 x 22 mm	A46-S-BF 80	25*	MSD6350/3.0	€ 11,10

MSD6x



made in Italy





GRINDING WHEELS

M16x



Pink corundum

Dimensions	Specifications	Art.	€
Ø 100 x 4,5 x 10 mm	GR80	M159	€ 8,70
Ø 100 x 3,2 x 10 mm	GR80	M160	€ 8,70
Ø 145 x 3,2 x 22,3 mm	GR 80	M163	€ 16,00
Ø 145 x 4,7 x 22,3 mm	GR80	M162	€ 16,00



GRINDING WHEEL

MVx



Green silicon carbide

Dimensions	Grit	Adapters	Art.	€
Ø 150 x 20 x 32 mm	80	12,7 - 16 - 20 - 25 mm	MV01/80	€ 13,90
Ø 200 x 20 x 32 mm	80	12,7 - 16 - 20 - 25 mm	MV02/80	€ 16,50
Ø 200 x 25 x 32 mm	80	12,7 - 16 - 20 - 25 mm	MV03/80	€ 20,20

HIGH CUTTING AND FINISHING, FOR ALLOY TOOL SHARPENING



GRINDING WHEEL

MGx



Grey corundum

Dimensions	Grit	Adapters	Art.	€
Ø 150 x 20 x 32 mm	36	12,7 - 16 - 20 - 25 mm	MG01/36	€ 8,30
Ø 150 x 20 x 32 mm	46	12,7 - 16 - 20 - 25 mm	MG01/46	€ 8,30
Ø 150 x 20 x 32 mm	60	12,7 - 16 - 20 - 25 mm	MG01/60	€ 8,30
Ø 150 x 20 x 32 mm	80	12,7 - 16 - 20 - 25 mm	MG01/80	€ 8,30
Ø 200 x 20 x 32 mm	36	12,7 - 16 - 20 - 25 mm	MG02/36	€ 8,80
Ø 200 x 20 x 32 mm	46	12,7 - 16 - 20 - 25 mm	MG02/46	€ 8,80
Ø 200 x 20 x 32 mm	60	12,7 - 16 - 20 - 25 mm	MG02/60	€ 8,80
Ø 200 x 20 x 32 mm	80	12,7 - 16 - 20 - 25 mm	MG02/80	€ 8,80
Ø 200 x 25 x 32 mm	36	12,7 - 16 - 20 - 25 mm	MG03/36	€ 11,70
Ø 200 x 25 x 32 mm	46	12,7 - 16 - 20 - 25 mm	MG03/46	€ 11,70
Ø 200 x 25 x 32 mm	60	12,7 - 16 - 20 - 25 mm	MG03/60	€ 11,70
Ø 200 x 25 x 32 mm	80	12,7 - 16 - 20 - 25 mm	MG03/80	€ 11,70
Ø 200 x 40 x 20 mm	80	- mm	MG06/80	€ 22,00

TOUGH HARD STEELS GRINDING



GRINDING WHEEL

MBx



Grey corundum

Dimensions	Grit	Adapters	Art.	€
Ø 150 x 20 x 32 mm	60	12,7 - 16 - 20 - 25 mm	MB01/60	€ 8,30
Ø 200 x 20 x 32 mm	60	12,7 - 16 - 20 - 25 mm	MB02/60	€ 8,80
Ø 200 x 25 x 32 mm	60	12,7 - 16 - 20 - 25 mm	MB03/60	€ 11,70

FOR STEEL FINISHING





MCGxA

VITRIFIED MOUNTED POINTS



Size	Shank	rpm max	Quantity	Art.	€
Ø 3 x 6 mm	3 mm	50000	25*	MCG0306/03A	€ 0,57
Ø 4 x 8 mm	3 mm	50000	25*	MCG0408/03A	€ 0,57
Ø 5 x 10 mm	3 mm	50000	25*	MCG0510/03A	€ 0,57
Ø 6 x 10 mm	3 mm	47750	25*	MCG0610/03A	€ 0,57
Ø 6 x 10 mm	6 mm	47750	25*	MCG0610/06A	€ 0,57
Ø 8 x 10 mm	3 mm	38590	25*	MCG0810/03A	€ 0,57
Ø 8 x 10 mm	6 mm	38590	25*	MCG0810/06A	€ 0,57
Ø 10 x 10 mm	3 mm	28640	25*	MCG1010/03A	€ 0,68
Ø 10 x 10 mm	6 mm	28640	25*	MCG1010/06A	€ 0,90
Ø 10 x 20 mm	6 mm	28640	25*	MCG1020/06A	€ 0,95
Ø 15 x 20 mm	6 mm	19000	25*	MCG1520/06A	€ 1,01
Ø 15 x 30 mm	6 mm	19000	25*	MCG1530/06A	€ 1,28
Ø 20 x 20 mm	6 mm	14320	25*	MCG2020/06A	€ 1,28
Ø 20 x 25 mm	6 mm	14320	25*	MCG2025/06A	€ 1,50
Ø 20 x 30 mm	6 mm	14320	25*	MCG2030/06A	€ 1,63
Ø 25 x 25 mm	6 mm	11460	25*	MCG2525/06A	€ 1,50
Ø 30 x 30 mm	6 mm	9540	25*	MCG3030/06A	€ 2,09

CYLINDRICAL SHAPE "A" SUITED FOR GRINDING AND FINISHING SMALL OR HARD TO REACH SURFACES: UNHARDENED STEELS, ALLOYED STEELS, CAST IRON.



MBGxA

RESINOID BAKELITE POINTS



Size	Shank	Quantity	Art.	€
Ø 10 x 30 mm	6 mm	25*	MBG1030/06A	€ 1,63
Ø 15 x 30 mm	6 mm	25*	MBG1530/06A	€ 1,78
Ø 20 x 20 mm	6 mm	25*	MBG2020/06A	€ 1,58
Ø 20 x 30 mm	6 mm	25*	MBG2030/06A	€ 1,83
Ø 20 x 40 mm	6 mm	25*	MBG2040/06A	€ 2,33
Ø 25 x 25 mm	6 mm	25*	MBG2525/06A	€ 1,83
Ø 25 x 35 mm	6 mm	25*	MBG2535/06A	€ 2,18
Ø 30 x 10 mm	6 mm	25*	MBG3010/06A	€ 1,50
Ø 30 x 30 mm	6 mm	25*	MBG3030/06A	€ 2,11
Ø 40 x 20 mm	6 mm	25*	MBG4020/06A	€ 2,66
Ø 40 x 35 mm	6 mm	25*	MBG4035/06A	€ 3,48
Ø 50 x 10 mm	6 mm	25*	MBG5010/06A	€ 2,66

CONICAL SHAPE "C" SUITED FOR GRINDING AND FINISHING SMALL OR HARD TO REACH SURFACES: UNHARDENED STEELS, ALLOYED STEELS, CAST IRON.



MCGxC

VITRIFIED MOUNTED POINTS



Size	Shank	rpm max	Quantity	Art.	€
Ø 10 x 20 mm	6 mm	28640	25*	MCG1020/06C	€ 1,08
Ø 15 x 20 mm	6 mm	19000	25*	MCG1520/06C	€ 1,17
Ø 15 x 40 mm	6 mm	19000	25*	MCG1540/06C	€ 1,96
Ø 20 x 30 mm	6 mm	14320	25*	MCG2030/06C	€ 1,63
Ø 25 x 40 mm	6 mm	11460	25*	MCG2540/06C	€ 2,93
Ø 30 x 40 mm	6 mm	9540	25*	MCG3040/06C	€ 2,64

CONICAL SHAPE "C" SUITED FOR GRINDING AND FINISHING SMALL OR HARD TO REACH SURFACES: UNHARDENED STEELS, ALLOYED STEELS, CAST IRON.



MBGxC

RESINOID BAKELITE POINTS



Size	Shank	Quantity	Art.	€
Ø 15 x 40 mm	6 mm	25*	MBG1540/06C	€ 2,77
Ø 20 x 40 mm	6 mm	25*	MBG2040/06C	€ 2,99
Ø 25 x 35 mm	6 mm	25*	MBG2535/06C	€ 2,77

CONICAL SHAPE "C" SUITED FOR GRINDING AND FINISHING SMALL OR HARD TO REACH SURFACES: UNHARDENED STEELS, ALLOYED STEELS, CAST IRON.



10-PC MOUNTED GRINDING SET

0163

€ 9,50



10 Pcs Blister

Shank
Quantity

Ø 3 - 6 mm
12* / 240


**SHARPENING STONE
(SILICON CARBIDE)**

0816

€ 6,90



Blister

Overall sizes	200 x 50 x 25h mm
Quantity	10* / 20


**SHARPENING STONE
(ALUMINUM OXIDE)**

0817

€ 6,90



Blister

Overall sizes	200 x 50 x 25h mm
Quantity	10* / 20


PEN TYPE DIAMOND DRESSER

D100

€ 50,00



Shank	Ø 10 mm
Length	48 mm

NATURAL TYPE


PEN TYPE DIAMOND DRESSER

D100/S

€ 34,50



Shank	Ø 10 mm
Length	48 mm

SINTETIC TYPE


TURBO POLISHING DIAMOND CUP WHEEL FOR GRANITE AND STONE

0833

€ 71,50



Dimension	Ø 100 mm
Hole	Ø 22,2 mm
Dry - Wet	
Quantity	50



0350

SUPER TURBO DIAMOND BLADE**€ 53,30**

Dimension	Ø 230 mm
Hole	Ø 22,2 mm
Dry - Wet	
Quantity	25



0709

SUPER TURBO DIAMOND BLADE**€ 14,50**

Dimension	Ø 115 mm
Hole	Ø 22,2 mm
Dry - Wet	
Quantity	100



0527

TURBO DIAMOND BLADE**€ 38,90**

Dimension	Ø 230 mm
Hole	Ø 22,2 mm
Dry - Wet	
Quantity	25



0349

TURBO DIAMOND BLADE**€ 10,90**

Dimension	Ø 115 mm
Hole	Ø 22,2 mm
Dry - Wet	
Quantity	25



0279

DIAMOND BLADE**€ 9,50**

Dimension	Ø 115 mm
Hole	Ø 22,2 mm
Dry - Wet	
Quantity	25

FOR CERAMIC TILES





RMTx

MICRO FLAP WHEELS

Diameter ø	H	Shank	Grit	rpm max	Quantity	Art.	€
10 mm	10 mm	3 mm	60	26000	25	RMT1010/060	€ 2,66
10 mm	10 mm	3 mm	80	26000	25	RMT1010/080	€ 2,66
10 mm	10 mm	3 mm	120	26000	25	RMT1010/120	€ 2,66
15 mm	15 mm	3 mm	60	26000	25	RMT1515/060	€ 2,24
15 mm	15 mm	3 mm	80	26000	25	RMT1515/080	€ 2,24
15 mm	15 mm	3 mm	120	26000	25	RMT1515/120	€ 2,24



ADR3/6

ADAPTER FROM SHAFT 3mm TO 6mm

€ 11,30



RGTx

ALUMINIUM OXIDE SHAFT-MOUNTED CLOTH WHEELS



Cloth: Aluminium oxide

Dimensions	Shank	Grit	rpm max	Quantity	Art.	€
22 x 15 mm	6 mm	60	26000	25	RGT2215/60	€ 2,80
22 x 15 mm	6 mm	80	26000	25	RGT2215/80	€ 2,80
22 x 15 mm	6 mm	120	26000	25	RGT2215/120	€ 2,80
25 x 15 mm	6 mm	60	25000	25	RGT2515/60	€ 2,80
25 x 15 mm	6 mm	80	25000	25	RGT2515/80	€ 2,80
25 x 15 mm	6 mm	120	25000	25	RGT2515/120	€ 2,80
25 x 25 mm	6 mm	40	25000	25	RGT2525/40	€ 3,20
25 x 25 mm	6 mm	60	25000	25	RGT2525/60	€ 3,20
25 x 25 mm	6 mm	80	25000	25	RGT2525/80	€ 3,20
25 x 25 mm	6 mm	120	25000	25	RGT2525/120	€ 3,20
30 x 10 mm	6 mm	40	22900	25	RGT3010/40	€ 2,60
30 x 10 mm	6 mm	60	22900	25	RGT3010/60	€ 2,60
30 x 10 mm	6 mm	80	22900	25	RGT3010/80	€ 2,60
30 x 10 mm	6 mm	120	22900	25	RGT3010/120	€ 2,60
30 x 15 mm	6 mm	40	22900	25	RGT3015/40	€ 2,60
30 x 15 mm	6 mm	60	22900	25	RGT3015/60	€ 2,60
30 x 15 mm	6 mm	80	22900	25	RGT3015/80	€ 2,60
30 x 15 mm	6 mm	120	22900	25	RGT3015/120	€ 2,60
30 x 20 mm	6 mm	40	22900	25	RGT3020/40	€ 2,80
30 x 20 mm	6 mm	60	22900	25	RGT3020/60	€ 2,80
30 x 20 mm	6 mm	80	22900	25	RGT3020/80	€ 2,80
30 x 20 mm	6 mm	120	22900	25	RGT3020/120	€ 2,80
40 x 15 mm	6 mm	40	17100	25	RGT4015/40	€ 2,60
40 x 15 mm	6 mm	60	17100	25	RGT4015/60	€ 2,60
40 x 15 mm	6 mm	80	17100	25	RGT4015/80	€ 2,80
40 x 15 mm	6 mm	120	17100	25	RGT4015/120	€ 2,80
40 x 20 mm	6 mm	40	17100	25	RGT4020/40	€ 2,80
40 x 20 mm	6 mm	60	17100	25	RGT4020/60	€ 3,00
40 x 20 mm	6 mm	80	17100	25	RGT4020/80	€ 3,00
40 x 20 mm	6 mm	120	17100	25	RGT4020/120	€ 3,00
40 x 30 mm	6 mm	40	17100	25	RGT4030/40	€ 3,20
40 x 30 mm	6 mm	60	17100	25	RGT4030/60	€ 3,40
40 x 30 mm	6 mm	80	17100	25	RGT4030/80	€ 3,40
40 x 30 mm	6 mm	120	17100	25	RGT4030/120	€ 3,40
50 x 20 mm	6 mm	40	13700	25	RGT5020/40	€ 3,40
50 x 20 mm	6 mm	60	13700	25	RGT5020/60	€ 3,40
50 x 20 mm	6 mm	80	13700	25	RGT5020/80	€ 3,60
50 x 20 mm	6 mm	120	13700	25	RGT5020/120	€ 3,60
50 x 30 mm	6 mm	40	11400	25	RGT5030/40	€ 3,80
50 x 30 mm	6 mm	60	11400	25	RGT5030/60	€ 3,80
50 x 30 mm	6 mm	80	11400	25	RGT5030/80	€ 3,80
50 x 30 mm	6 mm	120	11400	25	RGT5030/120	€ 4,20
60 x 20 mm	6 mm	40	11400	25	RGT6020/40	€ 3,80
60 x 20 mm	6 mm	60	11400	25	RGT6020/60	€ 3,80
60 x 20 mm	6 mm	80	11400	25	RGT6020/80	€ 4,00
60 x 20 mm	6 mm	120	11400	25	RGT6020/120	€ 4,20
60 x 30 mm	6 mm	40	11400	25	RGT6030/40	€ 4,40
60 x 30 mm	6 mm	60	11400	25	RGT6030/60	€ 4,40
60 x 30 mm	6 mm	80	11400	25	RGT6030/80	€ 4,60
60 x 30 mm	6 mm	120	11400	25	RGT6030/120	€ 4,80
80 x 30 mm	6 mm	40	8500	25	RGT8030/40	€ 5,60
80 x 30 mm	6 mm	60	8500	25	RGT8030/60	€ 5,80
80 x 30 mm	6 mm	80	8500	25	RGT8030/80	€ 6,00
80 x 30 mm	6 mm	120	8500	25	RGT8030/120	€ 6,40



THE PIN ALLOWS MOUNTING ON SPINDLES OF ELECTRIC PORTABLE MACHINES, PNEUMATIC AND WITH FLEXIBLE SHAFT.FOR: ROUGHING, GRINDING, POLISHING, GLAZING, SATIN FINISHING AND SURFACE FINISHING: PARTICULARLY SUITABLE TO OPERATE ON SMALL SURFACES OR INSIDE HOLES.



RGMx

MIXED NONWOVEN AND CLOTH WHEELS WITH SHAFT**Panno: Aluminium oxide**

Dimensions	Shank	Cloth	Grit	Quantity	Art.	€
30 x 20 mm	6 mm	A/O-M	60	10*	RGM030/20M	€ 5,80
30 x 20 mm	6 mm	A/O-F	100	10*	RGM030/20F	€ 5,80
30 x 20 mm	6 mm	A/O-VF	150	10*	RGM030/20VF	€ 5,80
40 x 20 mm	6 mm	A/O-M	60	10*	RGM040/20M	€ 7,90
40 x 20 mm	6 mm	A/O-F	100	10*	RGM040/20F	€ 7,90
40 x 20 mm	6 mm	A/O-VF	150	10*	RGM040/20VF	€ 7,90
50 x 30 mm	6 mm	A/O-M	60	10*	RGM050/30M	€ 7,70
50 x 30 mm	6 mm	A/O-F	100	10*	RGM050/30F	€ 7,70
50 x 30 mm	6 mm	A/O-VF	150	10*	RGM050/30VF	€ 7,70
60 x 30 mm	6 mm	A/O-M	60	10*	RGM060/30M	€ 10,30
60 x 30 mm	6 mm	A/O-F	100	10*	RGM060/30F	€ 10,30
60 x 30 mm	6 mm	A/O-VF	150	10*	RGM060/30VF	€ 10,30
80 x 50 mm	6 mm	A/O-M	60	10*	RGM080/50M	€ 15,90
80 x 50 mm	6 mm	A/O-F	100	10*	RGM080/50F	€ 15,90
80 x 50 mm	6 mm	A/O-VF	150	10*	RGM080/50VF	€ 15,90



MADE OF NONWOVEN FLAPS
 INTERSPERSED WITH ABRASIVE CLOTH
 FLAPS ARRANGED RADIALY. FOR REMOVAL
 OF RUST, LIGHT DEBURRING, PREPARATION
 FOR PAINTING, SURFACE FINISHING
 PARTICULARLY SUITABLE FOR STAINLESS
 STEEL SATIN FINISHING.




RGPx

NONWOVEN WHEELS WITH SHAFT**Panno: Aluminium oxide**

Dimensions	Shank	Grit	Quantity	Art.	€
30 x 20 mm	6 mm	COARSE	10*	RGP030/20C	€ 5,20
30 x 20 mm	6 mm	MEDIUM	10*	RGP030/20M	€ 5,20
30 x 20 mm	6 mm	FINE	10*	RGP030/20F	€ 5,20
30 x 20 mm	6 mm	VERY FINE	10*	RGP030/20VF	€ 5,20
40 x 20 mm	6 mm	COARSE	10*	RGP040/20C	€ 6,50
40 x 20 mm	6 mm	MEDIUM	10*	RGP040/20M	€ 6,50
40 x 20 mm	6 mm	FINE	10*	RGP040/20F	€ 6,50
40 x 20 mm	6 mm	VERY FINE	10*	RGP040/20VF	€ 6,50
40 x 30 mm	6 mm	COARSE	10*	RGP040/30C	€ 6,00
40 x 30 mm	6 mm	MEDIUM	10*	RGP040/30M	€ 6,00
40 x 30 mm	6 mm	FINE	10*	RGP040/30F	€ 6,00
40 x 30 mm	6 mm	VERY FINE	10*	RGP040/30VF	€ 6,00
50 x 30 mm	6 mm	COARSE	10*	RGP050/30C	€ 6,80
50 x 30 mm	6 mm	MEDIUM	10*	RGP050/30M	€ 6,80
50 x 30 mm	6 mm	FINE	10*	RGP050/30F	€ 6,80
50 x 30 mm	6 mm	VERY FINE	10*	RGP050/30VF	€ 6,80
60 x 30 mm	6 mm	COARSE	10*	RGP060/30C	€ 8,40
60 x 30 mm	6 mm	MEDIUM	10*	RGP060/30M	€ 8,40
60 x 30 mm	6 mm	FINE	10*	RGP060/30F	€ 8,40
60 x 30 mm	6 mm	VERY FINE	10*	RGP060/30VF	€ 8,40
80 x 50 mm	6 mm	COARSE	10*	RGP080/50C	€ 12,70
80 x 50 mm	6 mm	MEDIUM	10*	RGP080/50M	€ 12,70
80 x 50 mm	6 mm	FINE	10*	RGP080/50F	€ 12,70
80 x 50 mm	6 mm	VERY FINE	10*	RGP080/50VF	€ 12,70



WHEELS WITH SHAFT MADE OF NONWOVEN
 FLAPS ARRANGED RADIALY.
 APPLICATIONS: REMOVAL OF RUST - LIGHT
 DEBURRING - PREPARATION FOR PAINTING
 - SURFACE FINISHING PARTICULARLY
 SUITABLE FOR STAINLESS STEEL SATIN
 FINISHING.





ALUMINIUM OXIDE CLOTH WHEELS WITH HOLE



Cloth: Aluminium oxide

Dimensions	Grit	rpm max	Quantity	Art.	€
165 x 25 x 54 mm	40	5200	5	RFT165/25040	€ 22,80
165 x 25 x 54 mm	60	5200	5	RFT165/25060	€ 23,40
165 x 25 x 54 mm	80	5200	5	RFT165/25080	€ 23,60
165 x 25 x 54 mm	120	5200	5	RFT165/25120	€ 24,40
165 x 25 x 54 mm	220	5200	5	RFT165/25220	€ 30,80
165 x 30 x 54 mm	40	5200	5	RFT165/30040	€ 23,80
165 x 30 x 54 mm	60	5200	5	RFT165/30060	€ 38,40
165 x 30 x 54 mm	80	5200	5	RFT165/30080	€ 24,60
165 x 30 x 54 mm	120	5200	5	RFT165/30120	€ 25,60
165 x 30 x 54 mm	220	5200	5	RFT165/30220	€ 50,50
165 x 50 x 54 mm	40	5200	5	RFT165/50040	€ 52,20
165 x 50 x 54 mm	60	5200	5	RFT165/50060	€ 55,50
165 x 50 x 54 mm	80	5200	5	RFT165/50080	€ 55,00
165 x 50 x 54 mm	120	5200	5	RFT165/50120	€ 36,00
165 x 50 x 54 mm	220	5200	5	RFT165/50220	€ 46,40
165 x 50 x 25 mm	40	5200	5	RFT165/50040A	€ 33,00
165 x 50 x 25 mm	60	5200	5	RFT165/50060A	€ 33,60
165 x 50 x 25 mm	80	5200	5	RFT165/50080A	€ 34,80
165 x 50 x 25 mm	120	5200	5	RFT165/50120A	€ 36,00
165 x 50 x 25 mm	220	5200	5	RFT165/50220A	€ 46,40
200 x 50 x 54 mm	40	3800	5	RFT200/50040	€ 39,20
200 x 50 x 54 mm	60	3800	5	RFT200/50060	€ 43,20
200 x 50 x 54 mm	80	3800	5	RFT200/50080	€ 44,80
200 x 50 x 54 mm	120	3800	5	RFT200/50120	€ 46,20
250 x 50 x 100 mm	40	3400	3	RFT250/50040	€ 74,60
250 x 50 x 100 mm	60	3400	3	RFT250/50060	€ 79,40
250 x 50 x 100 mm	80	3400	3	RFT250/50080	€ 128,00
250 x 50 x 100 mm	120	3400	3	RFT250/50120	€ 133,00



THE WHEEL CAN BE CONFIGURED ON THE PROFILE OF THE WORKPIECE. LUBRICATING THE WHEEL WITH OIL OR FAT, IT IMPROVES THE DEGREE OF FINISH, THE DURATION OF THE WHEEL AND IS HELD ACTION DUSTPROOF. ROUGHING, GRINDING, POLISHING, SATIN FINISHING AND SURFACE FINISHING: PREPARATION OF THE SURFACES TO BE SUBJECTED TO GALVANIZING TREATMENT



THREADED BORE FLAP WHEEL

Size	Thread	Grit	rpm max	Quantity	Art.	€
Ø 115 x 20 mm	M14	40	9000	5	RLF115/040	€ 14,80
Ø 115 x 20 mm	M14	60	9000	5	RLF115/060	€ 14,80
Ø 115 x 20 mm	M14	80	9000	5	RLF115/080	€ 14,80
Ø 115 x 20 mm	M14	120	9000	5	RLF115/120	€ 14,80
Ø 115 x 20 mm	M14	240	9000	5	RLF115/240	€ 14,80
Ø 125 x 20 mm	M14	40	9000	5	RLF125/040	€ 16,10
Ø 125 x 20 mm	M14	60	9000	5	RLF125/060	€ 16,10
Ø 125 x 20 mm	M14	80	9000	5	RLF125/080	€ 16,10
Ø 125 x 20 mm	M14	120	9000	5	RLF125/120	€ 16,10
Ø 125 x 20 mm	M14	240	9000	5	RLF125/240	€ 16,10



SUITED FOR ANGLE GRINDERS WITH M14 THREAD. REMOVE LIGHT WELD SEAMS ON ROUND AND IRREGULAR METAL SURFACES.



NONWOVEN WHEELS WITH BORE



Cloth: Aluminium oxide

Dimensions	Grit	Art.	€
165 x 50 x 55 mm	Medium	RFP165/50M	€ 18,20
165 x 50 x 55 mm	Fine	RFP165/50F	€ 18,20
165 x 50 x 55 mm	Very Fine	RFP165/50VF	€ 18,20
200 x 50 x 76 mm	Medium	RFP200/50M	€ 25,60
200 x 50 x 76 mm	Fine	RFP200/50F	€ 25,60
200 x 50 x 76 mm	Very Fine	RFP200/50VF	€ 25,60



MADE OF NONWOVEN, FLAPS RADIALLY ARRANGED. FOR: RUST REMOVAL, LIGHT DEBURRING, PREPARATION FOR PAINTING, SURFACE FINISHING PARTICULARLY SUITABLE FOR STAINLESS STEEL SATIN FINISHING



RLTx

ABRASIVE CLOTH WHEELS



Cloth: Aluminium oxide

Dimensions	Grit	Hole diameter	Art.	€
100 x 50 mm	40	19 mm	RLT050/040	€ 13,00
100 x 50 mm	60	19 mm	RLT050/060	€ 13,00
100 x 50 mm	80	19 mm	RLT050/080	€ 14,00
100 x 50 mm	120	19 mm	RLT050/120	€ 14,00
100 x 100 mm	40	19 mm	RLT100/040	€ 25,00
100 x 100 mm	60	19 mm	RLT100/060	€ 25,00
100 x 100 mm	80	19 mm	RLT100/080	€ 26,00
100 x 100 mm	120	19 mm	RLT100/120	€ 26,00



RLMx

MIXED NONWOVEN WHEELS



Panno: Aluminium oxide

Dimensions	Cloth	Grit	Hole diameter	Art.	€
110 x 100 mm	A/C	60	19 mm	RLM100/060C	€ 20,40
110 x 100 mm	A/M	80	19 mm	RLM100/080M	€ 20,40
110 x 100 mm	A/F	150	19 mm	RLM100/150F	€ 20,40



RLPx

NONWOVEN WHEELS



Panno: Aluminium oxide

Dimensions	Grit	Hole diameter	Art.	€
110 x 100 mm	A/O-C	19 mm	RLP100/C	€ 17,00
110 x 100 mm	A/O-M	19 mm	RLP100/M	€ 17,00
110 x 100 mm	A/O-F	19 mm	RLP100/F	€ 17,00
110 x 100 mm	A/O-VF	19 mm	RLP100/VF	€ 17,00
110 x 100 mm	A/O-UF	19 mm	RLP100/UF	€ 17,00





SRFx

CIRCULAR BRUSHES

Dimensions	Hole	Wire	Material	rpm max	Art.	€
Ø 125 x 25 mm	20, 16, 13 mm	0,3 mm	Steel	8500	SRF125/25	€ 9,30
Ø 150 x 25 mm	32, 25, 22, 20, 16 mm	0,3 mm	Steel	6000	SRF150/25	€ 10,00
Ø 175 x 25 mm	32, 25, 22, 20, 16 mm	0,3 mm	Steel	4500	SRF175/25	€ 13,60
Ø 200 x 25 mm	32, 25, 22, 20, 16 mm	0,3 mm	Steel	4500	SRF200/25	€ 14,00
Ø 125 x 25 mm	32, 25, 22, 20, 16 mm	0,3 mm	Stainless steel	8500	SRF125/25I	€ 15,60
Ø 150 x 25 mm	32, 25, 22, 20, 16 mm	0,3 mm	Stainless steel	6000	SRF150/25I	€ 22,20
Ø 200 x 25 mm	32, 25, 22, 20, 16 mm	0,3 mm	Stainless steel	4500	SRF200/25I	€ 34,00

MEDIUM TO HEAVY BRUSH APPLICATIONS: LONG LIFE, AGGRESSIVE, VERY RESISTANT.



STFx

CUP BRUSHES

Diameter Ø	Thread	Wire	Material	rpm max	Art.	€
60 mm	M14	0,3 mm	Steel	12500	STF060	€ 4,66
80 mm	M14	0,3 mm	Steel	11000	STF080	€ 6,20
100 mm	M14	0,3 mm	Steel	8500	STF100	€ 7,60
120 mm	M14	0,3 mm	Steel	6500	STF120	€ 12,10
60 mm	M14	0,3 mm	Stainless steel	12500	STF060I	€ 6,60
80 mm	M14	0,3 mm	Stainless steel	11000	STF080I	€ 9,50
100 mm	M14	0,3 mm	Stainless steel	8500	STF100I	€ 13,60
120 mm	M14	0,3 mm	Stainless steel	6500	STF120I	€ 23,90

SUITED FOR ANGLE GRINDERS. PAINT AND PRIMER REMOVAL, ROUGHING, LIGHT RUST REMOVAL.



SCFx

BEVEL BRUSHES

Diameter Ø	Thread	Wire	Material	rpm max	Art.	€
90 mm	M14	0,3 mm	Steel	13000	SCF090	€ 5,90
120 mm	M14	0,3 mm	Steel	12000	SCF120	€ 7,30
150 mm	M14	0,3 mm	Steel	6000	SCF150	€ 10,40
90 mm	M14	0,3 mm	Stainless steel	13000	SCF090I	€ 8,90
120 mm	M14	0,3 mm	Stainless steel	12000	SCF120I	€ 11,20
150 mm	M14	0,3 mm	Stainless steel	6000	SCF150I	€ 15,60

SUITED FOR ANGLE GRINDERS.





SRRx

TWISTED KNOTS CIRCULAR BRUSHES



Steel

Diameter ø	Hole	Wire	rpm max	Art.	€
100 mm	22 mm	0,5 mm	12500	SRR100	€ 6,40
150 mm	22 mm	0,5 mm	9000	SRR150	€ 12,40
200 mm	22 mm	0,5 mm	8500	SRR200	€ 17,80

SUITED TO CLEAN WELDS AND TO REMOVE PAINT, RUST, ENCRUSTATIONS AND BURRS. HIGH OPERATING SPEED.



SRRx-M14

TWISTED KNOTS CIRCULAR BRUSHES



Steel

Diameter ø	Thread	Wire	rpm max	Art.	€
100 mm	M14	0,5 mm	12500	SRR100/M14	€ 7,20
115 mm	M14	0,5 mm	12500	SRR115/M14	€ 8,90
125 mm	M14	0,5 mm	11000	SRR125/M14	€ 10,60

SUITED TO CLEAN WELDS AND TO REMOVE PAINT, RUST, ENCRUSTATIONS AND BURRS. HIGH OPERATING SPEED.



STRx

TWISTED KNOTS CUP BRUSHES



Steel

Diameter ø	Thread	Wire	rpm max	Art.	€
65 mm	M14	0,5 mm	12500	STR065	€ 4,28
75 mm	M14	0,5 mm	10000	STR075	€ 7,80
80 mm	M14	0,5 mm	10000	STR080	€ 9,70
100 mm	M14	0,5 mm	8000	STR100	€ 12,50
120 mm	M14	0,5 mm	6000	STR120	€ 17,20

SUITED TO REMOVE CARBON, RUST, PAINT AND OTHER CONTAMINATIONS



SCRx

TWISTED KNOTS BEVEL BRUSHES

Diameter ø	Thread	Wire	Material	rpm max	Art.	€
100 mm	M14	0,5 mm	Steel	12000	SCR100	€ 7,10
120 mm	M14	0,5 mm	Steel	12000	SCR120	€ 10,00
100 mm	M14	0,5 mm	Stainless steel	12000	SCR100I	€ 10,50
120 mm	M14	0,5 mm	Stainless steel	12000	SCR120I	€ 15,40

SUITED TO REMOVE CARBON, RUST, PAINT AND OTHER CONTAMINATIONS. TAPERED BRUSH SHAPED TO REACH ANGLES.





SRGx

CIRCULAR BRUSHES WITH SHAFT

Diameter ø	Thickness	Shank	Wire	Material	rpm max	Quantity	Art.	€
30 mm	5 mm	6 mm	0,3 mm	Steel	4500	25	SRG030/05	€ 1,44
40 mm	5 mm	6 mm	0,3 mm	Steel	4500	25	SRG040/05	€ 1,48
50 mm	6 mm	6 mm	0,3 mm	Steel	4500	25	SRG050/06	€ 1,84
60 mm	6 mm	6 mm	0,3 mm	Steel	4500	10	SRG060/06	€ 2,12
70 mm	8 mm	6 mm	0,3 mm	Steel	4500	10	SRG070/08	€ 2,44
80 mm	8 mm	6 mm	0,3 mm	Steel	4500	10	SRG080/08	€ 2,84
100 mm	10 mm	6 mm	0,3 mm	Steel	4500	10	SRG100/10	€ 2,86
100 mm	15 mm	6 mm	0,3 mm	Steel	4500	10	SRG100/15	€ 3,92
30 mm	5 mm	6 mm	0,3 mm	Stainless steel	4500	25	SRG030/05I	€ 2,22
40 mm	5 mm	6 mm	0,3 mm	Stainless steel	4500	25	SRG040/05I	€ 2,22
50 mm	6 mm	6 mm	0,3 mm	Stainless steel	4500	25	SRG050/06I	€ 3,16
60 mm	6 mm	6 mm	0,3 mm	Stainless steel	4500	10	SRG060/06I	€ 3,30
70 mm	8 mm	6 mm	0,3 mm	Stainless steel	4500	10	SRG070/08I	€ 3,82
80 mm	8 mm	6 mm	0,3 mm	Stainless steel	4500	10	SRG080/08I	€ 6,00
100 mm	10 mm	6 mm	0,3 mm	Stainless steel	4500	10	SRG100/10I	€ 5,80
100 mm	15 mm	6 mm	0,3 mm	Stainless steel	4500	10	SRG100/15I	€ 8,10



CLEANING OF LIGHT RUST, PAINT, PRIMER.



SNGx

NYLON BRUSHES ON SHAFT

Diameter ø	Shank	Grit	Color	rpm max	Quantity	Art.	€
75 mm	6 mm	80	Red	4500	10	SNG075/080R	€ 6,80
75 mm	6 mm	180	Blue	4500	10	SNG075/180B	€ 6,80
100 mm	6 mm	80	Red	4500	10	SNG100/080R	€ 7,70
100 mm	6 mm	180	Blue	4500	10	SNG100/180B	€ 7,70





SGRx

TWISTED KNOTS BRUSH WITH SHAFT

Diameter ø	Shank	Wire	Material	rpm max	Quantity	Art.	€
75 mm	6 mm	0,5 mm	Steel	15000	10	SGR075	€ 5,10
75 mm	6 mm	0,5 mm	Stainless steel	15000	10	SGR075I	€ 7,80

CLEANING, REMOVAL OF RUST AND WELD SEAMS



SCGx

BEVEL BRUSHES WITH SHAFT

Diameter ø	Shank	Wire	Material	rpm max	Quantity	Art.	€
90 mm	6 mm	0,3 mm	Steel	4500	10	SCG090	€ 5,30
90 mm	6 mm	0,3 mm	Stainless steel	4500	10	SCG090I	€ 8,10

FOR LIGHT AND MEDIUM RUST AND VARNISH REMOVAL AND DEBURRING



STGx

CUP BRUSHES WITH SHAFT

Diameter ø	Shank	Wire	Material	rpm max	Quantity	Art.	€
50 mm	6 mm	0,3 mm	Steel	6500	20	STG050	€ 2,12
70 mm	6 mm	0,3 mm	Steel	4500	10	STG070	€ 2,76
50 mm	6 mm	0,3 mm	Stainless steel	6500	20	STG050I	€ 3,18
70 mm	6 mm	0,3 mm	Stainless steel	4500	10	STG070I	€ 4,22

CUP SHAPE, TO REACH THE BOTTOMS AND TO WORK FRONTALLY



END BRUSHES

SFGx



Diameter ø	Shank	Wire	Material	rpm max	Quantity	Art.	€
10 mm	6 mm	0,3 mm	Steel	20000	25	SFG010	€ 1,70
15 mm	6 mm	0,3 mm	Steel	20000	25	SFG015	€ 2,56
20 mm	6 mm	0,3 mm	Steel	20000	25	SFG020	€ 2,76
25 mm	6 mm	0,3 mm	Steel	20000	25	SFG025	€ 3,04
30 mm	6 mm	0,3 mm	Steel	20000	25	SFG030	€ 3,68
10 mm	6 mm	0,3 mm	Stainless steel	20000	25	SFG010I	€ 2,52
15 mm	6 mm	0,3 mm	Stainless steel	20000	25	SFG015I	€ 3,62
20 mm	6 mm	0,3 mm	Stainless steel	20000	25	SFG020I	€ 3,80
25 mm	6 mm	0,3 mm	Stainless steel	20000	25	SFG025I	€ 4,20
30 mm	6 mm	0,3 mm	Stainless steel	20000	25	SFG030I	€ 5,00

SUITED FOR HARD-TO-REACH SPOTS AND FRONTAL CLEANING.



TWISTED KNOTS END BRUSHES

SFRx



Diameter ø	Shank	Wire	Material	rpm max	Quantity	Art.	€
19 mm	6 mm	0,5 mm	Steel	20000	25	SFR019	€ 4,12
22 mm	6 mm	0,5 mm	Steel	20000	25	SFR022	€ 4,54
19 mm	6 mm	0,5 mm	Stainless steel	20000	25	SFR019I	€ 6,30
22 mm	6 mm	0,5 mm	Stainless steel	20000	25	SFR022I	€ 7,00

SUITED FOR HARD-TO-REACH SPOTS AND FRONTAL CLEANING.



WIRE BRUSH SET FOR AUTOMOTIVE AND WORKSHOP

0331

€ 32,80



Color box

Sizes

Ø 9 - 11 - 13 - 15 - 17 - 19 mm

Material Nylon - Steel - Brass

Quantity

20

WITH EXTENSION AND PLASTIC HANDLE



STEEL BRUSH

0251

€ 2,06



Color box

Length

240 mm

Quantity

12* / 120



HAND BRUSHES

SMCx



Size	Material	Quantity	Art.	€
275 mm	Steel	24	SMC275	€ 1,66
275 mm	Stainless steel	24	SMC275I	€ 3,34

FOR HAND CLEANING OPERATIONS





CSCD-

ABRASIVE NYLON DISCS



Backing: Fiberglass
Abrasive: Nylon & Silicon carbide Flat

Dimensions	rpm max	Quantity	Art.	€
115 x 22 mm	11000	5*	CSCD/F115	€ 6,40
180 x 22 mm	7000	5*	CSCD/F180	€ 9,30
115 x 22 mm	11000	5*	CSCD/F115HD	€ 7,10

FOR THE CLEANING OF WELDS ON STAINLESS STEEL, DEOXIDATION AND CLEANING OF WELDING, REMOVAL OF RUST AND CALAMINE, POLISHING SURFACES STUCK WITH RUBBER, PLASTIC MATERIALS AND OTHERS

CSDS-

FLAT DISCS WITH HOLE FOR DRILL

Nylon & silicon carbide

Diameter	rpm max	Quantity	Art.	€
100 mm	8000	10	CSDS/100	€ 4,40
150 mm	5350	10	CSDS/150	€ 7,20
200 mm	4000	10	CSDS/200	€ 11,00

FLAT DISCS WITH HOLE FOR DRILL



CSF-

ABRASIVE NYLON BLACK CLEANER

Nylon & silicon carbide

Diameter ø	rpm max	Quantity	Art.	€
50 mm	12000	10	CSF/050	€ 3,14
75 mm	8000	10	CSF/075	€ 4,84

FAST LOCK. SUITED FOR RUST, VARNISH AND OXIDATIONS REMOVAL.



ADF-

FASTENING SHAFT

Dimensions	Type	Quantity	Art.	€
10 x 6 mm	25	10	ADF/01	€ 2,10
12,8 x 8 mm	24	10	ADF/02	€ 2,20



DISCS MADE OF NYLON FIBERS VERY RESISTANT, ENRICHED WITH COARSE GRAIN SILICON CARBIDE ABRASIVE. OPERATING SPEED: BETWEEN 20 AND 25 M/SEC., DEPENDING ON THE PROCESSING TO CARRY OUT. FOR STAINLESS STEEL, STEEL, CAST METAL, NON-FERROUS METAL, ALUMINIUM





UNCD-

NON WOVEN ABRASIVE DISCS FOR SURFACE FINISHING

Available grits

S/C-F (fine) - accurate finishing- light working pressure

S/C-M (medium) - medium finishing- light working pressure

A/O-C (coarse) - more aggressive cutting - medium working pressure



Backing:Fiberglass

Flat

Dimensions	Grit	rpm max	Quantity	Art.	€
115 x 22 mm	S/C-F	11000	5*	UNCD/F115F	€ 15,00
115 x 22 mm	S/C-M	11000	5*	UNCD/F115M	€ 15,00
115 x 22 mm	A/O-C	11000	5*	UNCD/F115C	€ 15,00

NON-WOVEN ABRASIVE DISCS IMPREGNATED WITH RESIN AND COMPRESSED.



UNPx

UNITIZED FLAT DISCS



Silicon carbide

Diameter ø	Thickness	Hole	Grit	rpm max	Quantity	Art.	€
115 mm	6 mm	22 mm	3 S.Fine	5000	5	UNP115/6/3SF	€ 12,00
115 mm	6 mm	22 mm	6 S.Medium	5000	5	UNP115/6/6SM	€ 13,90
125 mm	6 mm	22 mm	3 S.Fine	5000	5	UNP125/6/3SF	€ 13,90
125 mm	6 mm	22 mm	6 S.Medium	5000	5	UNP125/6/6SM	€ 16,20

SUITED FOR CORNER BLENDING AND FINISHING, TO BE USED WITH LOW SPEED ANGLE GRINDERS. THE PRODUCT MUST WORK ON THE EDGE, DO NOT EXERT LATERAL PRESSURE



UNFx

UNITIZED DISCS



Diameter ø	Thickness	Hole	Grit	rpm max	Quantity	Art.	€
150 mm	6 mm	25 mm	3 A.Medium	5000	5	UNF150/6/3AM	€ 19,80
150 mm	6 mm	25 mm	6 S.Fine	5000	5	UNF150/6/6SF	€ 20,00
150 mm	6 mm	25 mm	6 A.Coarse	5000	5	UNF150/6/6AC	€ 23,50

3AM MEDIUM HARDNESS, MEDIUM GRIT SIZE BLENDING, REMOVAL GRINDING SCRATCHES, LIGHT DEBURRING OF EDGES.
 6AC HARD, COARSE GRIT SIZE. DEBURRING, HEAVY BRUSHING, REMOVAL OF DEEP SCRATCHES AND OXIDATIONS.
 6SF VERY HARD, FINE GRIT SIZE. LONGER LIFE AND BETTER REISTANCE BUT LESS CONFORMABILITY TO WORK PIECE.

FOR LIGHT DEBURRING, CLEANING, FINISHING, MARKS AND IMPERFECTIONS REMOVAL ON ALL TYPES OF METAL SUCH AS STAINLESS STEEL, IRON, ALUMINIUM, ALLOYS, TITANIUM. UNCD-F DISCS FIT PERFECTLY FOR PROCESSING PLASTIC AND COMPOSITES. IDEAL FOR FINISHING AFTER WORKING WITH FLAP DISCS AND FIBER DISCS.



SCDx

SURFACE CONDITIONING FLAP DISCS

Dimensions	Grit	rpm max	Quantity	Art.	€
Ø 115 x 22 mm	Coarse	13300	10	SCD115/C	€ 8,40
Ø 115 x 22 mm	Medium	13300	10	SCD115/M	€ 8,40
Ø 115 x 22 mm	Very Fine	13300	10	SCD115/VF	€ 8,40
Ø 125 x 22 mm	Coarse	12200	10	SCD125/C	€ 9,70
Ø 125 x 22 mm	Medium	12200	10	SCD125/M	€ 9,70
Ø 125 x 22 mm	Very Fine	12200	10	SCD125/VF	€ 9,70

FAST AND STEADY FINISH WITHOUT CLOGGING, COOLER CUT. INCREASED LIFETIME COMPARED TO STANDARD SURFACE CONDITIONING DISCS



VSCx

SURFACE CONDITIONING DISCS

Diameter Ø	Grit	rpm max	Quantity	Art.	€
115 mm	Coarse (80)	5100	20	VSC115/080C	€ 3,38
115 mm	Medium (120)	5100	20	VSC115/120M	€ 3,38
115 mm	Very Fine (240)	5100	20	VSC115/240VF	€ 3,38

SURFACE PREPARATION FOR PAINTING, TO REPAIR DEFECTS WITH AN UNIFORM SATIN FINISH. REMOVES OXIDATION, SCRATCHES, VARNISHES, WELDING MARKS.



PARx

NON WOVEN ROLLS

Dimensions	Grit	Art.	€
115 mm x 10 m	A.Medium (120)	PAR115/120AM	€ 44,00
115 mm x 10 m	A.Fine (180)	PAR115/180AF	€ 44,00
115 mm x 10 m	A.Very Fine (320)	PAR115/320AVF	€ 44,00
115 mm x 10 m	A.Ultra Fine (600)	PAR115/600AUF	€ 44,00

RESILIENT ROLLS OF NON-WOVEN STRUCTURE UNITED WITH ABRASIVE GRITS. WATER AND OIL RESISTENT, SUITABLE FOR CLEANING, SATINING, FINISHING, BLENDING, POLISHING: METAL, WOOD, PLASTIC, CERAMIC



FPA120-

NONWOVEN SHEETS

Dimensions	Grit	Quantity	Art.	€
115 x 280 mm	A.Medium (120)	10	FPA120/M	€ 1,80
115 x 280 mm	A.Fine (180)	10	FPA120/F	€ 1,80
115 x 280 mm	A.Very Fine (320)	10	FPA120/VF	€ 1,80
115 x 280 mm	S.Ultra Fine (600)	10	FPA120/UF	€ 1,80





BSAx

FOAM BLOCK



Dimensions	Grit	Quantity	Art.	€
98 x 69 x 26 mm	Coarse [60]	20	BSA100/060C	€ 0,98
98 x 69 x 26 mm	Medium [100]	20	BSA100/100M	€ 0,98
98 x 69 x 26 mm	Fine [180]	20	BSA100/180F	€ 0,98

THICK FOAM, ABRASIVE ON FOUR SIDES. WOOD PREPARATION, DOORS AND WINDOWS, ANGLES, DE-NIBBING. DRY AND WET SANDING, CAN BE WASHED AND REUSED.



FOAM PAD



Dimensions	Grit	Quantity	Art.	€
120 x 98 x 13 mm	Coarse [60]	20	FSA120/060C	€ 0,92
120 x 98 x 13 mm	Medium [100]	20	FSA120/100M	€ 0,92
120 x 98 x 13 mm	Fine [180]	20	FSA120/180F	€ 0,92

VERY FLEXIBLE, ABRASIVE ON BOTH SIDES. DRY AND WET SANDING, CAN BE WASHED AND REUSED. FURNITURE INDUSTRY, AUTO BODY REPAIR, WOOD PREPARATION.



POLISHING SPONGES

Diameter ø	Thickness	Color	rpm max	Art.	€
80 mm	25 mm	Yellow	8000	SAL80Y	€ 5,20
80 mm	25 mm	Blue	8000	SAL80B	€ 3,92
80 mm	25 mm	Orange	8000	SAL80O	€ 3,90
80 mm	25 mm	White	8000	SAL80W	€ 3,68
80 mm	25 mm	Black	8000	SAL80K	€ 3,68
150 mm	50 mm	Yellow	4500	SAL150Y	€ 14,30
150 mm	50 mm	Blue	4500	SAL150B	€ 11,10
150 mm	50 mm	Orange	4500	SAL150O	€ 10,80
150 mm	50 mm	White	4500	SAL150W	€ 9,00
150 mm	50 mm	Black	4500	SAL150K	€ 9,00

AVAILABLE IN DIFFERENT FLEXIBILITY AND POROSITY, IDEAL FOR POLISHING WITH POLISHING PASTES.

YELLOW: FIRST POLISHING, HIGH CUT.
BLUE: FIRST POLISHING FAST CUT
ORANGE: POLISHING, MEDIUM CUT
WHITE: POLISHING, MEDIUM CUT
BLACK: FINAL POLISHING



GRINDING PASTES

Weight	Color	Quantity	Art.	€
900 / 950 g	White	5	PAS/W	€ 7,00
900 / 950 g	Blue	5	PAS/B	€ 9,20
900 / 950 g	Pink	5	PAS/P	€ 9,00
900 / 950 g	Yellow	5	PAS/Y	€ 7,90
900 / 950 g	Green	5	PAS/G	€ 7,60

WHITE: FAT PASTE FOR ROUGHING-UP AND PRELIMINARY WORK WITH SISAL, TAMPICO, WIRE BRUSHES. SUITED FOR IRON, ALUMINIUM, ZAMAK STAINLESS STEEL, SILVER, BRASS.

BLUE: FAT MEDIUM PASTE FOR POLISHING AND SECOND CUT ON MEDIUM SMOOTH SURFACES. FOR STEEL, ZAMAK, BRASS.

PINK: MEDIUM FAT PASTE FOR BUFFING AND POLISHING. SUITED FOR SECOND CUT ON BRASS, ALUMINIUM, ZAMAK, SILVER, CHROME.

GREEN: MEDIUM/FAT PASTE, SUITED TO BE USED WITH SISAL FOR STAINLESS FINISHING.
YELLOW: CUTTING PASTE FOR PRECIOUS METAL. SILVER, GOLD.



POLISHING KIT

S169

€ 10,90

5 Pcs Blister

Weight 250 g
Quantity 5* / 50





DLFx

FELT FLAP DISCS


Dimensions	rpm max	Quantity	Art.	€
Ø 115 x 22 mm	6000	10	DLF115	€ 5,40
Ø 125 x 22 mm	6000	10	DLF125	€ 6,40



SUITED FOR MIRROR POLISHING, TO BE USED WITH COMPOUNDS OR ABRASIVE PASTES. FELT FLAPS ARE FLEXIBLE AND PREVENT OVERHEATING.



RGFx

FELT FLAP WHEELS

Diameter Ø	Thickness	Shank	rpm max	Quantity	Art.	€
30 mm	30 mm	6 mm	12500	10	RGF030/30	€ 5,40
40 mm	30 mm	6 mm	9500	10	RGF040/30	€ 6,00
50 mm	30 mm	6 mm	7500	10	RGF050/30	€ 6,80
60 mm	30 mm	6 mm	6000	10	RGF060/30	€ 7,60
80 mm	30 mm	6 mm	4500	10	RGF080/30	€ 10,20

SUITED FOR MIRROR POLISHING, TO BE USED WITH COMPOUNDS OR ABRASIVE PASTES. FELT FLAPS ARE FLEXIBLE AND PREVENT OVERHEATING OF NORMAL FELT WHEELS.



DFFx

FELT DISCS

Diameter Ø	Thickness	Hole	Art.	€
100 mm	13 mm	10 mm	DFF100/13	€ 7,00
150 mm	13 mm	15 mm	DFF150/13	€ 12,50
150 mm	25 mm	15 mm	DFF150/25	€ 22,50
200 mm	13 mm	15 mm	DFF200/13	€ 19,20
200 mm	25 mm	15 mm	DFF200/25	€ 39,30

SUITED FOR POLISHING . TO BE USED WITH COMPOUND OR DIAMOND PASTE. BEST PERIPHERAL SPEED 5-10 m/s



MFGx

FELT POINT



A

L

K

C

Shape	Diameter ø	Thickness	Shank	Quantity	Art.	€
A	6 mm	10 mm	3 mm	10*	MFG0610/03A	€ 1,40
A	8 mm	10 mm	3 mm	10*	MFG0810/03A	€ 1,40
A	10 mm	14 mm	6 mm	10*	MFG1014/06A	€ 1,46
A	15 mm	20 mm	6 mm	10*	MFG1520/06A	€ 1,56
K	8 mm	12 mm	3 mm	10*	MFG0812/03K	€ 1,48
K	10 mm	18 mm	6 mm	10*	MFG1018/06K	€ 1,56
K	15 mm	30 mm	6 mm	10*	MFG1530/06K	€ 2,68
C	15 mm	30 mm	6 mm	10*	MFG1530/06C	€ 2,66
C	20 mm	25 mm	6 mm	10*	MFG2025/06C	€ 2,82
C	25 mm	30 mm	6 mm	10*	MFG2530/06C	€ 4,22
L	20 mm	25 mm	6 mm	10*	MFG2025/06L	€ 2,72
L	25 mm	30 mm	6 mm	10*	MFG2530/06L	€ 3,70

SUITED FOR POLISHING CUT OFF FORMS. TO BE USED WITH DIAMOND PASTE. BEST PERIPHERAL SPEED 5-10 m/s.



VDFx

VELCRO FELT DISCS

Diameter ø	Thickness	rpm max	Quantity	Art.	€
75 mm	5 mm	6000	10	VDF075	€ 4,22
115 mm	5 mm	4000	10	VDF115	€ 4,92
125 mm	5 mm	3500	10	VDF125	€ 5,60
150 mm	5 mm	3000	10	VDF150	€ 7,80
180 mm	5 mm	2500	10	VDF180	€ 10,30

SUITED FOR POLISHING. TO BE USED WITH COMPOUND OR DIAMOND PASTE.



DFC115/M14

CONICAL FELT DISC

€ 19,70

Diameter ø	115 mm
Thickness	12 mm
Thread	M14
rpm max	12500

SUITED FOR POLISHING. TO BE USED WITH COMPOUND OR DIAMOND PASTE.



**VENTILATED COTTON DISCS****DCK100****€ 4,84**

Diameter ø	100 mm
Hole	19,1 mm
Quantity	10*

MIRROR POLISHING. 10 DISCS TO GET A 100 mm WHEEL

**SISAL/COTTON DISCS****DSK100****€ 7,70**

Diameter ø	100 mm
Hole	19,1 mm
Quantity	7*

SUITED FOR INOX TO ELIMINATE ABRASIVE MERKS AND BEFORE POLISHING OPERATIONS WITH FELT OR COTTON. 7 DISCS TO GET A 100 mm WHEEL

**STITCHED COTTON DISCS****DCTx**

Diameter ø	Hole	Art.	€
150 mm	12 mm	DCT150	€ 5,30
200 mm	20 mm	DCT200	€ 8,40
250 mm	20 mm	DCT250	€ 15,30

LAYERS OF COTTON BONDED TOGETHER BY CONCENTRIC STITCHING. SUITED FOR POLISHING, TO BE USED WITH PASTES.

**SISAL & COTTON DISCS****DSCx**

Diameter ø	Hole	Art.	€
150 mm	20 mm	DSC150	€ 6,90
200 mm	20 mm	DSC200	€ 13,60
250 mm	20 mm	DSC250	€ 17,30

SUITED FOR STAINLESS STEEL TO ELIMINATE ABRASIVE MARKS AND BEFORE POLISHING OPERATIONS WITH FELT OR COTTON. TO BE USED WITH PASTES.

**SISAL STITCHED DISCS****DSTx**

Diameter ø	Hole	Art.	€
150 mm	20 mm	DST150	€ 7,20
200 mm	20 mm	DST200	€ 14,10
250 mm	20 mm	DST250	€ 20,60

SUITED FOR STAINLESS STEEL TO ELIMINATE ABRASIVE MARKS AND BEFORE POLISHING OPERATIONS WITH FELT OR COTTON. TO BE USED WITH PASTES.





DCVx

VENTILATED DISCS



Diameter ø	Hole	Layers	Art.	€
150 mm	20 mm	8	DCV150	€ 4,66
200 mm	20 mm	16	DCV200	€ 12,50

VENTILATED COTTON DISCS.



DMV150

VENTILATED DISCS

€ 5,40



Diameter ø	150 mm
Hole	20 mm
Layers	2

VENTILATED SISAL AND COTTON DISCS.



DC200

CORRUGATED DISCS

€ 23,60



Diameter ø	200 mm
Hole	20 mm
Layers	14

CARDBOARD CORE



DNW100

WHITE NON WOVEN POLISHING DISCS

€ 3,06



Diameter ø	100 mm
Hole	10 mm



FCGx

FLARE BUFFS



Diameter ø	Shank	Quantity	Art.	€
50 mm	6 mm	10	FCG50	€ 4,64
75 mm	6 mm	10	FCG75	€ 6,90



DCGx

SHAFT MOUNTED COTTON BUFFINGS



Diameter ø	Thickness	Shank	Quantity	Art.	€
50 mm	12 mm	6 mm	10	DCG050	€ 3,82
80 mm	12 mm	6 mm	10	DCG080	€ 4,82
100 mm	12 mm	6 mm	10	DCG100	€ 5,80


SUITED FOR POLISHING. TO BE USED WITH PASTES. BEST PERIPHERAL SPEED 5-10 m/s



PNS

SHAFT

€ 2,34



SHAFT FOR VENTILATED DISC DNW



CCGx

DOME MOPS



Diameter ø	Shank	Quantity	Art.	€
50 mm	6 mm	5	CCG50	€ 6,80
75 mm	6 mm	5	CCG75	€ 10,70

FOR POLISHING, FOR USE WITH ABRASIVE PASTE. OPTIMAL PERIPHERAL SPEED 5-10 M / S.



VDLX

POLISHING LAMB'S WOOL

Diameter ø	Art.	€
75 mm	VDL075	€ 6,40
115 mm	VDL115	€ 7,80
125 mm	VDL125	€ 8,80
150 mm	VDL150	€ 10,60
180 mm	VDL180	€ 13,30



MERINOS LAMB WOOL. IDEAL FOR POLISHING ALL PAINTED SURFACES WITH VELCRO BACK



VSPx

POLYURETHANE BACKING PADS

Diameter ø	Thread	rpm max	Art.	€
75 mm	M14	12200	VSP075	€ 9,70
115 mm	M14	10000	VSP115	€ 10,60
125 mm	M14	10000	VSP125	€ 11,00
150 mm	M14	7000	VSP150	€ 12,70
180 mm	M14	5000	VSP180	€ 13,30



HIGH & MIDDLE PROFILE SOFT BACKING PADS FOR CONTOUR POLISHING. PUR MOLDED, SOFT, GOOD REBOUNDING AND DURABILITY. IDEAL FOR CONTOUR FACE POLISHING, E.G. CAR BODY, FIBERGLASS PIECE, BOAT, FLOOR ETC. SUGGESTED TO WORK WITH LAMBSWOOL PADS, FOAM PADS AND ABRASIVE DISCS.



VLA200

TWISTED LAMBS WOOL DISC

€ 20,80

Diameter ø 200 mm

POLISHING OF PAINTED SURFACES AND MARBLE.



PLV175

BACKING PAD FOR LAMBS WOOL DISCS

€ 28,00

Diameter ø 175 mm

BACKING PAD SUITED FOR VLA200





D17x

ABRASIVE WHEELS

Aluminium oxide

Sizes	Grit	Quantity	Art.	€
150 mm	60	10* / 1000	D174	€ 1,50
150 mm	100	10* / 1000	D175	€ 1,50
200 mm	60	10* / 1000	D178/060	€ 1,50
200 mm	100	10* / 1000	D178/100	€ 1,50
226 mm	60	10* / 500	D176	€ 2,52
226 mm	100	10* / 1000	D177	€ 2,52




DFVx-xZ

VULCANISED FIBRE DISCS

Zirconia

Dimensions	Grit	rpm max	Quantity	Art.	€
115 x 22 mm	36	13300	25/100	DFV115/036Z	€ 0,88
115 x 22 mm	40	13300	25/100	DFV115/040Z	€ 0,78
115 x 22 mm	60	13300	25/100	DFV115/060Z	€ 1,00
115 x 22 mm	80	13300	25/100	DFV115/080Z	€ 1,90
115 x 22 mm	120	13300	25/100	DFV115/120Z	€ 0,58
180 x 22 mm	36	8600	25/100	DFV180/036Z	€ 1,98
180 x 22 mm	40	8600	25/100	DFV180/040Z	€ 1,76
180 x 22 mm	60	8600	25/100	DFV180/060Z	€ 1,90
180 x 22 mm	80	8600	25/100	DFV180/080Z	€ 1,90
180 x 22 mm	120	8600	25/100	DFV180/120Z	€ 1,30



FIBER DISCS ARE CONSTITUTED BY A VULCANISED CELLULOSE FIBER SUPPORT OF 0,8 MM. THICKNESS. VARIOUS TYPES OF ABRASIVE ARE DEPOSITED ON IT. THESE ARE FASTENED WITH A DOUBLE LAYER OF THERMOSETTING RESIN ADDED WITH ACTIVE FILLERS WHICH GIVE THE PRODUCTS COOLING AND ANTI-CLOGGING PROPERTIES. APPLIED TO A BACKING PAD AS SUPPORT, THE DISCS ARE USED ON PORTABLE SANDER.




DFVx-xA

VULCANISED FIBRE DISCS

Aluminium oxide

Dimensions	Grit	rpm max	Quantity	Art.	€
115 x 22 mm	24	13300	25/100	DFV115/024A	€ 0,62
115 x 22 mm	36	13300	25/100	DFV115/036A	€ 0,80
115 x 22 mm	60	13300	25/100	DFV115/060A	€ 0,80
115 x 22 mm	80	13300	25/100	DFV115/080A	€ 0,80
115 x 22 mm	120	13300	25/100	DFV115/120A	€ 0,80
180 x 22 mm	24	8600	25/100	DFV180/024A	€ 1,40
180 x 22 mm	36	8600	25/100	DFV180/036A	€ 1,36
180 x 22 mm	60	8600	25/100	DFV180/060A	€ 1,30
180 x 22 mm	80	8600	25/100	DFV180/080A	€ 1,30



FIBER DISCS ARE CONSTITUTED BY A VULCANISED CELLULOSE FIBER SUPPORT OF 0,8 MM. THICKNESS. VARIOUS TYPES OF ABRASIVE ARE DEPOSITED ON IT. THESE ARE FASTENED WITH A DOUBLE LAYER OF THERMOSETTING RESIN ADDED WITH ACTIVE FILLERS WHICH GIVE THE PRODUCTS COOLING AND ANTI-CLOGGING PROPERTIES. APPLIED TO A BACKING PAD AS SUPPORT, THE DISCS ARE USED ON PORTABLE SANDER.



PFBx

BACKING PADS



Diameter ø	Thread	rpm max	Art.	€
115 mm	M14	13300	PFB115	€ 5,40
180 mm	M14	8500	PFB180	€ 9,30



PFSx

BACKING PADS



Diameter ø	Thread	rpm max	Art.	€
115 mm	M14	13300	PFS115	€ 10,40
180 mm	M14	8500	PFS180	€ 18,70

STANDARD BACKING PAD FOR FIBRE DISCS, PROFESSIONAL, HARD.

BACKING PADS WITH COOLING RIPS FOR ROUGH AND COOLING GRINDING, VERY HARD.



VELCRO DISCS

Aluminium oxide

Diameter ø	Holes	Grit	Quantity	Art.	€
115 mm	-	40	100*	VDA115/040	€ 0,32
115 mm	-	60	100*	VDA115/060	€ 0,32
115 mm	-	80	100*	VDA115/080	€ 0,32
115 mm	-	100	100*	VDA115/100	€ 0,32
115 mm	-	120	100*	VDA115/120	€ 0,32
115 mm	-	180	100*	VDA115/180	€ 0,32
115 mm	-	220	100*	VDA115/220	€ 0,32
125 mm	8	40	100*	VDA125/40F8	€ 0,40
125 mm	8	60	100*	VDA125/60F8	€ 0,36
125 mm	8	80	100*	VDA125/80F8	€ 0,36
125 mm	8	100	100*	VDA125/100F8	€ 0,36
125 mm	8	120	100*	VDA125/120F8	€ 0,36
125 mm	8	180	100*	VDA125/180F8	€ 0,36
125 mm	8	220	100*	VDA125/220F8	€ 0,36
150 mm	-	40	100*	VDA150/040	€ 0,50
150 mm	-	60	100*	VDA150/060	€ 0,46
150 mm	-	80	100*	VDA150/080	€ 0,46
150 mm	-	100	100*	VDA150/100	€ 0,46
150 mm	-	120	100*	VDA150/120	€ 0,46
150 mm	-	180	100*	VDA150/180	€ 0,46
150 mm	-	220	100*	VDA150/220	€ 0,46
150 mm	6	40	100*	VDA150/040F6	€ 0,50
150 mm	6	60	100*	VDA150/060F6	€ 0,46
150 mm	6	80	100*	VDA150/080F6	€ 0,46
150 mm	6	100	100*	VDA150/100F6	€ 0,46
150 mm	6	120	100*	VDA150/120F6	€ 0,46
150 mm	6	180	100*	VDA150/180F6	€ 0,46
150 mm	6	220	100*	VDA150/220F6	€ 0,46



HIGH QUALITY F WEIGHT AL.OXIDE, FOR INDUSTRIAL APPLICATIONS.SANDING OF METAL, WOOD, LEATHER.



VELCRO DISCS

Aluminium oxide stearate

Diameter ø	Holes	Grit	Quantity	Art.	€
150 mm	-	80	100*	ZSA150/080	€ 0,58
150 mm	-	120	100*	ZSA150/120	€ 0,52
150 mm	-	180	100*	ZSA150/180	€ 0,52
150 mm	-	240	100*	ZSA150/240	€ 0,52
150 mm	-	320	100*	ZSA150/320	€ 0,52
150 mm	-	400	100*	ZSA150/400	€ 0,52
150 mm	6	80	100*	ZSA150/80F6	€ 0,58
150 mm	6	120	100*	ZSA150/120F6	€ 0,52
150 mm	6	180	100*	ZSA150/180F6	€ 0,52
150 mm	6	240	100*	ZSA150/240F6	€ 0,52
150 mm	6	320	100*	ZSA150/320F6	€ 0,52
150 mm	6	400	100*	ZSA150/400F6	€ 0,52




DOUBLE RESIN STEARATE C WEIGHT PAPER, OPEN COAT. DRY SANDING OF PRIMERS, FILLERS, PAINTS, PLASTIC.



VELCRO DISCS

Zirconia

Diameter ø	Grit	Quantity	Art.	€
115 mm	40	50*	VDZ115/040	€ 1,06
115 mm	60	50*	VDZ115/060	€ 0,98
115 mm	80	50*	VDZ115/080	€ 0,92
115 mm	120	50*	VDZ115/120	€ 0,92
125 mm	40	50*	VDZ125/040	€ 1,24
125 mm	60	50*	VDZ125/060	€ 1,12
125 mm	80	50*	VDZ125/080	€ 1,04
125 mm	120	50*	VDZ125/120	€ 1,04
150 mm	40	50*	VDZ150/040	€ 1,76
150 mm	60	50*	VDZ150/060	€ 1,66
150 mm	80	50*	VDZ150/080	€ 1,54
150 mm	120	50*	VDZ150/120	€ 1,54




ZIRCONIA CLOTH, CLOSED COATING. RAPID MATERIAL REMOVAL, VERY LONG LIFE. THE HEAVIER SUPPORT CAN RESIST TO HIGHER SPEED AND PRESSURE COMPARED TO PAPER BACKING. WET AND DRY WORKING ON STEELS, SPECIAL ALLOYS, LEATHER, HARD WOOD.



VDRx

VELCRO SANDING SCREEN

Diameter ø	Grit	Quantity	Art.	€
150 mm	80	50*	VDR150/080	€ 0,86
150 mm	120	50*	VDR150/120	€ 0,86
150 mm	180	50*	VDR150/180	€ 0,86
150 mm	240	50*	VDR150/240	€ 0,86
150 mm	320	50*	VDR150/320	€ 0,86
150 mm	400	50*	VDR150/400	€ 0,86
150 mm	600	50*	VDR150/600	€ 0,86



ABRASIVES MESH IS COATED ON SCREEN, WHILE CONVENTIONAL ABRASIVES ARE COATED ON PAPERS, THIS GIVES THE FOLLOWING ADVANTAGES:
 1. UP TO 90% DUST EXTRACTION, IT'S AN ENVIRONMENTALLY FRIENDLY PRODUCT. 2. NON CLOGGING. 3. HEAT RESISTANT, CAN BE USED ON HIGH-SPEED GRINDING MACHINES. 4. CAN BE USED DRY OR WET. 5. LONGER LIFE COMPARED TO TRADITIONAL SANDPAPER.



VDTx

VELCRO TRIZACT™ DISCS

Diameter ø	Grit	rpm max	Quantity	Art.	€
115 mm	A100 (220)	5000	10*/50	VDT115/A100	€ 4,36
115 mm	A65 (280)	5000	10*/50	VDT115/A065	€ 4,36
115 mm	A45 (400)	5000	10*/50	VDT115/A045	€ 4,36
115 mm	A30 (600)	5000	10*/50	VDT115/A030	€ 4,36
115 mm	A16 (1200)	5000	10*/50	VDT115/A016	€ 4,36
115 mm	A6 (2000)	5000	10*/50	VDT115/A006	€ 4,36



ALUMINIUM OXIDE GRAINS WITH THE ADDITION OF REFRIGERANT FILLERS BOND TO EACH OTHER IN A PYRAMID SELF SHARPENING SHAPE, WITH A CONSISTENT HEIGHT THAT REMAINS CONSTANT DURING USAGE. THIS MAKES IT POSSIBLE TO REACH UNIFORM AND CONSISTENT FINISH IN A FEW STEPS, THE PERFECT PRODUCT FOR FINISHING. SUITED FOR ALL SORTS OF METAL SURFACES.



PDBx

BACKING PADS WITHOUT FOAM



Diameter ø	Thread	rpm max	Art.	€
115 mm	M14	13300	PDB115/M14	€ 9,70
125 mm	M14	12200	PDB125/M14	€ 11,20
150 mm	M14	10000	PDB150/M14	€ 15,00



PDMx

BACKING PADS WITH FOAM



Diameter ø	Thickness	Thread	rpm max	Art.	€
115 mm	12 mm	M14	13300	PDM115/12M14	€ 17,40
125 mm	12 mm	M14	12200	PDM125/12M14	€ 19,80
150 mm	12 mm	M14	10000	PDM150/12M14	€ 22,50



SPA115/M14

BACKING PAD

€ 21,30



Diameter ø	115 mm
Thread	M14
rpm max	12200

BACKING PADS FOR SURFACE CONDITIONING DISCS.



PMEx

BACKING PADS WITH FOAM



Diameter ø	Thickness	rpm max	Art.	€
125 mm	18 mm	6800	PME125/18M14	€ 5,40
150 mm	12 mm	10000	PME150/12M14	€ 7,70



PFLx

BACKING PADS FOR ORBITAL SANDERS



Diameter ø	Thickness	Shank	Holes	rpm max	Art.	€
125 mm	10 mm	5/16" mm	8	12000	PFL125/10F8	€ 15,60
150 mm	10 mm	5/16" mm	-	10000	PFL150/10	€ 18,10
150 mm	10 mm	5/16" mm	6	10000	PFL150/10F6	€ 19,50



PPSx

POLYURETHANE BACKING PADS



Diameter ø	Thickness	Thread	rpm max	Art.	€
125 mm	27 mm	M14	8000	PPS125/27M14	€ 21,30
150 mm	29 mm	M14	7000	PPS150/29M14	€ 22,90



RASx

ANTI WASTE ROLLS



Aluminium oxide

Dimensions	Grit	Art.	€
50 mm x 25 m	40	RAS40	€ 28,50
50 mm x 25 m	60	RAS60	€ 25,70
50 mm x 25 m	80	RAS80	€ 24,30
50 mm x 25 m	120	RAS120	€ 21,30
50 x 25 mm	180	RAS180	€ 21,30
50 x 25 mm	220	RAS220	€ 21,30
50 x 25 mm	320	RAS320	€ 21,30
50 mm x 25 m	400	RAS400	€ 21,30



EXTRA FLEXIBLE WITH DOUBLE RESIN FOR MANUAL WORKS OF TO USE WITH ORBITAL SANDERS.



FTRx

FLEXIBLE CLOTH



Aluminium oxide

Dimensions	Grit	Quantity	Art.	€
230 x 280 mm	40	50*	FTR230/040	€ 1,44
230 x 280 mm	60	50*	FTR230/060	€ 1,28
230 x 280 mm	80	50*	FTR230/080	€ 1,18
230 x 280 mm	120	50*	FTR230/120	€ 1,04
230 x 280 mm	180	50*	FTR230/180	€ 1,04
230 x 280 mm	220	50*	FTR230/220	€ 1,04
230 x 280 mm	320	50*	FTR230/320	€ 1,04
230 x 280 mm	400	50*	FTR230/400	€ 1,04



HIGHLY FLEXIBLE AL. OXIDE SHEETS ON A COTTON BACKING, PACKED IN BOXES. FOR HAND WORKING AND PORTABLE SANDERS.



RTFx

RESIN CLOTH ROLLS



Aluminium oxide

Dimensions	Grit	Art.	€
115 mm x 50 m	40	RTF120/050/040	€ 62,60
115 mm x 50 m	60	RTF120/050/060	€ 62,60
115 mm x 50 m	80	RTF120/050/080	€ 62,60
115 mm x 50 m	100	RTF120/050/100	€ 62,60
115 mm x 50 m	120	RTF120/050/120	€ 62,60



HIGHLY FLEXIBLE AL. OXIDE RESIN BONDED CLOTH FOR HANDWORKING AND PORTABLE SANDERS. SUITABLE FOR POLISHING AND SANDING FLAT AND CONTOURED METAL AND WOOD PARTS.



RCLx

LATEX WATERPROOF ROLLS



Aluminium oxide

Dimensions	Grit	Art.	€
115 mm x 100 m	80	RCL115/100/080	€ 124,00
115 mm x 100 m	100	RCL115/100/100	€ 124,00
115 mm x 100 m	120	RCL115/100/120	€ 124,00
115 mm x 100 m	150	RCL115/100/150	€ 124,00
115 mm x 100 m	180	RCL115/100/180	€ 124,00



FOR WET AND DRY SANDING, USUALLY USED IN POLISHING AND SANDING METAL MOULDS, CARBON FIBER WORKPIECES, FIBER GLASS, COMPOSITE MATERIALS, AND PRECISION INSTRUMENTS.



RCSx

STEARATE ROLLS



Aluminium oxide stearate

Dimensions	Grit	Art.	€
115 mm x 50 m	150	RCS115/050/150	€ 68,00
115 mm x 50 m	180	RCS115/050/180	€ 68,00
115 mm x 50 m	240	RCS115/050/240	€ 68,00
115 mm x 50 m	320	RCS115/050/320	€ 68,00
115 mm x 50 m	400	RCS115/050/400	€ 68,00
115 mm x 50 m	600	RCS115/050/600	€ 68,00




STEARATE ROLLS, PREVENT CLOGGING AND STATIC, FLEXIBLE AND HIGH WEAR RESISTANT, IDEAL FOR PAINT SANDING.




FLIx
LATEX WATERPROOF SHEETS
Silicon carbide

Dimensions	Grit	Quantity	Art.	€
230 x 280 mm	240	100*	FLI230/240	€ 0,64
230 x 280 mm	320	100*	FLI230/320	€ 0,64
230 x 280 mm	400	100*	FLI230/400	€ 0,64
230 x 280 mm	600	100*	FLI230/600	€ 0,64
230 x 280 mm	800	100*	FLI230/800	€ 0,64
230 x 280 mm	1000	100*	FLI230/1000	€ 0,64
230 x 280 mm	1200	100*	FLI230/1200	€ 0,64

WET AND DRY SANDING, USUALLY USED IN POLISHING AND SANDING PAINTS, PRECISION INSTRUMENT, METAL, COMPOSITE MATERIALS, AUTOMOBILE PRODUCTION AND REPAIR, ELECTRON.


SPIxZ
REINFORCED ABRASIVE SPIRABANDS
Zirconia

Dimensions	Grit	rpm max	Quantity	Art.	€
10 x 20 mm	40	36000	100	SPI1020/040Z	€ 0,34
10 x 20 mm	60	36000	100	SPI1020/060Z	€ 0,32
10 x 20 mm	80	36000	100	SPI1020/080Z	€ 0,32
10 x 20 mm	120	36000	100	SPI1020/120Z	€ 0,32
15 x 30 mm	40	26000	100	SPI1530/040Z	€ 0,46
15 x 30 mm	60	26000	100	SPI1530/060Z	€ 0,44
15 x 30 mm	80	26000	100	SPI1530/080Z	€ 0,44
15 x 30 mm	120	26000	100	SPI1530/120Z	€ 0,44
20 x 30 mm	40	18000	100	SPI2030/040Z	€ 0,54
20 x 30 mm	60	18000	100	SPI2030/060Z	€ 0,52
20 x 30 mm	80	18000	100	SPI2030/080Z	€ 0,52
20 x 30 mm	120	18000	100	SPI2030/120Z	€ 0,52
22 x 20 mm	40	17000	100	SPI2220/040Z	€ 0,44
22 x 20 mm	60	17000	100	SPI2220/060Z	€ 0,44
22 x 20 mm	80	17000	100	SPI2220/080Z	€ 0,44
22 x 20 mm	120	17000	100	SPI2220/120Z	€ 0,44
25 x 25 mm	40	15000	100	SPI2525/040Z	€ 0,58
25 x 25 mm	60	15000	100	SPI2525/060Z	€ 0,54
25 x 25 mm	80	15000	100	SPI2525/080Z	€ 0,54
25 x 25 mm	120	15000	100	SPI2525/120Z	€ 0,54
30 x 30 mm	40	13000	100	SPI3030/040Z	€ 0,64
30 x 30 mm	60	13000	100	SPI3030/060Z	€ 0,62
30 x 30 mm	80	13000	100	SPI3030/080Z	€ 0,62
30 x 30 mm	120	13000	100	SPI3030/120Z	€ 0,62
45 x 30 mm	40	8500	100	SPI4530/040Z	€ 0,86
45 x 30 mm	60	8500	100	SPI4530/060Z	€ 0,78
45 x 30 mm	80	8500	100	SPI4530/080Z	€ 0,78
45 x 30 mm	120	8500	100	SPI4530/120Z	€ 0,78


SGCx
RUBBER HOLDERS

Dimensions	Shank	rpm max	Art.	€
10 x 20 mm	6 mm	36000	SGC1020	€ 7,00
15 x 30 mm	6 mm	26000	SGC1530	€ 6,40
20 x 30 mm	6 mm	18000	SGC2030	€ 8,90
22 x 20 mm	6 mm	17000	SGC2220	€ 6,60
25 x 25 mm	6 mm	15000	SGC2525	€ 8,90
30 x 30 mm	6 mm	13300	SGC3030	€ 9,10
45 x 30 mm	6 mm	8500	SGC4530	€ 11,00

EXPANSION RUBBER HOLDERS, USED TO FIX SPIRABANDS.





ABRASIVE BELTS



Aluminium oxide

Dimensions	Grit	Quantity	Art.	€
440 x 35 mm	40	10*	NT0440/035/040A	€ 2,00
440 x 35 mm	60	10*	NT0440/035/060A	€ 2,00
440 x 35 mm	80	10*	NT0440/035/080A	€ 2,00
440 x 35 mm	120	10*	NT0440/035/120A	€ 2,00
533 x 75 mm	40	10*	NT0533/075/040A	€ 3,80
533 x 75 mm	60	10*	NT0533/075/060A	€ 3,80
533 x 75 mm	80	10*	NT0533/075/080A	€ 3,80
533 x 75 mm	120	10*	NT0533/075/120A	€ 3,80
686 x 50 mm	40	10*	NT0686/050/040A	€ 5,60
686 x 50 mm	60	10*	NT0686/050/060A	€ 5,60
686 x 50 mm	80	10*	NT0686/050/080A	€ 5,60
686 x 50 mm	100	10*	NT0686/050/100A	€ 5,60
686 x 50 mm	120	10*	NT0686/050/120A	€ 5,60
914 x 100 mm	40	10*	NT0914/100/040A	€ 7,80
914 x 100 mm	60	10*	NT0914/100/060A	€ 7,80
914 x 100 mm	80	10*	NT0914/100/080A	€ 7,80
914 x 100 mm	100	10*	NT0914/100/100A	€ 7,80
914 x 100 mm	120	10*	NT0914/100/120A	€ 7,80
1000 x 100 mm	40	10*	NT1000/100/040A	€ 8,10
1000 x 100 mm	60	10*	NT1000/100/060A	€ 8,10
1000 x 100 mm	80	10*	NT1000/100/080A	€ 8,10
1000 x 100 mm	120	10*	NT1000/100/120A	€ 8,10
1075 x 25 mm	40	10*	NT1075/025/040A	€ 4,90
1075 x 25 mm	60	10*	NT1075/025/060A	€ 4,90
1075 x 25 mm	80	10*	NT1075/025/080A	€ 4,90
1075 x 25 mm	100	10*	NT1075/025/100A	€ 4,90
1075 x 25 mm	120	10*	NT1075/025/120A	€ 4,90
1219 x 152 mm	40	10*	NT1219/152/040A	€ 8,90
1219 x 152 mm	60	10*	NT1219/152/060A	€ 8,90
1219 x 152 mm	80	10*	NT1219/152/080A	€ 8,90
1219 x 152 mm	100	10*	NT1219/152/100A	€ 8,90
1219 x 152 mm	120	10*	NT1219/152/120A	€ 8,90
1500 x 120 mm	40	10*	NT1500/120/040A	€ 7,50
1500 x 120 mm	60	10*	NT1500/120/060A	€ 7,50
1500 x 120 mm	80	10*	NT1500/120/080A	€ 7,50
1500 x 120 mm	120	10*	NT1500/120/120A	€ 7,50
1750 x 150 mm	40	10*	NT1750/150/040A	€ 11,00
1750 x 150 mm	60	10*	NT1750/150/060A	€ 11,00
1750 x 150 mm	80	10*	NT1750/150/080A	€ 11,00
1750 x 150 mm	120	10*	NT1750/150/120A	€ 11,00





ABRASIVE BELTS



Zirconia

Dimensions	Grit	Quantity	Art.	€
330 x 10 mm	40	10*	NT0330/010/040Z	€ 0,80
330 x 10 mm	60	10*	NT0330/010/060Z	€ 0,70
330 x 10 mm	80	10*	NT0330/010/080Z	€ 0,70
330 x 10 mm	120	10*	NT0330/010/120Z	€ 0,70
760 x 40 mm	40	10*	NT0760/040/040Z	€ 2,20
760 x 40 mm	60	10*	NT0760/040/060Z	€ 1,90
760 x 40 mm	80	10*	NT0760/040/080Z	€ 1,90
760 x 40 mm	120	10*	NT0760/040/120Z	€ 1,90
914 x 100 mm	40	10*	NT0914/100/040Z	€ 5,30
914 x 100 mm	60	10*	NT0914/100/060Z	€ 5,10
914 x 100 mm	80	10*	NT0914/100/080Z	€ 5,10
914 x 100 mm	120	10*	NT0914/100/120Z	€ 5,10
1000 x 100 mm	40	10*	NT1000/100/040Z	€ 5,20
1000 x 100 mm	60	10*	NT1000/100/060Z	€ 4,40
1000 x 100 mm	80	10*	NT1000/100/080Z	€ 4,40
1000 x 100 mm	120	10*	NT1000/100/120Z	€ 4,30
1219 x 152 mm	40	10*	NT1219/152/040Z	€ 11,00
1219 x 152 mm	60	10*	NT1219/152/060Z	€ 9,00
1219 x 152 mm	80	10*	NT1219/152/080Z	€ 9,00
1219 x 152 mm	120	10*	NT1219/152/120Z	€ 9,00
1500 x 120 mm	40	10*	NT1500/120/040Z	€ 8,80
1500 x 120 mm	60	10*	NT1500/120/060Z	€ 7,40
1500 x 120 mm	80	10*	NT1500/120/080Z	€ 7,40
1500 x 120 mm	120	10*	NT1500/120/120Z	€ 7,40
1750 x 150 mm	40	10*	NT1750/150/040Z	€ 9,00
1750 x 150 mm	60	10*	NT1750/150/060Z	€ 8,20
1750 x 150 mm	80	10*	NT1750/150/080Z	€ 8,20
1750 x 150 mm	120	10*	NT1750/150/120Z	€ 8,20
2000 x 50 mm	40	10*	NT2000/050/040Z	€ 5,00
2000 x 50 mm	60	10*	NT2000/050/060Z	€ 4,00
2000 x 50 mm	80	10*	NT2000/050/080Z	€ 4,00
2000 x 50 mm	120	10*	NT2000/050/120Z	€ 4,00
2000 x 150 mm	40	10*	NT2000/150/040Z	€ 16,00
2000 x 150 mm	60	10*	NT2000/150/060Z	€ 14,00
2000 x 150 mm	80	10*	NT2000/150/080Z	€ 14,00
2000 x 150 mm	120	10*	NT2000/150/120Z	€ 14,00

