




**BENCH VICES, CLAMPS
AND ANVILS**

pag.448 —  — Bench vices

pag.451 —  — Vices

pag.452 —  — Anvils


PNEUMATIC

pag.453 —  — Staplers
and brad nailers

pag.455 —  — Air impact wrenches

pag.459 —  — Air die grinders

pag.461 —  — Air belt sander

pag.463 —  — Air guns

pag.465 —  — Spray guns

pag.468 —  — Air hose reel


**SOLDERINGS, HOT AIR GUNS
AND GLUE GUNS**

pag.470 —  — Solderings

pag.471 —  — Hot air guns

pag.473 —  — Glue guns


**EQUIPMENT FOR
LIQUIDS AND FLUIDS**

pag.474 —  — Oilers

pag.475 —  — Greaser guns

pag.476 —  — Spray

pag.479 —  — Tanks

pag.479 —  — Pumps

pag.480 —  — Pressure sprayers


**HEATERS, LIGHTING
AND LENSES**

pag.482 —  — Heaters

pag.483 —  — LED Lights

pag.485 —  — Lamps

pag.486 —  — Magnifier lens

pag.487 —  — Battery operated
torches and lamps

pag.492 —  — Powers sockets

pag.494 —  — Generators


**SAFETY AND
PROTECTION**

pag.498 —  — Gloves

pag.502 —  — Eyewear

pag.502 —  — First aid

pag.505 —  — Noise-protection
headphones

pag.506 —  — Masks

pag.507 —  — Shoes and boots


**CONSTRUCTION AND
PACKAGING**

pag.495 —  — Guns for chemicals

pag.496 —  — Trowels
and putty knives

pag.497 —  — Packaging material



0036-

STEEL VICE



Art.	€	Jaw	Opening	Working height	Slot distance	Weight
0036/100	€ 107,63	100 mm	90 mm	60 mm	85 mm	4,9 kg
0036/125	€ 159,04	125 mm	138 mm	75 mm	110 mm	10 kg
0036/150	€ 268,80	150 mm	190 mm	90 mm	150 mm	19 kg

0036-xG

TABLE VICE WITH SWIVEL BASE



Art.	€	Jaw	Opening	Weight
0036/100G	€ 126,56	100 mm	90 mm	5 kg
0036/125G	€ 173,60	125 mm	138 mm	11 kg
0036/150G	€ 297,92	150 mm	190 mm	23 kg

0135-

FORGED STEEL VICE

WITH SLIDE ADJUSTMENT



Art.	€	Jaws	Opening	Working height	Slot distance	Weight
0135/100	€ 115,36	100 mm	125 mm	60 mm	98 mm	5,8 kg
0135/125	€ 163,52	125 mm	160 mm	70 mm	111 mm	9,8 kg
0135/150	€ 259,84	150 mm	190 mm	85 mm	136 mm	17,8 kg

0140-

STEEL VICE

HEAVY DUTY WITH PIPE JAWS AND SLIDE ADJUSTMENT



Art.	€	Jaws	Opening	Working height	Slot distance	Weight
0140/080	€ 43,23	80 mm	80 mm	60 mm	81 mm	4 kg
0140/100	€ 50,51	100 mm	100 mm	65 mm	81 mm	6,1 kg
0140/125	€ 74,48	125 mm	125 mm	90 mm	103 mm	10,9 kg
0140/150	€ 93,74	150 mm	150 mm	95 mm	123 mm	14,9 kg

0591-

STEEL VICE

WITH BEARING ON SCREW, INTERCHANGEABLE JAWS AND PIPEJAWS



Art.	€	Jaw	Opening	Weight
0591/100	€ 142,24	100 mm	105 mm	6,1 kg
0591/125	€ 200,48	125 mm	138 mm	12,3 kg
0591/150	€ 302,40	150 mm	230 mm	26,6 kg

0145-

STEEL VICE WITH PIPE JAW



Art.	€	Jaws	Opening	Working height	Slot distance	Weight
0145/80	€ 36,51	80 x 20 mm	80 mm	58 mm	76 mm	3,8 kg
0145/100	€ 40,54	100 x 20 mm	100 mm	70 mm	85 mm	5,5 kg
0145/125	€ 53,98	125 x 20 mm	125 mm	75 mm	90 mm	7,4 kg
0145/150	€ 87,81	150 x 27 mm	150 mm	95 mm	105 mm	12 kg

0174-

SG IRON BENCH VICE

WITH INTERCHANGEABLE JAWS

Art.	€	Jaws	Opening	Working height	Slot distance	Weight
0174/100	€ 57,68	100 x 20 mm	100 mm	50 mm	85 mm	4,8 kg
0174/125	€ 71,90	125 x 22 mm	130 mm	60 mm	95 mm	7,7 kg
0174/150	€ 89,94	150 x 22 mm	150 mm	75 mm	105 mm	10 kg



0427-

SG IRON PARALLEL BENCH VICE

WITH PRISMATIC GUIDES

Art.	€	Jaws	Opening	Weight
0427/080	€ 67,31	80 mm	80 mm	6,5 kg
0427/100	€ 86,80	100 mm	100 mm	10,1 kg
0427/125	€ 115,36	125 mm	125 mm	12,2 kg



0146/60

€ 23,74

STEEL VICE WITH SWIVEL BASE

Jaw	60 mm
Opening	50 mm
Clamp capacity	45 mm
Weight	2,3 kg



0042-

CAT 42

ALUMINUM MAGNETIC JAW COUPLE



Art.	€	Jaw
0042/100	€ 11,98	100 mm
0042/125	€ 18,48	125 mm
0042/150	€ 18,93	150 mm

0520-xG

CAT 42

ALUMINIUM MAGNETIC JAW PAIR WITH RUBBER FACE



Aluminium 2 Pcs Double blister

Art.	€	Length	Height	Thickness
0520/100G	€ 13,33	100 mm	28,7 mm	10,0 mm
0520/125G	€ 15,12	125 mm	28,7 mm	10,0 mm
0520/150G	€ 16,80	150 mm	28,7 mm	10,0 mm

0520-xA

CAT 42

ALUMINIUM MAGNETIC JAW PAIR



Aluminium 2 Pcs Double blister

Art.	€	Length	Height	Thickness
0520/100A	€ 13,33	100 mm	28,3 mm	8,9 mm
0520/125A	€ 15,12	125 mm	28,3 mm	8,9 mm
0520/150A	€ 16,80	150 mm	28,3 mm	8,9 mm

0520-xP
CAT 42
PRISMATIC ALUMINIUM MAGNETIC JAW PAIR


Aluminium 2 Pcs Double blister

Art.	€	Length	Height	Thickness
0520/100P	€ 13,33	100 mm	28,5 mm	9,8 mm
0520/125P	€ 15,12	125 mm	28,5 mm	9,8 mm
0520/150P	€ 16,80	150 mm	28,5 mm	9,8 mm

0520-xF
CAT 42
ALUMINIUM MAGNETIC JAW PAIR WITH FIBER FACE


Aluminium 2 Pcs Double blister

Art.	€	Length	Height	Thickness
0520/100F	€ 13,33	100 mm	28,7 mm	10,3 mm
0520/125F	€ 15,12	125 mm	28,7 mm	10,3 mm
0520/150F	€ 16,80	150 mm	28,7 mm	10,3 mm

0520-xS
CAT 42
SERIES OF ALUMINUM MAGNETIC JAW PAIRS

INCLUDES THE ITEMS 0520/100A, 0520/100F, 0520/100G, 0520/100P



Aluminium 2 Pairs Double blister

Art.	€	Length
0520/100S	€ 39,87	100 mm
0520/125S	€ 45,25	125 mm
0520/150S	€ 50,51	150 mm

0205
€ 29,57
SPECIAL VICE FOR 90° WELDING


Capacity	70 mm + 70 mm
Working height	35 mm
Weight	0,9 kg

0205/120
€ 101,92
SPECIAL VICE FOR 90° WELDING


Capacity	110 mm + 110 mm
Working height	60 mm
Weight	10 kg

0250
€ 41,33
4-WAY CLAMPING SYSTEM

PROVIDED IN ASSEMBLY KIT, FOR DOORS OR WOODEN TABLES (WOOD STRIPS NOT INCLUDED)



Max thickness	150 mm
Weight	1,9 kg

M006-
GENERAL USE STEEL CLAMP WITH T-SPINDLE

Art.	€	Span x Depth	Rail	Weight
M006/200	€ 25,65	200 x 120 mm	22 x 10,5 mm	1,20 kg
M006/300	€ 35,95	300 x 140 mm	25 x 12 mm	1,80 kg
M006/400	€ 36,40	420 x 120 mm	25 x 12 mm	1,90 kg
M006/500	€ 40,43	500 x 120 mm	25 x 12 mm	2,10 kg
M006/600	€ 58,13	600 x 120 mm	25 x 12 mm	2,30 kg
M006/800	€ 69,78	800 x 120 mm	25 x 12 mm	3,00 kg
M006/1000	€ 82,88	1000 x 120 mm	25 x 12 mm	3,50 kg



M007-

GENERAL USE STEEL CLAMP RATCHET


Art.	€	Span x Depth	Rail	Weight
M007/250	€ 50,29	250 x 120 mm	22 x 10,5 mm	1,46 kg
M007/300	€ 58,13	300 x 140 mm	25 x 12 mm	2,42 kg
M007/400	€ 63,39	400 x 120 mm	25 x 12 mm	2,55 kg
M007/500	€ 68,32	500 x 120 mm	25 x 12 mm	2,76 kg
M007/600	€ 76,05	600 x 120 mm	25 x 12 mm	2,97 kg



M018-

GENERAL USE STEEL CLAMP WITH T-SPINDLE

Art.	€	Span x Depth	Rail	Weight
M018/0200	€ 19,26	200 x 100 mm	19 x 9,5 mm	0,90 kg
M018/0300	€ 23,07	300 x 100 mm	19 x 9,5 mm	1,00 kg
M018/0400	€ 26,32	400 x 120 mm	21,5 x 10,5 mm	1,40 kg
M018/0500	€ 28,90	500 x 120 mm	21,5 x 10,5 mm	1,60 kg
M018/0600	€ 28,90	600 x 120 mm	21,5 x 10,5 mm	1,70 kg
M018/0800	€ 33,60	800 x 120 mm	21,5 x 10,5 mm	2,00 kg
M018/1000	€ 38,42	1000 x 120 mm	21,5 x 10,5 mm	2,20 kg
M018/1200	€ 43,23	1200 x 120 mm	21,5 x 10,5 mm	2,50 kg



0167-

WOOD HANDLE CLAMP



Art.	€	Span x Depth
0167/150	€ 3,23	150 x 50 mm
0167/200	€ 6,05	200 x 80 mm
0167/250	€ 6,72	250 x 100 mm
0167/400	€ 9,18	400 x 100 mm
0167/500	€ 11,54	500 x 120 mm

0353/085

€ 6,61

POLYPROPYLENE SPRING CLAMPS SET

LENGTH 85 mm, USEFUL IN THE LABORATORY TO FACILITATE THE GLUINGS AND SIMILAR WORKS



12 Pcs Hanging package

Lunghezza	85 mm
Apertura	35 mm

0394-

QUICK ADJUSTABLE CLAMP



Art.	€	Span x Depth	Rail	Maximum torque	Weight
0394/150	€ 7,17	150 x 63 mm	18 x 5,5 mm	60 kg	0,50 kg
0394/300	€ 9,63	300 x 63 mm	18 x 5,5 mm	60 kg	0,60 kg
0394/450	€ 11,09	450 x 63 mm	18 x 5,5 mm	60 kg	0,70 kg
0394/600	€ 13,44	600 x 63 mm	18 x 5,5 mm	60 kg	0,80 kg

0353/110

€ 7,06

POLYPROPYLENE SPRING CLAMPS SET

110 mm LONGS, USEFUL IN THE LABORATORY TO FACILITATE THE GLUINGS AND SIMILAR WORKS



8 Pcs Hanging package

Lunghezza	110 mm
Apertura	40 mm

035x

SPRING CLAMP

PACKED IN HANGING POLYBAG



 Hanging package

Art.	€	Length	Opening
0353/150	€ 3,10	150 mm	55 mm
0354/225	€ 4,26	225 mm	100 mm


0265/05

CAST IRON ANVIL

€ 33,04




A	230 mm
B	160 mm
E	57 mm
F	10,5 mm
W	112 mm
WI	85 mm
HI	95 mm
Tolerance	±5%
Weight	5 kg



0157-

C50 HARDENED STEEL ANVIL



Art.	€	A	B	E	F	W	WI	HI	Tolerance	Weight
0157/10	€ 105,73	270 mm	185 mm	80 mm	30 mm	195 mm	85 mm	150 mm	±5%	10 kg
0157/30	€ 254,24	415 mm	265 mm	110 mm	50 mm	245 mm	160 mm	185 mm	±5%	30 kg
0157/50	€ 369,60	500 mm	310 mm	140 mm	60 mm	300 mm	190 mm	220 mm	±5%	50 kg
0157/100	€ 772,80	635 mm	420 mm	200 mm	85 mm	350 mm	250 mm	260 mm	±5%	100 kg



0149

€ 28,34

HEAVY DUTY STAPLE GUN TACKER

WITH 500 STAPLES AND 500 NAILS



Blister

C586

€ 124,32

AIR BRAD NAILER

Blow mold case

Loader capacity	120
Working pressure	5 - 7 bar
Overall sizes	260 x 240 x 65 mm
Nails	F - 10 / 50 mm
Weight	1,30 kg

F588/6

€ 119,84

AIR BRADDER FOR MINI PINS

Blow mold case

Loader capacity	195
Working pressure	5 - 7 bar
Overall sizes	235 x 198 x 46 mm
Staples	0,60 - 12 / 25 mm
Weight	1,00 kg

F585

€ 128,80

2 IN 1 AIR STAPLER AND BRAD NAILER

Blow mold case

Loader capacity	100
Working pressure	5 - 7 bar
Overall sizes	255 x 230 x 67 mm
Nails	F - 10 / 50 mm
Staples	90 - 10 / 40 mm
Weight	1,40 kg

0587

€ 87,81

AIR STAPLER

Blow mold case

Loader capacity	100
Working pressure	5 - 7 bar
Overall sizes	225 x 165 x 45 mm
Staples	80 - 6 / 16 mm
Weight	0,86 kg

0585

€ 106,40

2 IN 1 AIR STAPLER AND BRAD NAILER

Blow mold case

Loader capacity	80
Working pressure	5 - 7 bar
Overall sizes	245 x 230 x 55 mm
Nails	F - 10 / 50 mm
Staples	90 - 10 / 40 mm
Weight	1,38 kg



0586

€ 97,55

AIR BRAD NAILER



Blow mold case

Loader capacity	110
Working pressure	5 - 7 bar
Overall sizes	245 x 225 x 55 mm
Nails	F - 10 / 50 mm
Weight	1,48 kg

0588/6

€ 82,88

AIR BRADDER FOR MINI PINS



Blow mold case

Loader capacity	130
Working pressure	5 - 7 bar
Overall sizes	225 x 170 x 45 mm
Staples	0,60 - 12 / 25 mm
Weight	1,05 kg

C589

€ 70,90

AIR PALM NAILER



Box

Working pressure	5 - 7 bar
Overall sizes	111 x 115 x 70 mm
Nails	ø 2.5 ÷ 4.1 - head ø 6.3 ÷ 8.7 - length 38 ÷ 90 mm
Weight	0,46 kg

COMPATIBILITY CHART



AP01

CAT 42 € 220,64

AIR IMPACT WRENCH

PROFESSIONAL SERIES. IN COMPOSITE MATERIAL, HANDLE AND HEAD IN SHOCKPROOF RUBBER. OPERATING LEVER, CHANGE OF ROTATION AND SPEED ADJUSTMENT OPERATED WITH ONE HAND. HIGH POWER AND GREAT RELIABILITY



3/8" Box

Speeds	8500 rpm
Torque	542 Nm 400 lb-ft
Avg air cons.	108 l/min 3.8 SCFM
Working pressure	6 bar 90 psi
Weight	1.16 kg 255.7 lb kg

AP02

CAT 42 € 228,48

AIR IMPACT WRENCH

PROFESSIONAL SERIES. IN COMPOSITE MATERIAL, HANDLE AND HEAD IN SHOCKPROOF RUBBER. OPERATING LEVER, CHANGE OF ROTATION AND SPEED ADJUSTMENT OPERATED WITH ONE HAND. HIGH POWER AND GREAT RELIABILITY



1/2" Box

Speeds	7800 rpm
Torque	678 Nm 500 lb-ft
Avg air cons.	136 l/min 4.8 SCFM
Working pressure	6 bar 90 psi
Weight	1.16 kg 255.7 lb kg

AP03

CAT 42 € 236,32

AIR IMPACT WRENCH

PROFESSIONAL SERIES. IN COMPOSITE MATERIAL, HANDLE AND HEAD IN SHOCKPROOF RUBBER. OPERATING LEVER, CHANGE OF ROTATION AND SPEED ADJUSTMENT OPERATED WITH ONE HAND. HIGH POWER AND GREAT RELIABILITY



1/2" Box

Speeds	7300 rpm
Torque	1085 Nm 800 lb-ft
Avg air cons.	153 l/min 5.4 SCFM
Working pressure	6 bar 90 psi
Weight	2.0 kg 4.4 lb kg

AP04

CAT 42 € 245,28

AIR IMPACT WRENCH

PROFESSIONAL SERIES. IN COMPOSITE MATERIAL, HANDLE AND HEAD IN SHOCKPROOF RUBBER. OPERATING LEVER, CHANGE OF ROTATION AND SPEED ADJUSTMENT OPERATED WITH ONE HAND. HIGH POWER AND GREAT RELIABILITY



3/4" Box

Speeds	7300 rpm
Torque	1085 Nm 800 lb-ft
Avg air cons.	153 l/min 5.4 SCFM
Working pressure	6 bar 90 psi
Weight	2.1 kg 4.60 lb kg



AP05

CAT 42 € 571,20

AIR IMPACT WRENCH

PROFESSIONAL SERIES. IN COMPOSITE MATERIAL, HANDLE AND HEAD IN SHOCKPROOF RUBBER. OPERATING LEVER, CHANGE OF ROTATION AND SPEED ADJUSTMENT OPERATED WITH ONE HAND. HIGH POWER AND GREAT RELIABILITY



3/4" Box

Speeds	5300 rpm
Torque	1900 Nm 1400 lb-ft
Avg air cons.	224 l/min 8.1 SCFM
Working pressure	6 bar 90 psi
Weight	3.3 kg 7.7 lb kg

AP06

CAT 42 € 220,64

AIR IMPACT WRENCH

PROFESSIONAL SERIES. IN COMPOSITE MATERIAL, HANDLE AND HEAD IN SHOCKPROOF RUBBER. OPERATING LEVER, CHANGE OF ROTATION AND SPEED ADJUSTMENT OPERATED WITH ONE HAND. HIGH POWER AND GREAT RELIABILITY



1/2" Box

Speeds	9000 rpm
Torque	312 Nm 230 lb-ft
Avg air cons.	113 l/min 4 SCFM
Working pressure	6 bar 90 psi
Weight	1.09 kg 2.4 lb kg

AP05/150

CAT 42 € 686,56

AIR IMPACT WRENCH

PROFESSIONAL SERIES. IN COMPOSITE MATERIAL, HANDLE AND HEAD IN SHOCKPROOF RUBBER. OPERATING LEVER, CHANGE OF ROTATION AND SPEED ADJUSTMENT OPERATED WITH ONE HAND. HIGH POWER AND GREAT RELIABILITY, WITH 150MM ANVIL



3/4" Box

Speeds	5300 rpm
Torque	1900 Nm 1400 lb-ft
Avg air cons.	224 l/min 8.1 SCFM
Working pressure	6 bar 90 psi
Weight	3.3 kg 7.7 lb kg

0573

€ 109,98

AIR IMPACT WRENCH



3/8" Box

Speeds	10000 rpm
Torque	244 Nm
Avg air cons.	4 SCFM (120 l/min)
Working pressure	6 bar / 90 psi
Weight	1,5 kg

0571

€ 150,08

AIR IMPACT WRENCH



Speeds	7000 rpm
Torque	610 Nm
Avg air cons.	5 SCFM (150 l/min)
Working pressure	6 bar / 90 psi
Weight	2,6 kg

0576

€ 157,92

AIR IMPACT WRENCH



Speeds	7000 rpm
Torque	435 Nm
Avg air cons.	5 SCFM (150 l/min)
Working pressure	6 bar / 90 psi
Weight	2,48 kg

0786

€ 265,44

AIR IMPACT WRENCH



Speeds	4200 rpm
Torque	950 Nm
Avg air cons.	8 SCFM (240 l/min)
Working pressure	6 bar / 90 psi
Weight	4,8 kg

0044

€ 87,81

AIR IMPACT WRENCH SET



Speeds	7000 rpm
Torque	320 Nm
Socket	9-10-11-13-14-17-19-22-24-27 mm
Extension	125 mm
Avg air cons.	5 SCFM (150 l/min)
Working pressure	6 bar / 90 psi
Weight	4,2 kg

0045

€ 52,64

AIR IMPACT WRENCH



Speeds	7000 rpm
Torque	320 Nm
Avg air cons.	5 SCFM (150 l/min)
Working pressure	6 bar / 90 psi
Weight	2,3 kg

0052

€ 124,32

AIR IMPACT WRENCH



Speeds	4800 rpm
Torque	680 Nm
Avg air cons.	6 SCFM (180 l/min)
Working pressure	6 bar / 90 psi
Weight	4,7 kg



0046

€ 82,88

AIR RATCHET WRENCH SET

16 Pcs 1/2" Box

Speeds	160 rpm
Torque	65 Nm
Socket	9-10-11-13-14-17-19 mm
Extension	75 mm
Universal joint	1/2"
Bit holder	1/4"
Avg air cons.	4 SCFM (120 l/min.)
Working pressure	6 bar / 90 psi
Weight	2,86 kg



0047

€ 66,98

1 1/4" REVERSIBLE AIR SCREWDRIVER


Box

Speeds	9000 rpm
Capacity	4-5 mm
Torque	2,3 - 6,8 Nm
Length	180 mm
Avg air cons.	5 SCFM (150 l/min.)
Working pressure	6 bar / 90 psi

0339

€ 68,32

REVERSIBLE AIR DRILL


Box

Chuck sizes	Ø 10 mm
Speeds	1800 rpm
Avg air cons.	5 SCFM (150 l/min.)
Working pressure	6 bar / 90 psi
Weight	1,1 kg

0574

€ 90,94

REVERSIBLE AIR DRILL

Box

Chuck sizes	Ø 10 mm
Speeds	1800 rpm
Avg air cons.	5 SCFM (150 l/min.)
Working pressure	6 bar / 90 psi
Weight	1 kg


COMPATIBILITY CHART

ART.	€	0049	0240/15	S075/08X5	S075/10X6.5	S075/08X5	PAG
0573	98,20	•	•	•	•	•	456
0571	134,00	•	•	•	•	•	457
0576	141,00	•	•	•	•	•	457
0786	237,00	•	•	•	•	•	457
0044	78,40	•	•	•	•	•	457
0045	47,00	•	•	•	•	•	457
0052	111,00	•	•	•	•	•	457
0046	74,00	•	•	•	•	•	458
0047	59,80	•	•	•	•	•	458

ART.	€	0049	0240/15	S075/08X5	S075/10X6.5	S075/08X5	PAG
0339	61,00	•	•	•	•	•	458
0574	81,20	•	•	•	•	•	458
AP01	197,00	•	•	•	•	•	455
AP02	204,00	•	•	•	•	•	455
AP03	211,00	•	•	•	•	•	455
AP04	219,00	•	•	•	•	•	455
AP05	510,00	•	•	•	•	•	456
AP05/150	613,00	•	•	•	•	•	456
AP06	197,00	•	•	•	•	•	456

0313

€ 93,07

5" AIR ANGLE DIE GRINDER



Box

Saw blade	Ø 125 mm
Speeds	10000 rpm
Avg air cons.	5 SCFM (150 l/min.)
Working pressure	6 bar / 90 psi
Weight	2,2 kg

0051

€ 27,33

AIR DIE GRINDER



Box

Collets	Ø 3 mm - Ø 6 mm
Speeds	22000 rpm
Avg air cons.	4 SCFM (120 l/min.)
Working pressure	6 bar / 90 psi
Weight	0,8 kg

0115

€ 51,18

AIR DIE GRINDER



Box

Collets	Ø 3 mm - Ø 6 mm
Speeds	20000 rpm
Length	295 mm
Avg air cons.	4 SCFM (120 l/min.)
Working pressure	6 bar / 90 psi
Weight	0,7 kg

0050

€ 40,10

AIR DIE GRINDER SET



Blow mold case

Collets	Ø 3 mm - Ø 6 mm
Mounted stone	10 Pcs / Pcs
Speeds	22000 rpm
Avg air cons.	4 SCFM (120 l/min.)
Working pressure	6 bar / 90 psi
Weight	1,4 kg

0570

€ 91,95

AIR DIE GRINDER SET



Blow mold case

Collets	Ø 3 mm - Ø 6 mm
Mounted stone	10 Pcs
Speeds	21000 rpm
Power	0,45 hp
Avg air cons.	5 SCFM (150 l/min.)
Working pressure	6 bar / 90 psi
Rear exhaust	
Weight	1,3 kg

0641

€ 58,58

FLEXIBLE PNEUMATIC MICROGRINDING WHEEL



Blow mold case

Collet capacity	3 mm
Speeds	56000 rpm
Avg air cons.	2 SCFM (60 l/min.)
Working pressure	6 bar / 90 psi
Weight	0,82 kg



0784

€ 68,77

AIR BELT SANDER


Box

Speeds	16000 rpm
Avg air cons.	6 SCFM (180 l / min.)
Working pressure	6 bar / 90 psi
Belt	10 x 330 mm

0059

€ 32,03

HEAVY DUTY AIR HAMMER WITH 4 HEXAGONAL CHISELS


Box

Speeds	BPM 3500
Bore-stroke	19 x 66 mm / 3/4" x 2 5/8"
Avg air cons.	4,5 SCFM (135 l/min)
Working pressure	6 bar / 90 psi
Weight	1,5 kg

0414

€ 32,59

AIR DIE GRINDER

3 AND 6 mm, WITH REAR EXHAUST 360°, EXCLUSIVE COMPOSITE BODY DESIGN



Box

Collets	ø 3 mm - ø 6 mm
Speeds	22000 rpm
Avg air cons.	7 SCFM (198 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Weight	580 g

0644

€ 37,86

PNEUMATIC AXIAL GRINDING WHEEL


Blow mold case

Saw blade	Ø 75 x 1,5 x Ø 10 mm
Speeds	15000 rpm
Avg air cons.	5 SCFM (150 l/min.)
Working pressure	6 bar / 90 psi
Weight	0,72 kg

0413

€ 28,56

MINI AIR DIE GRINDER

3 AND 6 mm, WITH REAR EXHAUST 360°, EXCLUSIVE COMPOSITE BODY DESIGN



Box

Collets	ø 3 mm - ø 6 mm
Speeds	25000 rpm
Avg air cons.	4 SCFM (113 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Weight	350 g

0416

€ 50,74

90° AIR DIE GRINDER

3 AND 6 mm, WITH REAR EXHAUST 360°, EXCLUSIVE COMPOSITE BODY DESIGN



Box

Collets	ø 3 mm - ø 6 mm
Speeds	20000 rpm
Avg air cons.	4 SCFM (113 l/min)
Working pressure	6 bar / 90 psi
Weight	550 g
Air inlet	1/4"

0417

€ 56,00

LONG TYPE AIR DIE GRINDER

3 AND 6 mm, WITH REAR EXHAUST 360°, EXCLUSIVE COMPOSITE BODY DESIGN

**Box**

Collets	ø 3 mm - ø 6 mm
Length	295 mm
Speeds	20000 rpm
Avg air cons.	4 SCFM (113 l/min)
Working pressure	6 bar / 90 psi
Weight	600 g
Air inlet	1/4"

0419

€ 83,89

6" AIR ORBIT SANDER WITH SUCTION

AND SPEED CONTROL, HOOK & LOOP PAD, 360° REAR EXHAUST, DIE CAST ALUMINUM BODY WITH SOFT HANDLE GRIP IN LIGHTWEIGHT AND ERGONOMIC DESIGN

**Box**

Disc diameter	150 mm - 6"
Orbit	5 mm, 3/16"
Speeds	10500 rpm MAX.
Avg air cons.	3 SCFM (85 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Length	200 mm
Weight	950 g

0458

€ 83,89

6" AIR ORBIT SANDER WITH SUCTION

SPEED CONTROL, 2.5 mm ORBIT, HOOK & LOOP PAD, 360° REAR EXHAUST, DIE CAST ALUMINUM BODY WITH SOFT HANDLE GRIP IN LIGHTWEIGHT AND ERGONOMIC DESIGN

**Box**

Disc diameter	150 mm - 6"
Orbit	2,5 mm - 3 / 32"
Max speed	10500 rpm
Avg air cons.	3 SCFM (85 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Length	200 mm
Weight	950 g

0418

€ 49,73

REVERSIBLE AIR DRILL

3/8", WITH REAR EXHAUST 360°, EXCLUSIVE COMPOSITE BODY DESIGN

**Box**

Chuck sizes	10 Ø mm
Speeds	1800 rpm
Avg air cons.	4 SCFM (113 l/min)
Working pressure	6 bar / 90 psi
Weight	850 g
Air inlet	1/4"

0421

€ 91,28

6" AIR ORBIT SANDER WITH SELF-INTEGRATED SUCTION

SPEED CONTROL, HOOK & LOOP PAD, 360° REAR EXHAUST, DIE CAST ALUMINUM BODY WITH SOFT HANDLE GRIP IN LIGHTWEIGHT AND ERGONOMIC DESIGN, CORRUGATED HOSE AND DUST BAG

**Box**

Disc diameter	150 mm - 6"
Orbit	5 mm, 3/16"
Speeds	10500 rpm
Avg air cons.	3 SCFM (85 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Length	200 mm
Weight	980 g

0460

€ 99,01

6" AIR ORBIT SANDER WITH SELF-INTEGRATED SUCTION

SPEED CONTROL, 2.5MM ORBIT, HOOK AND LOOP PAD, 360° REAR EXHAUST, DIE CAST ALUMINUM BODY WITH SOFT HANDLE GRIP IN LIGHTWEIGHT AND ERGONOMIC DESIGN, CORRUGATED HOSE AND DUST BAG

**Box**

Disc diameter	150 mm - 6"
Orbit	2,5 mm - 3 / 32"
Max speed	10500 rpm
Avg air cons.	3 SCFM (85 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Length	200 mm
Weight	980 g



0459
€ 7,06
HOOK AND LOOP PAD

WITH 6 HOLES AND 5/16" -24TPI MALE THREAD



Disc diameter	150 mm - 6"
Max speed	12000 rpm
Weight	130 g

COMPATIBILITY CHART

ART.	€	0459	0049	0240/15	S075/08X5	S075/10X6.5	S075/08X5	S100/08X5	S100/10X6.5	S100/12X8	0783/1M	0777/2	0777/3	PAG
0313	83,10		*	*	*	*	*	*	*	*	*	*	*	459
0050	35,80		*	*	*	*	*	*	*	*	*	*	*	459
0051	24,40		*	*	*	*	*	*	*	*	*	*	*	459
0570	82,10		*	*	*	*	*	*	*	*	*	*	*	459
0115	45,70		*	*	*	*	*	*	*	*	*	*	*	459
0641	52,30		*	*	*	*	*	*	*	*	*	*	*	459
0784	61,40		*	*	*	*	*	*	*	*	*	*	*	460
0644	33,80		*	*	*	*	*	*	*	*	*	*	*	460
0059	28,60		*	*	*	*	*	*	*	*	*	*	*	460

0049
€ 8,18
1 1/4" OILER

FOR PNEUMATIC TOOLS



Blister

ART.	€	0459	0049	0240/15	S075/08X5	S075/10X6.5	S075/08X5	S100/08X5	S100/10X6.5	S100/12X8	0783/1M	0777/2	0777/3	PAG
0413	25,50		*	*	*	*	*	*	*	*	*	*	*	460
0414	29,10		*	*	*	*	*	*	*	*	*	*	*	460
0416	45,30		*	*	*	*	*	*	*	*	*	*	*	460
0417	50,00		*	*	*	*	*	*	*	*	*	*	*	461
0418	44,40		*	*	*	*	*	*	*	*	*	*	*	461
0419	74,90	*	*	*	*	*	*	*	*	*	*	*	*	461
0421	81,50	*	*	*	*	*	*	*	*	*	*	*	*	461
0458	74,90	*	*	*	*	*	*	*	*	*	*	*	*	461
0460	88,40	*	*	*	*	*	*	*	*	*	*	*	*	461

0543
€ 19,26
CAR EMERGENCY DIGITAL TIRE GAUGE

SUITABLE IN EMERGENCY CONDITIONS, IT CAN BE USED IN 4 DIFFERENT WAYS: DIGITAL TIRE GAUGE, LED FLASHLIGHT, GLASS BREAKER HAMMER, SEAT BELT CUTTER



Blister

Range	3÷150 psi, 0.21÷10.34 bar, 21÷1034 kPa
Working temperature	-20°C ~ + 50° C
Included batteries	2 AA
Weight	0,152 kg

0836
€ 16,02
DIGITAL PRESSURE GAUGE

WITH TYRE DEPTH GAUGE AND LED LIGHT



Blister

Range	0,5 ÷ 99.5 psi, 0.034 ÷ 6.86 bar, 3,45 ÷ 686 kPa
Accuracy	±1%
Included batteries	3 x SR44

W021PA

€ 6,61

BLOW GUN

Blister

Nozzle	2.0 mm
Working pressure	2 - 6 bar

W021PN

€ 13,78

WASHING GUN

WITH ALUMINIUM BODY AND STEEL CUP



Box

Capacity	900 ml
Nozzle	4.5 mm
Working pressure	3 - 4 bar
Weight	520 g

0125

€ 34,61

DIGITAL TYRE GAUGE

WITH BACKLIGHT AND VARIOUS MEASUREMENT UNITS



Blister

Max. pressure	8 bar (110 psi)
Working pressure	2 - 4 bar (30 - 60 psi)
Reading	0.05 bar (0.7 psi)
Not included batteries	2 x 1.5V AAA
Rubber hose length	80 mm

W021PG

€ 16,80

TYRE INFLATING GUN

Blister

Max. pressure	12 bar (170 psi)
Working pressure	2 - 4 bar (30 - 60 psi)
Accuracy	±1%
Rubber hose length	440 mm

0607

€ 6,05

BLOW GUN

Blister

0608

€ 16,91

TYRE INFLATING GUN

Blister

Manometer	ø 63 mm
Reading	0 ÷ 12 bar (0 ÷ 174 psi)
Rubber hose length	420 mm



0610

€ 13,89

WASHING GUN



 **Box**

Capacity 1000 cc

0725

€ 6,16

BLOW GUN



 **Blister**


Hose length 100 mm

0412

€ 9,97

BLOW GUN

HIGH QUALITY, WITH CHROMED STEEL 100 mm NOZZLE GUN BODY IN POM PLASTIC (POLYOXYMETHYLENE) BRASS VALVE




 **Blister**

Hose length 100 mm
Air inlet 1/4"

0609

€ 41,44

TYRE INFLATING GUN



 **Blister**

Manometer	ø 80 mm
Reading	0 ÷ 12 bar (0 ÷ 174 psi)
Rubber hose length	1.000 mm

0725L

€ 8,40

LONG NOSE BLOW GUN



 **Blister**

Hose length 275 mm



TH601A**€ 140,00****GRAVITY FEED SPRAY GUN**

600 ML FEED HVLP SPRAY GUN, NYLON GRAVITY CUP, MADE WITH CNC MACHINE, WITHOUT O-RING, WITH STAINLESS STEEL NOZZLE AND NEEDLE, BRASS AIR CAP, ALUM CLAMP AND KNOBS, MALE THREAD FITTING 1/4" HVLP = HIGH VOLUME, LOW PRESSURE

**Box**

Capacity	600 ml
Nozzle diameter	1,3 mm
Fluid delivery	130 ml/min
Working pressure	2 bar (29 PSI)
Working distance	200 mm
Pattern	280 - 300 mm
Weight	500 g

**TH602A****€ 114,24****GRAVITY FEED SPRAY GUN**

100 ML FEED HVLP SPRAY GUN, NYLON GRAVITY CUP, MADE WITH CNC MACHINE, WITHOUT O-RING, WITH STAINLESS STEEL NOZZLE AND NEEDLE, BRASS AIR CAP, ALUM CLAMP AND KNOBS, MALE THREAD FITTING 1/4" HVLP = HIGH VOLUME, LOW PRESSURE

**Box**

Capacity	100 ml
Nozzle diameter	1,0 mm
Fluid delivery	50 ml/min
Working pressure	1,5 bar (20 PSI)
Working distance	150 mm
Pattern	160 mm
Weight	300 g

**TH901A****€ 140,00****GRAVITY FEED SPRAY GUN**

600 ML FEED LVMP SPRAY GUN, NYLON GRAVITY CUP, MADE WITH CNC MACHINE, WITHOUT O-RING, WITH STAINLESS STEEL NOZZLE AND NEEDLE, BRASS AIR CAP, ALUM CLAMP AND KNOBS, MALE THREAD FITTING 1/4" LVMP = LOW VOLUME, MEDIUM PRESSURE

**Box**

Capacity	600 ml
Nozzle diameter	1,3 mm
Fluid delivery	140 ml/min
Working pressure	2 ÷ 2,2 bar (29 ÷ 32 PSI)
Working distance	200 mm
Pattern	270 - 300 mm
Weight	500 g

**A601DS****€ 93,07****SUCTION SPRAY GUN**

1000 ML SUCTION HVLP SPRAY GUN WITH BAIONET LOCK, ALUMINUM CUP, MADE WITH CNC MACHINE, WITHOUT O-RING, WITH STAINLESS STEEL NOZZLE AND NEEDLE BRASS AIR CAP, ALUM CLAMP AND KNOBS, CHROME PLATED SPRAY GUN BODY, MALE THREAD FITTING 1/4" HVLP = HIGH VOLUME, LOW PRESSURE

**Box**

Nozzle	ø 1,4mm
Capacity	1000 cc
Working pressure	2,5 - 3 bar

**A601A****€ 89,94****GRAVITY FEED SPRAY GUN**

600 ML FEED HVLP SPRAY GUN, NYLON GRAVITY CUP, MADE WITH CNC MACHINE, WITHOUT O-RING, WITH STAINLESS STEEL NOZZLE AND NEEDLE BRASS AIR CAP, BLUE COLOR ALUM CLAMP AND KNOBS, CHROME PLATED SPRAY GUN BODY, MALE THREAD FITTING 1/4" HVLP = HIGH VOLUME, LOW PRESSURE

**Box**

Nozzle	ø 1,4mm
Capacity	600 cc
Working pressure	2,5 - 3,5 bar

**A602A****€ 58,13****GRAVITY FEED SPRAY GUN**

10 ML FEED HVLP SPRAY GUN, NYLON GRAVITY CUP, MADE WITH CNC MACHINE, WITHOUT O-RING, WITH STAINLESS STEEL NOZZLE AND NEEDLE BRASS AIR CAP, BLUE COLOR ALUM CLAMP AND KNOBS, CHROME PLATED SPRAY GUN BODY, MALE THREAD FITTING 1/4" HVLP = HIGH VOLUME, LOW PRESSURE

**Box**

Nozzle	ø 1,0mm
Capacity	100 cc
Working pressure	2 - 2,5 bar



A901A
€ 88,37
GRAVITY FEED SPRAY GUN

600 ML FEED LVMP SPRAY GUN, NYLON GRAVITY CUP, MADE WITH CNC MACHINE, WITHOUT O-RING, WITH STAINLESS STEEL NOZZLE AND NEEDLE, BRASS AIR CAP, BLUE COLOR ALUM CLAMP AND KNOBS, CHROME PLATED SPRAY GUN BODY, MALE THREAD FITTING 1/4" LVMP = LOW VOLUME, MEDIUM PRESSURE



Capacity	600 ml
Nozzle diameter	1,4 mm
Fluid delivery	200-380 ml/min
Max. pressure	2-3 bar (30-43 PSI)
Weight	606 g


A902A
€ 59,25
GRAVITY FEED SPRAY GUN

100 ML FEED LVMP SPRAY GUN, NYLON GRAVITY CUP, MADE WITH CNC MACHINE, WITHOUT O-RING, WITH STAINLESS STEEL NOZZLE AND NEEDLE BRASS AIR CAP, BLUE COLOR ALUM CLAMP AND KNOBS, CHROME PLATED SPRAY GUN BODY, MALE THREAD FITTING 1/4" LVMP = LOW VOLUME, MEDIUM PRESSURE



Capacity	100 ml
Nozzle diameter	1 mm
Fluid delivery	45 - 65 ml/min
Max. pressure	1.5 - 2.5 bar (22 - 36 PSI)
Weight	306 g


A162DS
€ 35,50
SPRAY GUN WITH FLUID CUP PROVIDED WITH BAYONET LOCK


Nozzle	ø 1,8 mm
Capacity	1000 cc
Working pressure	4-8 bar
Air consumption	100-200 l/min


A162C
€ 25,20
SPRAY GUN WITH FLUID CUP PROVIDED WITH RAPID LOCK


Nozzle	ø 1,8 mm
Capacity	1000 cc
Working pressure	4-8 bar
Air consumption	100-200 l/min


A162A
€ 21,28
SPRAY GUN WITH GRAVITY FLOW CUP



Nozzle	ø 1,8 mm
Capacity	500 cc
Working pressure	4-8 bar
Air consumption	100-200 l/min


0048
€ 16,13
MINI SPRAY GUN

FITTING FOR PRESSURIZED AIR CONTAINER AND 1/4" FITTING FOR AIR COMPRESSOR





ART.	TH601A	TH602A	TH901A	A601DS	A601A	A602A	A901A	A902A	A16ZDS	A16ZC	A16ZA
TH601A13	•										
TH601A14	•										
TH601A17	•										
TH601A20	•										
TH602A08		•									
TH602A10		•									
TH901A13			•								
TH901A14			•								
TH901A17			•								
TH901A20			•								
A601DS14				•							
A601DS17				•							
A601DS20				•							
A601A14					•						
A601A17					•						
A601A20					•						
A602A08						•					



Art.	€	Length	Diameter	Thread
S075/08X5	€ 11,98	7,5 m	Ø 8 x 5 mm	1/4"
S075/10X6,5	€ 16,80	7,5 m	Ø 10 x 6,5 mm	1/4"
S100/08X5	€ 14,45	10 m	Ø 8 x 5 mm	1/4"
S100/10X6,5	€ 21,28	10 m	Ø 10 x 6,5 mm	1/4"
S100/12X8	€ 23,52	10 m	Ø 12 x 8 mm	3/8"

Art.	€	Shank
0785/1M	€ 9,30	1/4"
0785/2M	€ 9,30	3/8"

[illegible]

Art.	€	Shank
0785/1F	€ 9,30	1/4"
0785/2F	€ 9,30	3/8"

0783-xM

SET 2 PCS OF GERMAN TYPE MALE PLUG



Art.	€	Shank
0783/1M	€ 2,63	1/4"
0783/2M	€ 2,63	3/8"

0783-xF

2 PCS SET GERMAN TYPE FEMALE PLUG



Art.	€	Shank
0783/1F	€ 2,43	1/4"
0783/2F	€ 2,43	3/8"

COMPATIBILITY CHART

ART.	€	TH601A	TH602A	TH901A	A601DS	A601A	A602A	A901A	A902A	A162DS	A162C	A162A	PAG
TH250	12,7	•	•	•	•	•	•	•	•	•	•	•	467
TH500	22,2	•	•	•	•	•	•	•	•	•	•	•	467
S075/08X5	10,7	•	•	•	•	•	•	•	•	•	•	•	467
S075/10X6.5	15	•	•	•	•	•	•	•	•	•	•	•	467

ART.	€	TH601A	TH602A	TH901A	A601DS	A601A	A602A	A901A	A902A	A162DS	A162C	A162A	PAG
S100/08X5	12,9	•	•	•	•	•	•	•	•	•	•	•	467
S100/10X6.5	19	•	•	•	•	•	•	•	•	•	•	•	467
S100/12X8	21	•	•	•	•	•	•	•	•	•	•	•	467
0783/1F	2,17	•	•	•	•	•	•	•	•	•	•	•	468

0378/1510

CAT 42 € 153,44

AUTO REWIND AIR HOSE REEL

MADE OF PP SHELL, WITH PU MESH HOSE AND REGULATION FOR DISTRIBUTING EVENLY THE TUBE IN THE INTERNAL PART



Air flow	18 bar / 260 psi
Hose length	15 + 1 m
Male Fitting	3/8" BSPT
Hose diameter	ø 13,5 x 9,5 mm
Working temperature	0 ÷ 45° C
Gross weight	9

0481/15

€ 117,60

AUTO REWIND AIR HOSE REEL

MADE OF ABS, WITH PU MESH HOSE, GERMAN TYPE FEMALE QUICK COUPLER, GERMAN TYPE FEMALE PLUG AND REGULATION FOR DISTRIBUTING EVENLY THE TUBE IN THE INTERNAL PART



Air flow	16 bar / 250 psi
Hose length	15 + 1 m
Male Fitting	1/4" BSPT
Hose diameter	ø 12 x 8 mm
Working temperature	0 ÷ 45° C
Weight	5 kg

0240/15**€ 138,88**

AUTO REWIND AIR HOSE REEL
WITH PU MESH HOSE



Portata	16 bar / 250 psi
Lunghezza tubo	15 m + 1m
Raccordi maschio	1/4" BSPT
Diametro tubo	12 x 8 mm

0777/2**€ 35,73**

REDUCER WITH GAUGE AND FILTER



Attacco	1/4" - 3/8" - 1/2"
---------	--------------------

0777/3**€ 63,39**

REDUCER WITH GAUGE, FILTER AND OILER



Shank	1/4" - 3/8" - 1/2"
Reading	0 ÷ 10 bar (0 ÷ 140 psi)



0793
€ 18,37
WOOD-BURNING PEN SET WITH 6 PINS OF DIFFERENT SHAPE


Power 230 V 50 Hz 30 W

0033A
CAT 42 € 101,70
HIGH PRECISION TEMPERATURE -CONTROLLED SOLDERING IRON STATION


Melting point	215°
Working temperature	215 + 300°C
Max temperature	420°C
Power station supply	230 V 50 Hz
Soldering power supply	24 V 48 W

0031
CAT 42 € 29,90
HIGH PRECISION TEMPERATURE -CONTROLLED SOLDERING IRON STATION


Melting point	215°
Working temperature	215 + 300°C
Max temperature	450°C
Power	230 V, 50 Hz, 37 W

0027/30W
CAT 42 € 11,54
SOLDERING IRON


Power	230 V 50 Hz 30 W
Working temperature	450°C ± 10%

0027/40W
CAT 42 € 13,10
SOLDERING IRON


Power	230 V 50 Hz 40 W
Working temperature	450°C ± 10%

0033A/TIP
CAT 42 € 16,35
SOLDERING IRON TIP SET

4 Pcs


0027/40W/TIP
CAT 42 € 16,35
SOLDERING IRON TIP SET

4 Pcs



0037**€ 17,81****SOLDERING IRON COMBINATION SET**

Power

230V 50Hz 30W

0037/TIP**€ 14,56****SOLDERING IRON SPARE PART
TIP**

SET OF TIPS WITH HOLE Ø 6 mm



5 Pcs

0864**€ 40,88****GAS SOLDERING IRON**

TIP AND SOLDER HEADS WITH PROTECTION CAP AND GAS IGNITER



Overall sizes

165 x 23 mm

0026**€ 18,14****SOLDERING GUN**

WITH TIN AND A SPARE POINTER



Power

230 V 50 Hz 100 W

0443**€ 51,18****FAST HEATING SOLDERING GUN**

WITH ADJUSTABLE TEMPERATURE



Blow mold case

Power

230V 50Hz 200W

Temperature

70 °C ÷ 500 °C

Weight

1350 g

0024**€ 27,33****HOT AIR GUN**

2 speeds

375 °C - 495 °C

Air stream

280 l/min - 480 l/min

Power

230 V 50Hz 1,5 kW

COMPATIBILITY CHART

ART.	0033A/TIP	0027/40W/TIP	0037/TIP
0033A	•		
0027/30W	•		
0027/40W		•	
0037			•

0694
€ 40,54
HOT AIR GUN SET

 **Blow mold case**

2 speeds	300 °C - 600 °C
Air stream	500 l/min - 650 l/min
Power	230 V 50 Hz 1 - 2 kW

0865
€ 57,68
ELECTRIC BARBECUE LIGHTER

LIGHTS CHARCOAL ON THE BARBECUE OR IN THE FIREPLACE COMPLETELY WITHOUT CHEMICALS AND MATCHSTICKS. HIGH-PERFORMANCE 2000 W BARBECUE AND FIREPLACE LIGHTER GENERATES 600°C HEAT AND SETS CHARCOAL ON FIRE IN APPROX. 30 - 60 SECONDS


 **Color box**

Power	230 V, 50 Hz, 2000 W
Temperature	600° C
Weight	1 kg

0444
€ 76,38
DIGITAL HOT AIR GUN SET

WITH ELECTRONIC TEMPERATURE CONTROL, LCD DISPLAY TO SHOW THE TEMPERATURE, 2 LEVELS OF AIR FLOW, IDEAL FOR HEATING, FOLDING, BENDING, REMOVING PAINT



Power	230 V, 50 Hz, 2000 W
Temperature	I 70°C - II 70°C ÷ 600°C - III 70°C ÷ 600°C
Air stream	I 300L/min - II 300L/min - III 500L/min
Weight	735 g

0441
€ 63,50
HOT KNIFE FOR POLYSTYRENE WITH ADJUSTABLE TEMPERATURE

FOR POLYSTYRENE, PLASTIC, FOAM AND SPONGE, ADJUSTABLE CUTTING LENGTH, METAL STAND



Power	230 V, 50 Hz, 220 W
Temperature	120 - 220 - 330 - 400 - 450 °C
Cutting capacity with adjustment	20 ÷ 90 mm
Max cut	150 mm
Weight	770 g

0321

€ 43,23

HOT KNIFE FOR POLYSTYRENE WITH ADJUSTABLE TEMPERATURE

FOR POLYSTYRENE, PLASTIC, FOAM AND SPONGE, ADJUSTABLE CUTTING LENGTH, METAL STAND



Power	230 V, 50 Hz, 130 W
Temperature	Max 450 °C
Cutting capacity with adjustment	14 ÷ 97 mm
Max cut	120 mm
Weight	0,72 kg

0706

€ 33,15

GLUE GUN TRIGGER FEED

Power	230 V 40W 300 °C
Glue stick	ø 12 mm

0508

€ 10,20

GLUE GUN TRIGGER FED

EQUIPPED WITH AUTOMATIC ADVANCE



Power	230 V 28 W 160 °C
Glue stick	ø 12 mm

0333

€ 100,91

HOT KNIFE FOR POLYSTYRENE WITH ADJUSTABLE TEMPERATURE

FOR POLYSTYRENE, PLASTIC, FOAM AND SPONGE, ADJUSTABLE CUTTING LENGTH, METAL STAND



Power	230 V, 50 Hz, 150 W
Temperature	Max 500 °C
Max cut	150 mm
Weight	1.20 kg

0333/150

€ 16,35

SPARE BLADE

0431

€ 16,35

GLUE GUN TRIGGER FEED

EQUIPPED WITH AUTOMATIC ADVANCE AND LED FOR REPORTING THE GUN'S CONNECTION TO THE POWER GRID



Power	230 V, 35 W, 200 °C
Glue stick	ø 12 mm
Glue flow	16 ÷ 20 g/min
Weight	413 g

0034

€ 4,61

HOT MELT GLUE STICKS

10 Pcs

Dimensions Ø 12 x 200 mm Tot. 200 gr



0071

€ 4,87

HOT MELT GLUE STICKS

10 Pcs

Overall sizes Ø 12 x 200 mm 200 gr



0156-

FLEXIBLE OIL-CAN


Art.	€	Capacity
0156/200	€ 5,32	200 cc
0156/500	€ 6,61	500 cc

0164/250

€ 6,94

PLASTIC OILER WITH VERTICAL FLEXIBLE SPOUT


Capacity	250 cc
----------	--------

0171-

MEASURING JUG

WITH FLEXIBLE SPOUT, SCREW COVER AND ANTI-DRIPPING END CAP



Plastic

Art.	€	Capacity
0171/2	€ 9,97	2 l
0171/3	€ 9,86	3 l
0171/5	€ 13,44	5 l

0158/500

€ 8,06

PLASTIC OILER WITH FLEXIBLE SPOUT


Capacity	500 cc
----------	--------

0473-

OIL DRAIN PAN

WITH POURING SPOUT AND HANDLES, MADE OF HIGH DENSITY POLYETHYLENE, IMPACT RESISTANT



Art.	€	Capacity	Dimensions	Weight
0473/10	€ 17,36	10 l	Ø400 x 120h mm	0,83 kg
0473/15	€ 18,93	15 l	Ø500 x 130h mm	1 kg

0183/750

€ 3,19

PLASTIC CAN WITH SPOUT

PLASTIC CAN WITH SPOUT



Capacity	750 cc
----------	--------

0172/150**€ 7,62****PLASTIC FUNNEL**

WITH DIAMETER DI Ø 150 mm, CLOSING SCREW, FLEXIBLE SPOUT, ANTI-DRIPPING TOP/END COVERS AND UPPER HANDLE FOR THE HANGING



Diameter	Ø150 mm
Height	435 mm

0677**€ 36,29****HAND OPERATED LEVER GREASE GUN**

COMPOSED OF METAL TANK AND PUMP, COUPLER AND 450 mm PVC FLEXIBLE HOSE FOR USING Ø 55 mm GREASE CARTRIDGES OR LOOSE GREASE (ADAPTOR ALREADY MOUNTED)


Box

Capacity	1000 cc
Flexible hose sizes	Ø 9 x 450 mm
Weight	2 kg

0677/CG**€ 9,41****GREASE CARTRIDGE**
Box

Capacity	650 cc
Overall sizes	Ø 55 mm

0677/500**€ 15,90****500 CC HAND OPERATED LEVER GREASE GUN**

COMPOSED OF METAL TANK AND PUMP, COUPLER AND 300 mm PVC FLEXIBLE HOSE, FOR USIGN WITH LOOSE GREASE OR Ø 53 mm GREASE CARTRIDGES


Box

Capacity	500 cc
Flexible hose sizes	Ø 8 x 300 mm
Working pressure	6000-8000 psi
Weight	1,3 kg

0677/IA**€ 247,52****AIR OPERATED GREASE GUN**

TO BE USED WITH Ø 55 mm CARTRIDGE OR LOOSE GREASE WITH 2 GREASE CARTRIDGES, 400 mm REINFORCED HOSE INCLUDED AND 4 JAW ADJUSTABLE FITTING


Box

Capacity	800 cc
Overall sizes	Ø 60 x 500 mm
Working pressure	4 - 6 bar

0677/SO**€ 25,31****PLASTIC SUCTION DISCHARGE GUN**
Box

Capacity	500 g
Overall sizes	Ø 50 x 500 mm



G030-
CAT 42
EMULSIFYING OIL


Art.	€	Quantity
G030/01	€ 11,09	1 l
G030/05	€ 44,80	5 l
G030/25	€ 212,80	25 l

S401/00
CAT 42 € 6,94
MULTI-FUNCTION SPRAY


Capacity 400 ml

S401/01
€ 5,82
COLD GALVANIZER

WITH HIGH MOLECULAR WEIGHT, PAINTABLE



Capacity 400 ml

S401/02
€ 5,25
MULTIPURPOSE GREASE

HIGH QUALITY SAPONIFIED GREASE MIXTURE



Capacity 400 ml

S401/03
€ 4,70
SOLVENT AND RELEASING

PENETRATING FLUID WITH HIGH SOLVENT AND RELEASING POWERS



Capacity 400 ml

S401/04
€ 5,11
PURE SILICONE OIL

BASED SOLUTION WITH ANTI-ADHESIVE, DETACHING AND LUBRICATING PROPERTIES ON MANY DIFFERENT MATERIALS



Capacity 400 ml



S401/05**€ 5,04****WELDING ANTIADHESIVE**

A PRODUCT MADE OF FILM-FORMING SYNTHETIC POLYMERS WHICH OWNING THEIR SPECIAL CHARACTERISTICS PREVENT THE SEIZURE OF WELDING SPATTER TO ANY SURFACE



Capacity

400 ml

S401/06**€ 8,40****SPRAY STAINLESS STEEL**

PROTECTIVE COVER BASED ON PURE STAINLESS STEEL



Capacity

400 ml

S401/08**€ 8,85****DRY PT FE LUBRICATING AGENT**

PENETRATING FLUID WITH HIGH SOLVENT AND RELEASING POWERS



Capacity

400 ml

S401/09**€ 6,38****COPPER GREASE**

LUBRICATING AND PROTECTING ACTION AT VERY HIGH TEMPERATURES



Capacity

400 ml

S401/10**€ 5,94****CUTTING OIL**

MIXTURE OF MINERALS OILS WITH HIGH LUBRICATING QUALITY, IDEAL FOR DRILLING, THREADING AND CUTTING STAINLESS STEEL AND OTHER HARD METALS



Capacity

400 ml

S401/11**€ 4,48****AIR CLEAN**

SUITABLE FOR CLEANING DELICATE OBJECT SUCH AS LENS, OBJECTIVES, COMPUTERS AND ANY KIND OF MECHANISM



Capacity

400 ml



S401/12

€ 4,91

DE-OXIDIZING AGENT FOR ELECTRIC CONTACTS

A SPECIFIC PRODUCT SUITABLY DESIGNED TO PROTECT ELECTRICAL EQUIPMENT AND ELECTRIC CONTACTS, IN GENERAL, FROM OXIDATION



Capacity

400 ml

S401/13

€ 5,47

VASELINE OIL

PURE



Capacity

400 ml

S401/07

CAT 42 € 4,85

BRAKE CLEANER, CARBURETORS AND THROTTLE BODIES


Capacity

400 ml

S401/14

CAT 42 € 5,71

PURE ZINC


Capacity

400 ml

S401/15

CAT 42 € 5,94

ZINC ADHESIVE LUBRICANT FOR CHAINS


Capacity

400 ml

S401/16

CAT 42 € 5,82

LITHIUM GREASE


Capacity

400 ml



0660-**PLASTIC FUEL TANK**

WITH FLEXIBLE FILLER, "UN" CERTIFIED ACCORDING TO EUROPEAN DIRECTIVES



Art.	€	Capacity Liters	Dimensions	Weight
0660/05	€ 9,97	5	260 x 120 x 250h mm	540 g
0660/10	€ 14,45	10	330 x 160 x 300h mm	680 g
0660/20	€ 18,93	20	400 x 200 x 360h mm	1080 g

0189-**METAL FUEL TANK**

WITH FLEXIBLE FILLER, "UN" CERTIFIED ACCORDING TO EUROPEAN DIRECTIVES



Art.	€	Capacity Liters	Weight
0189/05C	€ 37,41	5	1,50 kg
0189/10C	€ 37,97	10	2,50 kg
0189/20C	€ 43,23	20	3,80 kg

0194x**FUEL CAN RUBBER GASKET****0194**

Art.	€	Description
0189/G	€ 1,61	Gasket for canisters
0194	€ 11,98	Metal spout
0194/G		Spout gasket

0303**€ 38,19****PRESSURE SPRAYER WITH BRASS LANCE PIPE**

WITH GAUGE AND FPM GASKETS



Capacity

8 l

0356**€ 56,00****TROLLEY PRESSURE SPRAYER WITH BRASS LANCE PIPE**

WITH FPM GASKETS



Capacity

16 l

0274**€ 7,39****PRESSURE SPRAYER WITH BRASS NOZZLE**

WITH FPM GASKETS



Capacity

2 l



0289
€ 5,39
PRESSURE SPRAYER WITH BRASS NOZZLE

RUBBER GASKETS



Capacity	2 l
Weight	0,35 kg

P024/15
€ 55,33
ALUMINIUM LEVER ACTION HAND PUMP

ALUMINIUM LEVER ACTION OIL, DIESEL AND KEROSENE HAND PUMP, WITH STEEL PIPE Ø 20 X 820 mm WITH 1/2" GAS THREAD AND DELIVERY PLASTIC HOSE


Box

Single stroke capacity	0.350 l
Capacity	15 l/min
Pump thread	2" / 1-1/2"
Weight	2.2 kg

0386
€ 34,50
LEVER ACTION HAND OIL PUMP

WITH TELESCOPIC PIPE


Box

Capacity	18 l/min
Pump thread	2" / 1-1/2"
Weight	2 kg

P024/06
€ 46,59
ALUMINIUM LEVER ACTION HAND PUMP

FOR OIL, DIESEL AND KEROSENE HAND PUMP, WITH STEEL PIPE Ø 16 X 700 mm WITH M16 X 1 THREAD AND DELIVERY PLASTIC HOSE


Box

Single stroke capacity	0.1 l
Capacity	6 l/min
Pump thread	2" / 1-1/2"
Weight	1.5 kg

0385
€ 48,27
ALUMINIUM ROTARY HAND OIL PUMP

WITH TELESCOPIC PIPE


Box

Capacity	20 l/min
Pump thread	2"
Weight	1,4 kg

0474/PP
€ 13,89
PVC DIESEL GUN

WITH Ø 25 mm NOZZLE



Capacity	60÷80 l/min
Nozzle	ø25 mm
Inlet thread	1" BSP
Weight	0,8 kg

0474/PE**€ 26,77****ALUMINUM NOZZLE OIL GUN**

WITH Ø 25 mm NOZZLE AND SWIVEL CONNECTOR



Capacity	60÷120 l/min
Nozzle	ø25 mm
Inlet thread	1" BSP
Weight	0,80 kg

0474/PA**€ 66,30****AUTOMATIC DIESEL GUN**

WITH Ø 25 mm NOZZLE AND SWIVEL CONNECTOR



Capacity	90 l/min
Nozzle	ø25 mm
Inlet thread	1" BSP
Weight	1,4 kg

0755**€ 86,91****12V DC DIESEL PUMP**

PUMP FOR MINERAL OIL AND DIESEL, MAXIMUM CONTINUOUS SERVICE 30 MIN

Base dimensions	200 x 120 x 110 mm
Motor	DC 12 V, 175 W
Motor speed	4500 rpm
Pump capacity	40 l/min
Hydraulic head	2 m
Suction	4 m
Inlet thread	25 mm
Weight	3.8 kg

**0272****€ 12,99****DRILL PUMP**

FOR NO FLAMMABLE, EXPLOSIVE, CORROSIVE AND OILY LIQUID


Blister

Weight	450 g
--------	-------



R607
€ 98,11

1800 W INFRARED HEATER WITH SUPPORT FOR WALL MOUNTING
DUST AND WATER PROOF IP55, METAL HOUSING, WITH METAL NET-COVER



IP 55

Power	230 V, 1800 W
Weight	1,8 kg

R609
€ 104,83

1300 W INFRARED HEATER WITH SUPPORT FOR WALL MOUNTING
DUST AND WATER PROOF IP20, METAL HOUSING, WITH METAL NET-COVER, WITH R7S 1300W INFRARED BULB, 0.3M H07RN-F 3X1.5MM2 POWER CORD



Power	230 V, 1300 W
Weight	2,75 kg

R60xA

TRIPOD ELECTRIC RADIANT INFRARED HEATER



IP 20

Art.	€	Power	Tripod height without heaters
R609A	€ 128,80	230 V 1,3 kW	600 ÷ 1500 mm
R610A	€ 184,80	230 V 2 kW	600 ÷ 1500 mm

R608
€ 220,64

2000 W INFRARED HEATER WITH SUPPORT FOR WALL MOUNTING
DUST AND WATER PROOF IP55, METAL HOUSING, WITH METAL NET-COVER AND REMOTE CONTROL



Power	230 V, 2000 W
Weight	3,0 kg

R610
€ 144,48

2000 W INFRARED HEATER WITH SUPPORT FOR WALL MOUNTING
DUST AND WATER PROOF IP20, METAL HOUSING, WITH METAL NET-COVER, WITH R7S 2000W INFRARED BULB, 0.3M H07RN-F 3X1.5MM2 POWER CORD



Power	230 V, 2000 W
Weight	3,2 kg

R60xB

ELECTRIC RADIANT INFRARED HEATER WITH STAND



IP 20

Art.	€	Power
R609B	€ 132,16	230 V 1,3 kW
R610B	€ 173,60	230 V 2 kW

T609

€ 42,67

ADJUSTABLE HEIGHT TRIPOD

SUITABLE FOR LIGHT, HEATER



Height	600 ÷ 1500 mm
Upper fixing	M 8
Weight	2,3 kg

B609

€ 27,55

INFRARED BULB

230V, 1300 W



Length 250 mm

B610

€ 36,40

INFRARED BULB

230V, 2000 W



Length 340 mm

COMPATIBILITY CHART

ART.	€	R609	R610	R609A	R610A	R609B	R610B
B609	24,60	•		•		•	
B610	32,50		•		•		•
T609	38,10	•	•				

0218-**LED FLOODLIGHTS**

ALUMINIUM SUPER SLIM DIE-CAST HOUSING, TEMPERED GLASS



IP 65

Art.	€	Power	Intensity	LED number	Cable	Color temperature	Overall sizes
0218/10	€ 12,54	AC220-240V, 50Hz, 10W	800 lm	15 SMD LED	30 cm, H05RN-F 3x1.0 mm² mm	4000° K	150 x 95 mm
0218/20	€ 18,26	AC220-240V, 50Hz, 20W	1600 lm	28 SMD LED	30 cm, H05RN-F 3x1.0 mm² mm	4000° K	145 x 120 mm
0218/30	€ 29,79	AC220-240V, 50Hz, 30W	2400 lm	42 SMD LED	30 cm, H05RN-F 3x1.0 mm² mm	4000° K	180 x 150 mm
0218/50	€ 42,34	AC220-240V, 50Hz, 50W	4000 lm	56 SMD LED	30 cm, H05RN-F 3x1.0 mm² mm	4000° K	210 x 180 mm

0218/xB

CAT 42

10W LED FLOODLIGHT WITH STAND

ALUMINIUM SUPER SLIM DIE-CAST HOUSING, TEMPERED GLASS



IP 65

Art.	€	Power	Intensity	Cable	Color temperature
0218/10B	€ 28,00	220 - 240 V, 50 Hz, 10W	800 lm	2 m, 3x1 mm² H05VV-F	4000° K
0218/20B	€ 33,60	220 - 240 V, 50 Hz, 20W	1600 lm	2 m, 3x1 mm² H05VV-F	4000° K
0218/30B	€ 43,90	220 - 240 V, 50 Hz, 30W	2400 lm	2 m, 3x1 mm² H05VV-F	4000° K
0218/50B	€ 57,46	220 - 240 V, 50 Hz, 50W	4000 lm	2 m, 3x1 mm² H05VV-F	4000° K



0218/xS
CAT 42
10W LED FLOODLIGHT WITH MOTION AND BRIGHTNESS SENSOR

ALUMINIUM SUPER SLIM DIE-CAST HOUSING, TEMPERED GLASS



54

Art.	€	Power	Intensity	Cable	Color temperature
0218/10S	€ 24,30	220 - 240 V, 50 Hz, 10W	800 lm	30 cm, 3x1 mm ² H05VV-F	4000° K
0218/20S	€ 28,90	220 - 240 V, 50 Hz, 20W	1600 lm	30 cm, 3x1 mm ² H05VV-F	4000° K
0218/30S	€ 38,30	220 - 240 V, 50 Hz, 30W	2400 lm	30 cm, 3x1 mm ² H05VV-F	4000° K
0218/50S	€ 51,86	220 - 240 V, 50 Hz, 50W	4000 lm	30 cm, 3x1 mm ² H05VV-F	4000° K

0218/50T
CAT 42 € 83,10
10W LED FLOODLIGHT WITH TRIPOD

ALUMINIUM SUPER SLIM DIE-CAST HOUSING, TEMPERED GLASS



65

Power	220 - 240 V, 50 Hz, 50W
Intensity	4000 lm
Cable	2 m, 3x1 mm ² H05VV-F
Color	4000° K

0713/15
€ 59,58
LED FLOODLIGHT WITH MAGNETIC BASE

12 AND 24 V 15 W, TO FIT ON CARS, OFFROADS, CAMPERS, BOATS, AGRICULTURAL MACHINES AND EARTHMOVING MACHINES, WITH 3 A FUSE AND CAR PLUG LIGHTER



Power	DC 9 ÷ 32 V (12 V, 24 V) 15 W
LED number	5 x 3 W 1050 lm
Lighting distance	5 m - 23 lux; 8,5 m - 10 lux
Color temperature	6000° K
Cable length	2 m
Projector size	108 x 108 mm
Base dimensions	ø 86,50 mm
Back holes center distance	87 x 28 mm M6
Overall dimensions	108 x 86,50 x 160 mm
Weight	0,55 kg

0713/18
€ 67,31
LED FLOODLIGHT WITH MAGNETIC BASE

12 AND 24 V 18 W, TO FIT ON CARS, OFFROADS, CAMPERS, BOATS, AGRICULTURAL MACHINES AND EARTHMOVING MACHINES, WITH 3 A FUSE AND CAR PLUG LIGHTER



Power	DC 9 ÷ 32 V (12 V, 24 V) 18 W
LED number	6 x 3 W 1260 lm
Lighting distance	5 m - 45 lux; 12 m - 10 lux
Color temperature	6000° K
Cable length	2 m
Projector size	ø 116 mm
Base dimensions	ø 86,50 mm
Back holes center distance	87 x 28 mm M6
Overall dimensions	116 x 86,50 x 165 mm
Weight	0,6 kg

0713/27
€ 103,82
LED FLOODLIGHT WITH MAGNETIC BASE

12 AND 24 V 27 W, TO FIT ON CARS, OFFROADS, CAMPERS, BOATS, AGRICULTURAL MACHINES AND EARTHMOVING MACHINES, WITH 3 A FUSE AND CAR PLUG LIGHTER



Power	DC 9 ÷ 32 V (12 V, 24 V) 27 W
LED number	9 x 3 W 1890 lm
Lighting distance	5 m - 85 lux; 15,5 m - 10 lux
Color temperature	6000° K
Cable length	2 m
Projector size	ø 116 mm
Base dimensions	ø 86,50 mm
Back holes center distance	87 x 28 mm M6
Overall dimensions	116 x 86,50 x 165 mm
Weight	0,8 kg

0343**€ 23,41****FLEXIBLE ARM LAMP****Box**

Power	110 / 230 V 50 / 60 Hz max 40 W, E27
Range	800 mm
Clamp capacity	35 mm

0366**€ 103,82****48 LED MAGNIFIER LAMP****Box**

Power	230 V 50 Hz 4,8 W
Magnification	2x
Lens	Ø 127 mm
Range	810 mm
Clamp capacity	70 mm

0530**€ 106,40****LOW CONSUMPTION LAMP**

WITH LENS

**Box**

Power	230 V 50 Hz 22 W
Magnification	2x
Lens	Ø 120 mm
Range	810 mm
Clamp capacity	70 mm

0891**€ 160,16****LOW CONSUMPTION LAMP**

WITH 2 LENS

**Box**

Power	230 V 50 Hz 2 x 9 W
Magnification	2x + 6x
Lens	190 x 157 mm
Range	810 mm
Clamp capacity	70 mm

0516**€ 146,72****LOW CONSUMPTION LAMP**

WITH LENS

**Box**

Power	230V 50Hz 2 x 9W
Magnification	2x
Lens	190 x 157 mm
Range	810 mm
Clamp capacity	70 mm

0344**€ 30,13****FLEXIBLE ARM LAMP WITH MAGNIFYING LENS****Box**

Power	230 V 50/60 Hz
Bulb not included	Max 60 W, E27
Magnification	2x
Lens	Ø 100 mm
Range	800 mm
Clamp capacity	35 mm



0661
€ 45,36
**TABLE LAMP
WITH LENS**

Box

Power	230 V 50 Hz 11 W
Magnification	2x
Lens	Ø 89 mm

0625
€ 29,57
**HEAD LIGHT WITH MAGNIFYING
LEN SET**

Box

Multiplier	Distanza del fuoco mm/Target distance mm
1,2x	520 ÷ 620
1,8x	230 ÷ 320
2,5x	150 ÷ 250
3,5x	80 ÷ 120
Bulb	2,2 V - 0,25 A
Battery	2 AAA

0659
€ 34,50
CRYSTAL LENS SET

12 Pcs

Contents	Ingrandimenti/Magnifications
3 Pcs ø 50	3x - 10x mm
3 Pcs ø 60	3x - 8x mm
3 Pcs ø 75	3x - 8x mm
3 Pcs ø 90	3x - 8x mm

0659-
CRYSTAL LENS


Art.	€	ø	Magnification
0659/50	€ 3,74	50 mm	3x - 10x
0659/60	€ 4,87	60 mm	3x - 8x
0659/75	€ 6,16	75 mm	3x - 8x
0659/90	€ 10,30	90 mm	3x - 8x

L005
€ 26,21
LED MAGNIFIER

Box

Lens	Ø 125 mm
Magnification	2x
LED	6 - 9000 mcd
Battery	4 AA

L006
€ 9,18
LED MAGNIFIER

Box

Lens	50 x 50 mm
Magnification	3x
LED	5 - 9000 mcd
LED	1
Battery	4 Ag10

0643-
**WATERPROOF PORTABLE
BATTERY LAMP**


Art.	€	Bulb	Not included batteries	Packing
0643/1	€ 4,87	Krypton	2 AA	Blister
0643/2	€ 7,39	Krypton	2 D	Blister
0643/3	€ 10,98	Krypton	3 D	Blister

0436
€ 17,36
WATERPROOF LED TORCH

 DISTANCE CAPACITY MORE THAN 150 M,
LONG LIFE

Blister

Not included batteries	4 AA
LED power	3 W
Weight	200 g

0437

€ 21,95

HIGH POWERFUL LED TORCH

LONG RANGE , DISTANCE CAPACITY MORE THAN 150 M, LONG LIFE



Box

Not included batteries	4 C
LED power	3 W
Autonomy	25 h / 100 %
Weight	350 g

0491

€ 59,36

BIKE/POCKET LED FLASHLIGHT SET

MADE OF ABS AND RUBBER COVER, WITH CLAMP



12 Pcs Display box

Not included batteries	3 x AAA
LED number	9
Intensity	20 lm
Sizes	ø 36 x 36 x 105 mm
Autonomy	8 h
Weight	0,6 kg

0493/1

€ 8,18

LED HEADLIGHT

80 LM, MADE OF ABS AND RUBBER COVER, WITH ELASTIC BELT, 2 FUNCITONS: FOCUS AND FLASH, FOR USING WITH 3 BATTERIES AAA TYPE



Box

Not included batteries	3 x AAA
Intensity	80 lm
Sizes	ø 50 x 42 x 58 mm
Autonomy	10 h
Weight	0,096 kg

0480

€ 4,26

2PC BICYCLE LED LIGHT SET

MADE OF SILICON, 3 FUNCTIONS: FOCUS, FAST FLASH, SLOW FLASH



Blister

LED number	2, 400 - 500 mcd
Included batteries	2 x CR-2032
Weight	23 g

0482/3

CAT 42 € 50,40

HEAD LAMP WITH SENSOR

LED	3 W COB
Color temperature	6500 K
Battery	3.7 V 1500 mAh Li-ion
Autonomy	4h
Intensity	Max 300 lm
Recharging time	3h
Weight	110 g kg

0493/2

€ 21,17

LED HEADLIGHT

120 LM, WITH ELASTIC BELT, 2 FUNCITONS: FOCUS AND FLASH, FOR USING WITH 3 BATTERIES AAA TYPE



Box Aluminium

Not included batteries	3 x AAA
Intensity	120 lm
Sizes	ø 75 x 45 x 45 mm
Autonomy	5 h
Weight	0,136 kg



0209
€ 33,60
10 + 1 LED MAGNETIC WORK LIGHT

WITH ROTATING HEAD, LED ON THE TOP AND FRONT WITH 2 BRIGHTNESS LEVELS



Intensity	50 - 300 lm
Not included batteries	3 AAA
Tilting head	180°
Revolution	180°
Dimensions	35 x 330 mm
Weight	208 g

0128
€ 9,74
12 + 1 LED POCKET TORCH LIGHT WITH MAGNET

AND SWIVEL CLIP, LONG LASTING, SMALL SIZE AND HIGH BRIGHTNESS MAKE IT ESSENTIAL IN PROFESSIONAL AND DO-IT-YOURSELF LINES



Included batteries	3 AAA
Sizes	174 x 3.4 x 2.2 mm
Intensity	30 lm
Weight	49 g

0671/1P
€ 6,27
ALUMINUM WHITE LED FLASHLIGHT WITH EXTRA BRIGHTNESS


Blister

Not included batteries	2 AAA
LED number	1 - 9000 mcd
Sizes	Ø 12,5 x 141 mm

0397
€ 6,16
7 LED POCKET TORCH LIGHT

WITH MAGNETIC AND SWIVEL CLIP, LONG LASTING, SMALL SIZE AND HIGH BRIGHTNESS MAKE IT ESSENTIAL IN PROFESSIONAL AND DO-IT-YOURSELF LINES



Not included batteries	3 AAA
Sizes	33 x 16 x 160 mm

0671/8
€ 12,43
ALUMINUM WHITE LED FLASHLIGHT WITH EXTRA BRIGHTNESS


Blister

Not included batteries	2 AA
LED number	8 - 9000 mcd
Sizes	Ø 25 x 20 x 140 mm

0787
€ 18,82
ALUMINUM TORCH


Blister

Not included batteries	2 C
LED number	8 LED 11000 mcd
Sizes	Ø 48,5 x 31 x 215 mm

0492

€ 62,94

LED FLASHLIGHT SET WITH TELESCOPIC MAGNET

MADE OF ALUMINUM

6 Pcs Display box

Button batteries	4-LR44
LED number	6
Intensity	6 x 10 lm
Sizes	ø 30 x 21 x 180 mm
Max length	710 mm
Autonomy	3 h
Weight	0,12 kg



0107

€ 7,06

30 + 7 LED MAGNETIC LIGHT

WITH MAGNET AND HOOK ON THE BACK SIDE

ABS

Single LED life	100000 hours
Intensity	50 lm
Not included batteries	3 AA
Dimensions	40 x 35 x 203 mm
Weight	130 g



0311

€ 9,97

24 LED MAGNETIC LIGHT

WITH MAGNET AND HOOK ON THE BACK SIDE

ABS

Single LED life	100000 hours
Not included batteries	3 AA



0291

€ 8,18

24 + 3 LED MAGNETIC LIGHT

WITH MAGNET AND HOOK ON THE BACK SIDE

ABS

Single LED life	100000 hours
Not included batteries	3 AAA



0338

€ 37,41

ALUMINUM HAND TORCH WITH 1 LED AND MANUAL ZOOM

3 LIGHT TYPES: STRONG, MEDIA AND FLASHING; ADAPTER TO WORK WITH 3 BATTERIES AAA TYPE IN A BOX



Battery	1 lithium (rechargeable), 3 AAA
LED	Q3 3 W
Sizes	Ø 34,5 x 28 x 135 mm
Battery charger	110 / 230 V 50 / 60 Hz
Autonomy	4 h
Weight	350 g

0597

€ 25,98

RECHARGEABLE LED LIGHT WITH MAGNET

WITH BATTERY CHARGER DC12V AND AC 230V, FOLDABLE, HANGING AND MAGNETIC

Battery	3.7 V 1800 mAh
LED	8 SMD + 5 LED
Recharging time	8 ÷ 10 h
Autonomy	7 ÷ 8 h
Weight	0,55 kg



0889
€ 53,65
RECHARGEABLE LED LIGHT WITH MAGNET

WITH BATTERY CHARGER DC12V AND AC 230V, FOLDABLE, HANGING AND MAGNETIC



Box

Battery	3,7 V - 1100 mAh - Lithium
LED	21 + 5 - 9000 mcd
Recharging time	4 ÷ 5 h
Autonomy	4 ÷ 6 h

0401
€ 65,30
COB LED TECHNOLOGY RECHARGEABLE LAMP

HIGH CAPACITY LITHIUM BATTERY FOR LONG TIME OPERATION, MAGNETIC BACK FOR HAND-FREE APPLICATION, FLEXIBLE STANDING ARM FOR MULTI-ANGLE LIGHTING PURPOSES, STRONG LIGHT OUTPUT 180 LUMENS



Box

Power	100 ÷ 240 V , 50 ÷ 60 Hz
Battery	3,7 V 2 x 2000 mAh Lithium
Recharging time	6 h
Autonomy	3,5 h
Weight	550 g

0693
€ 106,40
RECHARGEABLE LED LAMP


Box

Battery	7,4 V - 1900 mAh - Lithium
LED	30 - 9000 mcd
Recharging time	5 ÷ 6 h
Autonomy	8 h

0123
€ 54,99
MULTIFUNCTION USB RECHARGEABLE LED LIGHT

WITH FRONT TORCH WITH VARIOUS STEPS OF BRIGHTNESS, LATERAL WHITE AND RED LEDS WITH FLASHING FUNCTION. USB RECHARGING CABLE AND TRANSFORMER. CHARGE AND RECHARGE STATUS LED. IT CAN BE CHARGED DIRECTLY FROM A COMPUTER.



Battery	1 lithium (rechargeable) 3.7V, 1800 mAh
LED	24 Cree XPG R5
Intensity	30 - 300 lm
Dimensions	191 x 99 x 148 mm
Battery charger	USB 110 - 230 V 50 - 60 Hz
Autonomy	2.5 h
Weight	386 g

L008
€ 113,12
SLIM INSPECTION CORDLESS LED LIGHT

RECHARGEABLE, HIGH CAPACITY LITHIUM BATTERY FOR LONG TIME OPERATION, STRONG LIGHT OUTPUT 400 LUMEN, THE SLIM DESIGN AND ROBUST STRUCTURE MAKE IT INDESTRUCTIBLE EVEN IF IT FALLS FROM A HEIGHT OF ONE METER OR, IF IT IS FORGOTTEN ON A FLAT FLOOR, THE CAR PASSES OVER IT



Box

Power	100 ÷ 240 V , 50 ÷ 60 Hz
Battery	3,7 V 2400 mAh Lithium
Recharging time	3,5 h
Autonomy	3 - 10 h
Weight	115 g



0445/20

€ 138,88

20W 600/1450 LM RECHARGEABLE LED FLOODLIGHT

WITH SWITCH TO WORK AT 600 LM, ADAPTERS TO RECHARGE BATTERIES WITH CAR DC LIGHTER AND HOME AC 230 V



IP 65

Power	DC 12 - 24 V, 20 W; AC 230 V 20W
Intensity	600 - 1450 lm
Battery	7.4V Li-Ion, 5400mAh
Autonomy	3 - 6 h
Weight	1,5 kg

0429

€ 22,85

WORKING LAMP HOLDER WITH 5 M POWER CORD

WITHOUT ON/OFF SWITCH, MAX 60 W FOR INCANDESCENT LAMPS, E27 SCREW CUP BULB, VOLTAGE RANGE 12 ÷ 230 V; BULB NOT INCLUDED



Hanger IP54

Cable length	5 m
Screw cup bulb	E27
Voltage	230 V
Weight	1000 g

0342

€ 14,90

PORTABLE NEON LAMP WITH HOOK

Blister

Power	230 V 50 Hz 8 W
Dimensions	ø 31 x 435 mm
Cable	5 m

0840

€ 106,40

RECHARGEABLE LED LAMP WITH ADJUSTABLE HOOKS AND MAGNETS

MADE OF ABS AND POLYCARBONATE, WITH LITHIUM BATTERY, 12 V CAR PLUG ADAPTER AND 230 V HOME ADAPTER, CHARGING INDICATOR LIGHT



Power	DC 12 V 7,2 W; AC 230V
Working lamp dimensions	ø 38 x 1080 mm
Adjustable extension clamps	1210 ÷ 1950 mm
Battery	7.4 V, 1800 mAh Lithium
Intensity	900 lm, 36 SMD
Recharging time	4 - 5 h
Autonomy	3h



0621/A3

€ 95,76

AUTO RE-ENTERING CABLE REEL



Without lamp

Cable length	10 m
Cable type	3 x 1,50 mm ² H05VV-F
Power	12 V ÷ 240 V
Max power for rolled cable	1200 W
Max power for unrolled cable	1800 W

A010-x

CABLE REEL

COMPLIES WITH STANDARD EN61242, DOUBLE ISOLATION CABLE H05VV-F HOMOLOGATED, HOMOLOGATED PVC PRESSURE-CAST PLUG, THERMAL CIRCUIT BREAKER WITH MANUAL RESET, MAX. POWER WITH ROLLED CABLE 1,2 KW, MAX. POWER WITH UNROLLED CABLE 3,4 KW



Art.	€	Cable length	Section	Drum
A010/10	€ 35,17	10 m	3 x 1,5 mm ²	ø 200 mm
A010/20	€ 57,12	20 m	3 x 1,5 mm ²	ø 250 mm

0428

€ 100,91

AUTOMATIC CABLE REEL WITH LAMP HOLDER

OVERLOAD PROTECTION, CABLE REEL IP20, MAX 60 W FOR INCANDESCENT LAMPS, E27 SCREW CUP BULB, LED LIGHT ON THE CABLE REEL TO SHOW THE PRESENCE OF POWER, VOLTAGE RANGE 12 ÷ 230 V; BULB NOT INCLUDED



Cable size	13 x 1 m - H05RR-F - 2 x 1mm ²
Screw cup bulb	E27
Voltage	12 ÷ 230 V
Weight	3,2 kg

A010-

CABLE REEL

COMPLIES WITH STANDARD EN61242, DOUBLE ISOLATION CABLE H05VV-F HOMOLOGATED, HOMOLOGATED PVC PRESSURE-CAST PLUG, THERMAL CIRCUIT BREAKER WITH MANUAL RESET, MAX. POWER WITH ROLLED CABLE 1,2 KW, MAX. POWER WITH UNROLLED CABLE 3,4 KW



Art.	€	Cable length	Section	Drum
A010/15	€ 51,18	15 m	3 x 1,5 mm ²	ø 190 mm
A010/25	€ 74,03	25 m	3 x 1,5 mm ²	ø 240 mm
A010/50	€ 132,16	50 m	3 x 1,5 mm ²	ø 310 mm



A010/20G**€ 52,86****GARDEN CABLE REEL**

20 M COMPLIES WITH STANDARD EN61242, DOUBLE ISOLATION CABLE H05VV-F HOMOLOGATED, HOMOLOGATED SCHUKO PLUG AND SCHUKO SOCKET, THERMAL CIRCUIT BREAKER WITH MANUAL RESET, MAX. POWER WITH ROLLED CABLE 1.2 KW, MAX. POWER WITH UNROLLED CABLE 3.4 KW



Cable length	20 m
Section	3 x 1 mm ²
Drum	ø 250 mm

A010/30T**€ 331,52****CABLE REEL**

COMPLIES WITH STANDARD EN61316, FLEXIBLE CORD H07RN-F, NEOPRENE HOMOLOGATED, IP44 PLUGS, THERMAL CIRCUIT BREAKER, WITH MANUAL RESET, MAX. POWER WITH ROLLED CORD 5 KW, MAX. POWER WITH UNROLLED CORD 11 KW



Power	380 V
Cable length	30 m
Section	4 x 2,5 mm ²
Drum	ø 340 mm

0651/6**€ 11,54****6 ITALIAN AND GERMAN TYPE POWER SOCKET AND ITALIAN PLUG 16A**

WITH OVERLOAD PROTECTION



Cable	3 x 1 mm ²
Cable length	1,5 m

A010/30**€ 240,80****CABLE REEL**

CONFORM TO STANDARD EN61316, FLEXIBLE CORD H07RN-F NEOPRENE HOMOLOGATED, IP44 PLUGS, THERMAL CIRCUIT BREAKER WITH MANUAL RESET, MAX. POWER WITH ROLLED CORD 5 KW MAX. POWER WITH UNROLLED CORD 11 KW



Power	230 V
Cable length	30 m
Section	3 x 2,5 mm ²
Drum	ø 340 mm

0651/5**€ 10,75****5 ITALIAN AND GERMAN TYPE POWER SOCKET AND ITALIAN PLUG 16A**

Cable	3 x 1 mm ²
Cable length	1,5 m

0651/6S**€ 10,98****6 ITALIAN AND GERMAN TYPE POWER SOCKET, WITH OVERLOAD PROTECTION AND GERMAN PLUG**

WITH OVERLOAD PROTECTION



Cable	3 x 1 mm ²
Cable length	1,5 m



GI01/32AE

€ 2.038,40

INVERTER GENERATOR WITH ELECTRIC STARTER AND WHEELS

3,5 KVA SILENCED INVERTER, CONSISTING OF STRONG IRON AND PLASTIC ELEMENTS, WITH ELECTRIC STARTER WITH REMOTE CONTROL, TRANSISTORISED IGNITION SYSTEM, AC CIRCUIT BREAKER, OIL SENSOR BREAKER AND AIR COOLING SYSTEM

Power	230 V 50 Hz 3,5 kVA
Rated AC output	3,1 kVA
Rated DC Output	12 V / 8,3 A
Frequency	50 Hz
Tension	230 V
Fuel tank capacity	6 l
Fuel	Benzina verde
Power outlet	Schuko
Dimensions	571 x 436 x 462 mm
Displacement-EngineType	161 cc - 4 tempi, OHV
Max engine power Output	4,5 kW / 4000 rpm
Noise Level	61 dB(A) a 7m
Weight	43 kg


GI01/32

€ 1.814,40

INVERTER GENERATOR WITH WHEELS

3,5 KVA SILENCED INVERTER, CONSISTING OF STRONG IRON AND PLASTIC ELEMENTS, WITH TRANSISTORISED IGNITION SYSTEM, AC CIRCUIT BREAKER, OIL SENSOR BREAKER AND AIR COOLING SYSTEM

Power	230 V 50 Hz 3,5 kVA
Rated AC output	3,1 kVA
Rated DC Output	12 V / 8,3 A
Frequency	50 Hz
Tension	230 V
Fuel tank capacity	6 l
Fuel	Benzina verde
Power outlet	Schuko
Dimensions	571 x 436 x 462 mm
Displacement-EngineType	161 cc - 4 tempi, OHV
Max engine power Output	4,5 kW / 4000 rpm
Noise Level	61 dB(A) a 7m
Weight	43 kg


GI01/20

€ 1.355,20

INVERTER GENERATOR

2 KVA SILENCED INVERTER, CONSISTING OF STRONG IRON AND PLASTIC ELEMENTS, WITH TRANSISTORISED IGNITION SYSTEM, AC CIRCUIT BREAKER, OIL SENSOR BREAKER AND AIR COOLING SYSTEM

Max power	2 kVA
Rated AC output	1,6 kVA
Rated DC Output	12 V / 8,3 A
Frequency	50 Hz
Tension	230 V
Fuel tank capacity	3,8 l
Fuel	Benzina verde
Power outlet	Schuko
Dimensions	490 x 335 x 415 mm
Displacement-EngineType	80 cc - 4 tempi, OHV
Max engine power Output	2,5 kW / 5500 rpm
Noise Level	60 dB(A) a 7m
Weight	24,5 kg



0678**€ 17,92**

POLYURETHANE FOAM GUN
MOUNT AND FOAM ADJUSTMENT



 Color box

Length 290 mm

0085**€ 10,98**

9" HEAVY DUTY CAULKING GUN



Weight 700 g

0521**€ 8,85**

9" HEAVY DUTY CAULKING GUN



Weight 600 g

0234**€ 3,84**

9" REINFORCED CAUL KING GUN SKELETON TYPE EXAGONAL ROD



Weight 380 g

0091**€ 3,35**

9" RATCHET CAUL KING GUN BARREL TYPE



Weight 380 g

0604**€ 17,92**

9" EPOXY SEAL CAUL KING GUN

345 ML AND 235 ML



Weight 1000 g

0861
€ 17,92
9" EPOXY SEAL CAUL KING GUN

380 ML



Weight 950 g

0820-
SQUARE TROWELS


Art.	€	Length
0820/18	€ 4,32	180 mm
0820/20	€ 4,48	200 mm

0819-
BRICKLAYING TROWELS ROUND NOSE


Art.	€	Length
0819/18	€ 4,32	180 mm
0819/20	€ 4,48	200 mm

0821/14
€ 3,35
BRICKLAYING TROWEL ROUND NOSE


Length 140 mm

0822
€ 4,79
PLASTERING TROWEL WITH ABS HANDLE


Length 280 x 120 mm

0823
€ 4,79
NOTCHED TROWEL WITH ABS HANDLE


Length 280 x 120 mm

0184-
PUTTY KNIFE WITH CLIPPED PLASTIC HANDLE MIRROR POLISH


Art.	€	Blade sizes
0184/01	€ 1,33	30 x 90h mm
0184/02	€ 1,33	50 x 95h mm
0184/03	€ 1,72	75 x 100h mm
0184/04	€ 2,64	100 x 100h mm

0606
€ 3,90
POLYETHYLENE BUCKET


Overall sizes	ø 360 x 240h mm
Capacity	14 l
Weight	720 g

0043**€ 5,10****RED AND WHITE SIGNAL TAPE**

Length 200 m
Height 70 mm

0747**€ 2,25****PPL TAPE HAVANA COLOR**

Belt dimensions 50 mm x 66 m

PVC300/125**€ 4,61****PPL FILM**

Dimensions 0,125h x 100 m
Thickness 20 µm

PVC300**€ 17,47****PPL FILM**

Dimensions 0,5h x 300 m
Thickness 23 µm

0103**€ 7,73****TAPE FILM DISPENSER****0760****€ 7,73****STRETCH FILM HANDLE DISPENSER****0748****€ 9,18****PPL FILM HANDLE DISPENSERS****028x****POLYETHYLENE PROTECTION COVER SHEET, TWO COLOURS: GREEN - BLUE**

PROTECTED TO UV RAYS, WOVEN POLYETHYLENE TARPAULIN 140/150 G/M2, EYELETS EVERY 50 CM



Art.	€	Dimensions	Weight
0281	€ 10,53	2 x 3 m	0,8 kg
0282	€ 30,46	4 x 5 m	2,8 kg
0283	€ 60,82	5 x 8 m	5,6 kg
0284	€ 79,30	6 x 10 m	8,4 kg

GL642-
COW GRAIN LEATHER GLOVE

HEMMED WITH INTERNAL ELASTIC CUFF



PACKING OF 12* PAIRS

Art.	€	Size
GL642/07	€ 5,94	7
GL642/08	€ 5,94	8
GL642/09	€ 5,94	9
GL642/10	€ 5,94	10
GL642/11	€ 5,94	11

GL814-
COW GRAIN/SPLIT LEATHER GLOVE

EXTRA-QUALITY, WING THUMB, COW GRAIN LEATHER PALM, COW SPLIT BACK. HEMMED WRIST WITH INTERNAL ELASTIC CUFF



PACKING OF 12* PAIRS

Art.	€	Size
GL814/07	€ 5,10	7
GL814/08	€ 5,10	8
GL814/09	€ 5,10	9
GL814/10	€ 5,10	10
GL814/11	€ 5,10	11

GL349-
NBR COATED COTTON JERSEY GLOVE

PALM, FINGERS AND KNUCKLES COATED, LIGHTWEIGHT, GOOD ABRASION RESISTANCE, KNITWRIST CUFF AND PARTIALLY AERATED BACK



PACKING OF 12* PAIRS

Art.	€	Size
GL349/07	€ 1,83	7
GL349/08	€ 1,83	8
GL349/09	€ 1,83	9
GL349/10	€ 1,83	10
GL349/11	€ 1,83	11

GL650-
SHEEP GRAIN LEATHER-COTTON GLOVE

SHEEP GRAIN LEATHER PALM, STRETCH COTTON BACK, CUFF ADJUSTABLE WITH VELCRO



PACKING OF 12* PAIRS

Art.	€	Size
GL650/08	€ 7,50	8 - Blue
GL650/09	€ 7,50	9 - Yellow
GL650/10	€ 7,50	10 - Red
GL650/11	€ 7,50	11 - Black

GL345-
NBR COATED COTTON JERSEY GLOVE

PALM, FINGERS AND KNUCKLES COATED, EXCELLENT RESISTANCE TO ABRASION, GREASE AND OIL, HYDROCARBONS AND DIRT, COTTON CANVAS SAFETY CUFF



PACKING OF 12* PAIRS

Art.	€	Size
GL345/09	€ 3,08	9
GL345/10	€ 3,08	10

GL373-
SEAMLESS POLYESTER GLOVE / NITRILE

PALM COATED WITH NITRILE FOR GOOD PROTECTION IN THE PRESENCE OF LIQUIDS, OILS AND/OR GREASE, EXCELLENT ABRASION RESISTANCE, ERGONOMIC DESIGN FOR A COMFORTABLE FIT, KNITWRIST CUFF AND BREATHABLE BACK



PACKING OF 12* PAIRS

Art.	€	Size
GL373/07	€ 1,48	7
GL373/08	€ 1,48	8
GL373/09	€ 1,48	9
GL373/10	€ 1,48	10



GL365-**SEAMLESS POLYESTER GLOVE / NITRILE**

PALM COATED WITH NITRILE FOR GOOD PROTECTION IN THE PRESENCE OF LIQUIDS, OILS AND/OR GREASE, EXCELLENT ABRASION RESISTANCE, ERGONOMIC DESIGN FOR A COMFORTABLE FIT, KNITWRIST CUFF



PACKING OF 12* PAIRS

Art.	€	Size
GL365/08	€ 3,16	8
GL365/09	€ 3,16	9
GL365/10	€ 3,16	10

GL764-**SEAMLESS POLYESTER GLOVE/POLYURETHANE**

PALM COATED WITH POLYURETHANE, SUPERIOR DEXTERITY AND TACTILE SENSITIVITY, LIGHTWEIGHT, FLEXIBLE, WITH EXCELLENT ABRASION AND WEAR RESISTANCE, ERGONOMIC DESIGN FOR A COMFORTABLE FIT, KNITWRIST CUFF AND BREATHABLE BACK



PACKING OF 12* PAIRS

Art.	€	Size
GL764/07	€ 1,53	7
GL764/08	€ 1,53	8
GL764/09	€ 1,53	9
GL764/10	€ 1,53	10

GL516-**SEAMLESS NYLON GLOVE / LATEX**

PALM COATED WITH LATEX, WRINKLE FINISH FOR EXTRAORDINARY DRY & WET GRIP, ERGONOMIC DESIGN FOR A COMFORTABLE FIT, KNITWRIST CUFF AND BREATHABLE BACK



PACKING OF 12* PAIRS

Art.	€	Size
GL516/08	€ 3,19	8
GL516/09	€ 3,19	9
GL516/10	€ 3,19	10

GL722-**SEAMLESS NYLON GLOVE / POLYURETHANE**

PALM COATED WITH A SPECIAL ULTRALIGHT POLYURETHANE COMPOUND, EXTRA LIGHTWEIGHT AND ELASTIC WITH HIGH TACTILE SENSITIVITY AND DEXTERITY, EXCELLENT DRY & WET GRIP, WITH ANTIBACTERIAL SANITIZED® TREATMENT, ERGONOMIC DESIGN FOR A COMFORTABLE FIT, KNITWRIST CUFF AND BREATHABLE BACK



PACKING OF 12* PAIRS

Art.	€	Size
GL722/07	€ 5,29	7
GL722/08	€ 5,29	8
GL722/09	€ 5,29	9
GL722/10	€ 5,29	10

GL762-**SEAMLESS NYLON GLOVE/POLYURETHANE**

PALM COATED WITH POLYURETHANE, LIGHTWEIGHT, ELASTIC, WITH EXCELLENT TACTILE SENSITIVITY, SUGGESTED FOR DELICATE AND PRECISION JOBS, EXCELLENT ABRASION RESISTANCE AND DURABILITY, ERGONOMIC DESIGN FOR A COMFORTABLE FIT, KNITWRIST CUFF AND BREATHABLE BACK



PACKING OF 12* PAIRS

Art.	€	Size
GL762/M	€ 3,21	M
GL762/L	€ 3,21	L
GL762/XL	€ 3,21	XL
GL762/XXL	€ 3,21	XXL

GL515-**SEAMLESS COTTON-POLYESTER GLOVE / LATEX**

PALM COATED WITH LATEX, WRINKLE FINISH FOR EXTRAORDINARY DRY & WET GRIP, ERGONOMIC DESIGN FOR A COMFORTABLE FIT, KNITWRIST CUFF AND BREATHABLE BACK



PACKING OF 12* PAIRS

Art.	€	Size
GL515/08	€ 3,08	8
GL515/09	€ 3,08	9
GL515/10	€ 3,08	10



GL398-
15-GAUGE SEAMLESS NYLON-ELASTANE GLOVE / NITRILE FOAM

PALM COATED WITH NITRILE FOAM WHICH MAKES THE GLOVE SOFT, LIGHT AND BREATHABLE, DOTS ON PALM FOR BETTER GRIP AND WEAR RESISTANCE, ANTI-PILLING, WATER AND OIL REPELLENT, EXCELLENT ABRASION RESISTANCE, TOGETHER WITH HIGH FLEXIBILITY AND DEXTERITY, ERGONOMIC DESIGN FOR A COMFORTABLE FIT, KNITWRIST CUFF AND BREATHABLE BACK



PACKING OF 12* PAIRS

Art.	€	Size
GL398/07	€ 5,48	7
GL398/08	€ 5,48	8
GL398/09	€ 5,48	9
GL398/10	€ 5,48	10

GL503-
SEAMLESS NYLON GLOVE / LATEX

PALM COATED WITH A SPECIAL SOFT LATEX FOAM, WRINKLE FINISH FOR EXTRAORDINARY DRY & WET GRIP, YELLOW FLUO LINER FOR HIGHER VISIBILITY WHEN USED IN HALF-LIGHT OR LOW VISIBILITY CONDITIONS, HIGH WEAR AND TEAR RESISTANCE, EXCEPTIONAL FLEXIBILITY, GOOD TACTILE SENSITIVITY, ERGONOMIC DESIGN FOR A COMFORTABLE FIT, KNITWRIST CUFF AND BREATHABLE BACK



PACKING OF 12* PAIRS

Art.	€	Size
GL503/08	€ 5,29	8
GL503/09	€ 5,29	9
GL503/10	€ 5,29	10

GL386-
13 GAUGE SEAMLESS POLYESTER GLOVE / NITRILE

PALM COATED WITH NITRILE WITH A SLIGHTLY WRINKLE FINISH DUE TO THE PROCESSING OF THE LINER, VERY GOOD GRIP, HIGH FLEXIBILITY AND DEXTERITY, HIGH ABRASION RESISTANCE, ERGONOMIC DESIGN FOR A COMFORTABLE FIT, KNITWRIST CUFF AND BREATHABLE BACK



PACKING OF 12* PAIRS

Art.	€	Size
GL386/08	€ 2,16	8
GL386/09	€ 2,16	9
GL386/10	€ 2,16	10

GL396-
15-GAUGE SEAMLESS NYLON-ELASTANE GLOVE / NITRILE FOAM

PALM COATED WITH NITRILE FOAM WITH NPT™ TECHNOLOGY, FOR OUTSTANDING GRIP AND NON-SLIP PROPERTIES, BOTH IN DRY & WET CONDITIONS, OR IN CONTACT WITH OILY SURFACES AND FOR INCREASED ABRASION RESISTANCE, WITH ANTIBACTERIAL SANITIZED® TREATMENT, CONSIDERABLE FLEXIBILITY AND DEXTERITY, ERGONOMIC DESIGN FOR A COMFORTABLE FIT, KNITWRIST CUFF AND BREATHABLE BACK



PACKING OF 12* PAIRS

Art.	€	Size
GL396/07	€ 6,72	7
GL396/08	€ 6,72	8
GL396/09	€ 6,72	9
GL396/10	€ 6,72	10

GL750-
13-GAUGE SEAMLESS GLOVE WITH DYNEEMA® + LYCRA® / POLYURETHANE

POLYURETHANE PALM COATED, WITH DYNEEMA® FIBER FOR MEDIUM TO HIGH CUT RESISTANCE WHILE ENHANCING WEARER COMFORT AND DEXTERITY, MAXIMUM PROTECTION WHEN PERFORMING PRECISION LONG-LASTING OPERATIONS WHEN ULTRA HIGH RESISTANCE TO CUT IS ESSENTIAL WITHOUT LOOSING TACTILITY, WITH ANTIBACTERIAL SANITIZED® TREATMENT, EXCELLENT LEVELS OF MECHANICAL RESISTANCE, KNITWRIST CUFF AND BREATHABLE BACK



PACKING OF 12* PAIRS

Art.	€	Size
GL750/08	€ 12,10	8
GL750/09	€ 12,10	9
GL750/10	€ 12,10	10

GL918-
NITRILE GLOVE

CHLORINATED, EXTERNAL NON-SLIP PATTERN PROVIDES GOOD GRIP, EXCELLENT TACTILE SENSITIVITY (EXTREMELY THIN, IS A GOOD COMPROMISE BETWEEN A DISPOSABLE GLOVE AND A CLASSIC INDUSTRIAL NITRILE GLOVE), SUITABLE FOR FOOD CONTACT



PACKING OF 12* PAIRS

Art.	€	Size	Thickness
GL918/07	€ 3,46	7	0,22 mm
GL918/08	€ 3,46	8	0,22 mm
GL918/09	€ 3,46	9	0,22 mm
GL918/10	€ 3,46	10	0,22 mm



GL626-**LATEX GLOVE**

SMOOTH INSIDE, EXTERIOR EMBOSSED TEXTURE ON PALM AND FINGERS FOR INCREASED GRIP



PACKING OF 12* PAIRS

Art.	€	Size	Thickness
GL626/M	€ 3,19	M	0,55 mm
GL626/L	€ 3,19	L	0,55 mm
GL626/XL	€ 3,19	XL	0,55 mm

GL343-**NITRILE GLOVE CLEAN MONKEY**

DISPOSABLE AND AMBIDEXTROUS, POWDER-FREE, FISHSCALE GRIP ON PALM AND BACK, HIGH COMFORT, SENSITIVITY AND DEXTERITY, SUITABLE FOR FOOD CONTACT



50 Pcs

Art.	€	Size	Thickness	AQL
GL343/M	€ 29,90	M	0,20 mm	1,5
GL343/L	€ 29,90	L	0,20 mm	1,5
GL343/XL	€ 29,90	XL	0,20 mm	1,5
GL343/XXL	€ 29,90	XXL	0,20 mm	1,5

GL340-**NITRILE GLOVE GREASE MONKEY**

DISPOSABLE, AMBIDEXTROUS, POWDER-FREE, COMPLETELY LATEX-FREE, FISHSCALE GRIP ON PALM AND BACK, HIGH COMFORT, SENSITIVITY AND DEXTERITY, EXTRAORDINARY RESISTANCE TO OILS/GREASES, SUITABLE FOR FOOD CONTACT



50 Pcs

Art.	€	Size	Thickness	AQL
GL340/M	€ 15,90	M	0,15 mm	1,5
GL340/L	€ 15,90	L	0,15 mm	1,5
GL340/XL	€ 15,90	XL	0,15 mm	1,5
GL340/XXL	€ 15,90	XXL	0,15 mm	1,5

GL230-**VINYL GLOVE**

DISPOSABLE AND AMBIDEXTROUS, WITH POWDER, EXTERIOR SMOOTH FINISH, HIGH SENSITIVITY AND DEXTERITY, SUITABLE FOR MEDICAL USE, SUITABLE FOR FOOD CONTACT



100 Pcs

Art.	€	Size	Thickness	AQL
GL230/S	€ 8,85	S	0,08 mm	1,5
GL230/M	€ 8,85	M	0,08 mm	1,5
GL230/L	€ 8,85	L	0,08 mm	1,5
GL230/XL	€ 8,85	XL	0,08 mm	1,5

GL346-**NITRILE GLOVE**

DISPOSABLE AND AMBIDEXTROUS, POWDER-FREE, CHLORINATED, WITH TEXTURED FINGERTIPS, LIGHTWEIGHT, FLEXIBLE AND TOUCH SENSITIVE, SUITABLE FOR FOOD CONTACT



100 Pcs

Art.	€	Size	Thickness	AQL
GL346/S	€ 11,98	S	0,10 mm	1,5
GL346/M	€ 11,98	M	0,10 mm	1,5
GL346/L	€ 11,98	L	0,10 mm	1,5
GL346/XL	€ 11,98	XL	0,10 mm	1,5

GL320-**NITRILE GLOVE**

DISPOSABLE AND AMBIDEXTROUS, WITHOUT POWDER, CHLORINATED EXTERIOR GRAINED FINISH, EXCELLENT SENSITIVITY AND DEXTERITY, SUITABLE FOR MEDICAL USE, SUITABLE FOR FOOD CONTACT



100 Pcs

Art.	€	Size	Thickness	AQL
GL320/S	€ 14,56	S	0,10 mm	1,5
GL320/M	€ 14,56	M	0,10 mm	1,5
GL320/L	€ 14,56	L	0,10 mm	1,5
GL320/XL	€ 14,56	XL	0,10 mm	1,5



EW210

€ 4,51

POLYCARBONATE EYEGLASS TEMPLE

SINGLE LENS WITH SIDE PROTECTIONS. IT CAN BE WORN ON TOP OF SPECTACLES



EN 166

Optic class

1

EW154

€ 3,29

PLASTIC PANORAMIC GOGGLES

PLASTIC ONE-PIECE LENS, AERATION VALVES, ELASTIC BAND



EN 166

Optic class

1

EW152

€ 3,08

PLASTIC PANORAMIC GOGGLES

PLASTIC ONE-PIECE LENS, SIDE AERATION HOLES, ELASTIC BAND



EN 166

Optic class

1

EW207

€ 7,62

EYEGLASS TEMPLE

TRANSPARENT POLYCARBONATE FRAME, NO-MIST AND ANTI-SCRATCH LENSES, PANORAMIC WRAP-AROUND STRUCTURE, SIDE PROTECTIONS



EN 166

Optic class

1

EW213

€ 7,39

EYEGLASS TEMPLE

POLYCARBONATE FRAME, NO-MIST AND ANTI-SCRATCH LENSES, PANORAMIC WRAP-AROUND STRUCTURE, TEMPLES WITH ADJUSTABLE LENGTH



EN 166

Optic class

1

FP120

€ 8,06

POLYTHENE HELMET

ADJUSTABLE STRAPS WITH 6 FASTENING POINTS, ELECTRIC INSULATION UP TO 440 V, SWEAT BAND



EN 397

Weight

380 g

FP190

€ 40,43

POSITIONING BELT

2 LATERAL ANCHOR RINGS, ADJUSTABLE BUCKLE, PADDED BACK SUPPORT



EN 358

Weight

460 g

FP194

€ 34,05

ADJUSTABLE SAFETY LANYARD

"KERNMANTEL" POLYAMIDE SAFETY LANYARD, WITH ADJUSTABLE BUCKLE, ZINC GALVANIZED STEEL CONNECTOR (Ø 18 mm) WITH SAFETY LOCK



EN 354 & EN 358

Cable diameter

Ø 12 mm

Length

Max 2 m (connectors included) mm

Weight

545 g

FP166

€ 10,42

SELF-CLOSING CONNECTOR
 EN 362 - Class B
  Zinc galvanized steel

Opening	18 mm
Static resistance of spring catch	> 25 kN
Weight	180 g

FP192

€ 43,23

BODY HARNESS

WITH DORSAL AND STERNAL ANCHOR POINTS, ADJUSTABLE BUCKLE FOR LEGS, ADJUSTABLE CHEST CONNECTING STRAP


 EN 361

Weight	690 g
--------	-------

FP144

€ 74,70

SAFETY LANYARD WITH ENERGY ABSORBER

"KERNMANTEL" SAFETY LANYARD, CONNECTORS NOT INCLUDED


 EN 355
  Polyamide

Cable diameter	Ø 10,5 mm
Length	Max 2 m (connectors included) mm
Weight	345 g



0148/72

€ 33,49

FIRST AID PRODUCTS

CONFORM TO ATTACHMENT 2 FOR FIRM WITH MAX 2 PEOPLES, PACKED IN POLYPROPYLENE CASE WITH SCREWS FOR WALL MOUNT

Content:

- 2 Pair sterile gloves
- 1 Bottle disinfectant 125 ml IODINE TINCTURE at 10% iodine
- 1 Bottle sterile physiological solution 250 ml
- 3 sterile gauze compresses cm 10x20
- 1 sterile gauze compress cm 18x40
- 1 Packet cotton wool
- 1 Latex Tourniquet
- 1 Sterile tweezers
- 1 Pack of 20 assorted adhesive plasters
- 1 Roll adhesive plaster 5m x 2.5 cm
- 1 gauze bandage rolls cm 10
- 1 Pair scissors
- 1 Single-use instant ice pack
- 1 Bag for sanitary waste
- 1 Multilingual first aid instruction booklet



Case size

309 x 209 x 97 mm

0148/73

€ 124,32

FIRST AID PRODUCTS

THAT ARE CONFORM TO ATTACHMENT 1 FOR FIRM WITH MORE THAN 2 PEOPLES, PACKED IN POLYPROPYLENE CASE WITH SCREWS FOR WALL MOUNT

Content:

- 5 Pairs sterile gloves
- 1 Mask with splash guard visor
- 3 Bottles sterile physiological solution 500 ml
- 2 Bottles disinfectant 500 ml IODINE TINCTURE at 10% iodine
- 10 Packets sterile gauze compress cm 20x20
- 2 Packets sterile gauze compress cm 18x40
- 2 Sterile sheets cm. 40x60
- 2 Sterile TWEEZERS
- 1 Packet cotton wool
- 1 Box tubular elastic bandage - medium size
- 2 Packs of 20 assorted plasters
- 2 Rolls adhesive plaster 5 m x 2.5 cm
- 1 Pair scissors
- 3 Latex Tourniquets
- 2 Single-use instant ice packs
- 2 Bags for sanitary waste
- 1 Clinical thermometer CE with case
- 1 Sphygmomanometer with stethoscope
- 1 multilingual first aid instruction booklet



Case size

405 x 300 x 114 mm

0148/64

€ 22,06

FIRST AID PRODUCTS

NYLON BAG FOR VEHICLES AND FIRMS WITH LESS THAN 3 PEOPLE, INCLUDED CONTENTS OF ATTACHMENT 2, WITH HANDLE, SHOULDER STRAP AND ZIPPER.

Content:

- 2 Pair sterile gloves
- 1 Bottle disinfectant 125 ml IODINE TINCTURE at 10% iodine
- 1 Bottle sterile physiological solution 250 ml
- 3 sterile gauze compresses cm 10x20
- 1 sterile gauze compress cm 18x40
- 1 Packet cotton wool
- 1 Latex Tourniquet
- 1 Sterile tweezers
- 1 Pack of 20 assorted adhesive plasters
- 1 Roll adhesive plaster 5m x 2.5 cm
- 1 gauze bandage rolls cm 10
- 1 Pair scissors
- 1 Single-use instant ice pack
- 1 Bag for sanitary waste
- 1 Multilingual first aid instruction booklet



Case size

250 x 180 x 90 mm

HP207**€ 24,08****PROTECTIVE EARMUFF**

HEAD BOW WITH SOFT PADDING FOR INCREASED COMFORT, FAST AND STABLE HEIGHT ADJUSTMENT, ADJUSTABLE ABS CUPS WITH SOFT PADDED CUSHIONS, CAN BE USED WITH HELMETS, EYE SHIELDS AND MASKS



EN 352-1

SNR	32
Weight	268 g

HP603**€ 4,20****EARPLUGS WITH BOW**

POLYETHYLENE BOW, EXTREMELY SOFT POLYURETHANE PLUGS WHICH LEAN ON THE EAR CANAL WITHOUT PENETRATING INSIDE



EN 352-2

SNR	20
Weight	11 g

PG707-**DISPOSABLE COVERALL WITH HOOD**

100% POLYPROPYLENE NONWOVEN FABRIC, HYPOALLERGENIC MATERIAL, FIXED HOOD WITH ELASTIC BAND, LATEX FREE, ELASTIC BAND ON CUFF AND ANKLES, LATEX FREE, WITHOUT POCKETS, ZIPPER FASTENER



Art.	€	Category	Weight
PG707/M	€ 3,16	1	40 g/m ²
PG707/L	€ 3,16	1	40 g/m ²
PG707/XL	€ 3,16	1	40 g/m ²
PG707/XXL	€ 3,16	1	40 g/m ²

HP205**€ 10,64****PROTECTIVE EARMUFF**

ABS BOW, TURNING IN THREE POSITIONS, CUSHIONS IN SPONGE + PVC, HEIGHT TRIGGER ADJUSTMENT, CAN BE USED WITH HELMETS, EYE SHIELDS AND MASKS



EN 352-1

SNR	4+F286
Weight	145 g

HP601**€ 55,89****DISPOSABLE EARPLUGS IN POLYURETHANE FOAM**

ANATOMICAL SHAPE, SMOOTH SURFACE FOR IMPROVED COMFORT AND HYGIENE, 1 PAIR/BAG



200 Pcs EN 352-2

SNR	37
-----	----

PG760-**DISPOSABLE COVERALL WITH HOOD**

POLYPROPYLENE NONWOVEN FABRIC (52%) WITH MICROPOROUS POLYETHYLENE FILM (48%), HYPOALLERGENIC MATERIAL, MICROPOROUS SURFACE, FIXED HOOD WITH ELASTIC, LATEX FREE, ELASTIC BAND ON CUFF, ANKLES AND WAIST, LATEX FREE, FASTENER WITH ZIPPER AND FLAP



Art.	€	Category	Weight
PG760/M	€ 6,50	3	63 g/m ²
PG760/L	€ 6,50	3	63 g/m ²
PG760/XL	€ 6,50	3	63 g/m ²
PG760/XXL	€ 6,50	3	63 g/m ²



RP100

€ 7,62

HYGIENIC MASK
NONWOVEN FABRIC

50 Pcs


RP120

€ 1,34

MASK IN NONWOVEN FABRIC

PROTECTION AGAINST NON-TOXIC SOLID AND LIQUID AEROSOLS IN CONCENTRATIONS UP TO 4X TLV, SEMIRIGID STRUCTURE, SOFT SEAL ON THE NOSE

EN 149: 2001 + A1: 2009

Features FFP1 NR D
Weight 12 g


RP123

€ 1,52

MASK IN NONWOVEN FABRIC

PROTECTION AGAINST NON-TOXIC AND LOW-TO-AVERAGE TOXICITY SOLID AND LIQUID AEROSOLS, IN CONCENTRATION UP TO 12X TLV

EN 149: 2001 + A1: 2009

Features FFP2 NR D
Weight 11 g


RP124

€ 2,34

MASK IN NONWOVEN FABRIC

WITH EXHALATION VALVE, PROTECTION AGAINST NON-TOXIC AND LOW-TO-AVERAGE TOXICITY SOLID AND LIQUID AEROSOLS, IN CONCENTRATION UP TO 12X TLV

EN 149: 2001 + A1: 2009

Features FFP2 NR D
Weight 17 g


RP127

€ 4,24

MASK IN NONWOVEN FABRIC WITH ACTIVE CARBONS

PROTECTION AGAINST NON-TOXIC AND LOW-TO-AVERAGE TOXICITY SOLID AND LIQUID AEROSOLS, IN CONCENTRATION UP TO 12X TLV, EQUIPPED WITH NEW EXHALATION VALVE NEWTEC®, WITH ACTIVE CARBON TO PREVENT INHALATION OF STRONG ODOURS, SOFT SEAL ON THE NOSE

EN 149: 2001 + A1: 2009

Features FFP2 NR D
Weight 22 g


RP133

€ 3,84

FLEXIBLE MASK IN NONWOVEN FABRIC

PROTECTION AGAINST HIGH-TOXICITY POWDERS, INCLUDING WATER BASED AEROSOL IN CONCENTRATIONS UP TO 50X TLV, EQUIPPED WITH NEW EXHALATION VALVE NEWTEC®, SOFT SEAL ON THE NOSE, INDIVIDUALLY PACKAGED

EN 149: 2001 + A1: 2009

Features FFP3 NR D
Weight 20 g


RP126

€ 6,50

MASK IN NONWOVEN FABRIC

PROTECTION AGAINST NON-TOXIC, LOW-TO-AVERAGE TOXICITY AND HIGH-TOXICITY SOLID AND LIQUID AEROSOLS IN CONCENTRATIONS UP TO 50X TLV, EQUIPPED WITH EXHALATION VALVE NEWTEC®, SOFT SEAL PROTECTION ALONG THE INNER EDGE OF THE FACE

EN 149: 2001 + A1: 2009

Features FFP3 NR D
Weight 22 g



FW010-

PROTECTIVE LOW SHOE

IN SPLIT LEATHER, REFLECTIVE MATERIAL INSERTS, BREATHABLE INTERNAL LINING, REMOVABLE ANATOMIC INSOLE, DUAL DENSITY POLYURETHANE OUTSOLE, STEEL TOE CAP, STEEL LAYER, CLOSING WITH BICOLOURED LACES



EN ISO 20345: 2011

Art.	€	Features	Size
FW010/38	€ 66,86	S3 SRC	38
FW010/39	€ 66,86	S3 SRC	39
FW010/40	€ 66,86	S3 SRC	40
FW010/41	€ 66,86	S3 SRC	41
FW010/42	€ 66,86	S3 SRC	42
FW010/43	€ 66,86	S3 SRC	43
FW010/44	€ 66,86	S3 SRC	44
FW010/45	€ 66,86	S3 SRC	45
FW010/46	€ 66,86	S3 SRC	46
FW010/47	€ 66,86	S3 SRC	47

FW031-

PROTECTIVE LOW SHOE

IN SUEDE SPLIT LEATHER, UPPER IN SUEDE SPLIT LEATHER, HEEL COVERED WITH ABRASION RESISTANT INSERT, HYDROPHILIC, BREATHABLE INTERNAL LINING, PREFORMED EVA REMOVABLE INSOLE, RUBBER SOLE, COMPOSITE TOE-CAP, TEXTILE LAYER, CLOSURE WITH ORANGE LACES (GREY SPARE LACES INCLUDED)



EN ISO 20345: 2011

Art.	€	Features	Size
FW031/36	€ 97,10	S1P HRO SRC	36
FW031/37	€ 97,10	S1P HRO SRC	37
FW031/38	€ 97,10	S1P HRO SRC	38
FW031/39	€ 97,10	S1P HRO SRC	39
FW031/40	€ 97,10	S1P HRO SRC	40
FW031/41	€ 97,10	S1P HRO SRC	41
FW031/42	€ 97,10	S1P HRO SRC	42
FW031/43	€ 97,10	S1P HRO SRC	43
FW031/44	€ 97,10	S1P HRO SRC	44
FW031/45	€ 97,10	S1P HRO SRC	45
FW031/46	€ 97,10	S1P HRO SRC	46
FW031/47	€ 97,10	S1P HRO SRC	47
FW031/48	€ 97,10	S1P HRO SRC	48

FW505-

PROTECTIVE HIGH SHOE

IN COW GRAIN LEATHER, BREATHABLE INTERNAL LINING, REMOVABLE, PREFORMED INSOLE, QUICK TAKE-OFF DEVICE, DUAL DENSITY POLYURETHANE OUTSOLE, STEEL TOE-CAP, STEEL LAYER, CLOSURE WITH BICOLOURED LACES



EN ISO 20345: 2011

Art.	€	Features	Size
FW505/38	€ 55,89	S3 SRC	38
FW505/39	€ 55,89	S3 SRC	39
FW505/40	€ 55,89	S3 SRC	40
FW505/41	€ 55,89	S3 SRC	41
FW505/42	€ 55,89	S3 SRC	42
FW505/43	€ 55,89	S3 SRC	43
FW505/44	€ 55,89	S3 SRC	44
FW505/45	€ 55,89	S3 SRC	45
FW505/46	€ 55,89	S3 SRC	46
FW505/47	€ 55,89	S3 SRC	47

FW035-

PROTECTIVE LOW SHOE

IN SUEDE SPLIT LEATHER, HEEL COVERED WITH ABRASION RESISTANT INSERT, UPPER SIDE MESH INSERTS, HYDROPHILIC, BREATHABLE INTERNAL LINING, PREFORMED EVA REMOVABLE INSOLE, RUBBER SOLE, COMPOSITE TOE-CAP, TEXTILE LAYER, CLOSING WITH YELLOW LACES



EN ISO 20345: 2011

Art.	€	Features	Size
FW035/36	€ 97,10	S1P HRO SRC	36
FW035/37	€ 97,10	S1P HRO SRC	37
FW035/38	€ 97,10	S1P HRO SRC	38
FW035/39	€ 97,10	S1P HRO SRC	39
FW035/40	€ 97,10	S1P HRO SRC	40
FW035/41	€ 97,10	S1P HRO SRC	41
FW035/42	€ 97,10	S1P HRO SRC	42
FW035/43	€ 97,10	S1P HRO SRC	43
FW035/44	€ 97,10	S1P HRO SRC	44
FW035/45	€ 97,10	S1P HRO SRC	45
FW035/46	€ 97,10	S1P HRO SRC	46
FW035/47	€ 97,10	S1P HRO SRC	47
FW035/48	€ 97,10	S1P HRO SRC	48

FW008-
PROTECTIVE LOW SHOE

IN SUEDE SPLIT LEATHER, PERFORATED UPPER, BREATHABLE INTERNAL LINING, REMOVABLE ANATOMIC INSOLE, DUAL DENSITY POLYURETHANE OUTSOLE, STEEL TOE-CAP, STEEL LAYER, CLOSING WITH BICOLOURED LACES



EN ISO 20345: 2011

Art.	€	Features	Size
FW008/35	€ 48,50	S1P SRC	35
FW008/36	€ 48,50	S1P SRC	36
FW008/37	€ 48,50	S1P SRC	37
FW008/38	€ 48,50	S1P SRC	38
FW008/39	€ 48,50	S1P SRC	39
FW008/40	€ 48,50	S1P SRC	40
FW008/41	€ 48,50	S1P SRC	41
FW008/42	€ 48,50	S1P SRC	42
FW008/43	€ 48,50	S1P SRC	43
FW008/44	€ 48,50	S1P SRC	44
FW008/45	€ 48,50	S1P SRC	45
FW008/46	€ 48,50	S1P SRC	46
FW008/47	€ 48,50	S1P SRC	47

NON DISPONIBILE



NON DISPONIBILE

SP03-
SAFETY BOOT MADE OF PVC

WITH STEEL TOE-CAP AND SOLE. REINFORCED MODEL FOR PROTECTION OF THE TIBIA, MALLEOLUS AND HEEL. SHOCK-ABSORBING SOLE MADE OF ANTI-STATIC MATERIALS



Art.	€	Size
SP03/39	€ 31,25	39
SP03/40	€ 31,25	40
SP03/41	€ 31,25	41
SP03/42	€ 31,25	42
SP03/43	€ 31,25	43
SP03/44	€ 31,25	44
SP03/45	€ 31,25	45
SP03/46	€ 31,25	46
SP03/47	€ 31,25	47

NON DISPONIBILE

NON DISPONIBILE

NON DISPONIBILE

NON DISPONIBILE

