



€ 30,60 0149

HEAVY DUTY STAPLE GUN TACKER

With 500 staples and 500 nails





C586 PRO € 134,00

AIR BRAD NAILER



Carrying
case
Loader cap
Working p

Loader capacity	120
Working pressure	5 - 7 bar
Dimensions	260 x 240 x 65 mm
Nails	F - 10 / 50 mm
Air inlet	1/4"
Net weight	1,3 kg

PRO € 129,00 F588/6

AIR BRADDER FOR MINI PINS



case	
Loader capacity	195
Working pressure	5 - 7 bar
Dimensions	235 x 198 x 46 mm
Staples	0,60 - 12 / 25 mm
Air inlet	1/4"
Net weight	1 kg

F585

2 IN 1 AIR STAPLER AND BRAD NAILER



PRO € 139,00



case	
Loader capacity	100
Working pressure	5 - 7 bar
Dimensions	255 x 230 x 67 mm
Nails	F - 10 / 50 mm
Staples	90 - 10 / 40 mm
Air inlet	1/4"
Net weight	1,4 kg

0587 € 94,80

AIR STAPLER





Loader capacity	100
Working pressure	5 - 7 bar
Dimensions	225 x 165 x 45 mm
Staples	80 - 6 / 16 mm
Air inlet	1/4"
Net weight	0,9 kg

0585 € 115,00

2 IN 1 AIR STAPLER AND BRAD NAILER





80
5 - 7 bar
245 x 230 x 55 mm
F - 10 / 50 mm
90 - 10 / 40 mm
1/4"
1,4 kg



Dimensions Staples

Air inlet

Net weight



0,60 - 12 / 30 mm

1/4"

1 kg

€ 105,00 0586 AIR BRAD NAILER



0588/6	€ 89,50
AIR BRADDER FOR MINI PINS	



case	
Loader capacity	110
Working pressure	5 - 7 bar
Dimensions	245 x 225 x 55 mm
Nails	F - 10 / 50 mm
Air inlet	1/4"
Net weight	1,5 kg

€ 76,60 C589

AIR PALM NAILER



Working pressure	5 - 7 bar
Dimensions	111 x 115 x 70 mm
Nails	Ø 2.5 ÷ 4.1 - head Ø 6.3 ÷ 8.7 - length 38 ÷ 90 mm
Air inlet	1/4"
Net weight	0,5 kg





AP01 PR0 € 238,00

AIR IMPACT WRENCH

Professional series. In composite material, handle and head in shockproof rubber. Operating lever, change of rotation and speed adjustment operated with one hand. High power and great reliability

AP02 PR0 € 247,00

AIR IMPACT WRENCH

Professional series. In composite material, handle and head in shockproof rubber. Operating lever, change of rotation and speed adjustment operated with one hand. High power and great reliability



Speed	8500 rpm
Torque	542 Nm 400 lb-ft
Avg air cons.	108 l/min 3.8 SCFM
Working pressure	6 bar 90 psi
Air inlet	1/4"
Net weight	1,2 kg

	.,g	
AP03	PRO €	255,00

AIR IMPACT WRENCH

Professional series. In composite material, handle and head in shockproof rubber. Operating lever, change of rotation and speed adjustment operated with one hand. High power and great reliability



Speed	7800 rpm	
Torque	678 Nm 500 lb-ft	
Avg air cons.	136 l/min 4.8 SCFM	
Working pressure	6 bar 90 psi	
Air inlet	1/4"	
Net weight	1,2 kg	

AP04 PR0 € 265,00

AIR IMPACT WRENCH

Professional series. In composite material, handle and head in shockproof rubber. Operating lever, change of rotation and speed adjustment operated with one hand. High power and great reliability





Speed	7300 rpm
Torque	1085 Nm 800 lb-ft
Avg air cons.	153 l/min 5.4 SCFM
Working pressure	6 bar 90 psi
Air inlet	1/4"
Net weight	2,1 kg



AP05 PRO € 617,00

AIR IMPACT WRENCH

Professional series. In composite material, handle and head in shockproof rubber. Operating lever, change of rotation and speed adjustment operated with one hand. High power and great reliability

AP05/150

AIR IMPACT WRENCH

PRO € 741,00

With 150mm Anvil professional series. In composite material, handle and head in shockproof rubber. Operating lever, change of rotation and speed adjustment operated with one hand. High power and great reliability.









Speed	5300 rpm
Torque	1900 Nm 1400 lb-ft
Avg air cons.	224 l/min 8.1 SCFM
Working pressure	6 bar 90 psi
Air inlet	3/8"
Net weight	3,3 kg





Speed	5300 rpm	
Torque	1900 Nm 1400 lb-ft	
Avg air cons.	224 l/min 8.1 SCFM	
Working pressure	6 bar 90 psi	
Air inlet	3/8"	
Net weight	4 kg	

AP06

PRO € 238,00

0573 € 119,00

AIR IMPACT WRENCH

AIR IMPACT WRENCH

Professional series. In composite material, handle and head in shockproof rubber. Operating lever, change of rotation and speed adjustment operated with one hand. High power and great reliability









Speed	9000 rpm
Torque	312 Nm 230 lb-ft
Avg air cons.	113 l/min 4 SCFM
Working pressure	6 bar 90 psi
Air inlet	1/4"
Net weight	1,1 kg





0571 € 162,00

AIR IMPACT WRENCH

0576 € 171,00 AIR IMPACT WRENCH





Speed

Torque

Air inlet Net weight

Avg air cons.

Working pressure









10	
	Alu







7000 rpm

435 Nm

5 SCFM (150 l/min)

6 bar / 90 psi

1/4"

€ 94,80

7000 rpm	Speed
610 Nm	Torque
5 SCFM (150 l/min)	Avg air cons.
6 bar / 90 psi	Working pressure
1/4"	Shank
2,6 kg	Net weight

Net weight	2,5 kg

0786 € 287,00

AIR IMPACT WRENCH



	Α.
	1
	-

AIR IMPACT WRENCH SET	
With 10 wrenches, a wrench extension, 1/4 "nozzle	





0044









4200 rpm	Speed	7000 rpm
950 Nm	Torque	320 Nm
8 SCFM (240 l/min)	Socket	9-10-11-13-14-17-19-
6 bar / 90 psi		22-24-27 mm
1/4"	Extension	125 mm
4,8 kg	Avg air cons.	5 SCFM (150 l/min)

0052

Working pressure	6 bar/90 psi
Sound pressure level	84.4 ± 2.94 dB(A)
Level vibration trans- mitted to hand-arm	8.53 ± 2.05 m/s2
Air inlet	1/4"
Net weight	4 kg

€ 134,00

0045 € 56,90







Speed

Torque Avg air cons.

Speed

Torque

Air inlet

Net weight

Avg air cons.

Working pressure













Alu

AIR IMPACT WRENCH



3/4	
	4800 rpm
	680 Nm
	6 SCFM (180 l/min)
	6 bar / 90 psi
	1/4"
	4,7 kg
	or a

Air inlet





€ 35,20

0413 € 30,80

MINI AIR DIE GRINDER

Collet 3mm and 6mm. Revolving rear air outlet. Body frame made from composite

0414

AIR DIE GRINDER

3mm and 6mm, with rear exhaust 360°, exclusive composite body design.





Pliers	Ø 3 mm - Ø 6 mm
Speed	25000 rpm
Avg air cons.	4 SCFM (113 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Net weight	0,4 kg



0416 € 54,80

90° AIR DIE GRINDER

Collet Ø 3mm - Ø 6mm. Revolving rear air outlet.

0417 € 60,50

LONG TYPE AIR DIE GRINDER

3 and 6mm pincers, with rear exhaust 360°, exclusive composite body design.





Pliers	Ø 3 mm - Ø 6 mm
Speed	20000 rpm
Avg air cons.	4 SCFM (113 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Not weight	0.5 kg





0418 € 53,70

REVERSIBLE AIR DRILL

Chuck 10 \emptyset mm , with rear exhaust $\,360^{\circ}\text{,} composite body design$



Ø 10 mm
1800 rpm
4 SCFM (113 l/min)
6 bar / 90 psi
1/4"
0,9 kg

0419 € 90,60

6" AIR ORBIT SANDER WITH SUCTION

And speed control, hook & loop pad, 360° rear exhaust, die cast aluminum body with soft handle grip in lightweight and ergonomic design



Box	

Disc diameter	150 mm – 6"
Orbit	5 mm, 3/16"
Speed	10500 rpm MAX.
Avg air cons.	3 SCFM (85 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Length	200 mm
Net weight	1 kg



0421 € 98,60

6" AIR ORBIT SANDER WITH SELF-INTEGRATED SUCTION

Speed control, hook & loop pad, 360° rear exhaust, die cast aluminum body with soft handle grip in lightweight and ergonomic design, corrugated hose and dust bag





0460

Disc diameter	150 mm – 6"
Orbit	5 mm, 3/16"
Speed	10500 rpm
Avg air cons.	3 SCFM (85 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Length	200 mm
Net weight	1 kg

€ 107,00 0046

6" AIR ORBIT SANDER WITH SELF-INTEGRATED SUCTION

Speed adjustable, revolving rear air outlet, aluminum body, soft and ergonomic handle, Suction tube and dust collection bag.



Disc diameter	150 mm – 6"
Orbit	2,5 mm - 3 / 32"
Max speed	10500 rpm
Avg air cons.	3 SCFM (85 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Length	200 mm
Net weight	1 kg

0047 € 72,30

REVERSIBLE AIR SCREWDRIVER

0458 € 90,60

6" AIR ORBIT SANDER WITH SUCTION

Speed control, 2.5mm orbit, hook & loop pad, 360° rear exhaust, die cast aluminum body with soft handle grip in lightweight and ergonomic design.





€ 89,50

AIR RATCHET WRENCH SET

With 7 sockets, a fixed 75 mm extension for sockets, a 75 mm extension with joint for sockets, 1/4 "nozzle, three screwdriver bits and a fixed 75 mm extension for screwdriver bits.







10.105	case	""
Speed		160 rpm
Torque		65 Nm
Socket		9-10-11-13-14-17-19 mm
Extension		75 mm
Universal joir	nt	1/2"
Bit holder		1/4"
Avg air cons.		4 SCFM (120 l/min.)
Working pres	sure	6 bar / 90 psi
Air inlet		1/4"
Net weight		2.6 ka



0339 € 73,80

REVERSIBLE AIR DRILL







Speed	9000 rpm
Screw	4-5 mm
Torque	2,3 - 6,8 Nm
Length	180 mm
Avg air cons.	5 SCFM (150 l/min.)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Net weight	0,8 kg



Вох	
Chuck sizes	Ø 10 mm
Speed	1800 rpm
Avg air cons.	5 SCFM (150 l/min.)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Net weight	1,1 kg





€ 101,00

0574 € 98,20

0313 **5" AIR ANGLE DIE GRINDER**

REVERSIBLE AIR DRILL





<u> </u>	≫ ì
<u>"</u>	כ

Ø 10 mm	Saw blade	Ø 125 mm
1800 rpm	Speed	10000 rpm
5 SCFM (150 l/min)	Avg air cons.	5 SCFM (150 l/min)
6 bar / 90 psi	Working pressure	6 bar / 90 psi
1/4"	Air inlet	1/4"
1 kg	Net weight	2 kg

0050 € 43,30

AIR DIE GRINDER SET

Speed Avg air cons. Working pressure Air inlet Net weight











13 Pcs	Carrying case

Pliers	Ø 3 mm - Ø 6 mm	
Mounted stone	10 Pcs / Pcs	
Speed	22000 rpm	
Ava air conc	4 SCEM (1201/min)	

Working pressure	6 bar / 90 psi
Air inlet	1/4"
Net weight	1,2 kg



0570 € 99,30

AIR DIE GRINDER SET

With 10 clips, 2 pliers, 1 nozzle for connecting the feeding tube





ease	
Pliers	Ø 3 mm - Ø 6 mm
Mounted stone	10 Pcs
Speed	21000 rpm
Power	0,45 hp
Avg air cons.	5 SCFM (150 l/min.)
Working pressure	6 bar / 90 psi
Sound pressure emitted in atmosphere	77.9 ± 3.0 dB(A)
Air inlet	1/4"
Net weight	1 kg







Pliers	Ø 3 mm - Ø 6 mm
Speed	20000 rpm
Length	295 mm
Avg air cons.	4 SCFM (120 l/min.)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Net weight	0,7 kg



0641 € 63,30


FLEXIBLE PNEUMATIC MICROGRINDING WHEEL

For grinding and chamfering





Collet capacity 3 mm





0644 € 40,90

PNEUMATIC AXIAL GRINDING WHEEL





Saw blade	Ø 75 x 1,5 x Ø 10 mm
Speed	15000 rpm
Avg air cons.	5 SCFM (150 l/min.)

Working pressure	6 bar / 90 psi
Air inlet	1/4"
Net weight	0,7 kg

0049 € 8,80

OILER

For pneumatic tools







€ 18,10 **W021PG**







Max. pressure	12 bar (170 psi)
Working pressure	2 - 4 bar (30 - 60 psi)
Accuracy	±1%
Rubber hose length	440 mm
Air inlet	1/4"



0784

AIR BELT SANDER

With spare belts. Light metal body



€ 74,30

10 x 330 mm

1/4"

0,9 kg

(")	
В	ox

Speed	16000 rpm	Belt	
Avg air cons.	6 SCFM (180 l / min.)	Air inlet	
Working pressure	6 bar / 90 psi	Net weight	

0059 € 34,60

HEAVY DUTY AIR HAMMER WITH 4 HEXAGONAL CHISELS



5 Pcs	Box

Speed	BPM 3500	Working pressu
Bore-stroke	19 x 66 mm / 3/4"x 2 5/8"	Air inlet
Avg air cons.	4,5 SCFM (135 l/min)	Net weight

Speed	BPM 3500	Working pressure	6 bar / 90 psi
Bore-stroke	19 x 66 mm / 3/4"x 2 5/8"	Air inlet	1/4"
Avg air cons.	4,5 SCFM (135 l/min)	Net weight	1,5 kg

W021PA € 7,10

BLOW GUN





2.0 mm Working pressure

1/4" Air inlet

W021PN € 14,90


WASHING GUN

With aluminium body and steel cup



Capacity	900 ml
Nozzle	4.5 mm
Working pressure	3 - 4 bar
Air inlet	1/4"





BLOW GUN



Alu

Δluminum

Nozzle	2.0 mm
Working pressure	4-6 bar
Air inlet	1/4"

0608 € 18,30

TYRE INFLATING GUN



PRO € 37,40

DIGITAL TYRE GAUGE

With backlight and various measurement units. equipped with tyre valve screwdriver



Max. pressure	8 bar (110 psi)
Working pressure	2 - 4 bar (30 - 60 psi)
Reading	0,05 bar 0,7 psi
Not included batteries	2 x 1.5V AAA
Rubber hose length	80 mm
Air inlet	1/4"



0610 € 15,00

WASHING GUN

Capacity

BLOW GUN



0609





Air inlet 1/4" 0725 € 6,70

1000 cc

TYRE INFLATING GUN



Ø 70 mm Reading 0÷12 bar | 0÷174 psi Rubber hose length 1000 mm 1/4" Air inlet



PRO € 44,80

Hose length 100 mm 1/4" Air inlet



€ 9,10 0725L

LONG NOSE BLOW GUN



BLOW GUN High quality, with chromed steel 100mm nozzle gun body in POM plastic

(Polyoxymethylene) brass valve.







0412

Hose length	100 mm
Air inlet	1/4"

€ 10,80

TH602A

PRO € 151,00 **TH601A**

GRAVITY FEED SPRAY GUN

600ml feed HVLP spray gun, nylon gravity cup, made with CNC machine, without O-ring, with stainless steel nozzle and needle, brass air cap, alum clamp and knobs. HVLP = high volume, low pressure.







U	U	
Chromed		

Capacity	600 ml
Nozzle diameter	1,3 mm
Fluid delivery	130 ml/min
Working pressure	2 bar (29 PSI)
Working range	200 mm
Pattern	280 - 300 mm
Air inlet	1/4"
Net weight	0,5 kg



A601DS

SUCTION SPRAY GUN



GRAVITY FEED SPRAY GUN




100ml feed HVLP spray gun, nylon gravity cup, made with CNC machine, without

O-ring, with stainless steel nozzle and needle, brass air cap, alum clamp and knobs,

1000ml suction HVLP spray gun with baionet lock, aluminum cup, made with CNC

machine, without O-ring, with stainless steel nozzle and needle brass air cap, alum

Capacity	100 ml
Nozzle diameter	1,0 mm
luid delivery	50 ml/min
Vorking pressure	1,5 bar (20 PSI)
Vorking range	150 mm
Pattern	160 mm
Air inlet	1/4"
Net weight	0,3 kg



€ 101,00

PRO € 123,00

TH901A

PRO € 151,00

GRAVITY FEED SPRAY GUN

 $600ml\,feed\,LVMP$ spray gun, nylon gravity cup, made with CNC machine, without $\mbox{O-ring,}$ with stainless steel nozzle and needle, brass air cap, alum clamp and knobs. LVMP = low volume, medium pressure.








Capacity	600 ml
Nozzle diameter	1,3 mm
Fluid delivery	140 ml/min
Working pressure	2 ÷ 2,2 bar (29 ÷ 32 PSI)
Working range	200 mm
Pattern	270 - 300 mm
Air inlet	1/4"
Net weight	0,5 kg







Nozzle	Ø 1,4mm
Capacity	1000 cc
Working pressure	2,5 - 3 bar
Air inlet	1/4"
Net weight	1.1 ka



A601A

€ 97,10

GRAVITY FEED SPRAY GUN

600ml feed HVLP spray gun, nylon gravity cup, made with CNC machine, without O-ring, with stainless steel nozzle and needle brass air cap, blue color alum clamp and knobs. HVLP = high volume, low pressure.







Nozzle	Ø 1,4mm
Capacity	600 cc
Working pressure	2,5 - 3,5 bar
Air inlet	1/4"
Net weight	1 kg



A602A

N

€ 62,80

GRAVITY FEED SPRAY GUN

100ml feed HVLP spray gun, nylon gravity cup, made with CNC machine, without O-ring, with stainless steel nozzle and needle brass air cap, blue color alum clamp and knobs. HVLP = high volume, low pressure.







Ø 1,0mm
100 cc
2 - 2,5 bar
1/4"
0,5 kg







€ 64,00

A901A € 95,40

GRAVITY FEED SPRAY GUN

600ml feed LVMP spray gun, nylon gravity cup, made with CNC machine, without O-ring, with stainless steel nozzle and needle, brass air cap, blue color alum clamp and knobs. LVMP = low volume, medium pressure.



\sim	





Capacity	600 ml
Nozzle diameter	1,4 mm
Fluid delivery	200-380 ml/min
Max. pressure	2-3 bar (30-43 PSI)
Air inlet	1/4"
Net weight	0.6 kg

A902A



GRAVITY FEED SPRAY GUN



and knobs. 1/4" LVMP = low volume, medium pressure.

Capacity	100 ml
Nozzle diameter	1 mm
Fluid delivery	45 - 65 ml/min
Max. pressure	1.5 - 2.5 bar (22 - 36 PSI)
Air inlet	1/4"
Net weight	0,3 kg



A162DS € 38,30

SPRAY GUN WITH FLUID CUP PROVIDED WITH BAYONET LOCK

Aluminum cover

A162C

€ 27,20

SPRAY GUN WITH FLUID CUP PROVIDED WITH RAPID LOCK

100ml feed LVMP spray gun, nylon gravity cup, made with CNC machine, without

O-ring, with stainless steel nozzle and needle brass air cap, blue color alum clamp

Aluminum cover





Atu
Aluminum

Nozzle	Ø 1,8 mm
Capacity	1000 cc
Working pressure	4-8 bar
Air consumption	100-200 l/min
Air inlet	1/4"
Net weight	0.9 ka







Nozzle	Ø 1,8 mm
Capacity	1000 cc
Working pressure	4-8 bar
Air consumption	100-200 l/min
Air inlet	1/4"
Net weight	0,8 kg



A162A € 23,00

SPRAY GUN WITH GRAVITY FLOW CUP

0048

€ 17,40

MINI SPRAY GUN

Fitting for pressurized air container and 1/4" fitting for air compressor











Nozzle	Ø 1,8 mm
Capacity	500 cc
Working pressure	4-8 bar
Air consumption	100-200 l/min
Net weight	0,5 kg



TH250 € 15,40

PRESSURE REGULATOR

With gauge for air tools



TH500

PRESSURE REGULATOR

With gauge for air tools



€ 26,90



Ø 40 mm Reading

0÷11 bar | 0÷160 psi

Ø 30 mm 0÷10 bar | 0÷145 psi Reading

0777/2

REDUCER WITH GAUGE AND FILTER



0777/3

REDUCER WITH GAUGE, FILTER

AND OILER





1/4" - 3/8" - 1/2" Shank 0÷10 bar | 0÷140 psi Reading

0785-XM

SET 2 PCS UNIVERSAL MALE QUICK COUPLER



1/4" - 3/8" - 1/2" Shank Reading 0÷10 bar | 0÷140 psi

0785-XF

SET 2 PCS UNIVERSAL FEMALE QUICK COUPLER





Art.	€	Shank
0785/1M	€ 10,00	1/4"
0785/2M	€ 10,00	3/8"





1860	Limbia.	34500	- 1
- 4			_
Shank			

Art.	€	Shank
0785/1F	€ 10,00	1/4"
0785/2F	€ 10,00	3/8"

0783-XM

SET 2 PCS OF GERMAN TYPE MALE PLUG

0783-XF

2 PCS SET GERMAN TYPE FEMALE PLUG













Marine Co	·	
anny.	-	7-21-04
MAN.	Jenson	Street, Appears,
000000	Asimo	and the latest
MINNE	9-	









Art.	€	Shank
0783/1M	€ 2,84	1/4"
0783/2M	€ 2,84	3/8"

Art.	€	Shank
0783/1F	€ 2,62	1/4"
0783/2F	€ 2,62	3/8"





A481/10 PRO NEW € 73,40

AUTO REWIND AIR HOSE REEL

Made of polypropylene shell, with polyurethane mesh hose and regulation for distributing evenly the tube in the internal part, tools free adjustable stop ball and 180° swivel mount bracket

A481/15 PRO NEW € 113,00

AUTO REWIND AIR HOSE REEL

Made of polypropylene shell, with polyurethane mesh hose and regulation for distributing evenly the tube in the internal part, tools free adjustable stop ball and 180° swivel mount bracket



PP Polyprop.	* (
Max. pressure	16 bar / 250 psi	
Hose length	15 + 1 m	
Male Fitting	1/4" BSPT	900
Hose diameter	Ø 12 x 8 mm	,
Working temperature	0 ÷ 45° C	/
Net weight	4,4 kg	

A481/15H PRO **NEW** € 134,00


AUTO REWIND AIR HOSE REEL


Made of polypropylene shell, with polyurethane mesh hose and regulation for distributing evenly the tube in the internal part, tools free adjustable stop ball and 180° swivel mount bracket

A481/30H PRO NEW € 200,00

AUTO REWIND AIR HOSE REEL

Made of polypropylene shell, with polyurethane mesh hose and regulation for distributing evenly the tube in the internal part, tools free adjustable stop ball, low speed retraction system and 180° swivel mount bracket





0378/1510 PRO € 166,00

AUTO REWIND AIR HOSE REEL

With pu mesh hose and regolation for distributing evenly the tube in the internal part

0481/15 € 127.00

AUTO REWIND AIR HOSE REEL

With pu mesh hose, german type female quick coupler, german type female plug and regolation for distributing evenly the tube in the internal part






Hose length

Male Fitting

Net weight



4,5 kg





0240/15 € 150,00

AUTO REWIND AIR HOSE REEL

With pu mesh hose



Box

Max. pressure	16 bar / 250 psi
Hose length	15 m + 1m
Male Fitting	3/8" BSPT
Hose diameter	12 x 8 mm
Net weight	5 kg




S075-

POLYURETHANE SPIRAL HOSE WITH SWIVEL MALE FITTING











0793 € 20,20

WOOD-BURNING PEN SET WITH 6 PINS OF DIFFERENT SHAPE



230 V 50 Hz 30 W

0031 € 32,90

HIGH PRECISION TEMPERATURE -CONTROLLED SOLDERING IRON STATION

Adjustable temperature 150-420°C, iron tip with hole Ø 6 mm



Melting point	215°
Working temperature	215 ÷ 300°C
Max temperature	450°C
Power	230 V. 50 Hz. 37 W

0027/40W € 14,40

SOLDERING IRON

Power



230 V 50 Hz 40 W 450°C ± 10% Working temperature

€ 19,60 0037

SOLDERING IRON COMBINATION SET



230V 50Hz 30W





PRO € 112,00

HIGH PRECISION TEMPERATURE -CONTROLLED SOLDERING IRON STATION Adjustable temperature 150-420°C, iron tip with hole Ø 6 mm









Melting point	215°
Working temperature	215 ÷ 300°C
Max temperature	420°C
Power station supply	230 V 50 Hz
Soldering power supply	24 V 48 W

0027/30W € 12,70

SOLDERING IRON







230 V 50 Hz 30 W 450°C ± 10%

0033A/TIP € 18,00

SOLDERING IRON TIP SET





0027/40W/TIP **SOLDERING IRON TIP SET** € 18,00





0037/TIP

SOLDERING IRON SPARE PART TIP

Set of tips with hole Ø 6mm.








€ 16,00

FERVI



€ 45,00



Tip and solder heads with protection cap and



GAS SOLDERING IRON



0026 € 20,00

SOLDERING GUN



0443 PRO € 56,30

FAST HEATING SOLDERING GUN

Dimensions



HOT AIR GUN With adjustable temperature





0694 € 44,60

HOT AIR GUN SET

At 2 temperatures, with spatula, scrapers and diffusers



0024

0444 PRO € 84,00

DIGITAL HOT AIR GUN SET

With electronic temperature control, lcd display to show the temperature, 2 levels of air flow, ideal for heating, folding, bending, removing paint









€ 30,10

€ 69,90

230 V, 50 Hz, 2000 W Temperature I 70°C - II 70°C ÷ 600°C - III 70°C ÷ 600°C I 300L/min - II 300L/min - III 500L/min Air stream

300 °C - 600 °C Temperature Air stream 500 l/min - 650 l/min 230 V 50 Hz 1 - 2 kW

€ 63,50 0865

ELECTRIC BARBECUE LIGHTER

Lights charcoal on the barbecue or in the fireplace completely without chemicals and matchsticks. 600°c heat generated and sets charcoal on fire in approx. 30 - 60



230 V, 50 Hz, 2000 W 600° C Temperature

0441

HOT KNIFE FOR POLYSTYRENE WITH ADJUSTABLE **TEMPERATURE**

For polystyrene, plastic, foam and sponge, adjustable cutting length, metal stand



230 V, 50 Hz, 220 W Temperature 120 - 220 - 330 - 400 - 450 °C **Cutting capacity with adjustment** 20 ÷ 90 mm 150 mm Max cut



0333



0321 € 47,60

HOT KNIFE FOR POLYSTYRENE WITH ADJUSTABLE TEMPERATURE For polystyrene, plastic, foam and sponge, adjustable cutting length, metal stand

PRO € 111,00

HOT KNIFE FOR POLYSTYRENE WITH ADJUSTABLE TEMPERATURE For polystyrene, plastic, foam and sponge, adjustable cutting length, metal stand

Power	230 V, 50 Hz, 130 W
Temperature	Max 450 °C
Cutting capacity with adjustment	14 ÷ 97 mm
May aut	120 mm







PRO € 36,50 0706

GLUE GUN TRIGGER FEED

0333/150

€ 18,00

SPARE BLADE



Glue stick Ø 12 mm 0034

€ 5,10

HOT MELT GLUE STICKS

0431 **GLUE GUN TRIGGER FEED**

Glue stick

Glue flow

Equipped with automatic advance and Led to segnal connection to electric power.



230 V, 35 W, 200 °C

Ø 12 mm

16 ÷ 20 g/min

PRO € 18,00





0071 € 5,40 **HOT MELT GLUE STICKS**









Ø 12 x 200 mm 200 gr mm Dimensions



0156-

0156/200

0156/500

FLEXIBLE OIL-CAN







0164/250	€ 7,80
----------	--------

Capacity

200 cc

500 cc

250 сс

OILER WITH VERTICAL FLEXIBLE SPOUT

€ 6,00

€ 7,50



0473-

OIL DRAIN PAN

With pouring spout and handles, made of high density polyethylene, impact resistant



Art.	€	Capacity	Dimensions
0473/10	€ 19,60	10 l	Ø400 x 120h mm
0473/15	€ 21,40	15 l	Ø500 x 130h mm

0171-

0171/2

Plastic

Capacity

MEASURING JUG

With flexible spout, screw cover and antidripping end cap

€ 11,30



Capacity

0183/750 € 3,60 **PLASTIC CAN WITH SPOUT**

750 cc



0172/150 € 8,60

PLASTIC FUNNEL

Closing screw, flexible spout, anti-dripping top/end covers and upper handle for the hanging.



Diameter	Ø150 mm
Height	435 mm







NEW € 9,30

0677/500 € 18,00

500CC HAND OPERATED LEVER GREASE GUN

Composed of metal tank and pump, coupler and 300mm PVC flexible hose, for using with loose grease or Ø 53mm grease cartridges.

0677 € 41,00

HAND OPERATED LEVER GREASE GUN

Composed of metal tank and pump, coupler and 450mm PVC flexible hose for using \emptyset 55mm grease cartridges or loose grease (adaptor already mounted).



Capacity	500 cc
Flexible hose sizes	Ø 8 x 300 mm
Working pressure	6000-8000 psi

1



GREASE CARTRIDGE

Capacity	1000 cc
Flexible hose sizes	Ø 9 x 450 mm

0677/IA € 280,00

AIR OPERATED GREASE GUN

To be used with Ø 55mm cartridge or loose grease with 2 grease cartridges, 400mm reinforced hose included and 4 jaw adjustable fitting.

0677/500CG





Capacity	800 cc
Dimensions	Ø 60 x 500 mm
Working pressure	4 - 6 bar



Capacity	500cc
Dimensions	Ø 53mm

0677/CG € 10,60 **GREASE CARTRIDGE**

0677/S0 € 28,60

PLASTIC SUCTION DISCHARGE GUN











Capacity	500 g
Dimensions	Ø 50 x 500 mm

Ħ

G030-

EMULSIFIABLE COOLANT AND LUBRICANT FLUID

Of high quality, mixable with water in these percentages: grinding: 2.5-3.5%, turning and milling: 3.00-4.00%, deep drilling: 4.00-7.00%, threading, tapping and light stamping: 7-15%.



Art.	€	Quantity
G030/01	€ 12,50	11
G030/05	€ 50,60	5 l
G030/25	€ 240,00	25 l



S401/00

MULTI-FUNCTION SPRAY

A multipurpose product: it lubricates, protects, and releases. It is water-repellent and corrosion preventive. It protects parts subject to exposed water-pins, levers, and outboard motor parts. It meets the nautical market requirements and thanks to its high waterproofing / water-repellent capacities it's ideal for maintenance on any machine part.



€ 7,80

-		L

Capacity	400 ml

S401/01

COLD GALVANIZER

Cold galvanizer with high molecular weight, it chemically solidifies producing a long lasting metal coating. It protects all metal surfaces from oxidation. It forms an even resistant layer which can be painted or left as a final protection. It is ideal for retouching, for finishing and repairing galvanized parts.



€ 6,60

S401/02

MULTIPURPOSE GREASE

A compound of high quality saponified greases. Grease with a wide range of use, good chemical stability, water-repellent and adhesiveness properties. It protects against water and it is perfectly stable and resistant to salty and dirty atmospheres, acid and basic solution and atmospheric corrosion. Ideal for lubricating bearing, bushings, hubs, kingpins, guides and general use on motor vehicles, farming and industrial machinery.



€ 5.80

€ 5,90

Alla	do in	val.

Capacity	400 ml

S401/03

Capacity

SOLVENT AND RELEASING

Penetrating synthetic fluid with a high solvent and releasing power, it facilitates the releasing process of bolts, joints, threads, hinges and all other mechanical parts from rust and oxidation. It also leaves a long lasting waterproof and water repellent protective film.

400 ml



JOGINE E OSSIGNATI

€ 5.30

S401/04

PURE SILICONE OIL

Solution based on pure silicone oil that has anti-stick release agents and lubricants on various materials. It also gives a good water repellency on treated materials preventing the accumulation of electrostatic charges. It works as polishing and protective on plastic parts and it protects the seals from cracking increasing tightness and durability.





Capacity 400 ml



Capacity

400 ml

FERVI

€ 9,50

S401/05 € 5,70

WELDING ANTIADHESIVE

A product made of filmforming synthetic polymers which, owing to their special features, it prevents the seizure of welding spatter to any surface. The film also prevents oxidation and corrosion caused by chemicals. It is suitable for autogenous, electric and inert-gas welding. The compound is free of silicon substances.



€ 10,00

S401/06

SPRAY STAINLESS STEEL

This zinc coating is silicone resin based and it forms a protective layer. Formulated to remain unchanged over time with exceptional resistance to chemical corrosion and weathering and good mechanical strenght. Quick drying coating.



€ 7,20

anade in valv

Capacity

400 ml



Capacity

400 ml

S401/08

DRY PTFE LUBRICANTING AGENT

Dry, water-repellent, anti-adhesive lubricant. Does not withhold dust and does not stain. It forms a dry and flexible layer of PTFE on the part treated that adheres tightly to metal, wood, and plastic, etc. Temperature-resistant between -80°C and +260°C. It provides protection against corrosion. Ideal for drive chains, threads, rollers, belts, guides and heavy-duty tools, etc.



€ 6.70

S401/09

COPPER GREASE

This product is made of super fine foliated copper particles and special corrosion inhibitors. It has protective and lubricating properties at high temperatures.

Resistance to high temperatures [1000 °C], high adhesive capacity and anti-corrosion capacity make it ideal for all cases where heat or a highly corrosive environment can create irreversible blocks: slip, ring, pins, motor, exhausts, electrical, contacts, threaded connections, injection valves, etc.



made in valy

Capacity

400 ml

made in walv

Capacity

400 ml

400 ml

€ 5.10

S401/10 CUTTING OIL

New product developed for specific professional applications in hard metal cutting and operations. Oil with a paraffin mineral base enriched with special EP anti-weld additives. Ideal for use in difficult threading operations with particularly hard, alloy steel. Suitable for use in the hydraulic sector.



S401/11

AIR CLEAN

It removes dust even from lesser accessible parts. It is a must for cleaning lenses, objectives, computers and any kind of mechanism.



made in valy

Capacity 400 ml



Capacity

FERVI



S401/12 € 5,60

DE-OXIDIZING AGENT FOR ELECTRIC CONTACTS

Specifically formulated for the deep cleaning of electrical, electronic and electromagnetic contacts. It immediately removes humidity and oily substances like grease, oil, sludge, wax and glue from the surface, leaving it clean and degreased. The product might be corrosive to certain delicate surfaces.



S401/13 **VASELINE OIL**

Pure vaseline oil particularly indicated for applications where periodically maintenance, cleaning and lubrication are necessary. It is recommended for the lubrication of delicate mechanism. Due to its special formulation it protects and lasts for long time.



€ 6,50

€ 6,20

Capacity

400 ml

Capacity

400 ml

S401/07

€ 5,50 BRAKE CLEANER, CARBURETORS AND THROTTLE BODIES

Special cleaner particularly effective on all mechanical components that require to be degreased without rinsing such as brakes and clutches. It rapidly dissolves oil, grease and other dirty substances. Developed for cleaning throttle bodies and intake manifolds that are made out of plastic material. It removes carbon and oily deposits from the throttle body and the entire intake system. It reduces the emission of harmful exhaust gases.



€ 6.70

S401/14

PURE ZINC

It is a cold galvanizer with high molecular weight. It chemically solidifies producing a long-lasting metal coating. It protects all metal surfaces from oxidation. It forms a resistant layer which can be painted or left as a final protection. It offers exceptional resistance to weathering in difficult conditions. It is ideal for retouching, finishing, and repairing galvanized parts.



€ 6,60

Capacity

500 ml

Capacity

400 ml

S401/15

ZINC ADHESIVE LUBRICANT FOR CHAINS

High performance chain grease, this high quality product developed and tested for the racing industry (on-and off-road motorcycles) provides guaranteed lubrication for extended periods of intense use. It reduces wearing of chains, crowns, pinions and all mechanical moving parts, while also protecting against water and



S401/16

LITHIUM GREASE

Contains lithium and titanium oxides that make it specific and suitable for the nautical sector. It has long-term lubrication and performs in the presence of saline and aggressive atmospheres. It has long-term stability and resistance to oxidation. It protects surfaces from corrosive agents and it is suitable for both high temperatures (220°C/428°F) and low temperatures (-40°C/-40°F). Excellent for lubricating pins, joints, transmissions, levers, suspensions, hinges and exposed machine parts.







Capacity

400 ml

Capacity

400 ml





0660-

PLASTIC FUEL TANK

With flexible filler, "un" certified according to european directives





Art.	€	Capacity Liters	Dimensions	Net weight
0660/05	€ 11,30	5	260 x 120 x 250h mm	0,5 kg
0660/10	€ 16,30	10	330 x 160 x 300h mm	0,7 kg
0660/20	€ 21,40	20	400 x 200 x 360h mm	1 kg

0189/G € 1,82

METAL POURING SPOUT



Pack

0356 TROLLEY PRESSURE SPRAYER **WITH BRASS LANCE PIPE**

With FPM gaskets.

Capacity



€ 63,30

0189-

METAL FUEL TANK

With flexible filler, "un" certified according to european directives



Art.	€	Capacity Liters	Net weight
0189/05C	€ 42,30	5	1,5 kg
0189/10C	€ 42,90	10	2,5 kg
0189/20C	€ 48,90	20	3,7 kg

0194 € 13,50

METAL POURING SPOUT



0303 € 43,20

PRESSURE SPRAYER WITH **BRASS LANCE PIPE**

With gauge and FPM gaskets.





Capacity

FERVI

With FPM gaskets.



0274 PRO € 8,40

PRESSURE SPRAYER WITH BRASS NOZZLE



Capacity 21 0289 € 6,10

PRESSURE SPRAYER WITH BRASS NOZZLE

Rubber gaskets



Capacity

P024/06 € 52,70

LEVER ACTION HAND PUMP

For transferring lubricating oil, diesel, kerosene and antifreeze drums with rigid steel pipe Ø 16 x 700mm with thread M16 x 1 and delivery pipe in plastic.







Capacity	6 l/min
Single stroke capacity	0.1 l
Pump thread	2" / 1_1/2"

0385 € 54,60

ROTARY HAND PUMP

For transferring lubricating oil, diesel, kerosene and antifreeze drums with telescopic suction pipe





P024/15 € 62,50

LEVER ACTION HAND PUMP

For transferring lubricating oil, diesel, kerosene and antifreeze drums with rigid steel pipe Ø 20 x 820mm with 1/2 " gas thread and plastic delivery pipe.





Alu

Single stroke capacity	0.350 l
Capacity	15 l/min
Pump thread	2" / 1-1/2"

0386 € 39,00

LEVER ACTION HAND OIL PUMP

For transferring lubricating oil, diesel, kerosene and antifreeze drums with telescopic pipe







Capacity	20 l/min
Pump thread	2"



Capacity	18 l/min
Pump thread	2" / 1-1/2"



With swivel connector.

0755

12VDC DIESEL PUMP

For mineral oil and diesel.



€ 98,20

0474/PP € 15,70

PVC DIESEL GUN



Capacity	60÷80 l/min
Nozzle	Ø25 mm
Inlet thread	1" BSP

0474/PE € 30,30 **NOZZLE OIL GUN**



Capacity	60÷120 l/min
Nozzle	Ø25 mm
Inlet thread	1" BSP

0474/PA € 74,90

AUTOMATIC DIESEL GUN

With swivel connector.





0272	€ 14,70

DRILL PUMP

Inlet thread

For no flammable, explosive, corrosive and oily liquid. suitable use for rack spindles







Motor	DC 12 V, 175 W
Motor speed	4500 rpm
Pump capacity	40 l/min
Hydraulic head	2 m
Suction	4 m
Inlet thread	25 mm
Size	200 x 120 x 155 mm
Usage time	Max 30 min



Hydraulic head	30 m
Pump capacity	2.4 m3/h
Max. pressure	0.3 MPa
Max speed	3400 rpm

FERVI



R607 € 110,00

1800 W INFRARED HEATER WITH SUPPORT FOR WALL **MOUNTING**

Dust and water proof, metal housing, with metal net-cover.



R609 € 117,00

1300W INFRARED HEATER WITH SUPPORT FOR WALL MOUNTING

Dust and water proof, metal housing, with metal net-cover, with R7S 1300w infrared bulb, 0.3m H07RN-F 3x1.5mm2 power cord.



230 V, 1300 W

R608 € 247,00

2000W INFRARED HEATER WITH SUPPORT FOR WALL **MOUNTING**

Dust and water proof, metal housing, with metal net-cover and remote control.



R610 € 162,00

2000W INFRARED HEATER WITH SUPPORT FOR WALL **MOUNTING**

Dust and water proof, metal housing, with metal net-cover, with R7S 2000w infrared $\,$ bulb, 0.3m h07rn-f 3x1.5mm2 power cord




R60XA

















T609	€ 47,80
ADJUSTABLE HEIGHT TRIPOD Suitable for light, heater	İ
	•






R₆0XB

ELECTRIC RADIANT INFRARED HEATER WITH STAND



AI L.	·	Fowel
R609B	€ 148,00	230 V 1,3 kW
R610B	€ 194,00	230 V 2 kW







0218-

LED FLOODLIGHTS

Aluminium super slim die-cast housing, tempered glass











Art.	€	Power	Luminous flux	Color temperature	LED number	Cable	Dimensions
0218/10	€ 14,00	230 V, 50 Hz, 10 W	800 lm	4000 K	15 SMD LED	30 cm, H05RN-F 3x1.0 mm² mm	150 x 95 mm
0218/20	€ 20,50	230 V, 50 Hz, 20 W	1600 lm	4000 K	28 SMD LED	30 cm, H05RN-F 3x1.0 mm ² mm	145 x 120 mm
0218/30	€ 33,40	230 V, 50 Hz, 30 W	2400 lm	4000 K	42 SMD LED	30 cm, H05RN-F 3x1.0 mm ² mm	180 x 150 mm
0218/50	€ 47,40	230 V, 50 Hz, 50 W	4000 lm	4000 K	56 SMD LED	30 cm, H05RN-F 3x1.0 mm² mm	210 x 180 mm

0218-XB

LED FLOODLIGHT WITH STAND

Aluminium super slim die-cast housing, tempered glass









Art.	€	Power	Luminous flux	Color temperature	Cable
0218/10B	€ 31,40	230 V, 50 Hz, 10 W	800 lm	4000 K	2 m, 3x1 mm ² H05VV-F
0218/20B	€ 37,60	230 V, 50 Hz, 20 W	1600 lm	4000 K	2 m, 3x1 mm ² H05VV-F
0218/30B	€ 49,20	230 V, 50 Hz, 30 W	2400 lm	4000 K	2 m, 3x1 mm ² H05VV-F
0218/50B	€ 64,40	230 V, 50 Hz, 50 W	4000 lm	4000 K	2 m, 3x1 mm ² H05VV-F

0218-XS

LED FLOODLIGHT WITH MOTION AND BRIGHTNESS SENSOR

Aluminium super slim die-cast housing, tempered glass







Art.	€	Power	Luminous flux	Color temperature	Cable
0218/105	€ 27,20	230 V, 50 Hz, 1 0W	800 lm	4000 K	30 cm, 3x1 mm ² H05VV-F
0218/205	€ 32,40	230 V, 50 Hz, 20 W	1600 lm	4000 K	30 cm, 3x1 mm ² H05VV-F
0218/305	€ 42,90	230 V, 50 Hz, 30 W	2400 lm	4000 K	30 cm, 3x1 mm ² H05VV-F
0218/50S	€ 58,10	230 V, 50 Hz, 50 W	4000 lm	4000 K	30 cm, 3x1 mm ² H05VV-F

FERVI



€ 93,10

0218/50T

50W LED FLOODLIGHT WITH TRIPOD

Aluminium super slim die-cast housing, tempered glass







Power	220 - 240 V, 50 Hz, 50W
Luminous flux	4000 lm
Color temperature	4000 K
Cable	2 m, 3x1 mm ² H05VV-F

0713/15 € 66,70

LED FLOODLIGHT WITH MAGNETIC BASE

12 and 24 v 15 w, to fit on cars, offroads, campers, boats, agricultural machines and earthmoving machines, with 3 a fuse and car plug lighter







Power	DC 9 ÷ 32 V (12 V, 24 V) 15 W
LED number	5 x 3 W
Luminous flux	1050 lm
Color temperature	6000 K
Lighting distance	5 m - 23 lux; 8,5 m - 10 lux m
Cable length	2 m
Projector size	108 x 108 mm
Base dimensions	Ø 86,50 mm
Back holes center distance	87 x 28 mm M6 mm
Overall dimensions	108 x 86,50 x 160 mm

0713/18 € 75,40

LED FLOODLIGHT WITH MAGNETIC BASE

 $12\mbox{V}$ and $24\mbox{V}$ $18\mbox{w}$, to fit on cars, offroads, campers, boats, agricultural machines and earthmoving machines, with 3 a fuse and car plug lighter.



 $12\mbox{V}$ and $24\mbox{V}$ $27\mbox{w},$ to fit on cars, offroads, campers, boats, agricultural machines and earthmoving machines, with 3 a fuse and car plug lighter.







Power	DC 9 ÷ 32 V (12 V, 24 V) 18 W
LED number	6 x 3 W
Luminous flux	1260 lm
Color temperature	6000 K
Lighting distance	5 m - 45 lux; 12 m - 10 lux m
Cable length	2 m
Projector size	Ø 116 mm
Base dimensions	Ø 86,50 mm
Back holes center distance	87 x 28 mm M6 mm
Overall dimensions	116 x 86,50 x 165 mm



0366

With lense

56 LED MAGNIFIER LAMP





€ 116,00

€ 116,00

Power DC 9 ÷ 32 V (12 V, 24 V) 27 W	
LED number	9 x 3 W
Luminous flux	1890 lm
Color temperature	6000 K
Lighting distance	5 m - 85 lux; 15,5 m - 10 lux m
Cable length	2 m
Projector size	Ø 116 mm
Base dimensions	Ø 86,50 mm
Back holes center distance	87 x 28 mm M6 mm
Overall dimensions	116 x 86,50 x 165 mm

€ 26,20 0343

FLEXIBLE ARM LAMP



110 / 230 V 50 / 60 Hz Max 40 W, E27 not included 800 mm

35 mm





Power		
Bulb		
Range		
Clamp capacity		

230 V 50 Hz 8 W
2x
600 lm
6500 K
Ø 120 mm
810 mm
70 mm





0530 € 119,00

LOW CONSUMPTION LAMP WITH LENS

With lens



Box

Power	230 V 50 Hz 22 W
Magnification	3x
Lens	Ø 120 mm
Range	810 mm
Clamp capacity	70 mm
Luminous flux	1000lm

0344 € 33,80


FLEXIBLE ARM LAMP

With lens. Bulb not included



Box	

Power	230 V 50/60 Hz
Bulb	Max 60 W, E27 not included
Magnification	2x
Lens	Ø 100 mm
Range	800 mm
Clamp capacity	35 mm



LOW CONSUMPTION LAMP

With lens





Power	230V 50Hz 2 x 9W
Magnification	2x
Lens	190 x 157 mm
Range	810 mm
Clamp capacity	70 mm
Luminous flux	1000 lm

0661 € 50,80

TABLE LAMP

With lens









0625 € 33,10

HEAD LIGHT WITH MAGNIFYING LEN SET



Multiplier	Target distance mm
1,2x	520 ÷ 620
1,8x	230 ÷ 320
2,5x	150 ÷ 250
3,5x	80 ÷ 120
Bulb	2,2 V - 0,25 A
Dattom	2 1 1 1

0659 € 38,60

CRYSTAL LENS SET





·	
Contents	Magnifications
3 Pcs Ø 50	3x - 10x mm
3 Pcs Ø 60	3x - 8x mm
3 Pcs Ø 75	3x - 8x mm
3 Pcs Ø 90	3x - 8x mm



0659-



CRYSTAL LENS



Art.	€	Ø	Magnification	Pack
0659/50	€ 4,19	50 mm	3x - 10x	10
0659/60	€ 5,50	60 mm	3x - 8x	10
0659/75	€ 6,90	75 mm	3x - 8x	10
0659/90	€ 11,50	90 mm	3x - 8x	10

L006 € 10,30

LED MAGNIFIER



Lens	50 x 50 mm
Magnification	3x
LED	5 - 9000 mcd
LED	1
Battery	4 Ag10
Pack	10

0437 € 24,60

HIGH POWERFUL LED TORCH

Long range, distance capacity more than 150m, long life.



	_
Not included batteries	4 C
LED power	3 W
Autonomy	25 h / 100 %

0482/3 PRO € 56,50

HEAD LAMP WITH SENSOR

Switch on and off function by passing the hand in front of the lamp.







LED	3 W COB
Luminous flux	Max 300 lm
Color temperature	6500 K
Battery	3.7 V 1500 mAh Li-ion
Autonomy	4h
Recharging time	3h

0493/1 € 9,20

LED HEADLIGHT

80lm, made of ABS and rubber cover, with elastic belt, 2 funcitons: focus and flash, for using with 3 batteries AAA type.



200	
Not included batteries	3 x AAA
Intensity	80 lm
Sizes	Ø 50 x 42 x 58 mm
Autonomy	10 h

0493/2 € 23,70

LED HEADLIGHT

120lm, with elastic belt, 2 funcitons: focus and flash, for using with 3 batteries AAA type.




	9
В	οx

Not included batteries	3 x AAA
Intensity	120 lm
Sizes	Ø 75 x 45 x 45 mm
Autonomy	5 h

HEATERS, LIGHTING AND LENSES



€ 6,90




10 + 1 LED MAGNETIC WORK LIGHT

With rotating head, Led on the top and front with 2 brightness levels.











7 LED POCKET TORCH LIGHT

With magnetic and swivel clip, long lasting, small size and high brightness make it essential in professional and do-it-yourself lines







NEW € 7,80 0128A

COB +1 LED POCKET TORCH LIGHT WITH MAGNET

Swivel clip, long lasting, small size and high brightness make it essential in professional and do-it-yourself lines

0671/8

€ 13,90

€ 21,10

WHITE LED FLASHLIGHT WITH EXTRA BRIGHTNESS





See .	- 1000	1000	NOTE OF	
	-507		LAMBET.	
_	_			

	Alu
Blister	Aluminur



Sizes	174 x 43 x 22 mm
Luminous flux	140 lm
Not included batteries	3 AAA

Not included batteries	2 AA
LED number	8 - 9000 mcd
Sizes	Ø 25 x 20 x 140 mm

0671/1P € 7,00

WHITE LED FLASHLIGHT WITH EXTRA BRIGHTNESS









Alu



Not included batteries	2 AAA
LED number	1 - 9000 mcd
Sizes	Ø 12 5 x 141 mm






Aluminum

Not included batteries	2 C
LED number	8 LED 11000 mcd
Sizes	Ø 48 5 x 31 x 215 mm

0492 € 11,80

LED FLASHLIGHT WITH TELESCOPIC MAGNET









710 mm

3 h



ABS

ngle LED life	100000 hours
ensity	50 lm
t included batteries	3 AA
mensions	40 x 35 x 203 mm





Button batteries	4-LR44	Sizes
LED number	6	Max length
Intensity	6 x 10 lm	Autonomy

FERV



0311 € 11,20

24 LED MAGNETIC LIGHT

With magnet and hook on the back side









B		
positor		

Single LED life	100000 hours
Not included batteries	3 AA

0291 € 9,20

24 + 3 LED MAGNETIC LIGHT

With magnet and hook on the back side







Single LED life 100000 hours
Not included batteries 3 AAA

0338 € 41,90

ALUMINUM HAND TORCH WITH 1 LED AND MANUAL ZOOM

3 light types: strong, media and flashing; adapter to work with 3 batteries AAA type in a box $\,$

0597 € 29,10

RECHARGEABLE LED LIGHT WITH MAGNET

With battery charger 12VDC and 230VAC, foldable, hanghing and magnetic.





€ 60,10



0889

Alu Aluminum

Battery	1 lithium (rechargeable), 3 AAA
LED	Q3 3 W
Sizes	Ø 34,5 x 28 x 135 mm
Battery charger	110 / 230 V 50 / 60 Hz
Autonomy	4 h





Battery	3.7 V 1800 mAh
LED	8 SMD + 5 LED
Recharging time	8 ÷ 10 h
Autonomy	7 ÷ 8 h



0693A PRO NEW € 84,00

RECHARGEABLE LED LIGHT WITH MAGNET

With battery charger 12VDC and 230VAC, foldable, hanging and magnetic.

RECHARGEABLE LED LAMP

With charging station, foldable, hanging and magnetic





Battery	3,7 V - 1100 mAh - Lithium
.ED	21 + 5 - 9000 mcd
Recharging time	4 ÷ 5 h





Working temperature

DOX	
Battery	3,7V - 2600mAh - Li-ior
LED	6W COB LED - 1W SMD 6500K
Luminous flux	600 lm
Recharging time	4h
Autonomy	4.5h Eco mode

-10°C÷ 40°C







0401 PRO € 73,10

COB LED TECHNOLOGY RECHARGEABLE LAMP

High capacity lithium battery for long time operation, magnetic back for hand-free application, flexible standing arm for multi-angle lighting purposes, strong light output 180 lumens.

0123 € 61,60

MULTIFUNCTION USB RECHARGEABLE LED LIGHT

With front torch with various steps of brightness, lateral white and red Leds with flashing function. Usb recharging cable and transformer. Charge and recharge status Led. It can be charged directly from a computer.





ABS

Intensity

Not included batteries

Power	100 ÷ 240 V , 50 ÷ 60 Hz
Battery	3,7 V - 2600 mAh - Li-ion
Recharging time	6 h
Autonomy	3,5 h
Intensity	180 lm





Battery	3.7V - 1800 mAh - Li-ion
LED	24 Cree XPG R5
Intensity	30 - 300 lm
Dimensions	191 x 99 x 148 mm
Battery charger	USB 110 - 230 V 50 - 60 Hz
Autonomy	25h

PRO € 127,00 L008

SLIM INSPECTION CORDLESS LED LIGHT

Rechargeable, high capacity lithium battery for long time operation, strong light output 400 lumen, the slim design and robust structure make it indestructible even if it falls from a height of one meter or, if it is forgotten on a flat floor, the car passes over it





150 lm

3 x AAA





Power	100 ÷ 240 V , 50 ÷ 60 Hz
Battery	3,7 V 2400 mAh Lithium
Luminous flux	400 lm
Recharging time	3,5 h
Autonomy	3 - 10 h
Intensity	400 lm

G900 **NEW** € 14,60 0445/20 € 156,00

RECHARGEABLE LED FLOODLIGHT

With switch, adapters to recharge batteries with car dc lighter and home ac 230V.





Power	DC 12 - 24 V, 20 W; AC 230 V 20W
Luminous flux	600 - 1450 lm
Battery	7.4V 5400mAh Li-ion
Autonomy	1,5 h



0429 € 25,60

WORKING LAMP HOLDER WITH 5M POWER CORD

Without on/off switch, max 60W for incandescent lamps, E27 screw cup bulb, voltage range $12 \div 230V$; bulb not included.





Cable length	5 m
Screw cup bulb	E27
Voltage	230 V

0342 € 16,70

PORTABLE NEON LAMP WITH HOOK



0900 PR0 NEW € 84,00

MULTI PORTABLE MAGNETIC LED LIGHT

COB Led portable lamp made in impact-resistant ABS. Adjustable in four different light intensities from 350 to 1400 Lumen. The strong magnet at the base and the rotatable body through 180°, makes it perfect to be used in any circumstance.



LED	COB
Power	USB Type C 5 V 2 A
Battery	3.7 V 5200 mAh Li-ion
Luminous flux	350 ÷ 1400 lm
Recharging time	4 h
Autonomy	3 h ÷ 14 h
Dimensions	116 x 101 x 41.5 mm

0900/BL PRO NEW € 235,00

EXTENSIBLE AND MAGNETIC UNDERHOOD LED LIGHT

Underhood light with two COB Led and magnetic light spots rotatable through 360°, for a maximum of 2800 Lumen (1400lm + 1400lm). This bar is easily extensible to 2100mm to be hooked to any kind of bonnet.



LED	COB
Power	USB Type C 5 V 2 A
Battery	3.7 V 5200 mAh Li-ion
Luminous flux	2 x 400-1400 lm
Recharging time	4 h
Autonomy	4 h
Adjustable extension clamps	850 ÷ 2100mm



0840 € 119,00

RECHARGEABLE LED LAMP WITH ADJUSTABLE HOOKS AND MAGNETS

Made of ABS and polycarbonate, with lithium battery, 12V car plug adapter and 230V home adapter, charging indicator light.



Power	DC 12 V 7,2 W; AC 230V
Working lamp dimensions	Ø 38 x 1080 mm
Adjustable extension clamps	1210 ÷ 1950 mm
Battery	7.4 V, 1800 mAh Lithium
Intensity	900 lm, 36 SMD
Recharging time	4 - 5 h
Autonomy	3h





0621/A3 € 107,00

AUTO RE-ENTERING CABLE REEL





Cable length	10 m
Cable type	3 x 1,50 mm2 H05VV-F
Power	12 V ÷ 240 V
Max power for rolled cable	1200 W
Max power for unrolled cable	1800 W

0428 € 113,00

AUTOMATIC CABLE REEL WITH LAMP HOLDER

Overload protection, max 60W for incandescent lamps, Led light on the cable reel to show the presence of power, bulb not included.





Cable size	13 + 1 m - H05RR-F - 2 x 1mm2
Screw cup bulb	E27
Voltage	12 ÷ 230 V



A010-X

CABLE REEL

Double isolation cable H05VV-F homologated, homologated PVC pressure-cast plug, thermal circuit breaker with manual reset, max. Power with rolled cable 1,2kw, max. Power with unrolled cable 3,4kw.





Art.	€	Cable length	Stem	Drum
A010/10	€ 39,40	10 m	3 x 1,5 mm ²	Ø 200 mm
A010/20	€ 64.00	20 m	3 x 1.5 mm ²	Ø 250 mm

A010-

CABLE REEL

Complies with standard EN 61242, double isolation cable H05VV-F homologated, homologated PVC pressure-cast plug, thermal circuit breaker with manual reset, max. Power with rolled cable 1,2kw, max. Power with unrolled cable 3.4kw.





Art.	€	Cable length	Stem	Drum
A010/15	€ 57,30	15 m	3 x 1,5 mm ²	Ø 190 mm
A010/25	€ 82,90	25 m	3 x 1,5 mm ²	Ø 240 mm
A010/50	€ 148,00	50 m	3 x 1,5 mm ²	Ø 310 mm

A010/20G

GARDEN CABLE REEL

20m complies with standard EN 61242, double isolation cable H05VV-F homologated, homologated schuko plug and schuko socket, thermal circuit breaker with manual reset, max. Power with rolled cable 1,2kw, max. power with unrolled cable 3,4kw.



PRO € 270,00 **CABLE REEL**

Conform to standard EN 61316, flexible cord H07RN-F neoprene homologated, IP 44 plugs, thermal circuit breaker with manual reset, max. power with rolled cord 5kw max. power with unrolled cord 11kw.



Cable length	20 m
Stem	3 x 1 mm ²
Drum	Ø 250 mm



€ 59,20



Power	230 V
Cable length	30 m
Stem	3 x 2,5 mm ²
Drum	Ø 3/0 mm



A010/30T

PRO € 371,00 CABLE REEL

Complies with standard EN 61316, flexible cord H07RN-F, neoprene homologated, IP 44 plugs, thermal circuit breaker, with manual reset, max. Power with rolled cord 5kw, max. Power with unrolled cord11 kw.



€ 12,30

6 ITALIAN AND GERMAN TYPE POWER SOCKET, WITH OVERLOAD PROTECTION AND GERMAN PLUG

With overload protection



Drum

ower	380 V
able length	30 m
tem	4 x 2,5 mm ²
rum	Ø 340 mm



Cable	3 x 1 mm ²
Cable length	1,5 m



FERVI



PRO € 63,80

OX05C

CONCENTRATED OXIDIZING SOLUTION WITH SILVER SALTS

Concentrated oxidizing solution based on hydrogen peroxide stabilized with silver

Hydrogen peroxide, concentration 47.5 - 50%



Capacity

0X20C PRO € 202,00

CONCENTRATED OXIDIZING SOLUTION WITH SILVER SALTS

Concentrated oxidizing solution based on hydrogen peroxide stabilized with silver

Hydrogen peroxide, concentration 47.5 - 50%.



PRO

PRO

€ 10,90

€ 13,30

PRO € 16,00

OX090

20 ka Capacity

Oxidizing product based on hydrogen

synergistic action of these two active

releases active oxygen when in contact

with the treated surfaces, thus acting as a

peroxide stabilized with silver salts. The

ingredients allows to thoroughly hygienize

the surfaces to be treated: hydrogen peroxide

sanitizing cleaner, whilst silver salts enhance

READY TO USE SOLUTION WITH SILVER SALTS

0X090S PR0 € 13,80

READY TO USE OXIDIZING SOLUTION WITH SILVER SALTS

Oxidizing product based on hydrogen peroxide stabilized with silver salts. The synergistic action of these two active ingredients allows to thoroughly hygienize the surfaces to be treated: hydrogen peroxide releases active oxygen when in contact with the treated surfaces, thus acting as a sanitizing cleaner, whilst silver salts enhance the purifying effect.



١.	T	

CP090S

PACKS

the purifying effect.

Capacity 900 ml 12 Pack

Concentrated liquid product containing wetting

peroxide. Easily removes the residues of dirt and

grease depositing on lamellar packs of finned

agents, non-ionic surfactants and hydrogen

batteries of convectors and on filters.

DETERGENT AND HYGIENIZER FOR FILTERS AND LAMELLAR

900 ml Capacity 12 Pack

€ 28,70 **CP05** PRO

DETERGENT AND HYGIENIZER FOR FILTERS AND LAMELLAR

Concentrated liquid product containing

peroxide.

Easily removes the residues of dirt and grease depositing on lamellar packs of



Capacity 900 ml 12 Pack

PACKS

wetting agents, non-ionic surfactants and hydrogen

finned batteries of convectors and on filters.



Capacity

HC001 **HYGIENIZING DETERGENT WIPES**

Slightly abrasive wet wipes with cleaning, hygienizing and degreasing action, ideal for cleaning hands. They are used without water and are the optimal solution for all those who need to clean and sanitize their hands in any situation and place. They remove bad smells leaving hands delicately scented. No need to rinse with water.



200 x 160 mm 6 Pack



P. 524





GL642-

COW GRAIN LEATHER GLOVE

Hemmed with internal elastic cuff

GL814-

COW GRAIN/SPLIT LEATHER GLOVE

Extra-quality, wing thumb, cow grain leather palm, cow split back. hemmed wrist with

Size

9

10

11





110	Alle
墨	

	-
1	EN 188:
ı	2010
1	(<u>u</u> =)
ı	323
- 1	21438





12

12

12

12

12

Art.	€	Size	Pack
GL642/07	€ 5,90	7	12
GL642/08	€ 5,90	8	12
GL642/09	€ 5,90	9	12
GL642/10	€ 5,90	10	12
GL642/11	€ 5,90	11	12

GL650-

GL814/07

GL814/08

GL814/09

GL814/10

GL814/11

SHEEP GRAIN LEATHER-COTTON GLOVE

€ 4,77

€ 4,77 € 4,77

€ 4,77

€ 4,77

Sheep grain leather palm, stretch cotton back, cuff adjustable with velcro

GL349-

NBR COATED COTTON JERSEY GLOVE

Palm, fingers and knuckles coated, lightweight, good abrasion resistance, knitwrist cuff and partially aerated back







EN 188:
(<u>d</u> =)
21218

Art.



Pack

Art.	€	Size	Pack
GL349/07	€ 2,03	7	12
GL349/08	€ 2,03	8	12
GL349/09	€ 2,03	9	12
GL349/10	€ 2,03	10	12
GL349/11	€ 2,03	11	12

GL650/08	€ 6,70	8 - Blue	12
GL650/09	€ 6,70	9 - Yellow	12
GL650/10	€ 6,70	10 - Red	12
GL650/11	€ 6,70	11 - Black	12

Size

GL345-

NBR COATED COTTON JERSEY GLOVE

Palm, fingers and knuckles coated, excellent resistance to abrasion, grease and oil, hydrocarbons and dirt, cotton canvas safety cuff

GL347-

NEW

NBR COATED COTTON JERSEY GLOVE

Fully coated, excellent resistance to abrasion, grease and oil, hydrocarbons and dirt, cotton canvas safety cuff















Art.	€	Size	Pack
GL347/10	€ 3,24	10	12
GL347/11	€ 3,24	11	12



GL373-

SEAMLESS POLYESTER GLOVE/NITRILE

Palm coated with nitrile for good protection in the presence of liquids, oils and/ or grease, excellent abrasion resistance, ergonomic design for a comfortable fit, knitwrist cuff and breathable back



Art.	€	Size	Pack
GL373/07	€ 1,66	7	12
GL373/08	€ 1,66	8	12
GL373/09	€ 1,66	9	12
GI 272/10	£ 1 44	10	12

GL722-

SEAMLESS NYLON GLOVE/POLYURETHANE

Palm coated with a special ultralight polyurethane compound, extra lightweight and elastic with high tactile sensitivity and dexterity, excellent dry & wet grip, with antibacterial sanitized® treatment, ergonomic design for a comfortable fit, knitwrist cuff and breathable back



Art.	€	Size	Pack
GL722/07	€ 4,79	7	12
GL722/08	€ 4,79	8	12
GL722/09	€ 4,79	9	12
GL722/10	€ 4,79	10	12

GL762-

SEAMLESS NYLON GLOVE/POLYURETHANE

Palm coated with polyurethane, lightweight, elastic, with excellent tactile sensitivity, suggested for delicate and precision jobs, excellent abrasion resistance and durability, ergonomic design for a comfortable fit, knitwrist cuff and breathable back



SEAMLESS POLYESTER GLOVE/NITRILE

Palm coated with nitrile for good protection in the presence of liquids, oils and/ or grease, excellent abrasion resistance, ergonomic design for a comfortable fit, knitwrist cuff





Art.	€	Size	Pack
GL365/08	€ 3,39	8	12
GL365/09	€ 3,39	9	12
GI 345/10	£ 2 20	10	12

GL764-

SEAMLESS POLYESTER GLOVE/POLYURETHANE

Palm coated with polyurethane, superior dexterity and tactile sensitivity, lightweight, flexible, with excellent abrasion and wear resistance, ergonomic design for a comfortable fit, knitwrist cuff and breathable back







€	Size	Pack
€ 1,66	7	12
€ 1,66	8	12
€ 1,66	9	12
€ 1,66	10	12
	€ 1,66 € 1,66	€1,66 7 €1,66 8 €1,66 9

GL516-

SEAMLESS NYLON GLOVE/LATEX

Palm coated with latex, wrinkle finish for extraordinary dry & wet grip, ergonomic design for a comfortable fit, knitwrist cuff and breathable back





Art.	€	Size	Pack
GL762/M	€ 3,13	М	12
GL762/L	€ 3,13	L	12
GL762/XL	€ 3,13	XL	12
GL762/XXL	€ 3,13	XXL	12







Art.	€	Size	Pack
GL516/08	€ 6,10	8	12
GL516/09	€ 6,10	9	12
GL516/10	€ 6,10	10	12





GL398-

15-GAUGE SEAMLESS NYLON-ELASTANE GLOVE/NITRILE FOAM

Palm coated with nitrile foam which makes the glove soft, light and breathable, dots on palm for better grip and wear resistance, anti-pilling, water and oil repellent, excellent abrasion resistance, together with high flexibility and dexterity, ergonomic design for a comfortable fit, knitwrist cuff and breathable back





Art.	€	Size	Pack
GL398/07	€ 5,50	7	12
GL398/08	€ 5,50	8	12
GL398/09	€ 5,50	9	12
GL398/10	€ 5,50	10	12

GL503-

SEAMLESS NYLON GLOVE/LATEX

Palm coated with a special soft latex foam, wrinkle finish for extraordinary dry &wet grip, yellow fluo liner for higher visibility when used in half-light or low visibility conditions, high wear and tear resistance, exceptional flexibility, good tactile sensitivity, ergonomic design for a comfortable fit, knitwrist cuff and breathable back





Art.	€	Size	Pack
GL503/08	€ 4,94	8	12
GL503/09	€ 4,94	9	12
GL503/10	€ 4,94	10	12

GL386-

13 GAUGE SEAMLESS POLYESTER GLOVE/NITRILE

Palm coated with nitrile with a slightly wrinkle fiinish due to the processing of the liner, very good grip, high flexibility and dexterity, high abrasion resistance, ergonomic design for a comfortable fit, knitwrist cuff and breathable back





Art.	€	Size	Pack
GL386/08	€ 2,32	8	12
GL386/09	€ 2,32	9	12
GL386/10	€ 2,32	10	12

GL396-

15-GAUGE SEAMLESS NYLON-ELASTANE GLOVE/NITRILE FOAM

Palm coated with nitrile foam with nft™ technology, for outstanding grip and nonslip properties, both in dry & wet conditions, or in contact with oily surfaces and for increased abrasion resistance, with antibacterial sanitized® treatment, considerable flexibility and dexterity, ergonomic design for a comfortable fit, knitwrist cuff and breathable back





Art.	€	Size	Pack
GL396/07	€ 5,70	7	12
GL396/08	€ 5,70	8	12
GL396/09	€ 5,70	9	12
GL396/10	€ 5.70	10	12

GL711-


NEW

15 GAUGE CONTINUOUS THREAD GLOVE IN HI-TECH TECHNICAL YARN + LYCRA® / POLYURETHANE

The new hi-tech anti-cut yarn does not use glass or steel fibers to increase performance, avoiding possible contact allergies. Palm covered in polyurethane for a secure, flexible, light, fresh and breathable grip for maximum comfort. Ergonomic shape, no seams, reduces hand fatigue, elastic wrist and ventilated back











EW210 € 4,43

POLYCARBONATE EYEGLASS TEMPLE

EN 166 single lens with side protections. It can be worn on top of spectacles.



Optic class	1
Pack	12

EW154 € 3,27

PANORAMIC GOGGLES

EN 166 plastic one-piece lens, aeration valves, elastic band.



Optic class	1
Pack	20

EW213 € 7,50

EYEGLASS TEMPLE

EN 166 polycarbonate frame, no-mist and anti-scratch lenses, panoramic wraparound structure, temples with adjustable length.



Optic class	1
Pack	12

EW249 NEW € 16,80

EYEGLASS TEMPLE

EN 166 transparent polycarbonate frame with soft inner protection. No-mist and antiscratch lenses, panoramic wrap-around structure, side protections. Tilt-adjustable temples



Optic class 1

EW152

PANORAMIC GOGGLES

EN 166 plastic one-piece lens, side aeration holes, elastic band.



€ 3,13

Plastic

Optic class	1	
Pack	20	

EW207 € 7,20

EYEGLASS TEMPLE

EN 166 transparent polycarbonate frame, no-mist and anti-scratch lenses, panoramic wrap-around structure, side protections.



EW205	NEW	€ 10,50

EYEGLASS TEMPLE

Optic class Pack

EN 166 transparent polycarbonate frame, no-mist and anti-scratch lenses, panoramic wrap-around structure, side protections. Silicone rubber inserts.



Optic class 1

EW257 NEW € 13,50

EYEGLASS TEMPLE

EN 166 transparent polycarbonate frame, no-mist and anti-scratch lenses, panoramic wrap-around structure, side protections. Tilt-adjustable temples with non-slip colored inserts. Nosepad and front protection in soft non-slip rubber.



Optic class





€ 45,30

€ 10,60

€ 38,70

FP120 € 8,70

POLYTHENE HELMET

EN 397 adjustable straps with 6 fastening points, electric insulation up to 440V, sweat band.



€ 30,40

€ 67,50

FP190 **POSITIONING BELT**

EN 358 2 lateral anchor rings, adjustable buckle, padded back support.



FP194

ADJUSTABLE SAFETY LANYARD

EN 354 & EN 358 "Kernmantel" polyamide safety lanyard, with adjustable buckle, zinc galvanized steel connector (ø 18mm) with safety lock.



FP166

SELF-CLOSING CONNECTOR

EN 362 - Classe B





Opening Static resistance of spring catch

18 mm > 25 kN

Cable diameter Length

Max 2 m (connectors included)

Ø 12 mm

FP144

SAFETY LANYARD WITH **ENERGY ABSORBER**

EN 355 "kernmantel" safety lanyard, connectors not included.



FP192

BODY HARNESS

EN 361 with dorsal and sternal anchor points, adjustable buckle for legs, adjustable chest connecting strap.



Cable diameter Length

Ø 10,5 mm Max 2 m (connectors included



FERV



0148/72 € 31,80

FIRST AID PRODUCTS

Conform to attachment 2 for firm with max 2 peoples, packed in polypropylene case with screws for wall mount

INCLUDED ACCESSORIES

- · Content:
- 2 Pair sterile gloves
- 1 Bottle disinfectant 125 ml IODINE TINCTURE at 10% iodine
- 1 Bottle sterile physiological solution 250 ml
- 3 sterile gauze compresses cm 10x20
- 1 sterile gauze compress cm 18x40
- 1 Packet cotton wool
- 1 Latex Tourniquet

- 1 Sterile tweezers
- 1 Pack of 20 assorted adhesive plasters
- 1 Roll adhesive plaster 5m x 2.5 cm
- 1 gauze bandage rolls cm 10
- 1 Pair scissors
- 1 Single-use instant ice pack
- 1 Bag for sanitary waste
- 1 Multilingual first aid instruction booklet



Case size

309 x 209 x 97 mm

0148/73 € 118,00

FIRST AID PRODUCTS

That are conform to attachment 1 for firm with more than 2 peoples, packed in polypropylene case with screws for wall mount

INCLUDED ACCESSORIES

- Content:
- 5 Pairs sterile gloves
- 1 Mask with splash guard visor
- 3 Bottles sterile physiological solution 500 ml
- 2 Bottles disinfectant 500 ml IODINE TINCTURE at 10% iodine
- 10 Packets sterile gauze compress cm 20x20
- 2 Packets sterile gauze compress cm 18x40
- 2 Sterile sheets cm. 40x60
- 2 Sterile TWEEZERS

- 1 Packet cotton wool
- 1 Box tubular elastic bandage medium size
- 2 Packs of 20 assorted plasters
- 2 Rools adhesive plaster 5 m x 2.5 cm
- 1 Pair scissors
- 3 Latex Tourniquets
- 2 Single-use instant ice packs
- 2 Bags for sanitary waste
- 1 Clinical thermometer CE with case
- 1 Sphygmomanometer with stethoscope
- 1 multilingual first aid instruction booklet



Case size

405 x 300 x 114 mm

0148/64 € 21,00

FIRST AID PRODUCTS

Nylon bag for vehicles and firms with less than 3 people, included contents of attachment 2, with handle, shoulder strap and zipper.

INCLUDED ACCESSORIES

- Content:
- 2 Pair sterile gloves
- 1 Bottle disinfectant 125 ml IODINE TINCTURE at 10% iodine
- 1 Bottle sterile physiological solution 250 ml
- 3 sterile gauze compresses cm 10x20
- 1 sterile gauze compress cm 18x40
- 1 Packet cotton wool
- 1 Latex Tourniquet

- 1 Sterile tweezers
- 1 Pack of 20 assorted adhesive plasters
- 1 Roll adhesive plaster 5m x 2.5 cm
 1 gauge handage rolls cm 10
- 1 gauze bandage rolls cm 10
- 1 Pair scissors
- 1 Single-use instant ice pack
- 1 Bag for sanitary waste
- 1 Multilingual first aid instruction booklet



Case size

250 x 180 x 90 mm



SNR



HP207 € 24,90

PROTECTIVE EARMUFF

EN 352-1 head bow with soft padding for increased comfort, fast and stable height adjustment, adjustable ABS cups with soft padded cushions, can be used with helmets, eye shields and masks.



HP603 € 3,83

EARPLUGS WITH BOW

SNR

 ${\rm EN\,352\text{--}2}$ polyethylene bow, extremely soft polyurethane plugs which lean on the ear canal without penetrating inside.





HP205 € 12,40

PROTECTIVE EARMUFF

EN 352-1 ABS bow, turning in three positions, cushions in sponge + PVC, height trigger adjustment, can be used with helmets, eye shields and masks.



HP601 € 53,30

DISPOSABLE EARPLUGS IN POLYURETHANE FOAM

EN 352-2 anatomical shape, smooth surface for improved comfort and hygiene, 1 pair/ bag.







€ 1,54 **RP120**

MASK IN NONWOVEN FABRIC

EN 149: 2001 + A1: 2009 protection against non-toxic solid and liquid aerosols in concentrations up to 4x tlv, semirigid structure, soft seal on the nose.



Features	FFP1 NR D
Pack	20

RP124 € 2,58

MASK IN NONWOVEN FABRIC

EN 149: 2001 + A1: 2009 with exhalation valve, protection against non-toxic and low-toaverage toxicity solid and liquid aerosols, in concentration up to 12x tlv.



Features	FFP2 NR D
Pack	10

RP133 € 3.57

FLEXIBLE MASK IN NONWOVEN FABRIC

EN 149: 2001 + A1: 2009 protection against high-toxicity powders, including water based aerosol in concentrations up to 50x tlv, equipped with new exhalation valve newtec®, soft seal on the nose, individually packaged.



RP123 € 1,49

MASK IN NONWOVEN FABRIC

EN 149: 2001 + A1: 2009 protection against non-toxic and low-to-average toxicity solid and liquid aerosols, in concentration up to 12x tlv.



Features	FFP2 NR D
Pack	20

RP127 € 4,42

MASK IN NONWOVEN FABRIC WITH ACTIVE CARBONS

EN 149: 2001 + A1: 2009 protection against non-toxic and low-to- average toxicity solid and liquid aerosols, in concentration up to 12x tlv, equipped with new exhalation valve newtec®, with active carbon to prevent inhalation of strong odours, soft seal on the



Features	FFP2 NR D
Pack	10

RP126 € 6.30

MASK IN NONWOVEN FABRIC

EN 149: 2001 + A1: 2009 protection against non - toxic, low - to - average toxicity and high - toxicity solid and liquid aerosols in concentrations up to 50x tlv, equipped with exhalation valve newtec®, soft seal protection along the inner edge of the face.



Features	FFP3 NR D
Pack	20



Features	FFP3 NR D
Pack	5





FW131- NEW

PROTECTIVE LOW SHOE

EN ISO 20345: 2011 Upper made of a highly breathable technical fabric with high abrasion resistance. Inner lining air mesh, breathable, hydrophilic, anti-humidity. Removable, breathable, antistatic preformed insole with antibacterial treatment, shock absorber insert in the heel and arch support. Sole in mono-density polyurethane, antistatic and highly slip resistant. Composite toe cap. Anti-perforation textile foil.

Art.	€	Features	Size
FW131/38	€ 103,00	S3 SRC	38
FW131/39	€ 103,00	S3 SRC	39
FW131/40	€ 103,00	S3 SRC	40
FW131/41	€ 103,00	S3 SRC	41
FW131/42	€ 103,00	S3 SRC	42
FW131/43	€ 103,00	S3 SRC	43
FW131/44	€ 103,00	S3 SRC	44
FW131/45	€ 103,00	S3 SRC	45
FW131/46	€ 103,00	S3 SRC	46
FW131/47	€ 103,00	S3 SRC	47



FW542- NEW

PROTECTIVE HIGH SHOE

EN ISO 20345: 2011 Upper made of a highly breathable technical fabric with high abrasion resistance. Inner lining air mesh, breathable, hydrophilic, anti-humidity. Removable, breathable, antistatic preformed insole with antibacterial treatment, shock absorber insert in the heel and arch support. Sole in mono-density polyurethane, antistatic and highly slip resistant. Composite toe cap. Anti-perforation textile foil.

Art.	€	Features	Size
FW542/38	€ 113,00	S3 SRC	38
FW542/39	€ 113,00	S3 SRC	39
FW542/40	€ 113,00	S3 SRC	40
FW542/41	€ 113,00	S3 SRC	41
FW542/42	€ 113,00	S3 SRC	42
FW542/43	€ 113,00	S3 SRC	43
FW542/44	€ 113,00	S3 SRC	44
FW542/45	€ 113,00	S3 SRC	45
FW542/46	€ 113,00	S3 SRC	46
FW542/47	€ 113,00	S3 SRC	47



FW077- NEW

FULLY ANTISTATIC PROTECTIVE SPORTS SHOE (ESD PROTECTION).

EN ISO 20345: 2011 Upper in microfibre with breathable and resistant KPU mesh. Wear-resistant TNT reinforcements. Air mesh lining, breathable, hydrophilic, moisture wicking. Removable memory preformed insole, in EVA + rubber compound, anti-fatigue, antibacterial, breathable, with arch support. Non-slip, abrasion-resistant, oil-resistant dual-density polyurethane sole with energy absorption in the heel. Fiberglass tip. Anti-perforation textile foil.

Art.	€	Features	Size
FW077/38	€ 101,00	S1P SRC ESD	38
FW077/39	€ 101,00	S1P SRC ESD	39
FW077/40	€ 101,00	S1P SRC ESD	40
FW077/41	€ 101,00	S1P SRC ESD	41
FW077/42	€ 101,00	S1P SRC ESD	42
FW077/43	€ 101,00	S1P SRC ESD	43
FW077/44	€ 101,00	S1P SRC ESD	44
FW077/45	€ 101,00	S1P SRC ESD	45
FW077/46	€ 101,00	S1P SRC ESD	46
FW077/47	€ 101,00	S1P SRC ESD	47



