

**FERVI**

**SELECTION**  
**2022**  
International Edition 01

**ZINALDI**

chooses FERVI



**OFFICIAL SPONSOR**



# In this promo

## **Hardware** **03** **General Tools** **12** **Measure** **21**

<i>Wrenches</i>	<i>p.03</i>
<i>Socket wrenches and screw extractors</i>	<i>p.07</i>
<i>Screwdrivers and hand riveters</i>	<i>p.09</i>
<i>Pliers, hammers, files and chisels</i>	<i>p.10</i>
<i>Tool kits</i>	<i>p.10</i>

<i>Pneumatics</i>	<i>p.12</i>
<i>Soldering irons, paint strippers and heat glue guns</i>	<i>p.16</i>
<i>Equipment for liquids and fluids</i>	<i>p.17</i>
<i>Heaters, lighting and lenses</i>	<i>p.18</i>

<i>Calipers, Height gauge and Rulers</i>	<i>p.21</i>
<i>Dial indicators</i>	<i>p.22</i>
<i>Micrometers</i>	<i>p.23</i>
<i>Measuring tools</i>	<i>p.23</i>
<i>Precision tapes, Levels and Goniometers</i>	<i>p.25</i>
<i>Analogic and digital meters</i>	<i>p.26</i>
<i>Scales</i>	<i>p.28</i>

## **Machinery** **29** **Cutting tools** **43** **Equipment** **50**

<i>Lathes</i>	<i>p.29</i>
<i>Milling machines</i>	<i>p.29</i>
<i>Drill presses</i>	<i>p.30</i>
<i>Metal working machinery</i>	<i>p.31</i>
<i>Sheet metal, iron and tube processing</i>	<i>p.35</i>
<i>Wood working machinery</i>	<i>p.37</i>
<i>Machine vices</i>	<i>p.39</i>
<i>Tables and dividers</i>	<i>p.40</i>
<i>Chucks</i>	<i>p.41</i>
<i>Machinery accessories</i>	<i>p.42</i>

<i>Tools for turning and milling</i>	<i>p.43</i>
<i>Inserts, lathe tools and tool bits</i>	<i>p.44</i>
<i>Twist drills and cutters for metal</i>	<i>p.44</i>
<i>Building and wood drills and cutters</i>	<i>p.48</i>
<i>Taps and dies</i>	<i>p.48</i>
<i>Thread repair</i>	<i>p.49</i>

<i>Workshop furniture</i>	<i>p.50</i>
<i>Bench vices, clamps and anvils</i>	<i>p.53</i>
<i>Machinery for finishing</i>	<i>p.54</i>
<i>Presses and hydraulic pumps</i>	<i>p.58</i>
<i>Car and motorcycle workshop</i>	<i>p.59</i>
<i>Lifting and handling</i>	<i>p.63</i>

## **Complete your toolbox with the inevitable FERVI!** **68**

<i>Cutting tools</i>	<i>p.68</i>	<i>Hardware</i>	<i>p.69</i>	<i>Measure</i>	<i>p.70</i>
<i>Abrasives</i>	<i>p.68</i>	<i>General tools</i>	<i>p.70</i>		

0690/07P

PRO €99,00

RATCHET FLEXIBLE HEAD  
COMBINATION SPANNER SET

DIN 3113.



Sizes 8 - 10 - 11 - 13 - 15 - 17 - 19 mm


€ 77,25

0690/12P

PRO €158,00

RATCHET FLEXIBLE HEAD  
COMBINATION SPANNER SET

DIN 3113.




Sizes 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm

€ 107,70

0700/07P

€69,30

RATCHET COMBINATION SPANNER  
SET




Sizes 8 - 10 - 11 - 13 - 15 - 17 - 19 mm

€ 54,25

0700/12P

€125,00

RATCHET COMBINATION SPANNER  
SET



Sizes 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm

€ 108,75

0546

€52,60

SATIN FINISH COMBINATION  
SPANNER SET



Sizes 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 17 - 19 - 22 mm

€ 36,10

0544

€138,00

COMBINATION SPANNER SET



Sizes 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-30-32 mm

€ 114,80

0200

€31,90

DOUBLE OPEN END MIRROR POLISH  
LONG PATTERN WRENCH SET

DIN 3110.



Sizes 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm

€ 21,30

0201

€73,80

DOUBLE OPEN END MIRROR POLISH  
LONG PATTERN WRENCH SET

DIN 3110.



Sizes 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x27 - 25x28 - 30x32 mm

€ 45,90



**0199** € 52,60

**MIRROR POLISH LONG PATTERN COMBINATION SPANNER SET**

DIN 3113.




Sizes 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 17 - 19 - 22 mm

**€ 38,60**

**0208** € 126,00

**MIRROR POLISH LONG PATTERN COMBINATION SPANNER SET**

DIN 3113.



Sizes 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-30-32 mm

**€ 96,55**

**0199P** € 62,20

**MIRROR POLISH LONG PATTERN COMBINATION SPANNER SET**

DIN 3113 Inches



Size 1/4" - 5/16" - 3/8" - 7/16" - 1/2" - 9/16" - 5/8" - 11/16" - 3/4" - 13/16" - 7/8" - 15/16" - 1"

**€ 49,25**

**0221** € 16,70

**DOUBLE OPEN END WRENCH SET**

DIN 3110.



Sizes 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm

**€ 13,80**

**0222** € 40,40

**DOUBLE OPEN END WRENCH SET**

DIN 3110.



Sizes 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x27 - 25x28 - 30x32 mm

**€ 30,25**

**0073** € 18,10

**COMBINATION SPANNER**

DIN 3113.



Sizes 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 17 - 19 - 22 mm

**€ 15,20**

**0223** € 71,60

**COMBINATION SPANNER**

DIN 3113.



Sizes 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-30-32 mm

**€ 63,00**

**0477** € 28,10

**MIRROR POLISH RING SPANNER SET**

DIN 838.



Sizes 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm

**€ 24,60**

**0476** €64,40

**MIRROR POLISH RING SPANNER SET**

DIN 838.



€56,65



Sizes 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x27 - 25x28 - 30x32 mm

**0558/GE** €13,90

**HEX KEY SET**

With ph and slot screwdriver head, with multipurpose handle that can be used as a t-handle or as a key extension.



€12,10



Sizes 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm  
Cross screwdriver PH0 (3mm) - PH1 (4mm) - PH2 (5mm)  
Slotted screwdriver 6mm


**0541S** €29,30

**FLARE NUT WRENCH SET**

DIN 3118, 6 point from 8mm to 14mm, 12 point from 17mm to 22mm.



€27,00



Sizes 140 - 8x10 mm, 150 - 9x11 mm, 175 - 11x13 mm, 175 - 12x14 mm, 210 - 17x19 mm, 220 - 19x22 mm

**0215X**

**BALL POINT HEX KEY SET, LONG TYPE**



starting from €8,35



Size	Art.	€	Promo
1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10	0215	€11,90	€8,70
1/16" - 5/64" - 3/32" - 1/8" - 5/32" - 3/16" - 1/4" - 5/1	0215P	€11,90	€8,35

**0545/EF** **PRO** €32,80

**BALL POINT COLORED HEX KEY SERIES**

DIN 911.



€28,45



Sizes 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm


**0558/EM** **PRO** €17,50

**HEX KEY SET WITH DIAMOND TIP**

DIN ISO 2936, the diamond tip allows a perfect grip, avoiding to ruin the head of the screw. This type of tip is also very effective with already ruined screws.



€15,20



Sizes 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 mm

**0558/EP** **PRO** €17,50

**HEX KEY SET WITH DIAMOND TIP**

DIN ISO 2936, the diamond tip allows a perfect grip, avoiding to ruin the head of the screw. This type of tip is also very effective with already ruined screws.



€15,20



Sizes 5/64" - 3/32" - 7/64" - 1/8" - 9/64" - 5/32" - 3/16" - 7/32" - 1/4"

**0400** €66,50

**MALE "T" HANDLE HEX WRENCH SET**

DIN ISO 2936, with sliding bar making them versatile for use in difficult situations and under extreme conditions.



€63,45



Sizes 2 - 3 - 4 - 5 - 6 - 8 - 10 mm

**0190** **PRO** €74,60

**3-WAY SPEEDY HEX KEY WRENCH SET**

With practical "speedy" rotating handle for increased working velocity



€64,65

Sizes 2 - 3 - 4 - 5 - 6 - 8 - 10 mm

**0220** €14,00

**TORX KEY SET LONG TYPE**

DIN 911, with tamper resistant head (hole).



€9,25

Sizes T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50

**0220/C** **NEW** €8,60

**TORX KEY SET SHORT TYPE**

With tamper resistant head (Hole)



€6,90

Sizes T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50

**0545/TF** **PRO** €35,30

**COLORED TORX KEY SERIES**

DIN 911.



€30,65

Sizes T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50

**0558/TX** **PRO** €17,50

**TORX KEY SET WITH DIAMOND TIP**

DIN ISO 2936, the diamond tip allows a perfect grip, avoiding to ruin the head of the screw. This type of tip is also very effective with already ruined screws.




€15,20

Sizes T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40

**0806/200** €445,00

**ELECTRONIC DIGITAL TORQUE - ANGLE WRENCH**

It allows cw and ccw operation and a led and buzzer diagnostic of torque/angle status.



€320,45

MEASURE UNITS: Nm / kgm / lbft / lbin  
Capacity 20 ÷ 200 Nm  
Reading 0,1 Nm  
Accuracy ±2%, 10% @ 200 Nm

**0809-** **PRO**

**ELECTRONIC DIGITAL TORQUE WRENCH**

It allows cw and ccw operation and a led and buzzer diagnostic of torque status.




starting from €95,95

Capacity	Dr.	Length	Art.	€	Promo
6 ÷ 30 Nm	1/4"	200 mm	0809/030	€106,00	€95,95
16 ÷ 80 Nm	3/8"	230 mm	0809/080	€113,00	€102,75
20 ÷ 100 Nm	1/2"	275 mm	0809/100	€119,00	€107,60

**0806/020** €109,00

**DIGITAL TORQUE SCREWDRIVER**

ISO 6789-2017, Clockwise and anticlockwise tightening, sound and vibration diagnostics of the preset torque reached.



€95,30

MEASURE UNITS: Nm / lbft / lbin  
Capacity 0 ÷ 20 Nm  
Reading 0,01 Nm  
Accuracy ±2%



**0137** €61,00

**TORQUE WRENCH**




**€ 44,80**

Capacity	28 ÷ 210 Nm
Extension	120 mm

**G090- PRO**

**ERGONOMIC RATCHET HANDLE**



starting from  
**€ 18,90**

Length	Dr.	Art.	€	Promo
145 mm	1/4"	G090/1/4	€21,50	€ 18,90
195 mm	3/8"	G090/3/8	€26,10	€ 24,15
265 mm	1/2"	G090/1/2	€29,80	€ 28,25

**0360** €77,70

**TORQUE MULTIPLIER**

DIN 3113, labor saving wheel wrench, supplied in plastic case.




1" Dr. sockets	32 - 33 mm
Ratio	1 : 56
Maximum torque	3000 Nm
Operating torque	1000 Nm
Net weight	7 kg



**€ 76,40**

**CN450NX**

**ERGONOMIC RATCHET HANDLE**



starting from  
**€ 19,70**

Length	Dr.	Art.	€	Promo
150 mm	1/4"	CN450N1/4A	€26,00	€ 19,70
205 mm	3/8"	CN450N3/8A	€30,10	€ 23,80
250 mm	1/2"	CN450N1/2A	€31,10	€ 23,95

**0624** €67,30

**1/4" DR. SOCKET SET**



1/4" Dr. sockets	4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
Sockets with bits	1/4" : T8 - T10 - T15 - T20 - T25 - T30 - T40 - H3 - H4 - H5 - H6 - H7 - H8 - SL4 - SL5.5 - SL7 - PH1 - PH2 - PH3 - PZ1 - PZ2 - PZ3
Ratchet handle	1/4"
Flexible bar	1/4" - 150 mm
1/4" Dr. socket-bars	50 - 100 mm



**€ 64,10**

**S520** €41,00

**1/4" DR. 6 POINT SAE SOCKET SET**



1/4" Dr. sockets	5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 13/32", 7/16", 15/32", 1/2", 9/16"
Universal joint	1/4"
1/4" Dr. socket-bars	2", 4", 6"
Sliding T-bar	1/4"
Socket handle	1/4"
Ratchet handle	1/4"



**€ 36,70**

**S328 PRO** €134,00

**1/2" DR. SOCKET SET**



1/2" Dr. sockets	8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 27 - 30 - 32 mm
Spark plug sockets sizes	1/2" : 16 - 21 mm
1/2" Dr. socket-bars	75 - 150 - 250 mm
Universal joint	1/2"
Adapter	F. 3/8" - M. 1/2"
Ratchet handle	1/2"



**€ 117,70**

**0620** €119,00

**1/2" DR. SOCKET SET**



1/2" Dr. sockets	10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 27 - 30 - 32 mm
Spark plug sockets sizes	1/2" : 21 mm
1/2" Dr. socket-bars	125 - 250 mm
Universal joint	1/2"
Sliding T-bar	1/2"
Ratchet handle	1/2"



**€ 74,45**

**0181** €159,00

**3/4" DR. SOCKET SET**



Sizes 19 - 21 - 22 - 23 - 24 - 26  
- 27 - 30 - 32 - 34 - 36 - 38  
- 41 - 46 - 48 - 50 mm


Ratchet handle 3/4"  
Sliding T-bar 3/4"  
Extension bars 3/4" : 100 - 200 mm



**€ 128,95**

**S108** €179,00

**1/4" & 1/2" DR. SOCKET SET**



**€ 171,95**

**S179** €307,00


**DR. SOCKET SET**



**€ 284,35**

**I340** €235,00

**STANDARD & DEEP IMPACT SOCKET SET**



1/2" Dr. sockets 9 - 10 - 11 - 12 - 13 - 14 -  
15 - 16 - 17 - 18 - 19 - 20  
- 21 - 22 - 23 - 24 - 26 - 27  
- 30 mm

1/2" Dr. deep sockets 9 - 10 - 11 - 12 - 13 - 14 -  
15 - 16 - 17 - 18 - 19 - 20  
- 21 - 22 - 23 - 24 - 26 - 27  
- 30 mm

Universal joint 1/2"  
1/2" Dr. socket-bars 125 mm




**€ 194,60**

**SI4E3N013** €59,30

**STANDARD IMPACT SOCKET SET**

DIN 3129




**€ 46,60**

Socket 10, 11, 12, 13, 14, 16, 17, 19, 21, 22, 24, 27, 30 mm

**SI413M006** €51,80

**IMPACT HEX BIT SOCKET SET**

DIN 3129.



**€ 39,30**

Socket 8, 10, 12, 14, 17, 19 mm  
Length 60 mm

**0341** €36,90

**DEEP IMPACT HEX SOCKET SET WITH PLASTIC SLEEVE**



**€ 31,80**

Sizes 17 - 19 - 21 mm  
Length 87 mm

**I217** €310,00

**METRIC STANDARD IMPACT SOCKET SET**




**€ 253,50**

Sizes 19 - 21 - 22 - 24 - 27 - 30 - 32 - 33 - 34 -  
35 - 36 - 38 - 40 - 41 - 46 - 50 - 55 mm




**E191-**

**3 JAW GEAR PULLER**




starting from  
**€ 53,95**



Dimensions	Art.	€	Promo
Max Ø 120 mm - h 101 mm	E191/120	€57,60	€53,95
Max Ø 200 mm - h 150 mm	E191/200	€108,00	€97,25

**E190-**

**2 JAW GEAR PULLER**



starting from  
**€ 27,30**



Dimensions	Art.	€	Promo
Max Ø 80 mm - h 100 mm	E190/080	€30,00	€27,30
Max Ø 130 mm - h 100 mm	E190/130	€39,20	€28,45
Max Ø 160 mm - h 150 mm	E190/160	€48,20	€37,70
Max Ø 200 mm - h 150 mm	E190/200	€52,00	€41,30

**D880/006**

**PRO €23,90**

**DIAMOND TIP SCREWDRIVER SET**

With black blade and tricomponent handle made of highly elastic TPR resin and oil-resistant polypropylene material. The diamond tip allows a perfect grip, avoiding to ruin the head of the screw. This type of tip is also very effective with already ruined screws.



**€ 20,70**



Sizes Slot	(-) 4 x 100 mm, (-) 5 x 125 mm, (-) 6 x 150 mm
Cross	(+) PH 1 x 75 mm, (+) PH 2 x 100 mm, (+) PH 3 x 150 mm

**C880/006**

**€16,20**

**SCREWDRIVER SET**

With black phosphatized magnetic tip, handle made of high elastic resin TPR and polypropylene material oil resistant.



**€ 14,85**



Sizes Slot	(-) 4 x 100 mm, (-) 5 x 125 mm, (-) 6 x 150 mm
Cross	(+) PH 1 x 75 mm, (+) PH 2 x 100 mm, (+) PH 3 x 150 mm

**C180/006**

**PRO €21,70**

**INSULATED SCREWDRIVER SET**

1000V IEC 60900, with black phosphatized magnetic tip and polypropylene material oil resistant bi-color handle.



**€ 19,90**



Sizes Slot	(-) 0,6 x 3 x 100 mm, (-) 0,8 x 4 x 100 mm, (-) 1 x 5,5 x 125 mm
Cross	(+) PH 0 x 3 x 60 mm, (+) PH 1 x 4,5 x 80 mm, (+) PH 2 x 6 x 100 mm

**PI063**


**NEW €25,80**

**MULTIFUNCTION REPAIR TOOL KIT**

62 pieces kit with magnetic revolving handle for precision repair of your tools, including smartphones, watches and appliances. The magnetic tray and the click-clack function allow to keep the bits organized without losing them.



**€ 20,55**



Magnetic bit holder	1
Phillips	PH00000-PH00000-PH000-PH00-PH0-PH1-PH2
Slotted	1.0 - 1.3 - 1.5 - 2.0 - 2.5 - 3.0 - 4.0
Hexagonal	0.7 - 0.9 - 1.3 - 1.5 - 2.0 - 2.5 - 3.0 - 3.5 - 4.0
Pozi-driv	PZ000 - PZ00 - PZ0 - PZ1


**S018**

**€86,50**

**HAND RIVETER SET**



**€ 81,25**



Rivets	50 x ø2,4 mm - 50 x ø3,2 mm - 50 x ø4.0 mm - 50 x ø4,8 mm
Nut rivets	50 x M3 - 50 x M4 - 25 x M5 - 25 x M6 - 20 x M8

**0455**

**PRO €95,20**

**DOUBLE HAND NUT RIVETER**

With 7 nosepieces



**€ 85,20**




Nosepieces	M3 - M4 - M5 - M6 - M8 - M10 - M12
Length	400 mm

**0469** **PRO** € 52,80

**HAND NUT RIVETER**

With 4 nosepieces. Ergonomic handles.



Nosepieces M3 - M4 - M5 - M6  
Length 200 mm




**€ 48,80**

**0453** **PRO** € 42,70

**DOUBLE HAND RIVETER**

Long levers for effortless working, even with 6.4mm rivets. Plastic container, under the riveting tool, to collect the pins of the used rivets to be recycled.



Rivets Ø 3,2 - 4,0 - 4,8 - 6,4 mm  
Length 400 mm



**€ 36,45**

**0841** **PRO** € 21,70

**RATCHET CRIMPING TOOL**

With release lever



For insulated terminals Ø 0,8 ÷ 3,5 mm / 0,25 ÷ 6 mm<sup>2</sup>  
AWG 22-10  
Length 230 mm  
Thickness 12 mm




**€ 20,50**


**0847** **PRO** € 70,80

**CRIMPING PLIERS FOR END SLEEVES TERMINALS**

With release lever



Terminals 0,25 ÷ 6 mm<sup>2</sup> AWG 23-10  
Length 175 mm  
Thickness 12 mm



**€ 57,75**

**0603** **PRO** € 97,00

**AUTO REPAIRING PLIERS SET FOR CARS ZIP TIES**



**€ 89,65**

**C960C** € 978,00

**TOOL ROLLING CABINET WITH TOOLS**



Dimensions 890 x 458 x 994 mm  
Drawer dimensions 565 x 405 mm  
Drawers height 5 x 74,5 mm - 2 x 153,5 mm  
Drawer capacity 25 kg



**€ 902,75**

**C960CB** **NEW** € 978,00

**TOOL ROLLING CABINET WITH TOOLS**



Dimensions 890 x 458 x 994 mm  
Drawer dimensions 565 x 405 mm  
Drawers height 5 x 74,5 mm - 2 x 153,5 mm  
Drawer capacity 25 kg



**€ 902,75**

**C960/CC01** € 1130,00

**TOOL ROLLING CABINET WITH TOOLS**



Tool cabinet size 890 x 475 x 1015h mm  
Drawer capacity 25 kg  
Drawer dimensions 564x 405 mm  
Drawers height 5 x 65 mm - 2 x 145 mm




**€ 1043,10**

**C960/AM01**

€ 1130,00

**TOOL ROLLING CABINET WITH  
AUTOMOTIVE TOOLS**



142 Pcs

Tool cabinet size	890 x 475 x 1015h mm
Drawer capacity	25 kg
Drawer dimensions	565 x 405 mm
Drawers height	5 x 65 mm - 2 x 145 mm

€ 1043,10

**0105T**

€ 303,00

**TOOL TROLLEY WITH ACCESSORIES**



162 Pcs



Box

Cr-V

€ 257,70

Case size	470 x 350 x 135 mm
Net weight	12 kg

**0110T**

€ 256,00

**TOOL BOX WITH TROLLEY, TOOLS  
AND ACCESSORIES**



133 Pcs



Box

Cr-V

€ 216,95

Case size	470 x 350 x 135 mm
Net weight	10 kg

**0105**

€ 259,00

**TOOL BOX WITH ACCESSORIES**



162 Pcs



Box

Cr-V

€ 231,45

Case size	470 x 350 x 135 mm
Net weight	11,5 kg

**0110**

€ 211,00

**TOOL BOX WITH ACCESSORIES**



133 Pcs



Box

Cr-V

€ 185,60

Case size	470 x 350 x 135 mm
Net weight	9,5 kg

**0434**

€ 93,10

**TOOL BOX WITH TOOLS AND ACCESSORIES**



54 Pcs



Box

Cr-V

€ 80,85

Case size	400 x 270 x 120 mm
Net weight	3 kg

**0165**

€ 255,00

**TOOL BOX WITH ACCESSORIES**

175 tools and accessories made of light chrome vanadium metal. Suitcase with wheels and extendable handle.



175 Pcs



Box

Cr-V

€ 221,35

Trolley	1
Net weight	15 kg

**0315**

€ 175,00

**TOOL BOX WITH ACCESSORIES**

Ergonomic suitcase handle.



132 Pcs



Box

Cr-V

€ 152,00

Plastic case size	500 x 440 x 150 mm
Net weight	9 kg



**0587 € 94,80**
**AIR STAPLER**


Carrying case

Loader capacity	100
Working pressure	5 - 7 bar
Dimensions	225 x 165 x 45 mm
Staples	80 - 6 / 16 mm
Air inlet	1/4"
Net weight	0,9 kg


**€ 58,40**
**0585 € 115,00**
**2 IN 1 AIR STAPLER AND BRAD NAILER**


Carrying case

Loader capacity	80
Working pressure	5 - 7 bar
Dimensions	245 x 230 x 55 mm
Nails	F - 10 / 50 mm
Staples	90 - 10 / 40 mm
Air inlet	1/4"
Net weight	1,4 kg


**€ 80,10**
**0586 € 105,00**
**AIR BRAD NAILER**


Carrying case

Loader capacity	110
Working pressure	5 - 7 bar
Dimensions	245 x 225 x 55 mm
Nails	F - 10 / 50 mm
Air inlet	1/4"
Net weight	1,5 kg


**€ 68,40**
**0588/6 € 89,50**
**AIR BRADDER FOR MINI PINS**


Carrying case

Loader capacity	130
Working pressure	5 - 7 bar
Dimensions	225 x 170 x 45 mm
Staples	0,60 - 12 / 30 mm
Air inlet	1/4"
Net weight	1 kg


**€ 58,00**
**AP01 PRO € 238,00**
**AIR IMPACT WRENCH**

Professional series. In composite material, handle and head in shockproof rubber. Operating lever, change of rotation and speed adjustment operated with one hand. High power and great reliability



Box 3/8"

Speed	8500 rpm
Torque	542 Nm   400 lb-ft
Avg air cons.	108 l/min   3.8 SCFM
Working pressure	6 bar   90 psi
Air inlet	1/4"
Net weight	1,2 kg


**€ 222,00**
**AP02 PRO € 247,00**
**AIR IMPACT WRENCH**

Professional series. In composite material, handle and head in shockproof rubber. Operating lever, change of rotation and speed adjustment operated with one hand. High power and great reliability



Box 1/2"

Speed	7800 rpm
Torque	678 Nm   500 lb-ft
Avg air cons.	136 l/min   4.8 SCFM
Working pressure	6 bar   90 psi
Air inlet	1/4"
Net weight	1,2 kg


**€ 230,20**
**AP03 PRO € 255,00**
**AIR IMPACT WRENCH**

Professional series. In composite material, handle and head in shockproof rubber. Operating lever, change of rotation and speed adjustment operated with one hand. High power and great reliability



Box 1/2"

Speed	7300 rpm
Torque	1085 Nm   800 lb-ft
Avg air cons.	153 l/min   5.4 SCFM
Working pressure	6 bar   90 psi
Air inlet	1/4"
Net weight	2 kg


**€ 238,40**
**AP04 PRO € 265,00**
**AIR IMPACT WRENCH**

Professional series. In composite material, handle and head in shockproof rubber. Operating lever, change of rotation and speed adjustment operated with one hand. High power and great reliability



Box 3/4"


Speed	7300 rpm
Torque	1085 Nm   800 lb-ft
Avg air cons.	153 l/min   5.4 SCFM
Working pressure	6 bar   90 psi
Air inlet	1/4"
Net weight	2,1 kg


**€ 246,65**

**AP05** **PRO** €617,00

**AIR IMPACT WRENCH**

Professional series. In composite material, handle and head in shockproof rubber. Operating lever, change of rotation and speed adjustment operated with one hand. High power and great reliability



Speed	5300 rpm
Torque	1900 Nm   1400 lb-ft
Avg air cons.	224 l/min   8.1 SCFM
Working pressure	6 bar   90 psi
Air inlet	3/8"
Net weight	3,3 kg



**AP05/150** **PRO** €741,00

**AIR IMPACT WRENCH**

With 150mm Anvil professional series. In composite material, handle and head in shockproof rubber. Operating lever, change of rotation and speed adjustment operated with one hand. High power and great reliability.



Speed	5300 rpm
Torque	1900 Nm   1400 lb-ft
Avg air cons.	224 l/min   8.1 SCFM
Working pressure	6 bar   90 psi
Air inlet	3/8"
Net weight	4 kg



**AP06** **PRO** €238,00

**AIR IMPACT WRENCH**

Professional series. In composite material, handle and head in shockproof rubber. Operating lever, change of rotation and speed adjustment operated with one hand. High power and great reliability



Speed	9000 rpm	Working pressure	6 bar   90 psi
Torque	312 Nm   230 lb-ft	Air inlet	1/4"
Avg air cons.	113 l/min   4 SCFM	Net weight	1,1 kg



**0413** €30,80

**MINI AIR DIE GRINDER**

Collet 3mm and 6mm. Revolving rear air outlet. Body frame made from composite material.



Pliers	ø 3 mm - ø 6 mm	Working pressure	6 bar / 90 psi
Speed	25000 rpm	Air inlet	1/4"
Avg air cons.	4 SCFM (113 l/min)	Net weight	0,4 kg



**0414** €35,20

**AIR DIE GRINDER**

3mm and 6mm, with rear exhaust 360°, exclusive composite body design.



Pliers	ø 3 mm - ø 6 mm	Working pressure	6 bar / 90 psi
Speed	22000 rpm	Air inlet	1/4"
Avg air cons.	7 SCFM (198 l/min)	Net weight	0,6 kg



**0416** €54,80

**90° AIR DIE GRINDER**

Collet ø 3mm - ø 6mm. Revolving rear air outlet.



Pliers	ø 3 mm - ø 6 mm	Working pressure	6 bar / 90 psi
Speed	20000 rpm	Air inlet	1/4"
Avg air cons.	4 SCFM (113 l/min)	Net weight	0,5 kg



**0417** €60,50

**LONG TYPE AIR DIE GRINDER**

3 and 6mm pincers, with rear exhaust 360°, exclusive composite body design.



Pliers	ø 3 mm - ø 6 mm	Working pressure	6 bar / 90 psi
Length	295 mm	Air inlet	1/4"
Speed	20000 rpm	Net weight	0,6 kg
Avg air cons.	4 SCFM (113 l/min)		



**0418** €53,70

**REVERSIBLE AIR DRILL**

Chuck 10 Ø mm , with rear exhaust 360°, composite body design



Chuck sizes	Ø 10 mm	Working pressure	6 bar / 90 psi
Speed	1800 rpm	Air inlet	1/4"
Avg air cons.	4 SCFM (113 l/min)	Net weight	0,9 kg



**0419 € 90,60**
**6" AIR ORBIT SANDER WITH SUCTION**

And speed control, hook & loop pad, 360° rear exhaust, die cast aluminum body with soft handle grip in lightweight and ergonomic design



Box

Disc diameter	150 mm - 6"
Orbit	5 mm, 3/16"
Speed	10500 rpm MAX.
Avg air cons.	3 SCFM (85 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Length	200 mm


**€ 85,50**
**0421 € 98,60**
**6" AIR ORBIT SANDER WITH SELF-INTEGRATED SUCTION**

Speed control, hook & loop pad, 360° rear exhaust, die cast aluminum body with soft handle grip in lightweight and ergonomic design, corrugated hose and dust bag



Box

Disc diameter	150 mm - 6"
Orbit	5 mm, 3/16"
Speed	10500 rpm
Avg air cons.	3 SCFM (85 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Length	200 mm


**€ 92,85**
**0458 € 90,60**
**6" AIR ORBIT SANDER WITH SUCTION**

Speed control, 2.5mm orbit, hook & loop pad, 360° rear exhaust, die cast aluminum body with soft handle grip in lightweight and ergonomic design.



Box

Disc diameter	150 mm - 6"
Orbit	2,5 mm - 3 / 32"
Max speed	10500 rpm
Avg air cons.	3 SCFM (85 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Length	200 mm


**€ 85,50**
**0460 € 107,00**
**6" AIR ORBIT SANDER WITH SELF-INTEGRATED SUCTION**

Speed adjustable, revolving rear air outlet, aluminum body, soft and ergonomic handle, Suction tube and dust collection bag.



Box

Disc diameter	150 mm - 6"
Orbit	2,5 mm - 3 / 32"
Max speed	10500 rpm
Avg air cons.	3 SCFM (85 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Length	200 mm


**€ 98,80**
**0046 € 89,50**
**AIR RATCHET WRENCH SET**

With 7 sockets, a fixed 75 mm extension for sockets, a 75 mm extension with joint for sockets, 1/4" nozzle, three screwdriver bits and a fixed 75 mm extension for screwdriver bits.



16 Pcs



Carrying case



1/2"

Speed	160 rpm
Torque	65 Nm
Socket	9-10-11-13-14-17-19 mm


**€ 78,00**
**0574 € 98,20**
**REVERSIBLE AIR DRILL**


Box

Chuck sizes	Ø 10 mm
Speed	1800 rpm
Avg air cons.	5 SCFM (150 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Net weight	1 kg


**€ 90,90**
**0313 € 101,00**
**5" AIR ANGLE DIE GRINDER**


Box

Saw blade	Ø 125 mm	Working pressure	6 bar / 90 psi
Speed	10000 rpm	Air inlet	1/4"
Avg air cons.	5 SCFM (150 l/min)	Net weight	2 kg


**€ 79,05**
**0641 € 63,30**
**FLEXIBLE PNEUMATIC MICROGRINDING WHEEL**

For grinding and chamfering



15 Pcs



Carrying case

Collet capacity	3 mm
Speed	56000 rpm
Avg air cons.	2 SCFM (60 l/min.)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Net weight	0,7 kg


**€ 46,50**



**0784** €74,30

**AIR BELT SANDER**

With spare belts. Light metal body



€ 62,80



Box

Speed	16000 rpm	Belt	10 x 330 mm
Avg air cons.	6 SCFM (180 l / min.)	Air inlet	1/4"
Working pressure	6 bar / 90 psi	Net weight	0,9 kg

**0125** €37,40

**DIGITAL TYRE GAUGE**

With backlight and various measurement units. equipped with tyre valve screwdriver



€30,90



Blister

Max. pressure	8 bar (110 psi)
Working pressure	2 - 4 bar (30 - 60 psi)
Reading	0,05 bar   0,7 psi
Not included batteries	2 x 1.5V AAA
Rubber hose length	80 mm
Air inlet	1/4"

**0610** €15,00

**WASHING GUN**



€12,10



Box

Capacity	1000 cc
Air inlet	1/4"

**0607** €6,50

**BLOW GUN**



€ 6,05



Blister

Alu

Aluminum

Nozzle	2.0 mm
Working pressure	4-6 bar
Air inlet	1/4"

**0608** €18,30

**TYRE INFLATING GUN**



€ 12,95



Blister

Manometer	ø 63 mm
Reading	0÷12 bar   0÷174 psi
Rubber hose length	420 mm
Air inlet	1/4"

**A481/15** PRO NEW €113,00

**AUTO REWIND AIR HOSE REEL**

Made of polypropylene shell, with polyurethane mesh hose and regulation for distributing evenly the tube in the internal part, tools free adjustable stop ball and 180° swivel mount bracket



€ 90,45



Box

PP

Polyprop.

Max. pressure	16 bar / 250 psi
Hose length	15 + 1 m
Male Fitting	1/4" BSPT
Hose diameter	ø 12 x 8 mm
Working temperature	0 ÷ 45° C
Net weight	4,4 kg

**A481/15H** PRO NEW €134,00

**AUTO REWIND AIR HOSE REEL**

Made of polypropylene shell, with polyurethane mesh hose and regulation for distributing evenly the tube in the internal part, tools free adjustable stop ball and 180° swivel mount bracket



€ 106,80



Box

PP

Polyprop.

Max. pressure	18 bar / 260 psi
Hose length	15 + 1 m
Male Fitting	3/8" BSPT
Hose diameter	ø 13.5 x 9.5 mm
Working temperature	0 ÷ 45° C
Net weight	4,5 kg

**A481/30H** NEW € 200,00

**AUTO REWIND AIR HOSE REEL**

Made of polypropylene shell, with polyurethane mesh hose and regulation for distributing evenly the tube in the internal part, tools free adjustable stop ball, low speed retraction system and 180° swivel mount bracket




**€ 159,40**

Max. pressure	18 bar / 260 psi
Hose length	30 + 2 m
Male Fitting	3/8" BSPT
Hose diameter	ø 13,5 x 9,5 mm
Working temperature	0 ÷ 45° C
Net weight	9 kg

**0378/1510** PRO € 166,00

**AUTO REWIND AIR HOSE REEL**

With pu mesh hose and regulation for distributing evenly the tube in the internal part



**€ 136,80**

Max. pressure	18 bar / 260 psi
Hose length	15 + 1 m
Male Fitting	3/8" BSPT
Hose diameter	ø 13,5 x 9,5 mm
Working temperature	0 ÷ 45° C
Net weight	5 kg

**0481/15** € 127,00

**AUTO REWIND AIR HOSE REEL**

With pu mesh hose, german type female quick coupler, german type female plug and regulation for distributing evenly the tube in the internal part



**€ 113,65**

Max. pressure	16 bar / 250 psi
Hose length	15 + 1 m
Male Fitting	1/4" BSPT
Hose diameter	ø 12 x 8 mm
Working temperature	0 ÷ 45° C
Net weight	4,5 kg

**0240/15** € 150,00

**AUTO REWIND AIR HOSE REEL**

With pu mesh hose



**€ 126,10**

Max. pressure	16 bar / 250 psi
Hose length	15 m + 1 m
Male Fitting	3/8" BSPT
Hose diameter	12 x 8 mm
Net weight	5 kg

**0793** € 20,20

**WOOD-BURNING PEN SET WITH 6 PINS OF DIFFERENT SHAPE**



**€ 14,30**



Power	230 V 50 Hz 30 W
-------	------------------

**0033A** PRO € 112,00

**HIGH PRECISION TEMPERATURE -CONTROLLED SOLDERING IRON STATION**

Adjustable temperature 150-420°C, iron tip with hole ø 6 mm



**€ 97,15**



Melting point	215°	Power station supply	230 V 50 Hz
Working temperature	215 ÷ 300°C	Soldering power supply	24 V 48 W
Max temperature	420°C		

**0031** € 32,90

**HIGH PRECISION TEMPERATURE -CONTROLLED SOLDERING IRON STATION**

Adjustable temperature 150°C - 420°C, iron tip with hole ø 6 mm



**€ 28,50**



Melting point	215°
Working temperature	215 ÷ 300°C
Max temperature	450°C
Power	230 V, 50 Hz, 37 W

**0027/30W** € 12,70

**SOLDERING IRON**



**€ 11,05**



Power	230 V 50 Hz 30 W
Working temperature	450°C ± 10%

**0027/40W** €14,40

**SOLDERING IRON**



Blister

Power 230 V 50 Hz 40 W  
Working temperature 450°C ± 10%

€12,50

**0024** €30,10

**HOT AIR GUN**



Box

Temperature 300 °C - 500 °C  
Air stream 280 l/min - 480 l/min  
Power 230 V 50Hz 1,5 kW

€26,85

**0441** €69,90

**HOT KNIFE FOR POLYSTYRENE WITH ADJUSTABLE TEMPERATURE**

For polystyrene, plastic, foam and sponge, adjustable cutting length, metal stand



Box

Power 230 V, 50 Hz, 220 W  
Temperature 120 - 220 - 330 - 400 - 450 °C  
Cutting capacity with adjustment 20 ÷ 90 mm  
Max cut 150 mm

€64,65

**0677/500** €18,00

**500CC HAND OPERATED LEVER GREASE GUN**

Composed of metal tank and pump, coupler and 300mm PVC flexible hose, for using with loose grease or ø 53mm grease cartridges.



Box

Capacity 500 cc  
Flexible hose sizes ø 8 x 300 mm  
Working pressure 6000-8000 psi

€17,25

**0443** PRO €56,30

**FAST HEATING SOLDERING GUN**

With adjustable temperature



Carrying case

Power 230V 50Hz 200W  
Temperature 70 °C ÷ 500 °C

€48,30

**0444** PRO €84,00

**DIGITAL HOT AIR GUN SET**

With electronic temperature control, lcd display to show the temperature, 2 levels of air flow, ideal for heating, folding, bending, removing paint



6 Pcs



Box



ABS

Power 230 V, 50 Hz, 2000 W  
Temperature I 70°C - II 70°C + 600°C - III 70°C + 600°C  
Air stream I 300L/min - II 300L/min - III 500L/min

€77,80

**0333** PRO €111,00

**HOT KNIFE FOR POLYSTYRENE WITH ADJUSTABLE TEMPERATURE**

For polystyrene, plastic, foam and sponge, adjustable cutting length, metal stand



Carrying case

Power 230 V, 50 Hz, 150 W  
Temperature Max 500 °C  
Max cut 150 mm

€96,40

**0677/500CG** NEW €9,30

**GREASE CARTRIDGE**



Box

Capacity 500cc  
Dimensions ø 53mm

€8,95



**0189-**

**METAL FUEL TANK**

With flexible filler, "un" certified according to european directives



starting from  
**€ 32,65**

Capacity Liters	Net weight	Art.	€	Promo
5	1,5 kg	0189/05C	€42,30	€ 32,65
10	2,5 kg	0189/10C	€42,90	€ 36,05
20	3,7 kg	0189/20C	€48,90	€ 37,20

**0385**

**ROTARY HAND PUMP**

For transferring lubricating oil, diesel, kerosene and antifreeze drums with telescopic suction pipe



**€ 51,90**



Capacity	20 l/min
Pump thread	2"

**0386**

**€ 39,00**

**LEVER ACTION HAND OIL PUMP**

For transferring lubricating oil, diesel, kerosene and antifreeze drums with telescopic pipe



**€ 36,90**



Capacity	18 l/min
Pump thread	2" / 1-1/2"

**0755**

**€ 98,20**

**12VDC DIESEL PUMP**

For mineral oil and diesel.



Motor	DC 12 V, 175 W
Motor speed	4500 rpm
Pump capacity	40 l/min
Hydraulic head	2 m
Suction	4 m
Inlet thread	25 mm
Size	200 x 120 x 155 mm
Usage time	Max 30 min



**€ 96,50**

**0218-**

**LED FLOODLIGHTS**

Aluminium super slim die-cast housing, tempered glass

starting from  
**€ 12,15**




Power	Luminous flux	Dimensions	Art.	€	Promo
230 V, 50 Hz, 10 W	800 lm	150 x 95 mm	0218/10	€14,00	€ 12,15
230 V, 50 Hz, 20 W	1600 lm	145 x 120 mm	0218/20	€20,50	€ 17,75
230 V, 50 Hz, 30 W	2400 lm	180 x 150 mm	0218/30	€33,40	€ 29,00
230 V, 50 Hz, 50 W	4000 lm	210 x 180 mm	0218/50	€47,40	€ 41,15

**0218-XB**

**LED FLOODLIGHT WITH STAND**

Aluminium super slim die-cast housing, tempered glass

starting from  
**€ 27,20**




Power	Luminous flux	Art.	€	Promo
230 V, 50 Hz, 10 W	800 lm	0218/10B	€31,40	€ 27,20
230 V, 50 Hz, 20 W	1600 lm	0218/20B	€37,60	€ 32,65
230 V, 50 Hz, 30 W	2400 lm	0218/30B	€49,20	€ 42,65
230 V, 50 Hz, 50 W	4000 lm	0218/50B	€64,40	€ 55,85

**0218-XS**

**LED FLOODLIGHT WITH MOTION AND BRIGHTNESS SENSOR**

Aluminium super slim die-cast housing, tempered glass

starting from  
**€ 23,60**



Power	Luminous flux	Art.	€	Promo
230 V, 50 Hz, 10 W	800 lm	0218/10S	€27,20	€ 23,60
230 V, 50 Hz, 20 W	1600 lm	0218/20S	€32,40	€ 28,15
230 V, 50 Hz, 30 W	2400 lm	0218/30S	€42,90	€ 37,20
230 V, 50 Hz, 50 W	4000 lm	0218/50S	€58,10	€ 50,40

**0366**

**€ 116,00**

**56 LED MAGNIFIER LAMP**

With lense



Power	230 V 50 Hz 8 W
Magnification	2x
Luminous flux	600 lm
Color temperature	6500 K
Lens	Ø 120 mm
Range	810 mm
Clamp capacity	70 mm



**€ 100,20**

0530

€ 119,00

**LOW CONSUMPTION LAMP WITH LENS**

With lens



Box

Power	230 V 50 Hz 22 W
Magnification	3x
Lens	Ø 120 mm
Range	810 mm
Clamp capacity	70 mm
Luminous flux	1000lm



€ 85,90

0659

€ 38,60

**CRYSTAL LENS SET**



12 Pcs



Expositor

Contents	Magnifications
3 Pcs ø 50	3x - 10x mm
3 Pcs ø 60	3x - 8x mm
3 Pcs ø 75	3x - 8x mm
3 Pcs ø 90	3x - 8x mm



€ 25,10

0209

€ 37,60

**10 + 1 LED MAGNETIC WORK LIGHT**

With rotating head, Led on the top and front with 2 brightness levels.



Blister

Alu

Aluminum



IP20

Luminous flux	50 - 300 lm
Color temperature	6500 K
Not included batteries	3 AAA
Tilting head	180°
Revolution	180°
Dimensions	35 x 330 mm



€ 32,80

0107

€ 7,90

**30 + 7 LED MAGNETIC LIGHT**

With magnet and hook on the back side



Expositor



ABS

Single LED life	100000 hours
Intensity	50 lm
Not included batteries	3 AA
Dimensions	40 x 35 x 203 mm



€ 7,00

0311

€ 11,20

**24 LED MAGNETIC LIGHT**

With magnet and hook on the back side



Expositor

ABS

Single LED life	100000 hours
Not included batteries	3 AA



€ 8,15

0597

€ 29,10

**RECHARGEABLE LED LIGHT WITH MAGNET**

With battery charger 12Vdc and 230Vac, foldable, hanging and magnetic.



Box



ABS



IP20

Battery	3.7 V 1800 mAh
LED	8 SMD + 5 LED
Recharging time	8 ÷ 10 h
Autonomy	7 ÷ 8 h



€ 28,05

0889

€ 60,10

**RECHARGEABLE LED LIGHT WITH MAGNET**

With battery charger 12Vdc and 230Vac, foldable, hanging and magnetic.



Box

ABS

Battery	3,7V - 1100 mAh - Lithium
LED	21 + 5 - 9000 mcd
Recharging time	4 ÷ 5 h
Autonomy	4 ÷ 6 h



€ 51,90

0693A

PRO NEW

€ 84,00

**RECHARGEABLE LED LAMP**

With charging station, foldable, hanging and magnetic



Box



ABS

Battery	3,7V - 2600mAh - Li-ion
LED	6W COB LED - 1W SMD 6500K
Luminous flux	600 lm
Recharging time	4h
Autonomy	4,5h Eco mode
Working temperature	-10°C÷ 40°C



€ 67,00

**0401** **PRO** € 73,10

**COB LED TECHNOLOGY RECHARGEABLE LAMP**

High capacity lithium battery for long time operation, magnetic back for hand-free application, flexible standing arm for multi-angle lighting purposes, strong light output 180 lumens.



Power	100 ÷ 240 V , 50 ÷ 60 Hz
Battery	3,7 V - 2600 mAh - Li-ion
Recharging time	6 h
Autonomy	3,5 h
Intensity	180 lm



**0123** **PRO** € 61,60

**MULTIFUNCTION USB RECHARGEABLE LED LIGHT**

With front torch with various steps of brightness, lateral white and red LEDs with flashing function. USB recharging cable and transformer. Charge and recharge status LED. It can be charged directly from a computer.



Battery	3.7V - 1800 mAh - Li-ion
LED	24 Cree XPG R5
Intensity	30 - 300 lm
Dimensions	191 x 99 x 148 mm
Battery charger	USB 110 - 230 V 50 - 60 Hz
Autonomy	2.5 h



**G900** **NEW** € 14,60

**CAMPING LANTERN**



Dimensions	Ø 60 x 160 mm
Intensity	150 lm
Not included batteries	3 x AAA

€ 11,60

**L008** **PRO** € 127,00

**SLIM INSPECTION CORDLESS LED LIGHT**

Rechargeable, high capacity lithium battery for long time operation, strong light output 400 lumens, the slim design and robust structure make it indestructible even if it falls from a height of one meter or, if it is forgotten on a flat floor, the car passes over it



Power	100 ÷ 240 V , 50 ÷ 60 Hz
Battery	3,7 V 2400 mAh Lithium
Luminous flux	400 lm
Recharging time	3,5 h
Autonomy	3 - 10 h
Intensity	400 lm



**0445/20** **PRO** € 156,00

**RECHARGEABLE LED FLOODLIGHT**

With switch, adapters to recharge batteries with car dc lighter and home ac 230V.



Power	DC 12 - 24 V , 20 W ; AC 230 V 20W
Luminous flux	600 - 1450 lm
Battery	7.4V 5400mAh Li-ion
Autonomy	1,5 h



**0900** **PRO NEW** € 84,00

**MULTI PORTABLE MAGNETIC LED LIGHT**

COB Led portable lamp made in impact-resistant ABS. Adjustable in four different light intensities from 350 to 1400 Lumens. The strong magnet at the base and the rotatable body through 180°, makes it perfect to be used in any circumstance.



LED	COB
Power	USB Type C   5 V 2 A
Battery	3.7 V 5200 mAh Li-ion
Luminous flux	350 ÷ 1400 lm
Recharging time	4 h
Autonomy	3 h ÷ 14 h
Dimensions	116 x 101 x 41.5 mm



**0900/BL** **PRO NEW** € 235,00

**EXTENSIBLE AND MAGNETIC UNDERHOOD LED LIGHT**

Underhood light with two COB Led and magnetic light spots rotatable through 360°, for a maximum of 2800 Lumens (1400lm + 1400lm). This bar is easily extensible to 2100mm to be hooked to any kind of bonnet.



LED	COB	Recharging time	4 h
Power	USB Type C   5 V 2 A	Autonomy	4 h
Battery	3.7 V 5200 mAh Li-ion	Adjustable extension	850 ÷ 2100mm
Luminous flux	2 x 400-1400 lm	clamps	



€ 187,60

**0621/A3** € 107,00

**AUTO RE-ENTERING CABLE REEL**



Cable length	10 m
Cable type	3 x 1,50 mm <sup>2</sup> H05VV-F



€ 92,15

Power	12 V ÷ 240 V
Max power for rolled cable	1200 W
Max power for unrolled cable	1800 W



**C035-**

**PRO NEW**

**STAINLESS STEEL ELECTRONIC DIGITAL CALIPER**

With glass rail for better accuracy, metal housing and buttons, data output with mini USB port, removable thumbroll, ground and lapped jaws, with locking screw.



starting from  
**€ 63,00**

Range	Reading	Art.	€	Promo
0÷150 mm   0÷6"	0,01 mm   0,0005"	C035/150	€-69,20	€ 63,00
0÷200 mm   0÷8"	0,01 mm   0,0005"	C035/200	€-95,10	€ 86,65
0÷300 mm   0÷12"	0,01 mm   0,0005"	C035/300	€-166,00	€ 152,05

**C033-**

**STAINLESS STEEL ELECTRONIC DIGITAL CALIPER**

With 3 functions and a big screen



starting from  
**€ 48,65**

Range	Reading	Art.	€	Promo
0÷150 mm   0÷6"	0,01 mm   0,0005"	C033/150	€-61,00	€ 48,65
0÷200 mm   0÷8"	0,01 mm   0,0005"	C033/200	€-80,00	€ 73,65
0÷300 mm   0÷12"	0,01 mm   0,0005"	C033/300	€-132,00	€ 108,25

**C041/150**

**€-34,20**

**MONOBLOCK STAINLESS STEEL ELECTRONIC DIGITAL CALIPER**

3 functions with big lcd



**€ 24,35**

Range	0÷150 mm   0÷6"
Reading	0,01 mm   0,0005"
Jaws	40 mm
Beam	16 x 3 mm

**C006-**

**STAINLESS STEEL DIAL CALIPER**



starting from  
**€ 35,45**

Range	Reading	Jaws	Beam	Art.	€	Promo
0 ÷ 150 mm	0,02 mm	40 mm	16 x 3 mm	C006/150	€-40,10	€ 35,45
0 ÷ 200 mm	0,02 mm	50 mm	16 x 3 mm	C006/200	€-73,30	€ 52,50
0 ÷ 300 mm	0,02 mm	60 mm	20 x 4 mm	C006/300	€-119,00	€ 81,55

**C057/150**

**€-20,80**

**CHROMED VERNIER CALIPER**



**€ 18,25**

Range	0÷150 mm   0÷6"
Reading	1/20 0,05 mm   1/128"
Jaws	40 mm
Beam	16 x 3 mm

**C019/150**

**€-16,50**

**CHROMED VERNIER CALIPER**



**€ 15,15**

Range	0÷150 mm   0÷6"
Reading	1/20 0,05 mm   1/128"
Jaws	40 mm
Beam	16 x 3 mm

**C021-**

**PRO**

**MONOBLOCK STAINLESS STEEL CHROMED VERNIER CALIPER**

Fine adjustment



starting from  
**€ 93,65**

Range	Reading	Art.	€	Promo
0÷300 mm   0÷12"	1/50 0,02 mm   1/1000"	C021/300	€-171,00	€ 93,65
0÷500 mm   0÷20"	1/50 0,02 mm   1/1000"	C021/500	€-235,00	€ 171,40
0÷1000 mm   0÷40"	1/50 0,02 mm   1/1000"	C021/1000	€-525,00	€ 429,55

**C020-**

**CHROMED VERNIER CALIPER**

Fine adjustment



starting from  
**€ 85,80**

Range	Reading	Art.	€	Promo
0 ÷ 500 mm	1/50 0,02 mm	C020/500	€-140,00	€ 85,80
0 ÷ 1000 mm	1/50 0,02 mm	C020/1000	€-365,00	€ 297,15
0 ÷ 1500 mm	1/50 0,02 mm	C020/1500	€-1020,00	€ 653,70
0 ÷ 2000 mm	1/50 0,02 mm	C020/2000	€-1650,00	€ 1198,45

**C007-**

**CHROMED VERNIERE DEPTH GAUGE**



starting from  
**€ 33,65**



Range	Reading	Base	Beam	Art.	€	Promo
0 ÷ 200 mm	1/50 0,02 mm	100 mm	9,6 x 4,5 mm	C007/200	€ 37,30	€ 33,65
0 ÷ 300 mm	1/50 0,02 mm	100 mm	12 x 4 mm	C007/300	€ 51,20	€ 41,80

**T092-**

**ELECTRONIC DIGITAL MULTI FUNCTION HEIGHTGAUGE**

With 4 functions and big display, with scriber



starting from  
**€ 442,05**



Range	Reading	Art.	€	Promo
0÷300 mm   0÷12"	0,01 mm   0,0005"	T092/300	€ 542,00	€ 442,05
0÷600 mm   0÷24"	0,01 mm   0,0005"	T092/600	€ 901,00	€ 654,70

**CF08**

**NEW** € 8,40

**GAUGE TO MEASURE WHEEL NUT HOLES CENTER DISTANCE**

Handy tool for measuring the hole circle on steel and aluminium rims. Suitable for 4-, 5-, 6- and 8-hole rims



**€ 6,70**



Range 4-8 LUG 100 ÷ 210 mm

**RX**

**SCALE WITH MULTIFUNCTION DIGITAL READOUT**

The scale can be cut to reach the desired length functions: on/off - mm/inch - zero - abs/inc - auto power off.



starting from  
**€ 62,05**



Total length	Range	Art.	€	Promo
630 mm - 24.8" inch	500 mm - 19.7"	R060	€ 82,00	€ 62,05
1000 mm - 40" inch	900 mm - 35"	R100	€ 107,00	€ 86,60

**C064**


€ 105,00

**MULTIFUNCTIONAL ELECTRONIC DIGITAL INDICATOR LARGE DISPLAY**

Functions: zero point at any position, mm/inch, conversion, hold, min/max functions, auto power off.



**€ 71,60**



Range	0÷12,7 mm   0÷0,5"
Reading	0,01 mm   0,0005"
Accuracy	0,02 mm   0,002"
Dial size	60 mm
Battery	SR44W



Dial size	60 mm
Range	10 mm
Reading	0,01 mm
Accuracy	0,015 mm



**€ 48,60**

**C023**

€ 30,50

**DIAL INDICATOR**



**€ 15,30**



Dial size	60 mm
Range	10 mm
Reading	0,01 mm
Accuracy	0,015 mm



Dial size	42 mm
Range	5 mm
Reading	0,01 mm
Accuracy	0,015 mm



**€ 28,45**

**C002/42**


€ 37,50

**DIAL INDICATOR**

**C048** €73,40

**DIAL INDICATOR**

With back lug



Dial size	60 mm
Range	30 mm
Reading	0,01 mm
Accuracy	0,015 mm

€57,90

**T007-**  
**DIAL TEST INDICATOR**



Dial size	Range	Reading	Contact point	Art.	€	Promo
40 mm	0,8 mm	0,01 mm	Ø 2 mm	T007	€93,20	€60,30
40 mm	0,8 mm	0,01 mm	Ø 2 mm	T007G	€59,40	€53,15

starting from  
€60,30

**A020** €134,00

**ZERO SETTING WITH DIAL INDICATOR WITH MAGNETIC BASE**



Zero setting height	50 mm
Reading	0,01 mm
Range	0 ÷ 8 mm

€120,90

**C061** €227,00

**CO-AX INDICATOR**

With positioning rod



Dial indicator	Ø 40 mm
Swing	4,9 mm
Reading	0,01 mm
Max speed	800 rpm
Cylindric shank	Ø 10 mm
Straight feelers	3
Bent feelers	3
Feeler length	50 - 100 - 150 mm
Contact point	Ø 3 mm
Scriber point	50 mm



€180,55

**M021-**

**ELECTRONIC DIGITAL MICROMETER**

Friction thimble with carbide faces, functions: abs/inc, set, on/off and mm/inch.



Size	Reading	Precision	Art.	€	Promo
0 ÷ 25 mm - 0 ÷ 1"	0,001 mm - 0,00005"	0,003 mm - 0,00015"	M021/00/25	€92,30	€79,25
25 ÷ 50 mm - 1" ÷ 2"	0,001 mm - 0,00005"	0,003 mm - 0,00015"	M021/25/50	€115,00	€99,65
50 ÷ 75 mm - 2" ÷ 3"	0,001 mm - 0,00005"	0,004 mm - 0,0002"	M021/50/75	€139,00	€119,30
75 ÷ 100 mm - 3" ÷ 4"	0,001 mm - 0,00005"	0,004 mm - 0,0002"	M021/75/100	€162,00	€139,70

starting from  
€79,25

**M033** €197,00

**OUTSIDE MICROMETER SET**

With carbide faces and painted frame



Size	0÷25 - 25÷50 - 50÷75 - 75÷100 - 100÷125 - 125÷150 mm
Reading	0,01 mm
Accuracy	0,004 - 0,004 - 0,005 - 0,005 - 0,006 - 0,006 mm
Spindle	Ø 6,3 mm



€156,95

**S049** €35,20

**MAGNETIC STAND**

With microadjustment



Main stem	Ø 12 x 170 mm
Assistant stem	Ø 10 x 150 mm
Magnetic force	600 N
Base dimensions	63 x 50 x 55h mm

€21,65

**S047** €65,90

**MAGNETIC STAND**

With microadjustment



Main stem	Ø 16 x 220 mm
Assistant stem	Ø 12 x 180 mm
Magnetic force	800 N
Base dimensions	65 x 50 x 55h mm

€37,55

**S054**
**€ 31,90**
**MAGNETIC STAND**


Carrying case

Main stem	Ø 12 x 170 mm
Assistant stem	Ø 10 x 165 mm
Magnetic force	600 N
Base dimensions	63 x 50 x 55h mm

**€18,80**
**S055**
**€ 62,20**
**MAGNETIC STAND**


Carrying case

Main stem	Ø 16 x 210 mm
Assistant stem	Ø 12 x 175 mm
Magnetic force	800 N
Base dimensions	75 x 50 x 55h mm

**€28,40**
**S042/1**
**€ 57,50**
**UNIVERSAL MECHANICAL ARM STAND**

With 3d central lock



Carrying case

Base dimensions	36 x 30 x 35 mm
Magnetic force	300 N
Arm length	145 mm

**€45,90**
**S042/2**
**€ 72,70**
**UNIVERSAL MECHANICAL ARM STAND**

With micrometric adjustment and 3d central lock



Carrying case

Base dimensions	60 x 50 x 55 mm
Magnetic force	800 N
Arm length	290 mm

**€61,95**
**S042/3**
**€ 93,50**
**UNIVERSAL MECHANICAL ARM STAND**

With micrometric adjustment and 3d central lock



Carrying case

Base dimensions	75 x 50 x 55 mm
Magnetic force	1000 N
Arm length	365 mm

**€80,60**
**S045**
**€ 73,80**
**UNIVERSAL MECHANICAL ARM STAND**


Carrying case

Main stem	Ø 12 x 160 mm
Assistant stem	Ø 10 x 180 mm
Magnetic force	600 N
Base dimensions	63 x 50 x 55h mm

**€45,05**
**S046**
**€ 113,00**
**HYDRAULIC UNIVERSAL MAGNETIC STAND**


Carrying case

Main stem	Ø 17 x 180 mm
Assistant stem	Ø 14 x 200 mm
Magnetic force	600 N
Base dimensions	63 x 50 x 55h mm

**€80,35**
**S056-**
**90° MAGNETIC SQUARE**

**starting from  
€ 75,95**


Box

Dimensions	Max. magnetic force	Art.	€	Promo
150 x 150 x 50 mm	500 N	S056/150	€ 82,90	€ 75,95
200 x 200 x 50 mm	1000 N	S056/200	€ 103,00	€ 95,30



S057/125

€ 19,10

**WELDING HOLDER**



Box

Dimensions	135 x 135 x 25 mm
Magnetic force	340 N
Hold working angle	45 - 90 - 135°



€ 12,35

0109

€ 48,00

**DIGITAL LEVEL**

Magnetic with aluminum body, automatic power off, backlight, 2 vials, inc, abs and hold functions



Box

Length	400 mm	Reading	0° - 90°: 0,1°
Auto power off	5 min	Accuracy	0° - 90°: ±0,2°
Measuring range	0 - 90° x 4	Battery	2 x AAA 1,5 V



€ 44,05

L090A

€ 109,00

**DIGITAL LEVEL - INCLINOMETER AND GONIOMETER WITH MAGNET**

0 ÷ 90° magnetic digital level on all the 4 directions, inclinometer and goniometer, function: inclination mm/m and in/ft, % of inclination, backlight, automatic power off, ABS and relative measurements and automatic digit inversion for overhead measurements, with beeper.



Box

Accuracy	± 0.15°
Measuring range	0 ÷ 90° x 4
Reading	0.05°
Dimensions	151 x 31 x 60 mm
Battery	2 x 1.5 V AAA



€ 104,55

L085

€ 83,60

**DIGITAL LEVEL BOX**

±0 ÷ 180° magnetic, automatic power off, ABS and relative measurements and automatic digit inversion for overhead measurements, hold function.



Blister

Accuracy	± 0.1°
Measuring range	0° ÷ 180°
Reading	0.1°
Dimensions	51 x 51 x 33 mm
Battery	1 x 3 V CR2032



€ 76,10

0666

€ 176,00

**DIGITAL LEVEL WITH LASER**

Measuring unit in degrees or %.



Box

Length	600 mm	Laser power	< 1 mW
Auto power off	5 min	Accuracy	± 0,05°
Measuring range	0 - 360°	Pointing accuracy	± 1 mm / m
Wave length	650 nm	Battery	9 V
Reading	0,1°		



€ 157,65

0112

€ 105,00

**DIGITAL LEVEL**

Magnetic with milled aluminum base, automatic power off, backlight, 2 vials, "hold function, 0° and 90° with sound, reading: absolute, ref, percent, mm/m and in/ft, carrying bag.



Box

Length	600 mm	Reading	0° & 90°: 0,05°; 0° - 89°: 0,1°
Auto power off	5 min	Accuracy	0° & 90°: ±0,05°; 0,1° - 89,9°: ±0,2°
Measuring range	0 - 90° x 4	Battery	2 x AAA 1,5 V



€ 93,55

L080

€ 53,00

**DIGITAL LEVEL BOX**

0 ÷ 90° magnetic on all the 4 directions, backlight, automatic power off, ABS and relative measurements and automatic digit inversion for overhead measurements.



Blister

Accuracy	0° ± 0.1°; 90° ± 0.1°; 0.1° ± 89.9° ± 0.2°
Measuring range	0 ÷ 90° x 4
Reading	0.1°
Dimensions	59 x 27 x 59 mm
Battery	1 x 1.5 V AAA



€ 47,85

L200

€ 188,00

**LINEAR LEVEL**

Master precision, with v-slot s ground



Dimensions	200 x 45 x 45 mm
Accuracy	0,02 mm / m

€ 170,70

**G008 € 50,90**

**DIGITAL ANGLE FINDER AND LEVEL WITH 2 VIALS**

Automatic calculation of angles and inclinations



Length	400 mm		
Range	0 ÷ 225°	Accuracy	± 0,5°
Reading	0,1°	Battery	9 V - 6F22

**€ 43,75**

**P080 € 78,70**

**DIGITAL CLAMP METER**

With LCD display. 7 operating modes: AC current, AC voltage, DC voltage, resistance, continuity, frequency, diode control. High reliability



Box	
ACV	4 / 40 / 400 / 600 V ±1,5 % + 4
ACA	4 / 40 / 400 / 600 A ±1,5 % + 4
DCV	4 / 40 / 400 / 600 V ±1,0 % + 2
RES	400 Ω / 4 kΩ / 40 kΩ / 400 kΩ / 4 MΩ / 40 MΩ ±1,0 % + 2
Frequency	10 MHz ±0,8 % + 2
Battery	2 x 1,5 V x AA
Dimensions	250 x 71 x 38.8 mm



**€ 72,65**

**P075 PRO € 132,00**

**DIGITAL CLAMP METER**

With LCD display. 9 operating modes: AC current, AC voltage, DC voltage, resistance, continuity, frequency, diode control, temperature measurement. High reliability



Box	
ACV	750 V ±1,2 %
ACA	200 - 1000 A ±2,0 %
DCV	1000 V ±1,0 %
DCA	200 - 1000 A ±2,0 %
RES	200 Ω ±1,0 %
Frequency	2k Hz ±2,5 %
Temperature	-40°C ÷ 400°C ±1,5 %
Battery	9 V



**€ 118,00**

**T051 € 18,80**

**POCKET DIGITAL MULTIMETER**

Audible continuity and diode test



Box	
DCV	2-20-200-500V ±0,5%
ACV	200-500V ±1,2%
DCA	200mA ±1,5%
RES	2K-20K-200K-2M Ω ±1%
Battery	12V



**€ 14,60**

**T050 € 37,30**

**DIGITAL MULTIMETER**

High accuracy temperature meter, audible continuity and diode test



Box	
DCV	200 mV - 1000 V
ACV	2mV - 750 V
DCA	2 mA - 20 A
ACA	200 mA - 20 A
RES	200 Ω - 200 MΩ
CAP	2000 pF - 20 nF - 200 nF - 2 μF - 20 μF ±4%
Temperature	-40 °C ÷ 400 °C ±1,0%
Temperature	400 °C ÷ 1000 °C ±1,5%
Battery	9 V



**€ 30,05**

**T053 PRO € 89,50**

**DIGITAL MULTIMETER**

High accuracy temperature meter, audible continuity and diode test



Box	
DCV	200 mV - 2 V - 20 V - 200 V - 1000 V ±0,8%
ACV	200 mV - 2 V - 20 V - 750 V ±1,2%
DCA / ACA	200 μA - 2 mA - 20 mA - 200 mA - 20 A ±2,0%
RES	200Ω - 2kΩ - 20kΩ - 200kΩ - 2MΩ - 20MΩ - 200MΩ ±1%



**€ 78,25**

**ML80A € 81,00**

**LASER METER**

Handy and lightweight, ideal for the measurements in construction and carpentry, functions: addition, subtraction, area and volume calculation, auto power off



Blister	
Range	0,05 ÷ 80 m
Accuracy	±2 mm
Battery	3 AAA x 1,5 V



**€ 70,30**

**ML40 € 60,20**

**LASER DISTANCE METER**

Ideal for the measurements in construction and carpentry, functions: addition, subtraction, area and volume calculation, auto power off



Blister	
Range	0,05 ÷ 40 m
Accuracy	± 2 mm
Battery	2 AAA x 1,5 V



**€ 52,25**

**T068** € 131,00

**LASER POINTER INFRARED TEMPERATURE METER**

Not suitable for body temperature measurement



Blister

Range	-30°C÷550 °C   -22 F÷1022 F
Accuracy	-30 °C ÷ 0 °C   -22 F ÷ 32 F ±3 % or ±3 °C
Accuracy	0 °C ÷ 100 °C   32 F ÷ 212 F ±2 % or ±2 °C
Accuracy	> 100 °C   > 212 F ±3 % or ±3 °C
Reading	0,1 °C   0,1 F
Emissivity	0,1 ÷ 1,0
Battery	9 V



€ 75,40

**T064** € 101,00

**LASER POINTER INFRARED TEMPERATURE METER**

High precision. Non-contact temperature measurement. Not suitable for human beings



Blister

Range	-25°C÷400 °C   -13 F÷752 F
Accuracy	-25 °C ÷ 400 °C ±[2 % + 1 °C]
Accuracy	-13 F ÷ 752 F ±[2 % + 1 F]
Reading	1 °C   2 F
Battery	9 V
Distance/Spot size	1 : 10
Sampling time	0.5 s
Emissivity pre-set	0.95



€ 76,55

**0387A** **NEW** € 67,40

**DIGITAL MULTI-FUNCTION DETECTOR**

For measuring ferrous and non-ferrous metals, wood and live cables in walls, ceilings and floors.



Blister

Max depth of detecting	
Ferrous metal	100 ± 5 mm
No ferrous metal	70 ± 5 mm
Wood	20 ± 5 mm
Depth of AC	50 ± 5 mm
Battery	9 V
Dimensions	150 x 75 x 24 mm



€ 53,75

**MD01** € 118,00

**METAL DETECTOR**

Analogue consisting of 2 color Leds for metal recognition. Audio sensor.



Box

Coil diameter	170 mm
Jack connector	1/4"
Sensitivity	> 15 cm per una moneta di ø 25 mm
Battery	9 V



€ 98,95

**C070** € 154,00

**CONTACT AND OPTICAL TYPE DIGITAL TACHOMETER**

With reflective stripes



Carrying case

Rotation laser speed	2,5 ÷ 9999,9 rpm
Rotation contact speed	0,05 ÷ 999,9 rpm
Surface speed	0,1 ÷ 999,99 m / min
Reading	0,1 (2,5 ÷ 999,9) rpm
Reading	1 (1000 ÷ 9999,9) rpm
Use distance	da 50 ÷ 60 mm a 50 ÷ 250 mm (con ottico)
Accuracy	± 0,05 % + 1 digit
Working temperature	0°C ÷ 40°C
Sampling time	0.8 s



€ 118,80

**C069** € 110,00

**CONTACT TYPE DIGITAL TACHOMETER**



Carrying case

Round speed	2,5 - 9999,9 rpm
Surface speed	0,05 - 999,99 m/min
Reading	0,1 (7,5 - 999,9) rpm
Reading	1 (1000-9999,9) rpm
Accuracy	± 0,05 % + 1 digit
Dimensions	190 x 72 x 37 mm
Battery	4 x 1,5 V AA



€ 78,25

**C067** € 110,00

**PHOTO TYPE DIGITAL TACHOMETER**

With reflective stripes



Carrying case

Range	2,5 ÷ 9999,9 rpm
Reading	0,1 (2,5 ÷ 999,9) rpm
Reading	1 (1000 ÷ 9999,9) rpm
Use distance	da 50 ÷ 60 mm a 50 ÷ 250 mm
Accuracy	±0.05 % of reading + 1 digit
Dimensions	170 x 72 x 37 mm
Battery	4 x 1,5V AA



€ 73,00

**0433** € 82,10

**REFRACTOMETER**

Brix, useful to check coolant oils



Carrying case

Range	0 ÷ 32% Brix
-------	--------------



€ 71,95

**D018 PRO € 4660,00**

**HARDNESS TESTING MACHINE**

Motorized, rockwell, brinell and vickers



Wooden Box

**Test force** 294,2 N / 306,5 N / 588,4 N / 612,9 N / 980,7 N / 1471 N / 1839 N; 30 kgf / 31,25 kgf / 60 kgf / 62,5 kgf / 100 kgf / 150 kgf / 187,5 kgf

**MEASURE UNITS:**

HBS	4 - 450
HRB	20 - 100
HRA	20 - 88
HRC	20 - 70
HV	200 - 1000



**€ 4225,10**

**B003/5/1 € 33,60**

**ELECTRONIC DIGITAL SCALE**

Not legal for trade, auto power off, tare function



Box



**€ 20,70**

<b>Capacity</b>	5 kg - 176,4 oz	<b>Battery</b>	2 x 1,5V AA
<b>Reading</b>	1 g   0,1 oz	<b>Dimensions</b>	170 x 240 x 35 mm

**B004- € 729,00**

**RECHARGEABLE ELECTRONIC DIGITAL COUNTER SCALES**

Not legal for trade with 6V 4A and transformer.



Box



**€ 285,25**

Capacity	Reading	Scale dimensions	Art.	€	Promo
7,5 kg	0,2 g	350 x 340 x 105 mm	B004/7	€ 374,00	€ 285,25
30 kg	1 g	350 x 340 x 105 mm	B004/30	€ 374,00	€ 285,25

**D010- NEW**

**DIGITAL CRANE SCALES**

With cast aluminum structure, equipped with battery, charger, infrared remote control and sound signal Double unit of measurement kg / lb. With Peak, Hold, Tare, Zero and addition functions. Large fonts for easy reading. Not suitable for relations with third parties.



Box



**starting from € 452,25**

Digits sizes	Capacity	Reading	Art.	€	Promo
40 x 20 mm	1000 kg	0.500 kg	D010/0100	€ 567,00	€ 452,25
40 x 20 mm	3000 kg	1 kg	D010/0300	€ 683,00	€ 544,40
40 x 20 mm	5000 kg	2 kg	D010/0500	€ 798,00	€ 636,55
40 x 20 mm	10000 kg	5 kg	D010/1000	€ 998,00	€ 795,65

**D001 € 2430,00**

**ROCKWELL HARDNESS TESTING MACHINE**



Wooden Box

**Durometer dimensions** 185 x 465 x 640 mm  
**Test force** 588,4 N / 980,7 / 1471 N (60 kgf / 100 kgf / 150 kgf)

**MEASURE UNITS:**

HRC	20 ÷ 70
HRB	25 ÷ 100
HRA	20 ÷ 88
Net weight	90 kg



**€ 2187,60**

**B018 € 122,00**

**ELECTRONIC DIGITAL SCALE WITH DOUBLE DISPLAY**

Not suitable for dealings with third parties. Equipped with 4 V 4AH battery and charger. Memory for unit values. Calculate total values.



Box



**€ 97,05**

<b>Capacity</b>	30 kg	<b>Dimensions</b>	350 x 330 x 120 mm
<b>Reading</b>	10 g	<b>Power</b>	230V 50 Hz
<b>Platform size</b>	340 x 230 mm	<b>Rechargeable battery</b>	4 V 4 Ah

**B004/150 € 729,00**

**RECHARGEABLE ELECTRONIC DIGITAL COUNTER SCALE**

Not legal for trade with 6V 4A battery and transformer.



Box



**€ 534,85**

<b>Capacity</b>	150 kg
<b>Reading</b>	10 g
<b>Rechargeable battery</b>	6 V 4 Ah
<b>Net weight</b>	17 kg

**D012- PRO**

**DIGITAL CRANE SCALES**

Equipped with battery, charger, remote control, back light and sound signal Double unit of measurement kg/lb. With Peak, Hold, Tare and Zero functions. Large fonts for easy reading. Not suitable for relations with third parties.



Box



**starting from € 731,90**

Digits sizes	Capacity	Reading	Art.	€	Promo
40 x 20 mm	1001 kg	0,200 kg	D012/0100	€ 855,00	€ 731,90
40 x 20 mm	3001 kg	0,500 kg	D012/0300	€ 1010,00	€ 857,00
40 x 20 mm	5001 kg	1 kg	D012/0500	€ 1170,00	€ 996,70
40 x 20 mm	10001 kg	2 kg	D012/1000	€ 1390,00	€ 1259,45



**T660****€ 4150,00****BENCH LATHE**

Semi norton gear box and belt speed change, partially assembled bench

Centers height	140 mm
Max swing over the bed	280 mm
Max swing over the cross slide	165 mm
Distance between centers	660 mm
Spindle bore	26 mm
Motor	230 V 50 Hz 0,75 kW
Dimensions	1325 x 550 x 1230 mm
Net weight	216 kg

**€ 3774,70****0657****€ 2850,00****BENCH LATHE**

With mill table device, belt speed change

Centers height	125 mm
Max swing over the bed	250 mm
Max swing over the cross slide	150 mm
Distance between centers	550 mm
Spindle bore	20 mm
Motor	230 V 50 Hz 0,55 kW
Dimensions	1120 x 480 x 460h mm
Net weight	145 kg

**€ 2573,65****0708****€ 2330,00****GEAR BENCH LATHE**

With speed change by gears, morse tapered spindle bearings, adjustable signs, leadscrew hood, chuck guard with microswitch

Centers height	110 mm
Max swing over the bed	200 mm
Max swing over the cross slide	122 mm
Distance between centers	520 mm
Spindle bore	20 mm
Motor	230 V 50 Hz 0,55 kW
Dimensions	1080 x 440 x 400h mm
Net weight	130 kg

**€ 2026,80****0506****€ 2120,00****BENCH LATHE**

Mini lathe with automatic longitudinal feeds and variable speed shown on digital display. With metal gears.

Centers height	105 mm
Max swing over the bed	210 mm
Max swing over the cross slide	140 mm
Distance between centers	400 mm
Spindle bore	21 mm
Motor	230 V 50 Hz 0,6 kW
Dimensions	780 x 300 x 340 h mm
Net weight	49 kg

**€ 1835,10****0716S****€ 1870,00****MINI LATHE**

Mini lathe with automatic longitudinal feeds and variable speed shown on digital display

Centers height	100 mm
Max swing over the bed	170 mm
Max swing over the cross slide	125 mm
Distance between centers	350 mm
Spindle bore	20 mm
Motor	230 V 50 Hz 0,6 kW
Dimensions	750 x 245 x 290 h mm
Net weight	46 kg

**€ 1541,25****0716****€ 1680,00****MINI LATHE**

With automatic longitudinal feeds and variable speed shown on digital display

Centers height	90 mm
Max swing over the bed	170 mm
Max swing over the cross slide	110 mm
Distance between centers	300 mm
Spindle bore	22 mm
Motor	230 V 50 Hz 0,5 kW
Dimensions	730 x 290 x 280 h mm
Net weight	40 kg

**€ 1293,25****T061A****€ 3150,00****GEARED DRILLING MILLING MACHINE**

Variable speed, equipped with light system, chuck speed digital display, depth's digital display

Max drilling capacity on steel with pre-drilling holes(s235jr)	Ø 16 mm
Face milling cutter max	Ø 63 mm
End milling capacity	Ø 20 mm
Spindle taper	CM 3
Chuck sizes	1 - 16 mm B16
Motor	230 V 50 Hz 1,1 kW
Net weight	120 kg

**€ 2645,15****T059/16V****€ 2110,00****GEARED DRILLING MILLING MACHINE**

With variable speed

Max drilling capacity on steel with pre-drilling holes(s235jr)	Ø 16 mm
Face milling cutter max	Ø 50 mm
End milling capacity	Ø 16 mm
Spindle taper	CM 2
Chuck sizes	1 - 13 mm B16
Motor	230 V 50 Hz 500 W
Net weight	72 kg

**€ 1792,10**

**T058**
**€ 1700,00**
**GEARED DRILLING MILLING MACHINE**

With variable speed

Max drilling capacity on steel with pre-drilling hole(s235jr)	ø 13 mm
Face milling cutter max	ø 30 mm
End milling capacity	ø 16 mm
Spindle taper	CM 3
Motor	230 V 50 Hz 0,55 kW
Net weight	70 kg


**0754/230V**
**€ 1620,00**
**FLOOR DRILL PRESS WITH DRIVE BELT**

Inclination table. Electrical system with separate 24V circuit for on-board machine controls.

Max drilling capacity on cast iron with pre-drilling hole	ø 32 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	ø 28 mm
Continuous drilling capacity	ø 20 mm
Spindle taper	CM 4
Motor	230 V 50 Hz 1,5 kW
Net weight	125 kg


**0754/400V**
**€ 1620,00**
**FLOOR DRILL PRESS WITH DRIVE BELT**

Inclination table. Electrical system with separate 24V circuit for on-board machine controls.

Max drilling capacity on cast iron with pre-drilling hole	ø 32 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	ø 28 mm
Continuous drilling capacity	ø 20 mm
Spindle taper	CM 4
Motor	400 V 50 Hz 1,5 kW
Net weight	125 kg


**0752**
**€ 947,00**
**FLOOR DRILL PRESS WITH DRIVE BELT**

Rotating and inclination table. Electrical system with separate 24V circuit for on-board machine controls.

Max drilling capacity on cast iron with pre-drilling hole	ø 25 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	ø 20 mm
Continuous drilling capacity	ø 16 mm
Spindle taper	CM 2
Motor	230 V 50 Hz 0,75 kW
Net weight	62 kg


**0242**
**€ 904,00**
**DRILL PRESS WITH DRIVE BELT**

New belt tension device, drilling depth readout, Led light included, rotating and inclination table. Electrical system with separate 24V circuit for on-board machine controls.

Max drilling capacity on cast iron with pre-drilling hole	ø 25 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	ø 20 mm
Continuous drilling capacity	ø 16 mm
Spindle taper	CM 2
Motor	230 V 50 Hz 0,75 kW
Net weight	60 kg


**0750CM3**
**€ 898,00**
**DRILL PRESS WITH DRIVE BELT**

Rotating and inclination table. Electrical system with separate 24V circuit for on-board machine controls.

Max drilling capacity on cast iron with pre-drilling hole	ø 25 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	ø 20 mm
Continuous drilling capacity	ø 16 mm
Spindle taper	CM 3
Motor	230 V 50 Hz 0,75 kW
Net weight	57 kg


**0750**
**€ 847,00**
**DRILL PRESS WITH DRIVE BELT**

Rotating and inclination table. Electrical system with separate 24V circuit for on-board machine controls.

Max drilling capacity on cast iron with pre-drilling hole	ø 25 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	ø 20 mm
Continuous drilling capacity	ø 16 mm
Spindle taper	CM 2
Motor	230 V 50 Hz 0,75 kW
Net weight	57 kg


**0260**
**€ 797,00**
**DRILL PRESS WITH DRIVE BELT**

New belt tension device, drilling depth readout, Led light included, rotating and inclination table. Electrical system with separate 24V circuit for on-board machine controls.

Max drilling capacity on cast iron with pre-drilling hole	ø 20 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	ø 16 mm
Continuous drilling capacity	ø 12 mm
Spindle taper	CM 2
Motor	230 V 50 Hz 0,55 kW
Net weight	50 kg



0011

€ 460,00

**DRILL PRESS WITH DRIVE BELT**

Vertical movement of the table with rack, tilting table. Electrical system with separate 24V circuit for on-board machine controls.

Max drilling capacity on cast iron with pre-drilling hole	Ø 13 mm
Max drilling capacity on steel with pre-drilling holes(s235jr)	Ø 10 mm
Chuck	1 - 13 mm B16
Tilting table	± 45°
Motor	230 V 50 Hz 0,375 kW
Dimensions	315 x 530 x 690h mm
Net weight	25 kg



€ 441,05

0518/20

€ 814,00

**MAGNETIC DRILL**

With coolant system for core drills until 20mm with weldon shank Ø 19.05mm and straight shank drills until Ø 20mm with reduced shank Ø 13mm.

Continuous drilling capacity	Ø 20 mm
Key chuck	Ø 13 mm
Arbor	Weldon Ø 19,05 mm
Motor	230 V 50 Hz 0,9 kW
Dimensions	300 x 260 x 450 mm
BMC	442 x 395 x 175 mm
Net weight	15 kg



€ 766,60

0518/30

€ 1110,00

**MAGNETIC DRILL**

With coolant system for core drills until 30mm with weldon shank Ø 19.05mm and straight shank drills until Ø 20mm with reduced shank Ø 13 - 16mm.

Continuous drilling capacity	Ø 20 mm
Key chuck	Ø 16 mm
Arbor	Weldon Ø 19,05 mm
Motor	230 V 50 Hz 1.1 kW
Dimensions	360 x 280 x 490 mm
BMC	527 x 472 x 242 mm
Net weight	23 kg



€ 1040,90

0518/50

€ 1520,00

**MAGNETIC DRILL**

With coolant system for core drills until 50mm with weldon shank Ø 19.05mm, morse taper shank drills mt 3 and straight shank drills until Ø 20mm with reduced shank Ø 13 - 16mm.

Continuous drilling capacity	Ø 20 mm
Key chuck	Ø 16 mm
Spindle taper MT	3
Motor	230 V 50 Hz 1.5 kW
Dimensions	400 x 310 x 475 mm
BMC	587 x 489 x 265 mm
Net weight	35 kg



€ 1414,40

0518/38M

€ 1250,00

**MAGNETIC TAPPING/DRILL**

With coolant system for core drills until 38mm with weldon shank Ø 19.05mm and straight shank drills until Ø 20mm with reduced shank Ø 13 - 16mm, tapping capacity M4 - M16.

Continuous drilling capacity	Ø 20 mm
Spindle taper MT	2
Arbor	Weldon Ø 19,05 mm
Motor	230 V 50 Hz 1,05 kW
Base dimensions	205 x 105 mm
Dimensions	280 x 320 x 510h mm
Net weight	20 kg



€ 1064,05

0255

€ 1630,00

**METAL BAND SAW**

With coolant system, quick vice, base with cabinet tools

Blade dimensions	1735 x 13 x 0,65 mm
Motor	230 V 50 Hz 0,5 kW
Cut range	0 ÷ 60°
Cutting speed	34 m / min
Cutting depth at 90°	— 150 x 140 mm • 140 mm
Cutting depth at 45°	— 140 x 105 mm • 105 mm
Base dimensions	470 x 700 mm
Dimensions	530 x 1000 x 1260h mm
Net weight	95 kg



€ 1407,00

0362

€ 787,00

**ELECTRONIC CUTTING BAND SAW FOR BENCH**

With inverter motor

Blade dimensions	1435 x 12,7 x 0,65 mm
Motor	230 V 50 Hz 0,4 kW
Cutting speed	35 m / min
Cut range	0° ÷ 60°
Cutting depth at 90°	• 125 mm ■ 125 mm
Cutting depth at 45°	• 76 mm ■ 76 mm
Dimensions	700 x 360 x 450h mm
Net weight	22 kg



€ 677,70

0132

€ 496,00

**CUTTING BAND SAW**

Bench type, easy to carry, with two cutting speed

Blade dimensions	1335 x 12,7 x 0,65 mm
Speed	(2) 60   80 m / min
Cut range	0° ÷ 45°
Motor	230 V 50 Hz 0,850 kW
Cutting depth at 90°	• 105 mm — 105 x 93 mm
Cutting depth at 45°	• 72 mm — 70 x 60 mm
Net weight	17 kg



€ 446,60



# DID YOU NOT FIND THE RIGHT MACHINE FOR YOU?

*FERVI is able to offer  
a complete range of  
lathes, cutters, drills and  
miter saws to meet  
your professional need.*



*Discover the complete range  
and contact your dealer!*



Visit [fervi.com](http://fervi.com) or read the QRcode  
to consult our Catalogue of Machine Tools  
and Accessories

**FERVI is**



LATHES



DRILLS



MILLING  
MACHINES



MECHANICAL  
WORKINGS

0133

€ 147,00

**ROLLER STAND**



€ 131,95

Roller shaft diameter	Ø 52 x 350 mm
Height	690 / 1200 mm
Maximum capacity	50 ÷ 60 kg
Net weight	15 kg

R001-

**ADJUSTABLE HEIGHT ROLLER STAND**

With independent height adjustment feet



starting from  
€ 321,25

Dimensions	Height	Maximum capacity	Art.	€	Promo
1000 x 460 mm	580 / 1030 mm	400 kg	R001/04	€ 348,00	€ 321,25
2000 x 450 mm	590 / 1050 mm	400 kg	R001/07	€ 489,00	€ 451,40

R003/09

**NEW**

€ 463,00

**PANTOGRAPH ROLLER CONVEYOR**



€ 413,05

Capacity	130 kg	Height	610 ÷ 950 mm
Roller diameter	50 mm	Size	1460 x 660 x 950 h mm
Length	485 ÷ 1400 mm	Net weight	31 kg

0642

€ 342,00

**CUT-OFF MACHINE**

For dry cutting of metals, with disc protection guard.



€ 305,15

Motor	230 V 50 Hz 2 kW
Disc dimensions	355 x 3.0 x 25.4 mm
Disc speed	3800 rpm
Cut range	± 45°
Cutting capacity	■ 100 x 100 mm - ■ 200 x 40 mm - o 100 mm
Vice opening	155 mm - 190 mm - 230 mm
Net weight	19 kg

S510

€ 152,00

**BENCH GRINDER WITH BRUSH**

With brush and grinding wheel



€ 130,60

Brush	2950 rpm - Ø 150 x 20 x 16 mm	Motor	230 V 50 Hz 0,40 kW
Dry grinding wheel	2950 rpm - Ø 150 x 20 x 16 mm GR36	Usage type	S2 - 10 min
		Net weight	9 kg

S503

€ 157,00

**WET DRY BENCH GRINDER**

With wet grinding wheel and dry grinding wheel



€ 135,30

Dry grinding wheel	2950 rpm - Ø 150 x 20 x 16 mm GR80	Motor	230 V 50 Hz 0,40 kW
Wet grinding wheel	130 rpm - Ø 200 x 40 x 20 mm GR80	Usage type	S2 - 10 min
		Net weight	10 kg

S023

€ 137,00

**BENCH GRINDER**

With two grinding wheels of different grain



€ 121,40

Dry grinding wheel	2950 rpm - Ø 150 x 20 x 16 mm GR36 - GR80	Usage type	S2 - 10 min
Motor	2950 rpm - 230 V 50 Hz 0,40 kW	Net weight	8 kg

S383

€ 173,00

**BENCH GRINDER WITH BELT**



€ 147,30

Dry grinding wheel	2950 rpm Ø 150 x 20 x 16 mm GR36	Motor	230 V 50 Hz 0,40 kW
Belt	50 x 686 mm GR100	Usage type	S2 - 10 min
		Net weight	8 kg

**0316**
**€ 180,00**
**ELECTRIC CHAINSAW SHARPENER**

Pink grinding wheel	Ø 145 x 4,7 x 22,3 mm   Ø 145 x 3,2 x 22,3 mm
Sharpening	+30° / -35°
For chains	1/4" - 3/8" - 3/8" - 404" - 3/4"
Motor	230 V 50 Hz 0,23 kW
Net weight	5 kg


**€ 155,50**
**0502**
**€ 84,40**
**POWER CHAINSAW SHARPENER**

With chain feed lever. Grinding wheel protection screen

Pink grinding wheel	Ø 100 x 4,5 x 10 mm
Sharpening	+35° / -35°
For chains	1/4" - 0,325" / 3/8" - 0,404"
Motor	230 V 50 Hz 0,25 kW
Speed	7500 rpm
Usage type	intermittent S2


**€ 76,30**
**A003/32**
**€ 2940,00**
**TWIST DRILLS GRINDING MACHINE**

With ER collets for the twist drills and inclination device of the cutting edges, thinning of the core for greater precision. Possibility of sharpening carbide twist drills with optional grinding wheel.


**€ 2487,10**

Grinding capacity	3 ÷ 32 mm
Tilting tip	95° ÷ 135° / 85° ÷ 140°
Speed	4400 rpm

Motor	230 V 50 Hz 250 W
Dimensions	400 x 260 x 300 mm
Net weight	36 kg

**A003/13A**
**€ 815,00**
**TWIST DRILL GRINDING MACHINE**

With ER collets for the twist drills and inclination device of the cutting edges, thinning of the core for greater precision. Possibility of sharpening carbide twist drills with optional grinding wheel.


**€ 710,25**

Grinding capacity	3 ÷ 13 mm
Tilting tip	95° ÷ 135°
Speed	4400 rpm

Motor	230 V 50 Hz 120 W
Dimensions	320 x 180 x 190 mm
Net weight	8,5 kg

**A0132A**
**€ 1150,00**
**TWIST DRILL GRINDING MACHINE**

**€ 1090,20**

Grinding capacity	3 ÷ 20 mm
Tilting tip	90° ÷ 140°
Speed	7000 rpm

Motor	230 V 50 Hz 0,6 kW
Dimensions	500 x 230 x 250 mm
Net weight	21 kg

**A004/14**
**NEW**
**€ 1530,00**
**END MILL GRINDING MACHINE**

With ER collets, suitable for sharpening mills with 2, 3 and 4 cutting edges. Possibility to sharpen hard metal mills with optional grinding wheel.


**€ 1216,80**

Grinding capacity	4 ÷ 14 mm
Speed	4400 rpm
Motor	230 V 50 Hz 200 W

Dimensions	350 x 230 x 240 mm
Net weight	12,6 kg

**A004/20**
**NEW**
**€ 2240,00**
**END MILL GRINDING MACHINE**

With ER collets, suitable for sharpening mills with 2, 3 and 4 cutting edges. Possibility to sharpen hard metal mills with optional grinding wheel.


**€ 1784,65**

Grinding capacity	4 ÷ 20 mm
Speed	4400 rpm
Motor	230 V 50 Hz 200 W

Dimensions	350 x 230 x 240 mm
Net weight	16 kg

**A059**
**€ 117,00**
**MULTIPURPOSE SHARPENER**

Ideal for sharpening knives, scissors and blades.


**€ 98,55**

Grinding capacity	3 - 13 mm
Speed	3000 rpm
Motor	230 V 50 Hz 0,15 kW
Dimensions	232 x 160 x 110 mm

Vibrations	3,9 m/s <sup>2</sup>
Sound pressure level	86 ±3 db(A)
Acoustic power level	95 ±3 db(A)



0691/400V

€ 2570,00

**TILTING BELT SANDER**

Belt dimensions	2000 x 150 mm
Speed	(2) 18 / 37 mm/sec
Three-phase motor	400 V 50 Hz 4 kW
Net weight	110 kg



0662

€ 706,00

**TILTING BELT SANDER WITH BENCH**

Bench to be assembled

Belt dimensions	1219 x 152 mm
Disc diameter	Ø 230 mm
Working table dimensions	330 x 152 mm
Belt speed	330 m/min
Disc speed	1400 m/min
Dimensions	710 x 510 x 1000 mm
Motor	230 V 50 Hz 0,75 kW
Net weight	54 kg



0560

€ 703,00

**BENCH CHAMFERING MACHINE**

Chamfer	45° 0 - 5 mm
Speed	2800 rpm
Motor	230 V 50 Hz 0,25 kW
Table dimensions	2 - 400 x 50 mm
Mill size	Ø 80 mm - Z 8
Insert	SPUN13P
Net weight	21 kg



C022/100

€ 2540,00

**ROLL FORMING MACHINE**

With 3 rollers, removable central roller to create complete tubes.

Max length	1000 mm
Max thickness	2 mm
Roller diameter	60 mm
Net weight	200 kg



0776

€ 1160,00

**ROLL FORMING MACHINE**

With 3 rollers, with bench equipped with a shelf, removable central roller to create complete tubes.

Max length	1000 mm
Max thickness	0,8 mm
Roller diameter	50 mm
Net weight	105 kg



0776/610

**NEW**

€ 506,00

**ROLL FORMING MACHINE**

3-roller, bench-top, removable central roller to create complete tubes.

Max length	610 mm
Max thickness	0,8 mm
Roller diameter	38 mm
Net weight	37 kg



0235

€ 241,00

**MINI HAND ROLL FORMING MACHINE**

With 3 rollers, vice not included

Max length	300 mm
Max thickness	2,5 mm
Roller diameter	30 mm
Net weight	10 kg



P008/102

€ 2910,00

**BENDING MACHINE**

High efficiency due to top segmented knife, strong and reliable structure

Max length	1020 mm
Max. shearing thickness	2 mm
Max bending angle	135°
Net weight	334 kg



**0775**
**€ 1600,00**
**BENDING MACHINE**

**€ 1476,90**

Max length	1000 mm
Max. shearing thickness	1,2 mm
Max bending angle	140°
Net weight	130 kg

**0483**
**€ 249,00**
**MINI HAND BRAKE**

Interchangeable blade, max bending width on handle side 50mm, vice not included.


**€ 204,65**

Working length	270 mm
Max. shearing thickness	2,5 mm
Net weight	10 kg

**T034/105**
**€ 2490,00**
**SHEAR MACHINE WITH STAND**

With integrated goniometer, adjustable cutting end stop and bench in assembly kit


**€ 2108,00**

Bed length	1050 mm
Max. bending thickness	1,25 mm
Cutting capacity with adjustment	0 ÷ 500 mm
Dimensions	1290 x 1300 x 1080 mm
Net weight	220 kg

**0773-**
**HAND SHEAR**

**starting from  
€ 138,30**

Dimensions	Plate thick- ness	Round	Net weight	Art.	€	Promo
290 x 120 x 240 mm	0,5 ÷ 3 mm	Ø 6 mm	10 kg	0773/05	<del>€ 170,00</del>	<b>€ 138,30</b>
420 x 120 x 390 mm	0,5 ÷ 3 mm	Ø 6 mm	19 kg	0773/10	<del>€ 240,00</del>	<b>€ 222,80</b>

**0892**
**€ 492,00**
**MINI HAND SHEAR BRAKE**

Interchangeable blade, vice not included


**€ 421,60**

Working length	200 mm
Max. bending thickness	1 mm
Max. shearing thickness	1 mm
Net weight	17 kg

**C076/30**
**€ 4050,00**
**MOTORIZED 3 ROLL PIPE & PROFILE BENDING MACHINES**

Horizontal and vertical operation for pipes, profiles and bars.


**€ 3859,90**

Shaft diameter	30 mm
Upper roller diameter	148 mm
Lower rollers diameter	148 mm
Round speed	4.8 ÷ 7.2 m/min
Three-phase motor	400 V 50 Hz 1,1 kW
Dimensions	620 x 1100 x 1360 mm
Net weight	230 kg

**0102**
**€ 340,00**
**IRON BENDER**

For cold and hot bending. with blocks to speed up and standardize operations and ergonomic handle


**€ 266,50**

Round bar	Cold 22 mm   Heated 27 mm
Square	Cold 20 mm   Heated 25 mm
Flat bar	Steel 100 x 8 mm   Copper 100 x 15 mm
Net weight	30 kg

**0113**
**€ 330,00**
**SPIRAL BENDER**

For cold bending with piece stop and ergonomic handle


**€ 279,60**

Iron	Cold	Square	10 mm
Round bar	10 mm	Dies	80 mm   125 mm   200 mm
Flat bar	10 x 30 mm	Net weight	25 kg

0893

€ 548,00

**HYDRAULIC TUBE BENDER 1 1/2" - 2"**

With 2 speeds pump



Dies	1/2" 3/4" 1" 1-1/4" 1-1/2" 2" gas
Capacity	10 tons N
Ram stroke	250 mm
Net weight	48 kg

€ 463,10

0751

€ 850,00

**WOOD LATHE**

With rotating head, variable speed drive belt and steel sheet bench



Distance between centers	900 mm
Centers height	155 mm
Maximum turning diameter	310 mm
Thread	1" - 8 TPI
Tailstock	MT 2
Motor	230 V 50 Hz 0,37 kW
Spindle speed	500 ÷ 2000 rpm
Net weight	75 kg

€ 762,25

0497-

**12" WOOD LATHE**

With belt speed change



starting from  
€ 560,50

Motor	Spindle speed	Art.	€	Promo
230 V 50 Hz 0.37 kW	(5) 700 - 3000 rpm	0497/250	€ 620,00	€ 560,50
230 V 50 Hz 0.55 kW	(5) 700 - 3000 rpm	0497/300	€ 689,00	€ 616,10

0686/200

€ 592,00

**COMBINED PLANER AND THICKNESSER**

With aluminum working tables



Dimensions	770 x 430 x 450h mm
Tables height	360 mm
Table dimensions	737 x 210 mm
Arbor	Ø 50 mm
Blade	N° 2
Planer capacity	204 x 2 mm
Thickness capacity	204 x 2 x 120h mm
Spindle speed	8000 rpm
Motor	230 V 50 Hz 1,25 kW
Net weight	25 kg

€ 513,80

0758

€ 1280,00

**WOOD LATHE**

With rotating head, variable speed drive belt and cast iron bench



Distance between centers	1100 mm
Centers height	185 mm
Maximum turning diameter	370 mm
Thread	1" - 8 TPI
Tailstock	MT 2
Motor	230 V 50 Hz 0,75 kW
Spindle speed	500 ÷ 2000 rpm
Net weight	120 kg

€ 1148,80

0648

€ 1000,00

**WOOD LATHE WITH COPY DEVICE**

with lever to adjust the speed and processing area protected with interlocked mobile plexiglass guard



Distance between centers	1000 mm
Centers height	175 mm
Maximum turning diameter	350 mm
Thread	1" - 8 TPI
Tailstock	2
Motor	230 V 50 Hz 0,75 kW
Spindle speed	500 ÷ 2000 rpm
Dimensions	1400 x 500 x 1300h mm
Net weight	68 kg

€ 896,05

0517A

€ 868,00

**THICKNESSER**

With working plate made of granite



Dimensions	710 x 640 x 400 mm
Working table dimensions	330 x 238 mm
Arbor	Ø 51.5 mm
Blade	2
Thickness capacity	330 x 2.4 x 152 mm
Spindle speed	8500 rpm
Motor	230 V 50 Hz 1.5 kW
Net weight	35 kg

€ 736,00

0665

€ 3240,00

**PARTIALLY ASSEMBLED PANEL SAW**

Blade	250 x 3 x 30 mm Z 40
Blade speed	2800 rpm
Main table dimensions	800 x 560 mm
Extension table dimensions	800 x 305 mm
Working height	860 mm
Max cut depth at 45°	60 mm
Max cut depth at 90°	75 mm
Sliding table	500 x 600 mm
Overall dimensions	1860 x 2030 x 1070h mm
Motor	230 V 50 Hz 2,2 kW
Max cutting length with saw bench	1460 mm
Net weight	230 kg



€ 3002,60

**0656/254**
**€ 2700,00**
**PANEL SAW**

Capacity 254mm, partially assembled.

Blade dimensions	254 x 30 x 3,2 mm 40 T
Blade speed	4000 rpm
Main table dimensions	790 x 350 mm
Extension table dimensions	350 x 350 mm
Working height	850 mm
Cutting depth at 90°	80 mm
Cutting depth at 45°	56 mm
Sliding table	1320 x 238 mm
Motor	230 V 50 Hz 2,2 kW
Max cutting length with saw bench	1250 mm
Net weight	150 kg


**€ 2492,30**
**0656/310**
**€ 3110,00**
**PANEL SAW**

Capacity 315mm, partially assembled.

Blade dimensions	315 x 30 x 3,2 mm 40 T
Blade speed	4000 rpm
Main table dimensions	790 x 350 mm
Extension table dimensions	350 x 350 mm
Working height	850 mm
Cutting depth at 90°	100 mm
Cutting depth at 45°	70 mm
Sliding table	1320 x 238 mm
Motor	230 V 50 Hz 2,2 kW
Max cutting length with saw bench	1400 mm
Net weight	175 kg


**€ 2781,50**
**0870/250**
**€ 435,00**
**MITRE SAW**

With upper table for usage as saw bench

Saw blade	Ø 250 x 30 x 2,5 mm Z 36
Max cutting capacity 0° - 90°	75 x 130 mm
Max cutting capacity 45° - 45°	75 x 50 mm
Max cutting capacity 45° - 90°	75 x 90 mm
Max cutting capacity 0° - 45°	50 x 130 mm
Max cutting capacity, upper table	40 mm
Motor	230 V 50 Hz 1,8 kW
Motor speed	4500 rpm
Peripheral speed disc	59 m/s
Net weight	15,5 kg


**€ 401,55**
**0302/305**
**€ 780,00**
**WOOD BAND SAW**

With aluminium table

Saw wheel	Ø 315 mm
Cutting capacity	300 x 170 mm
Blade	2240 x 11 x 0,8 mm T6
Table dimensions	500 x 400 mm
Cutting speed	6 ÷ 12 m/s
Tilting table	0° ÷ 45°
Working height	960 mm
Motor	230 V 50 Hz 0,75 kW
Dimensions	80 x 500 x 1580 h mm
Net weight	58 kg


**€ 720,00**
**0302/245**
**€ 512,00**
**WOOD BAND SAW**

With aluminium table

Saw wheel	Ø 255 mm
Cutting capacity	245 x 120 mm
Blade	1790 x 9 x 0,5 mm T6
Table dimensions	290 x 290 mm
Cutting speed	11 ÷ 16 m/s
Tilting table	0° ÷ 45°
Working height	1000 mm
Motor	230 V 50 Hz 0,42 kW
Dimensions	600 x 400 x 1480 h mm
Net weight	28 kg


**€ 472,60**
**0302/200**
**€ 350,00**
**WOOD BAND SAW**

With steel table

Saw wheel	Ø 210 mm
Cutting capacity	200 x 80h mm
Blade	1400 x 6 x 0,36 mm T6
Table dimensions	300 x 300 mm
Cutting speed	15 m/s
Tilting table	0 ÷ 45°
Dimensions	450 x 390 x 680 h mm
Motor	230 V 50 Hz 0,25 kW
Net weight	17 kg


**€ 323,10**
**0505**
**€ 285,00**
**TILTING BENCH BELT SANDER**


Can be used with sanding belt horizontally or vertically. With workpiece holder, abrasive belt and disc. Tilting work table in cast aluminum. Trailing aluminum roller on bearings. To be used exclusively for working with wood and plastic materials.

Dimensions	460 x 380 x 270h mm
Motor	230V 50 Hz 500 W
Belt	914 x 100 mm
Belt speed	420 m/min
Grit belt	80
Disc diameter	Ø 150 mm
Grit Disc	80
Round speed	2850 rpm
Tilting table	0 ÷ 45°
Table dimensions	225 x 155 mm
Net weight	18 kg


**€ 240,20**
**0138**
**€ 592,00**
**BELT AND DISC SANDER**

With tilting tables

Dimensions	630 x 370 x 495h mm
Belt	25 x 1075 mm
Belt speed	8,5 m/s
Disc diameter	200 mm
Motor	230 V 50 Hz 0,45 kW 1450 rpm
Table dimensions band	180 x 150 mm
Table dimensions disc	250 x 120 mm
Net weight	26 kg


**€ 533,80**



0765

€ 261,00

**SCROLL SAW VARIABLE SPEED**

Strong body, tilting table, suitable to cut balsa and plywood

Cutting capacity	400 x 50h mm
Blade length	127 mm
Oscillations	800 ÷ 1400 rpm
Plate Dimensions	410 x 250 mm
Tilting table	0 ÷ 45° sx
Base dimensions	230 x 390 mm
Motor	230 V 50 Hz 0,12 kW
Working temperature	from -5 to +50
Net weight	14 kg



€ 240,90

0496

€ 775,00

**DUST COLLECTOR**

Inlet size	3 x ø 100 mm
Air flow	3900 m3 / h
Motor	230 V 50 Hz 2.2 kW
Cloth bag	ø 510 mm
Dimensions	1450 x 800 x 2000 mm
Net weight	48 kg



€ 715,40

0759

€ 669,00

**PARTIALLY ASSEMBLED DUST COLLECTOR**

Inlet size	2 x ø 100 mm
Air flow	2500 m3 / h
Filtration rate	5 micron
Cloth bag	ø 510 mm
Motor speed	2950 rpm
Vacuum suction	1.95 kPa
Motor	230 V 50 Hz 1.5 kW
Dimensions	840 x 560 x 1800 h mm
Net weight	40 kg



€ 617,55

0756

€ 400,00

**DUST COLLECTOR**

Partially assembled

Inlet size	100 mm
Air flow	850 m3 / h
Filtration rate	5 micron
Cloth bag	ø 370 mm
Motor speed	2950 rpm
Vacuum suction	1.08 kPa
Motor	230 V 50 Hz 0.75 kW
Dimensions	500 x 600 x 1700 h mm
Net weight	23 kg



€ 369,25

0507

€ 296,00

**DUST COLLECTOR**

Partially assembled

Inlet size	100 mm
Air flow	900 m3 / h
Filtration rate	5 micron
Cloth bag	ø 320 mm
Motor speed	2840 rpm
Vacuum suction	0.70 kPa
Motor	230 V 50 Hz 0.55 kW
Dimensions	500 x 600 x 1700 h mm
Net weight	18 kg




€ 273,25

M028-

PRO

**HIGH PRECISION MODULAR VICE**

Suitable for jobs where precision, reliability, availability and secure locking are required. Suitable for precision milling and grinding work on both manual machines and CNC machining centers. Ground sliding surfaces. Equipped with prismatic descending jaws when tightening. With fasteners and adjustment keys. Accuracy 0.02mm and hardness 57-62 HRC




M011-

PRO

**HIGH PRECISION MODULAR VICE**


Suitable for jobs where precision, reliability, availability and secure locking are required. Suitable for precision milling and grinding work on both manual machines and CNC machining centers. Ground sliding surfaces. Equipped with prismatic descending jaws when tightening. With fasteners and adjustment keys. Accuracy 0.02mm and hardness 57-62 HRC



Jaw dimensions	Net weight	Art.	€	Promo
125 x 50h mm	19 kg	M011/125/150	€ 1060,00	€ 943,10
150 x 60h mm	35 kg	M011/150/210	€ 1220,00	€ 1048,30
150 x 60h mm	35 kg	M011/150/300	€ 1520,00	€ 1420,90



starting from € 943,10



starting from € 688,35

Jaw dimensions	Net weight	Art.	€	Promo
100 x 30h mm	7 kg	M028/100/100	€ 761,00	€ 688,35
125 x 40h mm	13 kg	M028/125/150	€ 827,00	€ 736,75
150 x 50h mm	26 kg	M028/150/200	€ 987,00	€ 886,20
150 x 50h mm	30 kg	M028/150/300	€ 1060,00	€ 955,70
150 x 50h mm	34 kg	M028/150/400	€ 1220,00	€ 1092,50
175 x 60h mm	40 kg	M028/175/200	€ 1220,00	€ 1092,50
175 x 60h mm	43 kg	M028/175/300	€ 1260,00	€ 1126,15
175 x 60h mm	50 kg	M028/175/400	€ 1410,00	€ 1249,15
175 x 60h mm	50 kg	M028/175/500	€ 1580,00	€ 1416,65
200 x 65h mm	69 kg	M028/200/300	€ 1900,00	€ 1597,70
200 x 65h mm	74 kg	M028/200/400	€ 1950,00	€ 1757,70
200 x 65h mm	79 kg	M028/200/500	€ 2350,00	€ 1905,05
200 x 65h mm	84 kg	M028/200/600	€ 2590,00	€ 2147,10


**M012- PRO**

**PRECISION MEASURING MILLING VICE**

Quick-release. Couplings ground with high precision. Accuracy indicated on parallelism and quadrature. Ideal for grinding, EDM, milling and measuring systems



starting from  
**€ 76,20**



Dimensions	Accuracy	Art.	€	Promo
38 x 105 x 45h mm	0,005 mm	M012/038	<del>€ 85,00</del>	<b>€ 76,20</b>
50 x 140 x 50h mm	0,005 mm	M012/050	<del>€ 89,60</del>	<b>€ 79,35</b>
73 x 190 x 67h mm	0,005 mm	M012/080	<del>€ 217,00</del>	<b>€ 142,70</b>
100 x 245 x 90h mm	0,005 mm	M012/100	<del>€ 303,00</del>	<b>€ 221,05</b>


**M024- PRO**

**MILLING MACHINE VICE WITH 360° SWIVEL BASE**

With interchangeable jaws in hardened and ground steel. Sliding parts ground. Uncovered vine. With crank and fixing screws



starting from  
**€ 148,85**




Jaws	Opening	Slot	Art.	€	Promo
136 x 32 mm	170 mm	14 mm	M024/136	<del>€ 184,00</del>	<b>€ 148,85</b>
160 x 50 mm	180 mm	14 mm	M024/160	<del>€ 265,00</del>	<b>€ 199,35</b>
200 x 63 mm	220 mm	18 mm	M024/200	<del>€ 349,00</del>	<b>€ 315,75</b>
250 x 45 mm	320 mm	18 mm	M024/250	<del>€ 507,00</del>	<b>€ 427,30</b>


**0188- PRO**

**2 - WAY CROSS VICE**

Useful for performing precision drilling or tapping operations thanks to the longitudinal and lateral movement without removing the piece from the vice



starting from  
**€ 72,20**



Jaws	Opening	Art.	€	Promo
100 x 25 mm	90 mm	0188/100	<del>€ 84,30</del>	<b>€ 72,20</b>
125 x 40 mm	110 mm	0188/125	<del>€ 122,00</del>	<b>€ 94,30</b>
150 x 40 mm	145 mm	0188/150	<del>€ 154,00</del>	<b>€ 121,45</b>


**T014G € 1020,00**

**SWIVELING CROSS WORKING TABLE**

Equipped with a swivel base. With coolant channels. Adjustable handwheel graduation



**€ 917,45**



Slot	12 mm
Height	160 mm
Travels	155 x 370 mm
Reading	0,02 mm
Net weight	60 kg

P. 040

Promotion valid until 31/07/2022, while stocks last - VAT not included


**M014- NEW**

**MILLING MACHINE VICE WITH 360° SWIVEL BASE**

With interchangeable jaws in hardened and ground steel. Sliding parts ground. Fully covered screw. With crank



starting from  
**€ 83,70**



Jaws	Opening	Slot	Art.	€	Promo
80 x 30 mm	60 mm	14 mm	M014/080	<del>€ 105,00</del>	<b>€ 83,70</b>
100 x 35 mm	75 mm	14 mm	M014/100	<del>€ 137,00</del>	<b>€ 109,05</b>
125 x 40 mm	95 mm	14 mm	M014/125	<del>€ 190,00</del>	<b>€ 151,35</b>
160 x 52 mm	120 mm	18 mm	M014/160	<del>€ 264,00</del>	<b>€ 211,40</b>
200 x 63 mm	150 mm	18 mm	M014/200	<del>€ 359,00</del>	<b>€ 319,85</b>


**M001- PRO**

**DRILL PRESS VICE**

Equipped with a prismatic jaw and a smooth jaw. Constant overall length thanks to the screw inserted in the handle



starting from  
**€ 54,75**



Jaws	Opening	Art.	€	Promo
100 mm	80 mm	M001/100	<del>€ 59,40</del>	<b>€ 54,75</b>
120 mm	110 mm	M001/120	<del>€ 72,90</del>	<b>€ 65,50</b>
150 mm	135 mm	M001/150	<del>€ 91,40</del>	<b>€ 79,75</b>


**0188-XG PRO**

**2 - WAY CROSS VICE WITH SWIVEL BASE**

Useful for performing precision drilling or tapping operations thanks to the longitudinal and lateral movement without removing the piece from the vice. Equipped with a swivel base



starting from  
**€ 119,40**



Jaws	Opening	Slot	Art.	€	Promo
100 X 25 mm	90 mm	18mm	0188/100G	<del>€ 146,00</del>	<b>€ 119,40</b>
125 X 40 mm	120 mm	20mm	0188/125G	<del>€ 165,00</del>	<b>€ 139,55</b>
150 X 45 mm	150 mm	20mm	0188/150G	<del>€ 188,00</del>	<b>€ 159,45</b>


**T015/E € 286,00**

**CROSS WORKING TABLE**

With adjustable graduation of the handwheel



**€ 203,15**



Slot	10 mm
Height	104 mm
Travels	50 x 80 mm
Reading	0,01 mm
Net weight	10 kg

**T008** € 333,00

**CROSS WORKING TABLE**




Slot	16 mm
Slot distance	75 mm
Height	130 mm
Travels	120 x 325 mm
Base locating slot	162 mm
Net weight	23 kg

€ 270,85

**T018/350** € 158,00

**CROSS WORKING TABLE**

With fixed millimeter scale for longitudinal table movements



Height	120 mm
Slot	8 mm
Slot distance	36 mm
Travels	177 x 50 mm
Reading	0.05 mm
Overall dimensions	415 x 255 mm
Net weight	6 kg



€ 134,10

**T018/330** € 84,20

**CROSS WORKING TABLE**

With fixed millimeter scale for longitudinal table movements



Height	82 mm
Slot	8 mm
Slot distance	36 mm
Travels	190 x 65 mm
Reading	0,05 mm
Overall dimensions	395 x 210 mm
Net weight	2,5 kg




€ 73,10

**K001-**

**CLAMPING KIT**

Consisting of: 24 tie rods, 6 T-nuts, 6 low nuts, 4 joint sleeves, 6 simple brackets, 12 stair supports, practical wall support




starting from  
€ 92,40

Slot	Thread	Art.	€	Promo
12 mm	M10	K001/12	€ 114,00	€ 92,40
14 mm	M12	K001/14	€ 127,00	€ 96,80
16 mm	M14	K001/16	€ 148,00	€ 123,65
18 mm	M16	K001/18	€ 185,00	€ 155,55


**M049-**

**PRECISION SELF CENTERING**

Single guide. integral jaws, concentric clamping, equipped with 1 series consisting of 3 internal jaws, 1 series consisting of 3 external jaws and tightening key



D1	D2	D3	H1	H	h	z-d	Spanner square	Art.	€	Promo
55 mm	66 mm	16 mm	66 mm	50 mm	3,5 mm	3-M6 mm	8 mm	M049/080	€ 178,00	€ 140,85
72 mm	84 mm	22 mm	74,5 mm	55 mm	3,5 mm	3-M8 mm	8 mm	M049/100	€ 190,00	€ 153,85
95 mm	108 mm	30 mm	78 mm	55 mm	3,5 mm	3-M8 mm	10 mm	M049/125	€ 201,00	€ 166,10
130 mm	142 mm	40 mm	95 mm	65 mm	5 mm	3-M8 mm	12 mm	M049/160	€ 265,00	€ 239,95
165 mm	180 mm	60 mm	109 mm	75 mm	6 mm	3-M10 mm	12 mm	M049/200	€ 366,00	€ 307,35
206 mm	226 mm	80 mm	120 mm	80 mm	5 mm	3-M12 mm	12 mm	M049/250	€ 426,00	€ 362,05
270 mm	290 mm	100 mm	142 mm	90 mm	11 mm	3-M16 mm	13 mm	M049/320	€ 754,00	€ 673,60
340 mm	368 mm	130 mm	158 mm	100 mm	8 mm	3-M16 mm	15 mm	M049/400	€ 1178,00	€ 993,55




starting from  
€ 140,85


**M449-**

**SELF CENTERING CHUCK**

Single guide. integral jaws, concentric clamping, equipped with 1 series consisting of 4 internal jaws, 1 series consisting of 4 external jaws and tightening key



D	D1	D2	D3	H1	H	h	z-d	Spanner square	Art.	€	Promo
80 mm	55 mm	66 mm	16 mm	66 mm	50 mm	3,5 mm	3-M6 mm	8 mm	M449/080	€ 178,00	€ 141,05
100 mm	72 mm	84 mm	22 mm	74,5 mm	55 mm	4,5 mm	3-M8 mm	8 mm	M449/100	€ 201,00	€ 152,40
125 mm	95 mm	108 mm	30 mm	84 mm	58 mm	4 mm	3-M8 mm	10 mm	M449/125	€ 232,00	€ 177,65
160 mm	130 mm	142 mm	40 mm	95 mm	65 mm	5 mm	3-M8 mm	10 mm	M449/160	€ 292,00	€ 246,30
200 mm	165 mm	187 mm	65 mm	109 mm	75 mm	5 mm	3-M10 mm	12 mm	M449/200	€ 413,00	€ 374,70
250 mm	206 mm	226 mm	80 mm	120 mm	80 mm	5 mm	3-M12 mm	12 mm	M449/250	€ 534,00	€ 475,75
320 mm	270 mm	290 mm	100 mm	142 mm	90 mm	6 mm	3-M16 mm	14 mm	M449/320	€ 918,00	€ 778,85
400 mm	340 mm	368 mm	130 mm	158 mm	100 mm	6 mm	3-M16 mm	17 mm	M449/400	€ 1420,00	€ 1210,40




starting from  
€ 141,05


**M005-**

**PRECISION SELF CENTERING CHUCK**

With single guide, equipped with 3 clamps with base in hardened steel and internal - external reversible jaws, tightening wrench and jaw fixing screws



D1	D2	D3	H1	H	h	z-d	Spanner square	Art.	€	Promo
165 mm	180 mm	65 mm	122 mm	75 mm	5 mm	3-M10 mm	12 mm	M005/200	€ 366,00	€ 309,45
206 mm	226 mm	80 mm	135 mm	80 mm	5 mm	3-M12 mm	12 mm	M005/250	€ 426,00	€ 338,90
270 mm	290 mm	100 mm	135 mm	90 mm	6 mm	3-M16 mm	14 mm	M005/320	€ 672,00	€ 635,70
340 mm	368 mm	130 mm	172 mm	100 mm	8 mm	3-M16 mm	17 mm	M005/400	€ 1080,00	€ 962,00
440 mm	465 mm	200 mm	202 mm	115 mm	6 mm	6-M16 mm	17 mm	M005/500	€ 1840,00	€ 1635,60
560 mm	595 mm	260 mm	218 mm	130 mm	7 mm	6-M16 mm	19 mm	M005/630	€ 5200,00	€ 4694,15



starting from  
**€ 309,45**


**M042-**

**NEW**

**LIGHT DUTY PROFESSIONAL SELF-TIGHTENING KEYLESS DRILL CHUCKS**



starting from  
**€ 37,20**



Capacity	Taper DIN	Art.	€	Promo
0.5 ÷ 8 mm	B12	M042/08	€ 46,60	€ 37,20
1 ÷ 10 mm	B12	M042/10	€ 47,70	€ 38,05
1 ÷ 13 mm	B16	M042/13	€ 54,60	€ 43,55
3 ÷ 16 mm	B18	M042/16	€ 65,70	€ 52,45
5 ÷ 20 mm	B22	M042/20	€ 87,50	€ 69,75


**M052-**

**NEW**

**KEY TYPE TAPER HOLE DRILL CHUCKS**



starting from  
**€ 11,75**




Capacity	Taper DIN	Dimensions	Art.	€	Promo
1 ÷ 10 mm	B12	Ø 39 x 80 mm	M052/10	€ 14,70	€ 11,75
1 ÷ 13 mm	B16	Ø 41.5 x 95.4 mm	M052/13	€ 19,30	€ 15,40
3 ÷ 16 mm	B 18	Ø 49 x 108.2 mm	M052/16	€ 23,10	€ 18,45
5 ÷ 20 mm	B22	Ø 54 x 114.1 mm	M052/20	€ 35,00	€ 27,90

**M059-**

**REVERSIBLE TAPPING CHUCK WITH ADJUSTABLE CLUTCH**

The adjustable safety device with friction reduces the possibility of breaking the male during the execution of the thread. Built-in rotation inverter, immediately active when the feed device is changed. Adjustable clutch in 4 positions. Equipped with 2 flexible pliers and keys for use.

starting from  
**€ 357,85**



Tapping range	Taper DIN	Art.	€	Promo
M 2 - 7	B16	M059/07	€ 481,00	€ 357,85
M 5 - 12	B16	M059/12	€ 551,00	€ 490,45
M 8 - 20	B22	M059/20	€ 674,00	€ 526,25




**0537A**

€ 112,00

**LED LIGHT MACHINE OPERATION LAMP**

Articulated, without transformer.



Power	12 - 24 V 7 W AC
Luminous flux	700 lm
Color temperature	6500 K
LED number	7
Height	100 mm
Diameter	90 mm
Joints	1



€ 94,50

**0538A**

€ 139,00

**LED LIGHT MACHINE OPERATION LAMP**

Articulated, without transformer.



Power	12 - 24 V 7 W AC
Luminous flux	700 lm
Color temperature	6500 K
LED number	7
Height	650 mm
Diameter	90 mm
Joints	3



€ 114,25

**0536A**

**NEW**

€ 142,00

**LED LIGHT MACHINE OPERATION LAMP**

Flexible, with transformer and magnetic base



Power	230V / 5W
Height	600 mm
Diameter	60 mm
Joints	1
Intensity	500 lm - 6400 K



€ 113,35



**B007-**

**INDEXABLE CARBIDE TOOL HOLDER SET**

Insert included, useful for having a set that allows you to perform most turning operations with small lathes



starting from  
**€ 91,10**




Ext. shank / Insert	Int. shank / Insert	Art.	€	Promo
10 mm / TCMT110204N	8 mm / TCMT090204N	B007/10	€ 108,00	€ 91,10
12 mm / TCMT110204N	10 mm / TCMT110204N	B007/12	€ 114,00	€ 83,95
16 mm / TCMT16T304N	12 mm / TCMT110204N	B007/16	€ 141,00	€ 119,15

**KISCLCR**

€ 227,00

**SOLID BORING BAR SET 95°**




Int. tool holder	SCLCR08; SCLCR10; SCLCR12; SCLCR16
Bits	CCMT060204N x 10 Pcs
Torx key	T7 x 2 Pcs
Screw	T7 x 2,5 mm x 4 Pcs

€ 158,75

**KISTFCR**

€ 211,00

**SOLID BORING BAR SET 90°**



Int. tool holder	STFCR08; STFCR10; STFCR12; STFCR16; STFCR20
Insert (not included)	TCMT110204...
Torx key	T8 x 2 Pcs
Screw	T8 x 2,5 mm x 5 Pcs

€ 172,85

**KISNR**

**INTERNAL THREAD TOOL HOLDER**

Consisting of internal threading tool (1 Pc), spare M3.5 X 12mm screw (1 Pc), 2.5mm hex wrench (1 Pc), T15 torx wrench (1 Pc) and assorted inserts: AG55 - AG60; - ISO 0.8 - 1.00 - 1.25 - 1.50 - 1.75 - 2.00 - 2.50 - 3.00mm (1 Pc each).



starting from  
**€ 161,80**



D	h	l	Art.	€	Promo
20 mm	18 mm	170 mm	KISNR	€ 206,00	€ 161,80
25 mm	23 mm	200 mm	KISNR25	€ 246,00	€ 198,40

**KITCKJ**

**EXTERNAL TOOL HOLDER WITH INSERTS**



starting from  
**€ 108,20**



b	h	l	Art.	€	Promo
20mm	20mm	125mm	KITCKJ20	€ 170,00	€ 108,20
25mm	25mm	150mm	KITCKJ25	€ 172,00	€ 122,80

**KISTCMT**

€ 268,00

**SOLID BORING BAR SET 90°**



Int. tool holder	STFCR08; STFCR10; STFCR12; STFCR16; STFCR20
Bits	TCMT110204N x 10 Pcs
Torx key	T8 x 2 Pcs
Screw	T8 x 2,5 mm x 2 Pcs

€ 216,80

**KISER**

**EXTERNAL THREAD TOOL HOLDER**

Consisting of external threading tool (1 Pc), M3.5 X 12mm spare screw (1 Pc), 2.5mm hex wrench (1 Pc), T15 torx wrench (1 Pc) and assorted inserts: AG55 - AG60; - ISO 0.8 - 1.00 - 1.25 - 1.50 - 1.75 - 2.00 - 2.50 - 3.00mm (1 Pc each).



starting from  
**€ 160,55**



b	l	h	Art.	€	Promo
20 mm	20 mm	125 mm	KISER	€ 179,00	€ 160,55
25 mm	25 mm	150 mm	KISER25	€ 235,00	€ 172,45

**KICAN**

€ 230,00

**INTERNAL AND EXTERNAL GROOVING TOOL HOLDER SET**

Consisting of the tool for external grooves: 20 x 20 mm (1 Pc), the tool for internal grooves: ø 20mm (1 Pc), spare screw M4 x 12mm (2 Pcs), torx wrench: T15 (1 Pc) and inserts for 16mm groove TIN coated: 165110134 (2 Pcs), 165130134 (2 Pcs), 165160134 (2 Pcs), 165185134 (1 Pc), 165215134 (1 Pc), 165265134 (1 Pc), 165315134 (1 Pc).




€ 192,70



**B005-**

**CARBIDE TIPPED LATH E TOOL SET**



Kit	Art.	€	Promo
1BRAS411108RP - 1BRAS411110RP - 1BRAS-410312RP - 1BRAS410412RP - 1BRAS410912RP	B005	€-25,40	€ 19,60
1BRAS411110RP - 1BRAS411112RP - 1BRAS-410316RP - 1BRAS410416RP - 1BRAS410916RP	B005/16	€-38,10	€ 32,25
1BRAS411112RP - 1BRAS411116RP - 1BRAS-410320RP - 1BRAS410420RP - 1BRAS410920RP	B005/20	€-47,70	€ 41,05

**P046**

€ 31,30

**TWIST DRILL SET**

DIN 338/N, right hand, black finish.



Size (step 0,5 mm) 1 ÷ 13 mm



**P045**

€ 15,80

**TWIST DRILL SET**

DIN 338/N, right hand, black finish.



Size (step 0,5 mm) 1 ÷ 10 mm



**P023/19**

€ 36,20

**STRAIGHT SHANK TWIST DRILL SET**

DIN 338/N, Right hand, rectified



Size (step 0,5 mm) 1 ÷ 10 mm



**P023/25**

€ 73,40

**STRAIGHT SHANK TWIST DRILL SET**

DIN 338/N, Right hand, rectified



Size (step 0,5 mm) 1 ÷ 13 mm



**P010/51**

€ 61,00

**SERIES OF CYLINDRICAL TIPS TO THE TENTH**

DIN 338/N, right hand, long durability thanks to the titanium coating.



Size (step 0,1 mm) 1 ÷ 6 mm



**P010/41**


€ 142,00

**SERIES OF CYLINDRICAL TIPS TO THE TENTH**

DIN 338/N, right hand, long durability thanks to the titanium coating.



Size (step 0,1 mm) 6 ÷ 10 mm



**P062**

€ 67,20

**TWIST DRILL SET**

DIN 338/N, Right hand, Long durability thanks to the titanium coating



Size (step 0,5 mm) 1 ÷ 13 mm



**P061 €37,60**

**STRAIGHT SHANK TWIST DRILL SET**

DIN 338/N, right hand, long durability thanks to the titanium coating.

19 Pcs Hangable HSS Grounded TiN

Size (step 0,5 mm) 1 ÷ 10 mm



**P068 €7,50**


**TWIST DRILL SET**

DIN 338/N, Right hand, Long durability thanks to the titanium coating

20 Pcs Hangable HSS Grounded TiN

Sizes x 1 Pc 0.25 - 0.30 - 0.35 - 0.40 - 0.45 - 0.55 - 0.65 - 0.70 - 0.75 - 0.85 - 0.90 - 0.95 mm

Sizes x Pcs 0.50 - 0.60 - 0.80 - 1.00 mm



**P067 €67,20**

**COBALT TWIST DRILL SET**

DIN 338/N, self-centering, right, with great thermal resistance

19 Pcs Hangable HSS CO 5% Grounded 135°

Size (step 0,5 mm) 1 ÷ 10 mm



**P069 €132,00**

**COBALT TWIST DRILL SET**

DIN 338/N, self-centering, right, with great thermal resistance

25 Pcs Hangable HSS CO 5% Grounded 135°

Size (step 0,5 mm) 1 ÷ 13 mm



**P064/19A €81,30**

**COBALT TWIST DRILL SET**

DIN 338/N, self-centering, right, with great thermal resistance.

19 Pcs Hangable HSS CO 8% Grounded 135°

Size (step 0,5 mm) 1 ÷ 10 mm



**P064/25A €173,00**

**COBALT TWIST DRILL SET**

DIN 338/N, self-centering, right, with great thermal resistance

25 Pcs Hangable HSS CO 8% Grounded 135°

Size (step 0,5 mm) 1 ÷ 13 mm



**P057 €102,00**

**SET OF TWIST DRILLS WITH CONICAL SHANK**

DIN 345/N, right hand

10 Pcs Box HSS 118° HV=700-740

MT 14 mm

MT 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 mm



**P056/10S €34,70**

**CENTER DRILL SET**

DIN 333, ground, with vaporized grooves. Taper angle 60 °

10 Pcs Box HSS 118° Steel

Sizes 0.75 - 1.00 - 1.5 - 1.6 - 2.0 - 2.5 - 3.0 - 3.15 - 4.0 - 5.0 mm

Type A

Tolerance K12





**F011/6 €185,00**

**WELDON SHANK CORE DRILL SET**

Allows a very fast cut, does not require pre-drilling and does not create any burr formation thanks to the lower effort of the cutting edge during processing.



Sizes	12 x 62 - 14 x 62 - 16 x 62 - 18 x 62 - 20 x 62 - 22 x 62 mm
Cutting capacity	30 mm
Shank	Weldon 19,05 mm




**€ 162,30**

**F002/6 PRO €283,00**

**WELDON SHANK CORE DRILL SET**

Allows a very fast cut, does not require pre-drilling and does not create any burr formation thanks to the lower effort of the cutting edge during processing.



Sizes	12 x 62 - 14 x 62 - 16 x 62 - 18 x 62 - 20 x 62 - 22 x 62 mm
Shank	Weldon 19,05 mm



**€ 248,65**

**F019/008 €141,00**

**TCT CORE DRILL SET**

With lateral chip and center drill.



Sizes	16 mm, 18 mm, 20 mm, 22 mm, 25 mm, 30 mm, 32 mm, 35 mm
Cutting Depth	5 mm




**€ 120,65**

**F015/008S €141,00**

**DRILL BIT HOLE SAW SET**

With lateral chip and center drill.



Sizes	16 mm, 18 mm, 20 mm, 22 mm, 25 mm, 30 mm, 32 mm, 35 mm
-------	--



**€ 120,65**

**0712/002 €86,90**

**HOLE SAW SET**

Electrician kit



Hole saw	22 - 29 mm
Corresponding arbors, adapter, bits	0712/600
Hole saw	35 - 44 mm
Corresponding arbors, adapter, bits	0712/800
Hole saw	51 - 64 mm
Corresponding arbors, adapter, bits	0712/900




**€ 54,30**

**0712/005 €56,90**

**HOLE SAW SET**

Repairman set



Hole saw	22 - 25 - 29 mm
Corresponding arbors, adapter, bits	0712/600
Hole saw	32 - 38 mm
Corresponding arbors, adapter, bits	0712/900



**€ 30,15**

**0712/008 €86,90**

**HOLE SAW SET**

Plumber set



Hole saw	19 - 22 - 29 mm
Corresponding arbors, adapter, bits	0712/600
Hole saw	38 - 44 - 57 mm
Corresponding arbors, adapter, bits	0712/800 - 0712/900




**€ 45,25**

**0712/009 €98,70**

**HOLE SAW SET**

Installer set



Hole saw	19 - 22 - 29 mm
Corresponding arbors, adapter, bits	0712/600 - 0712/900 - 0712/300
Hole saw	35 - 38 - 44 - 51 - 57 - 64 mm
Corresponding arbors, adapter, bits	0712/800



**€ 61,10**



**0712/010** €186,00

**HOLE SAW SET**

Industry kit



Hole saw	19 - 22 - 29 mm
Corresponding ar-bors, adapter, bits	0712/600
Hole saw	35 - 38 - 44 - 51 - 57 - 64 - 76 - 83 - 92 - 95 - 105 - 114 mm
Corresponding ar-bors, adapter, bits	0712/600 - 0712/900 - 0712/300
Extension	300 mm



€157,65

**F639** €78,60

**STEP DRILL BITS**

For creating and enlarging holes in sheet metal



Stem	10 mm
Ø	6 ÷ 39 [6-9-12-15-18-21-24-27-30-33-36-39] mm



€62,95

**F23X**

**STEP DRILL BITS**

For creating and enlarging holes in sheet metal, with interchangeable point.



Stem	Ø	Art.	€	Promo
10 mm	2,5 ÷ 32 [2,5-6,3-11,2-14,5-18,2-22,3-27,9-32] mm	F232	€72,40	€57,75
10 mm	2,5 ÷ 38 [2,5-6,3-13-16-19-21-23-26-29-32-35-38] mm	F238	€77,50	€61,55



starting from €57,75


**F001/20** €228,00

**SET END MILLS**

DIN 844/B and DIN 327/D, two and four flute, regular length, weldon shank, center cutting.



2 Flute mill	Ø 3 - 4 - 5 - 6 - 8 - 10 - 12 - 14 - 18 - 20 mm
Stem	Ø 6 - 6 - 6 - 6 - 10 - 10 - 12 - 12 - 16 - 20 mm
4 Flute mill	Ø 3 - 4 - 5 - 6 - 8 - 10 - 12 - 14 - 18 - 20 mm
Stem	Ø 6 - 6 - 6 - 6 - 10 - 10 - 12 - 12 - 16 - 20 mm



€157,50

**S001** €93,10

**90° THREE FLUTES COUNTERSINK SET**

DIN 335C, with ground edges and grooves machined from solid, to perform conical countersinks without vibrations.



Ø max	8 - 10 - 12,4 - 16,5 - 20,5 mm
-------	--------------------------------



€85,05

**F430** €74,40

**STEP DRILL BITS SET**

For creating and enlarging holes in sheet metal



Stem	6 - 8 - 10 mm
Ø	4 ÷ 12 - 6 ÷ 20 - 6 ÷ 30 mm



€46,20

**F001/10** €228,00

**SET FRONTAL ROUGHING END MILLS**

DIN 844/B, regular length, center cutting, weldon shank.



Mill	Ø 6   8   10   12   14   16   18   20   22   25 mm
Stem	Ø 6   10   10   12   12   16   16   20   20   25 mm



€167,60

**F008-**

**CARBIDE ROTARY FILE SET**

Cross cut



Stem	Art.	€	Promo
Ø 3 mm	F008/3	€60,00	€45,25
Ø 6 mm	F008/6	€102,00	€87,50



starting from €45,25

**P076/006S**

€138,00

**CARBIDE TIPPED MASONRY CORE DRILL BIT HOLE SAW SET**

For drilling medium and large holes in the wall



Sizes 16 mm - 22 mm - 25 mm - 27 mm - 30 mm - 35 mm



€117,15

**P076/008S**

€203,00

**CARBIDE TIPPED MASONRY CORE DRILL BIT HOLE SAW SET**

For drilling medium and large holes in the wall



Sizes 16 mm - 22 mm - 25 mm - 27 mm - 30 mm - 35 mm - 40 mm - 45 mm




€172,00

**P031/03S**

€51,40

**DIAMOND DRILL BIT AND CORE DRILL WITH CONTINUOUS EDGE SET**

The thin-wall diamond core guarantees burr-free cuts. This feature facilitates drilling work on hard laid tiles, where it is necessary to make a clean hole, without chipping the tile. longer useful life cycle



Sizes Ø 6 mm - 8 mm - 10 mm  
Hex drive 9.5 mm  
Total length 56 mm  
Diamond height 2 mm  
Grit 50/60




€44,55

**P035/04S**

€30,80

**DIAMOND DRILL BIT SET WITH CONTINUOUS EDGE**

The thin-wall diamond core guarantees burr-free cuts. This feature facilitates drilling work on hard laid tiles, where it is necessary to make a clean hole, without chipping the tile. longer useful life cycle



Sizes Ø 5 mm - 6 mm - 8 mm - 10 mm  
Stem Ø 6 mm  
Total length 65 mm  
Diamond height 5 mm  
Grit 60/80



€26,75

**P052/08S**

€13,60

**BRAD POINT WOODWORKING DRILLS SET**

DIN 7487, double helix, with centering tip allows exact positioning of the hole



Size 3 ÷ 10 mm



€11,40

**M015S**

€55,40

**SPIRAL POINT TAP AND DRILL SET**

With adjustable tap holder



Taps M3 x 0,50 mm, M4 x 0,70 mm, M5 x 0,80 mm, M6 x 1,00 mm, M8 x 1,2 mm  
Drills Ø2,5 mm, Ø3,3 mm, Ø4,2 mm, Ø5,0 mm, Ø6,8 mm, Ø8,5 mm, Ø10



€48,15

**M312/P**

€60,60

**MACHINE TAP SET FOR THROUGH HOLES WITH REINFORCED SHANK**

With adjustable tap holder.



Size M3 x 0,50 - M4 x 0,70 - M5 x 0,80 - M6 x 1 - M8 x 1,25 - M10 x 1,50 - M12 x 1,75



€48,80

**M312/C**

€65,90

**MACHINE TAP SET FOR BLIND HOLES 35° WITH REINFORCED SHANK**

With adjustable tap holder.




Size M3 x 0,50 - M4 x 0,70 - M5 x 0,80 - M6 x 1 - M8 x 1,25 - M10 x 1,50 - M12 x 1,75



€49,15

**M020** € 30,60

**TAP AND DIE SET**



Tap holder	M3 - M12
Round die-stock	25 x 9 mm
Taps	M3x0,5 - M4x0,7 - M5x0,8 - M6x1 - M7x1 - M8x1,25 - M10x1,5 - M12x1,75 - 1/8" NPT27
Dies	M3x0,5 - M4x0,7 - M5x0,8 - M6x1 - M7x1 - M8x1,25 - M10x1,5 - M12x1,75 - 1/8" NPT27




€ 27,50

**M036** € 59,40

**TAP AND DIE SET**

With twist drills and screw pitch gauge



Tap holder	M3 - M12
Round die-stock	25 x 9 mm
Taps	M3x0,5 - M4x0,7 - M5x0,8 - M6x1 - M7x1 - M8x1,25 - M10x1,5 - M12
Dies	M3x0,5 - M4x0,7 - M5x0,8 - M6x1 - M7x1 - M8x1,25 - M10x1,5 - M12
Drills	2,5 - 3,3 - 4,2 - 5 - 6 - 6,8 - 8,5 - 10,3 mm
Screwdriver	6,5 x 50 mm



€ 53,60

**M032** € 110,00

**TAP AND DIE METRIC SET**

With round die-stock, adjustable tap holder and screw pitch gauge.



Taps	M3x0,5 M4x0,7 M5x0,8 M6x1 M8x1,25 M10x1,5 M12x1,75
Dies	M3x0,5 M4x0,7 M5x0,8 M6x1 M8x1,25 M10x1,5 M12x1,75
Screwdriver	3,5 x 50 mm



€ 88,75

**M029** € 118,00

**TAP AND DIE SET**

With twist drills and ratchet tap-die holder



Ratchet handle	200 mm
Socket	Maschi 5 - 7,5 mm   Filiere 25 x 9 mm
Taps	M3x0,5 - M4x0,7 - M5x0,8 - M6x1 - M8x1,25 - M10x1,5 - M12x1,75
Dies	M3x0,5 - M4x0,7 - M5x0,8 - M6x1 - M8x1,25 - M10x1,5 - M12x1,75
Drills	2,5 - 3,3 - 4,2 - 5 - 6,8 - 8,5 - 10,3 mm
Screwdriver	6,5 x 50 mm
Screwdriver	3 x 50 mm




€ 106,05

**M101** € 109,00

**TAPS AND DIE METRIC SET**

Hand tap and die: M3x0,5 - UNC 1/4 20 - UNF 4 40 - Metric M4x0,7 - UNC 1/4 28 - UNF 6 32 - Metric M5x0,8 - UNC 5/16 18 - UNF 8 32 - Metric M6x1 - UNC 5/16 24 - UNF 10 32 - Metric M7x1 - UNC 3/8 16 - UNF 10 24 - Metric M8x1,25 - UNC 3/8 24 - UNF 12 24 - Metric M9x1,25 - UNC 7/16 14 - Metric M10x1,5 - UNC 7/16 20 - Metric M10x1 - UNC 1/2 13 - Metric M12x1,75 - UNC 1/2 20 - NPT 1/8 27. Complete with round die-stock and adjustable tap holder.



€ 86,30

**M100** € 146,00

**TAP AND DIE METRIC SET**

With round die-stock and adjustable tap holder: M6x0,75 - M6x1 - M8x1 - M8x1,25 - M10x1,5 - M10x1,5 - M12x1,5 - M12x1,75 - M14x1,5 - M14x2 - M16x1,5 - M16x2 - M18x1,5 - M18x2,5 - M20x1,5 - M20x2,5 - M22x1,5 - M22x2,5 - M24x1,5 - M24x3



€ 116,75

**M218** € 235,00

**TAP AND DIE METRIC SET**

2 pcs hand tap set and die: M2 x 0,40 - M3 x 0,50 - M4 x 0,70 - M5 x 0,80 - M6 x 0,75 - M6 x 1 - M7 x 0,75 - M7 x 1 - M8 x 0,75 - M8 x 1 - M8 x 1,25 - M9 x 0,75 - M9 x 1 - M9 x 1,25 - M10 x 0,75 - M10 x 1 - M10 x 1,25 - M10 x 1,5 - M11 x 0,75 - M11 x 1 - M11 x 1,25 - M11 x 1,5 - M12 x 0,75 - M12 x 1 - M12 x 1,25 - M12 x 1,5 - M12 x 1,75 - M14 x 1 - M14 x 1,25 - M14 x 1,5 - M14 x 2 - M16 x 1 - M16 x 1,5 - M16 x 2 - M18 x 1,5. Complete with 2 tap holders and 2 round die-stocks.




€ 197,05

**E010** € 123,00

**METRIC THREAD REPAIR F-COIL SET**

Suitable for thread regeneration or to obtain very resistant tapping in soft materials



Sizes	M5 - M12
STI Taps	M5 x 0.8 - M6 x 1.0 - M8 x 1.25 - M10 x 1.5 - M12 x 1.75
Drills	5.2 mm - 6.3 mm - 8.3 mm - 10.4 mm - 12.4 mm
Wire-thread inserts	M5=25 M6=25 M8=25 M10=25 M12=10
Inserting tool	5 Pcs
Tang break tool	5 Pcs



€ 103,05

# WORKSHOP FURNITURE

*The right solution for your needs*

**DISCOVER THE RIGHT CONFIGURATION FOR YOU**  
*in 3 simple steps*

1. **Consult** the Catalogue
2. **Choose** from the ready-to-use configurations or compose your own furniture
3. **Contact** your dealer for a personalized and advantageous quote



Ask for FERVI Catalogue 44 or read the QRcode to consult the available furnishings



***FERVI has many ready-to-use configurations to request IMMEDIATELY from your dealer!***



**ART. A007A**



**ART. A007C**



**ART. A007E**



**ART. A007H**



**ART. A007L**

*... and many more!*



**B015****€ 548,00****STEEL WORKBENCH KIT**

With steel top and two lockable drawers

**€ 505,85**

Bench dimensions	1500 x 645 x 865h mm
Legs thickness	1 mm
Plate thickness	2 mm
Capacity	800 kg
Drawer dimensions	433 x 347 x 122h mm
Drawer capacity	30 kg
Net weight	62 kg

**B015/10****€ 306,00****WORKBENCH KIT**

With steel top and lockable drawer

**€ 282,45**

Dimensions	1000 x 640 x 865h mm
Legs thickness	2 mm
Plate thickness	2 mm
Capacity	600 kg
Drawer dimensions	433 x 347 x 122h mm
Drawer capacity	30 kg
Net weight	55 kg

**B022/10****€ 358,00****WORKBENCH KIT**

With wood press top and a lockable drawer

**€ 330,45**

Dimensions	1000 x 640 x 865h mm
Legs thickness	2 mm
Plate thickness	38 mm
Capacity	350 kg
Drawer dimensions	400 x 344 x 125h mm
Drawer capacity	50 kg
Net weight	47 kg

**B022/15****€ 516,00****WORKBENCH KIT**

With wood press top and 2 lockable drawers

**€ 476,30**

Dimensions	1500 x 640 x 865h mm
Legs thickness	2 mm
Plate thickness	38 mm
Capacity	350 kg
Drawer dimensions	400 x 344 x 125h mm
Drawer capacity	50 kg
Net weight	75 kg

**B009/A1****€ 516,00****WORKBENCH KIT**

With wood press top, 3 lockable drawers, 1 shelf and adjustable feet

**€ 476,30**

Dimensions	1200 x 600 x 865h mm
Legs thickness	2 mm
Plate thickness	36 mm
Capacity	350 kg
Net weight	62 kg

**B009/B1****€ 601,00****WORKBENCH KIT**

With wood press top, 3 lockable drawers, 1 shelf with door and adjustable feet

**€ 554,75**

Dimensions	1200 x 600 x 865h mm
Legs thickness	2 mm
Plate thickness	36 mm
Capacity	350 kg
Net weight	64,5 kg

**B009/A2****€ 813,00****WORKBENCH KIT**

With wood press top, 3 lockable drawers, 1 door and shelf and adjustable feet

**€ 750,45**

Dimensions	1690 x 600 x 865 mm
Legs thickness	2 mm
Plate thickness	36 mm
Capacity	350 kg
Net weight	84 kg

**B009/B2****€ 854,00****WORKBENCH KIT**

With wood press top, 3 lockable drawers, 2 shelves with door and adjustable feet

**€ 788,30**

Dimensions	1690 x 600 x 865 mm
Legs thickness	2 mm
Plate thickness	36 mm
Capacity	350 kg
Net weight	90 kg

**B019**
**€ 548,00**
**FOLDABLE HEAVY DUTY WORKBENCH**

Made of steel, tear down structure with 2 powerful gas struts, peg board 1195 x 458 x 20 mm, main leg height 1380mm, total width for the product 1280mm, depth of the open/close product 648/130mm at a height of 330mm, auto-lock with handle in the corner of top plate, peg board with holes  $\varnothing$  4mm, distance between centers holes 25mm for hooks with wire  $\varnothing$  3mm.


**€ 511,65**

Plate Dimensions	1195 x 648 x 41 mm
Slot distance	25 mm
Capacity	225 kg
Net weight	45 kg

**A300**
**€ 440,00**
**CABINET**

With 2 drawers, slide on ball bearing with locking device


**€ 406,15**

Cabinet dimensions	1000 x 460 x 1000h mm
Steel thickness	1 mm
Internal shelves	2
Maximum capacity	150 kg
Shelf capacity	25 kg
Net weight	62 kg

**C087**
**€ 228,00**
**TOOL ROLLING CABINET**

Separable into 3 pieces.


**€ 183,10**


Dimensions	560 x 350 x 770h mm
Capacity	40 kg
Net weight	14 kg

**C960/F7**
**€ 591,00**
**TOOL ROLLING CABINET WITH 7 DRAWERS**

Ball bearing equipped safety drawers with central locking, paper dispenser and tray, 2 swivel and 2 fixed casters


**€ 545,55**

Dimensions	890 x 458 x 994 mm
Drawer dimensions	565 x 405 mm
Drawers height	5 x 65 mm - 2 x 145 mm
Drawer capacity	25 kg
Net weight	62 kg

**A100**
**€ 275,00**
**CABINET**


With 1 drawer, slide on bearing with locking device


**€ 253,85**

Cabinet dimensions	500 x 460 x 1000h mm
Steel thickness	1 mm
Internal shelves	2
Maximum capacity	100 kg
Shelf capacity	25 kg
Net weight	35 kg

**0849**
**€ 239,00**
**ALUMINUM CASE SET**

Ergonomic handles and lock with key.



Cases dimensions	730 x 380 x 360h mm - 680 x 310 x 320h mm - 475 x 260 x 210h mm
Net weight	14 kg


**€ 220,60**
**0363-**
**3 PCS STEEL CASE SET**

Padlockable.

**starting from € 175,40**


External Dimensions	Net weight	Art.	€	Promo
770 x 420 x 305h mm, 915 x 440 x 565h mm, 1220 x 620 x 700h mm	107 kg	0363	€-1040,00	€ 960,00
770x420x305h mm	14,5 kg	0363/30	€-190,00	€ 175,40
915 x 440 x 565h mm	35 kg	0363/36	€-243,00	€ 224,30
1220 x 620 x 700h mm	57 kg	0363/48	€-686,00	€ 633,25

**C900/B**
**€ 438,00**
**TOOL ROLLING CABINET**

Composed of 6 drawers with central locking, 2 swivel and 2 fixed casters


**€ 404,30**

Dimensions	685 x 455 x 850h mm
Drawer capacity	25 kg
Drawer dimensions	585 x 410 mm
Drawers height	2 x 45 mm - 2 x 100 mm - 2 x 150 mm
Net weight	44 kg

**C902/B**

€ 349,00

**TOOL ROLLING CABINET**

Composed of 3 drawers roll-wagon with central locking, 2 swivel and 2 fixed casters



€ 322,15

Compartment dimensions	575 x 430 x 315h mm
Dimensions	680 x 435 x 780h mm
Drawer capacity	25 kg
Net weight	27 kg

**0323/55**

€ 55,70

**TOOL CHEST**

With 5 trays.



€ 49,85



Dimensions	550 x 200 x 205h mm
Net weight	4,5 kg

**0323/45**

€ 49,10

**TOOL CHEST**

With 5 trays.



€ 43,90



Dimensions	450 x 200 x 205 h mm
Net weight	4 kg

**0682**

€ 98,60

**ABS TOOL CASE**

Tools not included



€ 77,45



A	460 mm	E	52 mm
B	330 mm	Capacity	25 kg
C	150 mm	Net weight	2,9 kg
D	98 mm		

**0683**

€ 168,00

**TROLLEY ABS TOOL CASE**

Tools not included



€ 128,10



A	460 mm	E	92 mm
B	330 mm	Capacity	25 kg
C	190 mm	Net weight	4,5 kg
D	98 mm		

**068X**

**ALUMINIUM TOOL CASE**

Tools not included



starting from € 107,50



A	B	C	D	E	Capacity	Net weight	Art.	€	Promo
510 mm	375 mm	185 mm	110 mm	75 mm	30 kg	5 kg	0680	€ 137,00	€ 107,50
440 mm	390 mm	185 mm	110 mm	75 mm	30 kg	4,8 kg	0681	€ 118,00	€ 99,20

**0036-**

**STEEL VICE**

Attaches directly to the work base to ensure high stability. Lateral sliding adjustment.



starting from € 92,40



Jaws	Opening	Working height	Slot distance	Net weight	Art.	€	Promo
100 mm	105 mm	60 mm	85 mm	4,9 kg	0036/100	€ 114,00	€ 92,40
125 mm	138 mm	75 mm	110 mm	9,5 kg	0036/125	€ 169,00	€ 145,25
150 mm	180 mm	90 mm	150 mm	19 kg	0036/150	€ 285,00	€ 263,10

**0036-XG**

**TABLE VICE WITH SWIVEL BASE**

Attaches directly to the work base to ensure high stability. Lateral sliding adjustment. Equipped with swivel mechanism.




starting from € 115,65



Jaws	Opening	Net weight	Art.	€	Promo
100 mm	105 mm	5,5 kg	0036/100G	€ 134,00	€ 115,65
125 mm	124 mm	11 kg	0036/125G	€ 184,00	€ 164,85
150 mm	180 mm	22 kg	0036/150G	€ 316,00	€ 290,50

**0135-**
**FORGED STEEL VICE**

Attaches directly to the work base to ensure high stability. Lateral sliding adjustment.



Jaws	Opening	Working height	Slot distance	Net weight	Art.	€	Promo
100 mm	125 mm	60 mm	98 mm	5,8 kg	0135/100	€-122,00	€ 103,80
125 mm	160 mm	70 mm	111 mm	9,8 kg	0135/125	€-173,00	€ 147,15
150 mm	190 mm	85 mm	136 mm	17,8 kg	0135/150	€-275,00	€ 233,65

**0140-**
**STEEL VICE**

Attaches directly to the work base to ensure high stability. Lateral sliding adjustment. Equipped with hose clamp. Recommended for heavy use.




Jaws	Opening	Working height	Slot distance	Net weight	Art.	€	Promo
80 mm	80 mm	60 mm	81 mm	4 kg	0140/080	€-45,00	€ 39,90
100 mm	100 mm	65 mm	81 mm	5,5 kg	0140/100	€-53,50	€ 46,55
125 mm	125 mm	90 mm	103 mm	10 kg	0140/125	€-79,00	€ 68,75
150 mm	150 mm	95 mm	123 mm	14 kg	0140/150	€-99,40	€ 86,40

**0591-**
**PRO**
**STEEL VICE**


Attaches directly to the work base to ensure high stability. Lateral sliding adjustment. Equipped with bearing on the screw, hose clamp and interchangeable jaws.



Jaws	Opening	Net weight	Art.	€	Promo
100 mm	95 mm	5,3 kg	0591/100	€-151,00	€ 130,30
125 mm	130 mm	11 kg	0591/125	€-213,00	€ 188,00
150 mm	230 mm	23 kg	0591/150	€-321,00	€ 288,40

**0146/60**
**€-25,20**
**STEEL VICE WITH SWIVEL BASE**



Jaws	60 mm
Opening	65 mm
Clamp capacity	51 mm
Net weight	1,5 kg

**M006-**
**GENERAL USE STEEL CLAMP WITH T-SPINDLE**


Span x Depth	Spindle	Art.	€	Promo
200 x 120 mm	22 x 10,5 mm	M006/200	€-27,20	€ 24,40
300 x 140 mm	25 x 12 mm	M006/300	€-38,10	€ 30,30
420 x 120 mm	25 x 12 mm	M006/400	€-38,60	€ 32,80
500 x 120 mm	25 x 12 mm	M006/500	€-42,90	€ 33,20
600 x 120 mm	25 x 12 mm	M006/600	€-61,60	€ 42,00
800 x 120 mm	25 x 12 mm	M006/800	€-74,00	€ 46,30
1000 x 120 mm	25 x 12 mm	M006/1000	€-87,90	€ 56,90

**M007-**
**GENERAL USE STEEL CLAMP RATCHET**

Quick clamping.



Span x Depth	Spindle	Art.	€	Promo
250 x 120 mm	22 x 10,5 mm	M007/250	€-53,30	€ 40,95
300 x 140 mm	25 x 12 mm	M007/300	€-61,60	€ 49,95
400 x 120 mm	25 x 12 mm	M007/400	€-67,20	€ 46,30
500 x 120 mm	25 x 12 mm	M007/500	€-72,40	€ 56,70
600 x 120 mm	25 x 12 mm	M007/600	€-80,60	€ 67,55

**0157-**
**C50 HARDENED STEEL ANVIL**

Sturdy construction, round hole and square hole for punching and bending.



Tolerance	Net weight	Art.	€	Promo
±5%	10 kg	0157/10	€-112,00	€ 94,95
±5%	30 kg	0157/30	€-269,00	€ 229,45
±5%	50 kg	0157/50	€-392,00	€ 341,90
±5%	100 kg	0157/100	€-819,00	€ 732,55

**0615**
**€-4310,00**
**PRESSURE SANDBLAST CABINET**

With cyclone vacuum cleaner, HEPA filter, front opening and ceiling light with 3 fluorescent lamps.

Internal dimensions	1180 x 850 x 890 h mm
Maximum capacity	150 kg
Working pressure	6 ÷ 8 Bar
Air consumption	31 SCFM 880 l / min
Gun nozzle	ø 6 - 7 mm
Electric vacuum	230 V 50 Hz 0.7 kW
Filtration rate	8 micron
With light	Yes
Overall dimensions	1330 x 1515 x 2070 h mm
Net weight	300 kg





0605

€ 3810,00

**SANDBLAST CABINET WITH 2 DUST COLLECTORS**

With pressurized tank to have a greater abrasive effect, 2 cyclone-type dust collectors, paper filter, front opening and ceiling light with 3 fluorescent lamps

Working area	1180 x 850 x 890 h mm
Maximum capacity	150 kg
Working pressure	6 ÷ 8 Bar
Air consumption	31 SCFM 880 l / min
Gun nozzle	ø 6 - 7 mm
Electric vacuum	2 x 230 V 50 Hz 1,2 kW
Filtration rate	5 micron
With light	Yes
Overall dimensions	1800 x 1515 x 2070 h mm
Net weight	245 kg



0601

€ 3120,00

**SANDBLAST CABINET WITH DUST COLLECTOR**

Cyclone-type, paper filter, front opening and ceiling light with 3 fluorescent lamps

Working area	1180 x 850 x 890h mm
Maximum capacity	150 kg
Working pressure	6 ÷ 8 Bar
Air consumption	21 SCFM 630 l / min
Gun nozzle	ø 6 - 7 mm
Electric vacuum	230 V 50 Hz 1,2 kW
Filtration rate	5 micron
With light	Yes
Overall dimensions	1330 x 1240 x 1770 h mm
Net weight	180 kg



0687

€ 2220,00

**VERTICAL SANDBLAST CABINET WITH VACUUM**

With paper filter

Working area	1200 x 600 x 600 h mm
Maximum capacity	120 kg
Working pressure	6.5 ÷ 7.5 Bar
Air consumption	21 SCFM 630 l / min
Gun nozzle	ø 6 - 7 mm
Electric vacuum	230 V 50 Hz 1,2 kW
Filtration rate	5 micron
Overall dimensions	1220 x 910 x 1740 h mm
Net weight	149 kg



0575S

€ 690,00

**SANDBLAST CABINET**

In kit

Working area	860 x 560 x 560 h mm
Working pressure	6.5 ÷ 7.5 bar
Air consumption	8 ÷ 10 SCFM (240 ÷ 300 l / min)
Gun nozzle	ø 4 - 5 - 6 - 7 mm
Overall dimensions	905 x 620 x 1390 h mm
Net weight	44 kg



0487

€ 304,00

**BENCH SANDBLAST**

With provision for the connection of a vacuum cleaner, lighting with low consumption lamp, gun and gloves

Working area	685 x 455 x 420 mm
Working pressure	6.5 ÷ 7.5 Bar
Air consumption	8 ÷ 10 SCFM (240 ÷ 300 l / min)
Gun nozzle	ø 4 - 5 - 6 - 7 mm
With light	230 V 50 Hz; 6 W 12 V
Overall dimensions	755 x 495 x 720 h mm
Net weight	26.5 kg



0580S

€ 256,00

**BENCH SANDBLAST CABINET**

In kit

Overall dimensions	585 x 485 x 495 h mm
Working area	560 x 460 x 280 h mm
Working pressure	6.5 ÷ 7.5 Bar
Air consumption	8 ÷ 10 SCFM (240 ÷ 300 l / min)
Gun nozzle	ø 4 - 5 - 6 - 7 mm
Net weight	16 kg



0462

€ 792,00

**SANDBLAST MACHINE WITH VACUUM**

For rusted metallic objects that can't be put in traditional sandblast machine. if the object to be considered is flat, the vacuum cleaner allows the operator to not lose the most part of the abrasive material that is being used. the four wheels, two of which swivel, allow the operator that the machine is close to the object to be sandblasted

Tubes length	2.5 m
Motor	230 V 50 Hz 1.2 kW
Max vacuum capacity	13 ÷ 15 kPa
Working pressure	8 Bar
Air consumption	420 l / min
Dimensions	404 x 612 x 1046 h mm
Net weight	30 kg



0310

€ 201,00

**SODA BLASTER**


For external use, light weight, easy to carry, indicated for the removal of paints, rust, graffiti etc ..

Overall dimensions	350 x 400 x 788 h mm
Capacity	18 l
Working pressure	2.5 ÷ 6.2 bar
Air consumption	8 ÷ 10 SCFM (240 ÷ 300 l / min)
Gun nozzle	ø 2 - 3 mm
Net weight	13 kg



**0582-**
**SANDBLAST CORUNDUM**


It stands out for being edgy and extremely stable by combining the properties of hardness and density. Its longevity and reusability make it the most used material for sandblasting. Being composed for the most part of aluminum oxide it is practically free of iron. Particularly suitable for cleaning metal surfaces, removing rust and oxide layers and removing temper colors


**€ 88,60**

Grit	Hardness	Net weight	Art.	€	Promo
36	9 Mohs	25 kg	0582/36	€ 96,00	€ 88,60
80	9 Mohs	25 kg	0582/80	€ 96,00	€ 88,60

**NEW**
**0578-**
**SILICON CARBIDE**

Black Silicon Carbide is the hardest material used for sandblasting, making it the ideal solution for all the most demanding jobs. Virtually iron-free, its abrasive properties make it very aggressive and fast in removing impurities. Its conformation allows the grains to break continuously creating new sharp and cutting edges, increasing the fineness of the grain size. Very durable it allows a high reusability. It tends to be incorporated into the material


**€ 105,30**

Grit	Hardness	Net weight	Art.	€	Promo
36	9.1 Mohs	25 kg	0578/36	€ 132,00	€ 105,30
80	9.1 Mohs	25 kg	0578/80	€ 132,00	€ 105,30

**0579-**
**NEW**
**GARNET**

Garnet is one of the last natural abrasives still in use. It is a natural stone, and therefore ecological, with excellent abrasive properties that allows you to create profiles without abrasive incorporation, produce little dust and have a relatively low consumption. It is excellent for removing hard coatings, paint, rust and laminate scales. It can be used for both dry and water sandblasting. Its low cost makes it an alternative to corundum.


**starting from  
€ 42,10**

Grit	Hardness	Net weight	Art.	€	Promo
36 ÷ 60	7.5 Mohs	25 kg	0579/30	€ 52,00	€ 42,10
80	7.5 Mohs	25 kg	0579/80	€ 52,00	€ 42,10

**0569**
**NEW**
**€ 82,50**
**STEEL SHOT**

Thanks to their spherical surface and hardness they allow to obtain shiny surfaces. Excellent for removing paint, blemishes, burrs and rust. Their low crushing does not create dust inside the sandblasting cabin and allows a long life of the abrasive. They can be used both as a means for shot peening and for both dry and water sandblasting.


**€ 65,80**

Grit	S390
Hardness	40 ÷ 50 HRC
Net weight	25 kg

**0581**
**€ 84,80**
**MICRO GLASS BEADS**

Thanks to their spherical shape they are perfect for surface finishing. They create smooth and bright surfaces, leaving an incomparable satin effect. As they do not contain iron, they are very suitable for working on stainless steel for food use and aluminum. The microspheres will not damage the substrate of the material being processed but will leave an anchoring profile for subsequent painting, especially on soft materials such as brass, aluminum, plastics, etc...


**€ 78,30**

Grit	50 ÷ 70 (0,3 ÷ 0,2 mm)
Hardness	5-7 Mohs
Net weight	25 kg

**0310B**
**€ 74,00**
**SODA BLASTING MEDIA**

Salt composed basic bicarbonate synthetic, suitable for treating steel, aluminum, fiberglass, plastic, bricks etc ...


**€ 64,40**

Grit	36 ÷ 80 (0,5 ÷ 0,3 mm)
Hardness	2,5 - 3 Mohs
Decomposition temperature	> 50°C
Net weight	25 kg

**0305**
**€ 761,00**
**PART WASHER WITH HEATING SYSTEM**

For washing with hot water up to 60° C, with a Venturium pneumatic gun.


**€ 702,45**

Tank capacity	8 ÷ 14 l
Avg air cons.	5 SCFM 145 l / min
Working area	760 x 560 x 380 mm
Washing pressure	5 ÷ 8 Bar
Power	1350 W
Dimensions	790 x 610 x 1260 h mm
Net weight	49 kg

**0203**
**€ 582,00**
**BENCH PART WASHER**

For washing with water/solvent, with a venturium pneumatic gun


**€ 537,25**

Dimensions	770 x 595 x 700h mm
Tank capacity	4 ÷ 9 l
Avg air cons.	5 SCFM 145 l / min
Working area	765 x 560 x 380 mm
Power	30 W
Washing pressure	5 ÷ 8 Bar
Power	230 V 50 Hz
Net weight	32 kg

**0486** € 545,00

**PARTS WASHER WITH DUAL PUMP**

Left tank internal dimensions	470 x 520 x 270 mm
Right tank internal dimensions	590 x 520 x 270 mm
Tub capacity	150 l
Pump	230V 50Hz 26 + 26 W
Pump capacity	10 ÷ 12 l/min
Size	1140 x 550 x 880 h mm
Net weight	43 kg



**0038** € 283,00

**DEGREASER CLEANING TANK**

75L capacity, with 26w pump, cleaning brush and hose, workpiece tray.

Internal tank dimensions	710 x 480 x 260h mm
Tub capacity	75 l
Pump	230 V 50 Hz 26 W
Pump capacity	10-12 l / min
Dimensions	775 x 540 x 880 h mm
Net weight	25 kg



**0232** € 357,00

**DEGREASER CLEANING TANK WITH WHEEL**

Internal tank dimensions	710 x 480 x 200 h mm
Tub capacity	60 l
Pump	230 V 50 Hz 26 W
Pump capacity	10 ÷ 12 l / min
Dimensions	970 x 540 x 930 h mm
Net weight	35 kg



**0632-**

**DETERGENT LIQUID**



starting from  
**€ 86,25**

Contents	Specification	Art.	€	Promo
25 l	Solvent base	0632/D	€ 143,00	€ 123,85
25 l	Water dilutable max. 50%	0632/DA	€ 191,00	€ 165,15
25 l	Water dilutable max. 20%, hot usage	0632/DCF	€ 105,00	€ 86,25

**A024/10** € 69,90

**WET AND DRY VACUUM CLEANER**

With ABS tank, blower function, equipped with accessories.

Power	1,2 kW
Capacity	10 l
Motor	230 V 50 Hz
Air flow	30 ± 2 l/s
Net weight	3,7 kg



**A025/30** € 104,00

**WET AND DRY VACUUM CLEANER**

With stainless steel tank, blower function, equipped with accessories

Power	1,2 kW
Capacity	30 l
Motor	230 V 50 Hz
Air flow	28 l / s
Net weight	6 kg



**A040/30A** € 182,00

**INDUSTRIAL WET AND DRY VACUUM CLEANER EQUIPPED OF ACCESSORIES**

For industrial use, with socket for electronic devices

Power	1,4 kW
Capacity	30 l
Motors	1 (230 V 50 Hz)
Air flow	35 l / s
Power socket	1600 W
Net weight	7,5 kg



**A040/60A** € 296,00

**INDUSTRIAL WET AND DRY VACUUM CLEANER EQUIPPED OF ACCESSORIES**

For industrial use, with socket for electronic devices

Power	1,4 kW
Capacity	60 l
Motors	1 (230 V 50 Hz)
Air flow	46 l / s
Power socket	1600 W
Net weight	13 kg



**A024/602**
**€ 287,00**
**60L 2 MOTORS WET AND DRY VACUUM CLEANER**

With ABS tank, equipped with accessories.



Power	2,8 kW
Capacity	60 l
Motors	2 (230 V 50 Hz)
Air flow	30 ± 2 l/s
Net weight	12,5 kg

**€ 264,90**
**A040/802**
**€ 519,00**
**80L 2 MOTORS INDUSTRIAL WET AND DRY VACUUM CLEANER**

For industrial use, equipped with accessories



Power	2 kW
Capacity	80 l
Motors	2 (230 V 50 Hz)
Air flow	75 l/s
Dimensions	600 x 580 x 950 mm
Net weight	25 kg

**€ 479,10**
**A040/803**
**€ 642,00**
**80L 3 MOTORS INDUSTRIAL WET AND DRY VACUUM CLEANER**

For industrial use, equipped of accessories



Power	3 kW
Capacity	80 l
Motors	3 (230 V 50 Hz)
Air flow	96 l/s
Dimensions	600 x 580 x 950 mm
Net weight	28 kg

**€ 592,60**
**P001/45**
**€ 2860,00**
**HYDRAULIC SHOP PRESS WITH MANUAL PNEUMATIC CONTROL**

Equipped with mobile piston with trolley, with winch for bench movement, manual control and pneumatic servo pump with hand control



Capacity	45000 kg
Working area	830 x 360 x 1000 h mm
Cylinder ø	90 mm
Ram ø	58 mm
Ram stroke	190 mm
Working pressure	7- 8 Bar
Max. pressure	63,5 MPa
Dimensions	1400 x 800 x 1700 h mm
Net weight	330 kg

**€ 2603,05**
**P001/30**
**€ 1130,00**
**HYDRAULIC SHOP PRESS**

With two speed pump and movable piston



Capacity	30000 kg
Working area	525 x 290 x 980h mm
Cylinder ø	92 mm
Ram ø	56 mm
Ram stroke	160 mm
Max. pressure	69 MPa
Dimensions	875 x 700 x 1780 h mm
Net weight	145 kg

**€ 961,40**
**P001/20**
**€ 924,00**
**HYDRAULIC SHOP PRESS**

With moveable piston



Capacity	20000 kg
Working area	495 x 200 x 1125 h mm
Cylinder ø	75 mm
Ram ø	48 mm
Ram stroke	140 mm
Max. pressure	69.3 MPa
Dimensions	690 x 600 x 1830 h mm
Net weight	94 kg

**€ 818,10**
**P001/12**
**€ 559,00**
**HYDRAULIC SHOP PRESS**

With movable piston



Capacity	12000 kg
Working area	480 x 190 x 900 h mm
Cylinder ø	56 mm
Ram ø	38 mm
Ram stroke	135 mm
Max. pressure	69 MPa
Dimensions	730 x 550 x 1600 h mm
Net weight	60 kg

**€ 493,15**
**P001/10**
**€ 457,00**
**HYDRAULIC SHOP PRESS**

With bench and movable piston



Capacity	10000 kg
Working area	340 x 140 x 370 h mm
Cylinder ø	56 mm
Ram ø	38 mm
Ram stroke	130 mm
Max. pressure	69 MPa
Dimensions	565 x 500 x 1040 h mm
Net weight	52 kg

**€ 402,45**



**P001/04**

€ 305,00

**HYDRAULIC SHOP PRESS**

Counter top, 4 ton, for bearings

Capacity	4000 kg
Working area	350 x 115 x 325 h mm
Cylinder ø	40 mm
Ram ø	25 mm
Ram stroke	125 mm
Max. pressure	51 MPa
Dimensions	450 x 400 x 655 h mm
Net weight	30 kg



**P028-**

**HAND PUNCH**

With spring loaded return

starting from  
**€ 118,05**



Max height piece	Max ø piece	Net weight	Art.	€	Promo
170 mm	150 mm	8,5 kg	P028/07	€ 137,00	€ 118,05
275 mm	180 mm	18 kg	P028/14	€ 232,00	€ 206,65

**0054/10**

€ 385,00

**HYDRAULIC BODY FRAME REPAIR KIT**



Capacity	10 ton	Ram stroke	130 mm
Ram length	330 mm	Net weight	30 kg

**0054/4**

€ 310,00

**HYDRAULIC BODY FRAME REPAIR KIT**



Capacity	4 ton	Ram stroke	120 mm
Ram length	270 mm	Net weight	19 kg

**0271**

€ 142,00

**HYDRAULIC PUMP**

With pump activation pedal.



Rated pressure	63,7 MPa
Usable oil capacity	790 ml
Hose length	1500mm
Net weight	7 kg

**0567**

€ 103,00

**LOW PROFILE HYDRAULIC TROLLEY JACK**

2 tons, made of steel



Capacity	2 ton
Lifting	90 ÷ 385 mm
Dimensions	580 x 165 x 235 h mm
Net weight	13 kg

**0369**

€ 358,00

**HYDRAULIC TROLLEY JACK**

Dual pump, with removeable saddle and rubber pad



Capacity	3,5 ton
Dimensions	745 x 335 x 180 mm
Lifting	110 ÷ 560 mm
Net weight	46 kg

**0375A**

€ 295,00

**LOW PROFILE HYDRAULIC TROLLEY JACK**

2,5 ton, double pump quick lift, with load limiter.



Capacity	2.5 ton
Lifting	75 ÷ 500 mm
Dimensions	680 x 345 x 220 h mm
Net weight	32,5 kg

**0060** € 76,10

**HYDRAULIC TROLLEY JACK**

Metal body frame. Handle for hand carrying. Extendable lever.



Capacity	2 ton
Dimensions	535 x 225 x 145 mm
Lifting	135 ÷ 385 mm
Net weight	11 kg

**€ 70,25**
**C039/25** € 315,00

**HYDRAULIC TROLLEY JACK**

Aluminium and steel hydraulic trolley jack with double pump



Capacity	2.5 ton
Dimensions	659 x 289 x 165 h mm
Lifting	110 ÷ 460 mm
Net weight	27 kg

**€ 258,30**
**C039/15** € 228,00

**HYDRAULIC TROLLEY JACK**

Aluminium and steel hydraulic trolley jack with double pump



Capacity	1,5 ton
Dimensions	490 x 270 x 130 h mm
Lifting	90 ÷ 358 mm
Net weight	15 kg

**€ 187,95**
**0658** € 858,00

**HYDRAULIC JACK**


Capacity	10 ton
Lifting range of foot	30 ÷ 260 mm
Lifting range of head	420 ÷ 665 mm
Net weight	30 kg

**€ 682,20**
**0067** € 29,20

**COUPLE JACK STAND**

Height adjustable with fixing pin.



Capacity	2 ton
Heights	240 - 270 - 320 - 365 mm
Net weight	3 kg

**€ 26,90**
**0069-**
**COUPLE JACK STAND**

**starting from € 44,55**

Capacity	Height min - max	Base dimensions	Art.	€	Promo
3 ton	298 ÷ 428 mm	190 x 210 mm	0069/3	€ 48,20	€ 44,55
6 ton	400 ÷ 610 mm	260 x 285 mm	0069/6	€ 89,60	€ 82,95
10 ton	468 ÷ 718 mm	290 x 328 mm	0069/10	€ 197,00	€ 171,60

**0021/1** € 554,00

**HYDRAULIC FOLDING CRANE**

With two pivoting wheels with brakes, cast iron wheels. Lowering system and pumping lever arranged laterally. The ability to fold the legs when not in use allows it to be stored in confined spaces.



Capacity	1000 kg
Dimensions	1540 x 1020 x 1550h mm
Fold dimensions	490 x 510 x 1520h mm
Min/max boom extension	810 ÷ 1090 mm
Hook heights with raised arm	1900 mm @ 1000 kg   2080 mm @ 250 kg
Hook heights with lowered arm	0 mm @ 250 kg   240 mm @ 1000 kg
Front opening	1030 mm
Net weight	64,5 kg

**€ 441,65**
**0021/2** **NEW** € 678,00

**HYDRAULIC FOLDING CRANE**

With two pivoting wheels with brakes, cast iron wheels. Lowering system and pumping lever arranged laterally. The ability to fold the legs when not in use allows it to be stored in confined spaces.



Capacity	2000 kg
Dimensions	1760 x 1031 x 1600h mm
Fold dimensions	855 x 720 x 1610h mm
Min/max boom extension	750 ÷ 1280 mm
Hook heights with raised arm	1980 mm @ 2000 kg   2450 mm @ 500 kg
Hook heights with lowered arm	0 mm @ 500 kg   300 mm @ 2000 kg
Front opening	1050 mm
Net weight	90,5 kg

**€ 593,00**

0063

€ 695,00

**HYDRAULIC FOLDING CRANE**

With two pivoting wheels and rear pad brake, lowering system and pumping lever placed in the rear, cast iron wheels. The ability to fold the legs when not in use allows it to be stored in confined spaces.

Capacity	1000 kg
Dimensions	1800 x 1000 x 1500h mm
Fold dimensions	800 x 860 x 1600h mm
Min/max boom extension	680 ÷ 1220 mm
Hook heights with raised arm	2100 mm @ 1000 kg   2550 mm @ 250 kg
Hook heights with lowered arm	0 mm @ 250 kg   480 mm @ 1000 kg
Front opening	800 mm
Net weight	90 kg



€ 626,10

0094

€ 348,00

**TRANSMISSION JACK**

With load limiter, cross support and tilt support to better align and position gearboxes and differentials.

Capacity	500 kg
Dimensions	1190 x 700 x 660 mm
Min - Max height	1190 ÷ 2000 mm
Net weight	32,5 kg



€ 323,15

S033

NEW € 164,00

**ENGINE STAND**

2 swivel wheels with brake and 2 fixed cast iron wheels, possibility to tilt the engine. Equipped with rotating small parts shelf



€ 155,25

Capacity	600 kg
Dimensions	1230 x 850 x 930 mm
Net weight	27,5 kg

S068

NEW € 209,00

**ENGINE STAND**

2 swivel wheels with brake and 2 fixed cast iron wheels, possibility to tilt the engine. The ability to fold it when not in use allows it to be stored in confined spaces.



€ 198,10

Capacity	680 kg
Dimensions	860 x 830 x 870 mm
Net weight	31 kg

S019

€ 149,00

**ENGINE STAND**

2 wheels with breaks and 2 fix wheels, possibility to tilt the motor



€ 136,65

Capacity	450 kg
Dimensions	865 x 810 x 870 mm
Net weight	21 kg

S024

€ 143,00

**ENGINE SUPPORT**

Engine support holds your engine or transmission in place during heavy automotive repairs, used to support the engine while removing gear box, transmission, replacing clutch and all motor mounts. rubber feet for safe hold of motor, easy regulation for hold engine in its place in the car. swivel and tilting holders.



€ 124,55

Capacity	500 kg
Adjusting height	205 mm
Bed length	730 ÷ 1480 mm
Net weight	13 kg

0594

€ 147,00

**OIL DRAINER WITHOUT TANK**

With wheels, to use under lifts, for waste oil



€ 135,70

Base dimensions	390 x 390 mm
Height max	1700 mm
Net weight	13 kg

0595

€ 295,00

**OIL DRAINER**

With tank and wheels, to use under lifts, for waste oil



€ 272,30

Tank capacity	70 l
Height min - max	1170 ÷ 1860 mm
Maximum tank pressure	0.45 bar
Net weight	23 kg

**0596**
**€ 473,00**
**PNEUMATIC OIL DRAINER**

With wheels and different size of suction probes, for waste oil, for use under lifts too

Tank capacity	70 l
Measuring tank capacity	10 l
Height max	1500 mm
Metal probe	2 x ø6 mm x 695 mm
Nylon probe	2 x ø6 mm x 680 mm   2 x ø8 mm x 700 mm
Suction	ø6 x 4,5 mm - 0,4 ÷ 0,8 l/min   ø8 x 6,5 mm - 1 ÷ 1,6 l/min
Rubber hose length	Suction 1500 mm   Drain 2050 mm
Power pressure	8 ÷ 10 bar
Maximum tank pressure	0.45 bar
Net weight	25 kg


**€ 436,60**
**0630/2720**
**€ 1050,00**
**12V ELECTRIC WINCH - DIRECT CURRENT**

Permanent magnet motor, metal frame, strong cable, with anti unwinding device and cable guide. To be used only for horizontal pulling, not suitable for lifting.



Rated line pull	2720 kg
Speed	1,3 - 4,5 m / min
Motor	12 V 1,3 kW 1,8 hp
Gear Reduction ratio	294:1
Cable size	ø 7,2 mm x 32 m
Drum dimensions	ø 63 x 228 mm
Overall dimensions	520 x 180 x 175h mm
Net weight	29 kg


**€ 884,15**
**0630/2200**
**€ 776,00**
**12V ELECTRIC WINCH - DIRECT CURRENT**

Permanent magnet motor, metal frame, strong cable, with anti unwinding device and cable guide. To be used only for horizontal pulling, not suitable for lifting



Rated line pull	2000 kg
Speed	1,5 - 3,6 m / min
Motor	12 V 1,0 kW 1,3 hp
Gear reduction ratio	172:1
Cable size	ø 6,4 mm x 14,5 m
Drum dimensions	ø 45 x 97 mm
Overall dimensions	364 x 126 x 141h mm
Net weight	13 kg


**€ 581,20**
**0630/0900**
**€ 314,00**
**12V ELECTRIC WINCH - DIRECT CURRENT**

Permanent magnet motor, metal frame, hook with pulley for double pull, resistant cable, with anti unwinding device and cable guide. To be used only for horizontal pulling, not suitable for lifting.



Rated line pull	450 / 900 kg
Speed	1,3 - 3,2 m / min
Motor	12 V 0,7 kW 0,9 hp
Gear reduction ratio	153:1
Cable size	ø 4 mm x 15 m
Drum dimensions	ø 31,5 x 73 mm
Overall dimensions	285 x 105 x 105h mm
Net weight	6,7 kg


**€ 246,85**
**S029P**
**€ 2850,00**
**ELECTRO-HYDRAULIC MOTORCYCLE LIFT**

With pump and separate control system that give the possibility to position it at floor level.


**€ 2630,75**

Max lifting capacity	600 kg
Platform dimensions	2200 x 750 mm
Total length	2995 mm
Service hole dimensions	550 x 340 mm
Min - Max height	215 - 520 - 625 - 710 - 780 - 840 mm
Vice	330 x 320 mm
Vice opening	40 ÷ 180 mm
Motor	230 V 50 Hz 550 W
Net weight	240 kg

**S027**
**€ 2400,00**
**ELECTRO-HYDRAULIC MOTORCYCLE LIFT**

**€ 2215,40**

Max lifting capacity	600 kg
Platform dimensions	1800 x 600 mm
Total length	2600 mm
Service hole dimensions	550 x 340 mm
Min - Max height	260 ÷ 880 mm
Vice	330 x 320 mm
Vice opening	40 ÷ 200 mm
Motor	230 V 50 Hz 550 W
Net weight	150 kg

**S008/M**
**€ 969,00**
**HYDRAULIC MOTORCYCLE LIFT TABLE**

With foot pump


**€ 894,45**

Max lifting capacity	400 kg
Platform dimensions	1825 x 660 mm
Total length	2500 mm
Min - Max height	195 ÷ 750 mm
Vice	270 x 100 mm
Vice opening	210 x 50 mm
Net weight	133 kg

**S013**
**€ 1900,00**
**HYDRAULIC LIFT TABLE**

With foot pump and pneumatic control


**€ 1753,85**

Max lifting capacity	600 kg
Platform dimensions	2000 x 1220 mm
Total length	2575 mm
Min - Max height	185 ÷ 825 mm
Net weight	230 kg



**0430** €266,00

**MOTORCYCLE DOLLY**

Powder coated steel. It is suitable for motorcycles and scooters that have the side stand. It allows you to move and to park your bike in tight spaces



Maximum capacity	300 kg
Length	1929 mm
Net weight	33 kg

€249,10

**0645/S** €56,70

**SHOP SEAT**

With pivoting wheels, tool holder base, seat with padding



Dimensions	368 x 360 x 365 mm
Net weight	3,8 kg

€52,35

**0645/CP** €70,50

**PLASTIC CREEPER**

Shockproof, with 6 wheels.



Dimensions	1000 x 470 x 120h mm
Net weight	4,8 kg

€65,10

**0062-**

**BOTTLE JACK**

Hydraulic jack. It provides an excellent stability thanks to its small size. easy to carry and use



starting from  
€23,05

Capacity	Min. height	Lifting	Art.	€	Promo
2 ton	181 mm	116 mm	0062/2	€26,30	€23,05
5 ton	220 mm	127 mm	0062/5	€41,00	€34,00
10 ton	230 mm	150 mm	0062/10	€55,10	€51,90
15 ton	230 mm	150 mm	0062/15	€81,30	€66,65
20 ton	242 mm	150 mm	0062/20	€92,80	€79,30
32 ton	285 mm	180 mm	0062/32	€178,00	€123,60
50 ton	295 mm	180 mm	0062/50	€306,00	€261,90

**S017** €230,00

**UNIVERSAL TELESCOPIC CART**

Adjustable in height and length, made of square steel pipes, after use it can be stored in small space, upper sides with rubber to prevent scratches and give more stability to the leaned object, 4 swivel casters of which 2 with brake, ideal for the car body repair, for repairing and spraying area



Height min - max	840 ÷ 1320 mm
Length	225 ÷ 1380 mm
Width	860 mm
Capacity	100 kg
Net weight	26 kg

€212,30

**0645/CC** €95,60

**THREE-DRAWER CAR SEAT**

Equipped with 3 drawers with bearings, 3 can trays and a small frontal tray, 4 pivoting wheels



Dimensions	370 x 400 x 367h mm
Drawer dimensions	3 - 150 x 300 x 40 h mm
Net weight	8 kg

€88,25

**0645/C** €63,30

**6 WHEELS CAR CREEPER**



Dimensions	1030 x 420 x 110h mm
Net weight	6,5 kg

€58,45

**0010** €853,00

**LIFT TROLLEY**

With foldable handle, mechanical blocking system of the platform, swivel wheels with brakes



Capacity	500 kg
Table dimensions	850 x 500 x 50 mm
Lifting	290 ÷ 880 mm
Net weight	86 kg

€787,40

**0075**
**€ 780,00**
**LIFT TROLLEY**

With foldable handle with mechanical blocking system, swivel wheels with brakes


**€ 720,00**

Capacity	300 kg
Table dimensions	850 x 500 x 50 mm
Lifting	290 ÷ 880 mm
Net weight	78 kg

**0467**
**€ 1010,00**
**HIGH LIFT TROLLEY**

With double scissor action, mechanical blocking system of the platform, swivel wheels with brakes


**€ 932,30**

Capacity	350 kg
Table dimensions	910 x 500 x 53 mm
Lifting	335 ÷ 1300 mm
Net weight	92 kg

**C650**
**€ 180,00**
**THREE SHELVES TROLLEY**

Strong and easy to assemble, 2 swivel and 2 fixed casters


**€ 166,15**

Dimensions	800 x 450 x 800h mm
Steel thickness	2 mm
Wheels	ø 80 mm
Capacity	100 kg
Net weight	23 kg

**C750**
**€ 296,00**
**THREE SHELVES TROLLEY**

Strong and easy to assemble, 2 swivel and 2 fixed casters


**€ 273,25**

Dimensions	940 x 600 x 870h mm
Steel thickness	2,3 mm
Wheels	ø 150 mm
Capacity	200 kg
Net weight	52 kg

**C065/2**
**€ 190,00**
**PP TWO SHELVES TOOL CART**

Light weight, strong and easy to assemble, 2 swivel and 2 fixed casters


**€ 175,40**

Dimensions	1010 x 440 x 840h mm
Wheels	ø 125 mm
Capacity	250 kg
Working temperature	-20 a +50
Net weight	15,5 kg

**C075/2**
**€ 249,00**
**PP TWO SHELVES TOOL CART**

Light weight, strong and easy to assemble, 2 swivel and 2 fixed casters


**€ 229,85**

Dimensions	1170 x 652 x 840h mm
Wheels	ø 125 mm
Capacity	250 kg
Net weight	22,5 kg

**C009**
**€ 400,00**
**CART WITH WOODEN SHELF**

Cart made of steel, with 2 fixed wheels and 2 swivel wheels with brake


**€ 369,25**

Overall dimensions	1000 x 800 x 810 h mm
Steel thickness	2 mm
Plate thickness	36 mm
Wheels	ø 150 mm
Capacity	150 kg
Net weight	52 kg

**CX**
**PVC PLATFORM TROLLEY**

With foldable handle, 2 fixed casters and 2 swivel casters


**starting from  
€ 65,10**

Capacity	Platform dimensions	Art.	€	Promo
150 kg	700 x 450 mm	C150	€ 70,50	€ 65,10
300 kg	900 x 600 mm	C300	€ 187,00	€ 172,60

**C1102** €92,80

**HAND TRUCK WITH PNEUMATIC WHEELS**

For flower pots and boxes, safety handles, epoxy painting



Pneumatic wheels	Ø 260 x 85 mm
Capacity	200 kg
Toe plate dimensions	450 x 215 mm
Net weight	8,5 kg

€85,65

**C182** €190,00

**ALUMINUM HAND TRUCK WITH PNEUMATIC WHEELS**

Aluminium



Pneumatic wheels	Ø 260 x 85 mm
Capacity	200 kg
Toe plate dimensions	300 x 205 mm
Net weight	6 kg

€175,40

**C189** €94,40

**MULTIFUNCTION HAND TRUCK**

With pneumatic wheels for firewood, pots, boxes and other objects. strong, easy to handle and versatile. plastic handles



Pneumatic wheels	Ø 260 x 85 mm
Capacity	150 kg
Toe plate dimensions	400 x 250 mm
Movable grid	340 x 390 mm
Net weight	11,5 kg

€87,15

**P019** €168,00

**FOLDING ANTISLIP PLATFORM**

Antislip professional, made of aluminum, easy to use, suitable for a wide range of activities in different sectors, such as: home, auto and others



Capacity	150 kg
Dimensions	1260x380x500 mm
Platform dimensions	950x300 mm
Net weight	7,5 kg

€157,10

**0056-**

**CHAIN HOIST**



starting from €133,30

Capacity	Lifting	Net weight	Art.	€	Promo
1000 kg	3000 mm	11 kg	0056/1	€157,00	€133,30
2000 kg	3000 mm	20 kg	0056/2	€233,00	€206,65

**0237-**

**LEVER CHAIN HOIST**



starting from €175,50

Capacity	Lifting	Net weight	Art.	€	Promo
500 kg	1500 mm	5 kg	0237/05	€190,00	€175,50
1500 kg	1500 mm	10 kg	0237/15	€282,00	€246,85

**0236** €92,40

**HOIST ARM**



€82,00

Capacity	300 kg
Arm length	750 mm
Slot distance	380 mm
Stem	45 X 45 mm <sup>2</sup>
Net weight	6 kg

**0602** €287,00

**ELECTRIC CABLE HOIST**



€253,55

Capacity	200 / 400 kg
Cable length	18 m
Speed	8 m/min
Motor	230 V 50 Hz 1 kW
Net weight	16,7 kg

**0600 € 320,00**
**CABLE HOIST**


Capacity	200 / 400 kg
Cable length	18 m
Speed	8 m / min
Motor	230 V 50 Hz 0,75 kW
Net weight	16,7 kg

**€ 278,25**
**0791- € 320,00**
**WIRE ROPE PULLING HOIST**

For pulling and lifting



Max load	Cable	Net weight	Art.	€	Promo
800 kg	ø 8,3mm x 20m	11 kg	0791/08	€ 373,00	€ 262,55
1600 kg	ø 11mm x 20m	24 kg	0791/16	€ 504,00	€ 383,70
3200 kg	ø 16mm x 20m	50 kg	0791/32	€ 986,00	€ 666,45

**starting from € 262,55**
**0070/C € 45,80**
**GEARED HAND WINCH**

Zinc-plated



Max load	500 kg
Throat width	50 mm
Max ø wheel	133 mm
Min. ø wheel	40 mm
Cable size	ø 4,5 mm x 10 m
Base dimensions	140 x 90 mm

**€ 42,30**
**0590 € 74,00**
**HAND OPERATED WINCH WITH BRAKE**


Max load	450 kg
Throat width	49 mm
Max ø wheel	110 mm
Min. ø wheel	45 mm
Overall dimensions without handle	170 x 150 x 125h mm

**€ 67,80**
**SX € 320,00**
**MAGNETIC LIFTER**

Neodymium.


**starting from € 459,15**

Maximum capacity	Round bar lifting cap.	Art.	€	Promo
300 kg	100 kg	S0300	€ 580,00	€ 459,15
600 kg	200 kg	S0600	€ 907,00	€ 680,15
1000 kg	330 kg	S1000	€ 1370,00	€ 1024,55

**0066 € 34,90**
**DOUBLE RATCHET HAND PULLER**

**€ 32,40**

Max load	800 kg
Cable diameter	ø 5 mm
Max length	2 m
Net weight	2,7 kg

**0070 € 35,30**
**GEARED HAND WINCH**

 Frame in galvanized steel.  
Ergonomic handle

**€ 29,15**

Max load	500 kg
Throat width	50 mm
Max ø wheel	133 mm
Min. ø wheel	40 mm
Base dimensions	140 x 90 mm

**0068/S € 3510,00**
**TRUCK PALLET WITH SCALE AND PRINTER**

Not legal for trade - tare function powered by rechargeable battery - polyurethane tire

Capacity	2000 kg
Weight capacity	2000 kg
Fork height	88 ÷ 200 mm
Fork dimensions	1150 x 568 mm
Reading	1 kg
Accuracy	±2 kg
Printer	Si/Yes
Front wheel	Doppia/Double
Net weight	160 kg


**€ 3141,65**



**0068L**

€ 2340,00

**TRUCK PALLET WITH SCALE**

Truck pallet with scale not legal for trade - tare function powered by replaceable batteries

Capacity	2000 kg
Weight capacity	2000 kg
Fork height	85 ÷ 175 mm
Fork dimensions	1150 x 570 mm
Reading	0,5 kg
Accuracy	±0,05% kg
Front wheel	Double
Net weight	125 kg



**0028R**

€ 686,00

**LOWERED MANUAL PALLET TRUCK**

With polyurethane wheels.

Capacity	2500 kg
Fork height	63 ÷ 165 mm
Fork dimensions	1150 x 540 mm
Armor plate thickness	3 mm
Front wheel	Double
Net weight	68,5 kg



**0028**

€ 597,00

**MANUAL TRUCK -PALLET**

Polyurethane

Capacity	2500 kg
Fork height	85 ÷ 200 mm
Fork dimensions	1150 x 540 mm
Armor plate thickness	3 mm
Front wheel	Double
Net weight	71,5 kg



**0064**

€ 690,00

**MANUAL TRUCK -PALLET**

Polyurethane

Capacity	2500 kg
Fork height	85 ÷ 200 mm
Fork dimensions	900 x 540 mm
Armor plate thickness	3 mm
Front wheel	Single
Net weight	68,5 kg



**S2/800**

€ 1190,00

**HIGH LIFT TRUCK-PALLET**

Scissors

Capacity	1000 kg
Fork height	85 ÷ 800 mm
Fork dimensions	1170 x 540 mm
Tire	Polyurethane
Front wheel	Single
Net weight	117 kg



**0782**

€ 1130,00

**PLATFORM STACKER WITH FORKS**

Capacity	400 kg
Fork height	85 ÷ 1500 mm
Fork dimensions	545 x 650 mm
Platform	576 x 650 mm
Mobile wheels	Ø 127 x 40 mm
Fix wheels	Ø 75 x 40 mm
Tire	Polyurethane
Dimensions	1100 x 600 x 1725h mm
Net weight	95 kg



**0143A**

€ 1910,00

**MANUAL STACKER**

With brake and lifting foot pedal

Capacity	1000 kg
Fork height	90 ÷ 1600 mm
Fork dimensions	1150 x 550 mm
Fork section	160 x 55 mm
Upright height	2100 mm
Tire	Polyurethane
Front wheel	Double
Dimensions	920 x 1670 x 2100h mm
Net weight	250 kg



**0143/25**

€ 2110,00

**MANUAL STACKER**

With double telescopic mast, brake and lifting pedal

Capacity	1000 / 800 kg
Fork height	75 ÷ 1600 ÷ 2500 mm
Fork dimensions	1150 x 550 mm
Fork section	160 x 55 mm
Upright height	1840 mm
Tire	Polyurethane
Front wheel	Double
Dimensions	1670 x 920 x 1840h mm
Net weight	310 kg



# Complete your toolbox with the unmissable by FERVI!



**P037**

**MILLING DRILLS**

For drilling and milling of thin materials



starting from  
**€ 2,35**

Ø	Stem	Total length	Art.	€	Promo
6 mm	6 mm	90 mm	P037/6	€-2,71	€ 2,35
8 mm	8 mm	90 mm	P037/8	€-4,06	€ 3,55

**0332**

**€33,90**

**CARBIDE TIPPED HAMMER TWIST DRILL AND CHISEL SET**

With attack sds plus, consisting of 9 twist drills: Ø4 x 110mm Ø5 x 110mm Ø6 x 110mm Ø5 x 160mm Ø6 x 160mm Ø8 x 160mm Ø9 x 160mm Ø10 x 160mm Ø12 x 160mm, 1 bit holder, 1 flat chisel and 1 point chisel.



**€27,50**



**DN2100-A**

**SMARTFLEX FLAP DISC CLASSIC**



**€ 1,35**



Dimensions	Grit	rpm max	Pack	Art.	€	Promo
115 x 22 mm	40	13300	10	DN2100.212	€-1,53	€ 1,35


**P049**

**MASONRY DRILL**

DIN 8039, short series, cylindrical attachment, carbide tipped for masonry drill



starting from  
**€ 0,35**



Ø	L	l	Stem	Pack	Art.	€	Promo
3 mm	70 mm	40 mm	Ø 2,5 mm	10	P049/03	€-0,41	€ 0,35
4 mm	75 mm	40 mm	Ø 3,5 mm	10	P049/04	€-0,43	€ 0,40
5 mm	85 mm	40 mm	Ø 4,5 mm	10	P049/05	€-0,47	€ 0,45
6 mm	100 mm	55 mm	Ø 4,5 mm	10	P049/06	€-0,53	€ 0,45
7 mm	100 mm	55 mm	Ø 6,5 mm	10	P049/07	€-0,76	€ 0,65
8 mm	120 mm	70 mm	Ø 6,5 mm	10	P049/08	€-0,83	€ 0,60
9 mm	120 mm	70 mm	Ø 6,5 mm	10	P049/09	€-0,97	€ 0,75
10 mm	120 mm	70 mm	Ø 7 mm	10	P049/10	€-1,10	€ 0,90
11 mm	150 mm	90 mm	Ø 7 mm	10	P049/11	€-1,05	€ 1,30
12 mm	150 mm	90 mm	Ø 9 mm	10	P049/12	€-1,07	€ 1,75
13 mm	150 mm	90 mm	Ø 9 mm	5	P049/13	€-2,11	€ 1,40
14 mm	150 mm	90 mm	Ø 11 mm	5	P049/14	€-2,38	€ 1,70
15 mm	150 mm	90 mm	Ø 12 mm	5	P049/15	€-3,00	€ 2,95
16 mm	150 mm	90 mm	Ø 12 mm	5	P049/16	€-3,11	€ 2,40
18 mm	160 mm	100 mm	Ø 13 mm	5	P049/18	€-5,60	€ 4,50
22 mm	160 mm	100 mm	Ø 13 mm	5	P049/22	€-8,00	€ 6,20
24 mm	160 mm	100 mm	Ø 13 mm	5	P049/24	€-9,50	€ 7,40

**0331**

**€31,50**

**WIRE BRUSH SET FOR AUTOMOTIVE AND WORKSHOP**

With extension and plastic handle



**€ 24,85**



Sizes	Material
Ø 9 - 11 - 13 - 15 - 17 - 19 mm	Nylon - Steel - Brass

**SMC275** €1,67

**HAND BRUSHES**

For hand cleaning operations




Size 275 mm

€ 1,50

**0406** €3,47

**QUICK CHANGE 6 POINT BIT HOLDER**



Length 60 mm

€ 3,30

**0154**

**MACHINIST'S HAMMER GERMAN TYPE**

DIN 1041.




starting from € 2,20

Net weight	Art.	€	Promo
100 g	0154/100DIN	€ 2,70	€ 2,20
200 g	0154/200DIN	€ 3,83	€ 3,40
300 g	0154/300DIN	€ 4,82	€ 3,80
400 g	0154/400DIN	€ 5,30	€ 4,50
500 g	0154/500DIN	€ 5,60	€ 4,95
600 g	0154/600DIN	€ 6,20	€ 5,10
800 g	0154/800DIN	€ 6,90	€ 6,40
1000 g	0154/1000DIN	€ 10,20	€ 8,85
1500 g	0154/1500DIN	€ 11,30	€ 9,80
2000 g	0154/2000DIN	€ 14,40	€ 11,65

**MTP4X**

**STRONG CUT CUTTING DISC**

For general use. Designed for hobbyists, artisans and small businesses. Ideal on both steel and stainless steel. Excellent value for money.



€ 0,65

Dimensions	Specification	Pack	Art.	€	Promo
115 x 1.0 x 22 mm	A60TBF	50	MTP4115/1.0	€ 0,83	€ 0,65

**0831** **PRO**

**WATER PUMP PLIERS**

DIN ISO 8976/C, 7 positions.



starting from € 5,10



Length	Art.	€	Promo
175 mm	0831/175	€ 7,70	€ 5,10
250 mm	0831/250	€ 9,10	€ 5,75
300 mm	0831/300	€ 11,20	€ 10,30

**0617** €2,49

**AUTOMATIC SNAP-OFF UTILITY KNIFE BLADES INCLUDED**



€ 1,85



Standard blades	3
Blade width	18 mm

**0035** **PRO** €6,20

**SECURITY SNAP-OFF UTILITY KNIFE, BLADES INCLUDED**



€ 4,95



Standard blades	4
Trapezoidal blade	19 x 61 x 0,6 mm



**0672** €7,50

**ELECTRICIAN SCISSORS**

With serrated blade, and ergonomic handle in abs material



€ 4,60

Length 5" 1/2 - 140 mm

**0287**

**BOLT CUTTER**

Ideal for cutting iron rods, chains and a vast type of ferrous and non-ferrous materials



Cr-V

starting from  
€ 14,65

Dimensions	Art.	€	Promo
300 mm - 12"	0287/300	€16,10	€ 14,65
350 mm - 14" mm	0287/350	€18,40	€ 14,65
450 mm - 18" mm	0287/450	€23,50	€ 17,45
600 mm - 24" mm	0287/600	€29,70	€ 28,00
750 mm - 30" mm	0287/750	€38,50	€ 31,15

**S401/00** €7,80

**MULTI-FUNCTION SPRAY**

A multipurpose product: it lubricates, protects, and releases. It is water-repellent and corrosion preventive. It protects parts subject to exposed water-pins, levers, and outboard motor parts. It meets the nautical market requirements and thanks to its high waterproofing / water-repellent capacities it's ideal for maintenance on any machine part.



€ 7,15

Capacity 400 ml

**0492** €11,80

**LED FLASHLIGHT WITH TELESCOPIC MAGNET**



€ 11,05



Button batteries	4-LR44
LED number	6
Intensity	6 x 10 lm

Sizes	ø 30 x 21 x 180 mm
Max length	710 mm
Autonomy	3 h

P. 070

Promotion valid until 31/07/2022, while stocks last - VAT not included

**0424** €12,20

**PUNCH PLIER**

It allows to perform small holes on materials of small thickness such as: paper, cardboard, rubber and leather



€ 10,70



Length 250 mm

**0521** **PRO** €9,90

**9" HEAVY DUTY CAULKING GUN**



€ 7,60



Nickel plated

**S401/03** €5,30

**SOLVENT AND RELEASING**

Penetrating synthetic fluid with a high solvent and releasing power, it facilitates the releasing process of bolts, joints, threads, hinges and all other mechanical parts from rust and oxidation. It also leaves a long lasting waterproof and water repellent protective film.



€ 4,05

Capacity 400 ml

**F2GX**

**PRECISION TAPE**

With steel wire stop mechanism and riveted end hook with bottom blade protector built in shock absorber



starting from  
€ 2,55



Belt dimensions	Accuracy class	Art.	€	Promo
2 m x 16 mm	II	F2G2	€3,26	€ 2,55
3 m x 16 mm	II	F2G3	€3,73	€ 2,95
5 m x 19 mm	II	F2G5	€5,70	€ 4,65



# DIGITAL FERVI

## Quality for sharing

Fervi focuses more and more on digital and social platforms to showcase its products at their best and meet the needs of the community promptly, at any time of day.



**The fervi.com website** – speedy, dynamic, with new graphics and constantly updated with all the technical information you need to get to know more about each product.

**Where to buy it** – It's really easy to find a dealer where you can buy the products on the Fervi website. Just enter your location and there you go.

**Virtual Show Room.** – The perfect place to go on a virtual tour of the display shelves, and to see all the tools in the Fervi range.



Scan the QR Code with your smartphone or visit [fervi.com](http://fervi.com) and enter the Fervi

**Social** – A page that is extremely active thanks to our community, but also Instagram and YouTube, to keep you constantly up-to-date and let you swap opinions on hobbies and the professional world.



# FERVI IS CERTIFIED QUALITY

A quality that stems from responsibility.  
A sense of Fervi's social and business responsibility is at the root of each initiative and activities undertaken by those in the Fervi Group and those involved.

## **FERVI IS CERTIFIED**

ISO 9001 for Quality  
ISO 14001 for Environment  
ISO 45001 for Health and Safety Management System

## **FERVI IS SUSTAINABLE**

Our concern for environmental sustainability has prompted us to produce an eco-sustainable promotional offer, using lighter and less treated PEFC paper, with a single goal in mind: to care for our planet by saving, in our own small way, as much CO2 as we possibly can.



 [info@fervi.com](mailto:info@fervi.com)

 [FerviProSmartEquipment](#)

 [FerviTools](#)