

FERVI

SELECTION
2022
Edition 02



21MIDI
chooses FERV I

OFFICIAL SPONSOR



In this promo



Hardware

03



General Tools

12



Measure

21

<i>Wrenches</i>	<i>p.03</i>
<i>Socket wrenches and screw extractors</i>	<i>p.07</i>
<i>Screwdrivers and hand riveters</i>	<i>p.09</i>
<i>Pliers, hammers, files and chisels</i>	<i>p.10</i>
<i>Tool kits</i>	<i>p.10</i>

<i>Pneumatics</i>	<i>p.14</i>
<i>Soldering irons, paint strippers and heat glue guns</i>	<i>p.18</i>
<i>Equipment for liquids and fluids</i>	<i>p.19</i>
<i>Heaters, lighting and lenses</i>	<i>p.20</i>

<i>Calipers, Height gauge and Rulers</i>	<i>p.23</i>
<i>Dial indicators</i>	<i>p.24</i>
<i>Micrometers</i>	<i>p.25</i>
<i>Measuring tools</i>	<i>p.25</i>
<i>Precision tapes, Levels and Goniometers</i>	<i>p.27</i>
<i>Analogic and digital meters</i>	<i>p.28</i>
<i>Scales</i>	<i>p.30</i>



Machinery

29



Cutting tools

43



Equipment

50

<i>Lathes</i>	<i>p.31</i>
<i>Milling machines</i>	<i>p.31</i>
<i>Drill presses</i>	<i>p.32</i>
<i>Metal working machinery</i>	<i>p.35</i>
<i>Sheet metal, iron and tube processing</i>	<i>p.38</i>
<i>Wood working machinery</i>	<i>p.40</i>
<i>Machine vices</i>	<i>p.43</i>
<i>Tables and dividers</i>	<i>p.45</i>
<i>Chucks</i>	<i>p.46</i>
<i>Machinery accessories</i>	<i>p.47</i>

<i>Tools for turning and milling</i>	<i>p.48</i>
<i>Inserts, lathe tools and tool bits</i>	<i>p.49</i>
<i>Twist drills and cutters for metal</i>	<i>p.49</i>
<i>Building and wood drills and cutters</i>	<i>p.51</i>
<i>Taps and dies</i>	<i>p.52</i>
<i>Thread repair</i>	<i>p.53</i>

<i>Workshop furniture</i>	<i>p.54</i>
<i>Bench vices, clamps and anvils</i>	<i>p.60</i>
<i>Machinery for finishing</i>	<i>p.61</i>
<i>Presses and hydraulic pumps</i>	<i>p.65</i>
<i>Car and motorcycle workshop</i>	<i>p.66</i>
<i>Lifting and handling</i>	<i>p.71</i>


0690/07P

PRO

€99,00

**RATCHET FLEXIBLE HEAD
COMBINATION SPANNER SET**

DIN 3113.


Sizes 8 - 10 - 11 - 13 - 15 - 17 - 19 mm


€71,10


0690/12P

PRO

€158,00

**RATCHET FLEXIBLE HEAD
COMBINATION SPANNER SET**


DIN 3113.


Sizes 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm


€101,00

0700/07P


€69,30

**RATCHET COMBINATION SPANNER
SET**

Sizes 8 - 10 - 11 - 13 - 15 - 17 - 19 mm


€52,50

0700/12P

€125,00

**RATCHET COMBINATION SPANNER
SET**

Sizes 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm


€97,40

0200

€31,90

**DOUBLE OPEN END MIRROR POLISH
LONG PATTERN WRENCH SET**

DIN 3110.


Sizes 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm


€21,90

0201

€73,80

**DOUBLE OPEN END MIRROR POLISH
LONG PATTERN WRENCH SET**

DIN 3110.


Sizes 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x27 - 25x28 - 30x32 mm


€42,00

0199

€52,60

**MIRROR POLISH LONG PATTERN
COMBINATION SPANNER SET**

DIN 3113.


Sizes 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 17 - 19 - 22 mm


€35,30

0208

€126,00

**MIRROR POLISH LONG PATTERN
COMBINATION SPANNER SET**

DIN 3113.


Sizes 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-30-32 mm


€90,90

0204
€161,00
**MIRROR POLISH LONG PATTERN
COMBINATION SPANNER SET**

DIN 3113.


€122,00
Sizes 34 - 36 - 38 - 41 - 46 - 50 mm

0199P
€62,20
**MIRROR POLISH LONG PATTERN
COMBINATION SPANNER SET**

DIN 3113 Inches


€53,20
Size 1/4" - 5/16" - 3/8" - 7/16" - 1/2" - 9/16" - 5/8" - 11/16" - 3/4" - 13/16" - 7/8" - 15/16" - 1"

0221
€16,70
DOUBLE OPEN END WRENCH SET

DIN 3110.


€13,00
Sizes 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm

0222
€40,40
DOUBLE OPEN END WRENCH SET

DIN 3110.


€27,90
Sizes 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x27 - 25x28 - 30x32 mm

0073
€18,10
COMBINATION SPANNER

DIN 3113.


€14,40
Sizes 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 17 - 19 - 22 mm

0223
€71,60
COMBINATION SPANNER

DIN 3113.


€59,90
Sizes 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-30-32 mm

0477
€28,10
**MIRROR POLISH RING SPANNER
SET**

DIN 838.


€23,20
Sizes 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm

0476
€64,40
**MIRROR POLISH RING SPANNER
SET**

DIN 838.


€53,70
Sizes 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x27 - 25x28 - 30x32 mm

0541S

€29,30

FLARE NUT WRENCH SET

DIN 3118, 6 point from 8mm to 14mm, 12 point from 17mm to 22mm.



6 Pcs



Box



Cr-V



Chromed



Sizes 140 - 8x10 mm, 150 - 9x11 mm, 175 - 11x13 mm, 175 - 12x14 mm, 210 - 17x19 mm, 220 - 19x22 mm

€24,60

0558/GE

€13,90

HEX KEY SET

With ph and slot screwdriver head, with multipurpose handle that can be used as a t-handle or as a key extension.



8 Pcs



Blister



Cr-V



€10,90

Sizes 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
Cross screwdriver PH0 (3mm) - PH1 (4mm) - PH2 (5mm)
Slotted screwdriver 6mm

0714

€119,00

HOOK WRENCHES SET



8 Pcs



Box



Cr-Mo



Chromed



€89,70

Model 35 ÷ 120
Sizes 35÷60 60÷90 90÷120

0215X

BALL POINT HEX KEY SET, LONG TYPE



9 Pcs



Blister



Cr-V



Satin



€9,00

Size	Art.	€	Promo
1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10	0215	€11,90	€9,00
1/16" - 5/64" - 3/32" - 1/8" - 5/32" - 3/16" - 1/4" - 5/16" - 3/8"	0215P	€11,90	€9,00

0545/EF

PRO

€32,80

BALL POINT COLORED HEX KEY SERIES

DIN 911.



9 Pcs



Blister



Mo-V



€25,50

Sizes 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm

0558/EM

PRO

€17,50

HEX KEY SET WITH DIAMOND TIP

DIN ISO 2936, the diamond tip allows a perfect grip, avoiding to ruin the head of the screw. This type of tip is also very effective with already ruined screws.



8 Pcs



Hangable



Cr-V



Diamond coated



€13,80

Sizes 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 mm

0558/EP

PRO

€17,50

HEX KEY SET WITH DIAMOND TIP

DIN ISO 2936, the diamond tip allows a perfect grip, avoiding to ruin the head of the screw. This type of tip is also very effective with already ruined screws.



9 Pcs



Hangable



Cr-V



Diamond coated



€13,80

Sizes 5/64" - 3/32" - 7/64" - 1/8" - 9/64" - 5/32" - 3/16" - 7/32" - 1/4"

0400

€66,50

MALE "T" HANDLE HEX WRENCH SET

DIN ISO 2936, with sliding bar making them versatile for use in difficult situations and under extreme conditions.



7 Pcs



Box



Cr-V



Chromed



€55,10

Sizes 2 - 3 - 4 - 5 - 6 - 8 - 10 mm

0190
PRO
€74,60
3-WAY SPEEDY HEX KEY WRENCH SET

With practical "speedy" rotating handle for increased working velocity


€59,40
Sizes

2 - 3 - 4 - 5 - 6 - 8 - 10 mm

0220
€14,00
TORX KEY SET LONG TYPE

DIN 911, with tamper resistant head (hole).


€9,60
Sizes

T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50

0220/C
NEW
€8,60
TORX KEY SET SHORT TYPE

With tamper resistant head (Hole)


€6,50
Sizes

T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50

0545/TF
PRO
€35,30
COLORED TORX KEY SERIES

DIN 911.


€27,90
Sizes

T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50

0558/TX
PRO
€17,50
TORX KEY SET WITH DIAMOND TIP

DIN ISO 2936, the diamond tip allows a perfect grip, avoiding to ruin the head of the screw. This type of tip is also very effective with already ruined screws.


€13,80
Sizes

T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40

0809-
PRO
ELECTRONIC DIGITAL TORQUE WRENCH

It allows cw and ccw operation and a led and buzzer diagnostic of torque status.


starting from €86,60

Capacity	Dr.	Length	Art.	€	Promo
6 ÷ 30 Nm	1/4"	200 mm	0809/030	€106,00	€86,60
16 ÷ 80 Nm	3/8"	230 mm	0809/080	€113,00	€92,80
20 ÷ 100 Nm	1/2"	275 mm	0809/100	€117,00	€97,30

0806/020
€109,00
DIGITAL TORQUE SCREWDRIVER

ISO 6789-2017, Clockwise and anticlockwise tightening, sound and vibration diagnostics of the preset torque reached.



MEASURE UNITS:	Nm / lbft / lbin
Capacity	0 ÷ 20 Nm
Reading	0,01 Nm
Accuracy	±2%


€90,80
0268A
€97,50
DIGITAL TORQUE METER

Twist monitoring tool. Applied to a ratchet wrench it can be used as a torque wrench. Backlit LCD screen, Peak and Trace operating mode. Auto power off function.

Operation mode	Peak/track
MEASURE UNITS:	Nm/kgm/kgcm/lbft/lbin
Capacity	40 ÷ 200 Nm
Reading	0,1 Nm
Memory	50
Accuracy	±2%
Dimensions	75 x 44mm
Battery	2 x AAA
Working temperature	-10°C - 60 °C (14°F - 139,9 °F)
Storage temperature	-20°C - 70°C (-4 °F - 157,9°F)


€73,60

0137

€61,00

TORQUE WRENCH




Capacity	28 ÷ 210 Nm
Extension	120 mm

€44,20

G090-

PRO

ERGONOMIC RATCHET HANDLE

starting from
€16,90

Length	Dr.	Art.	€	Promo
145 mm	1/4"	G090/1/4	€21,50	€16,90
195 mm	3/8"	G090/3/8	€26,10	€21,50
265 mm	1/2"	G090/1/2	€29,80	€24,90

0360

€77,70

TORQUE MULTIPLIER

DIN 3113, labor saving wheel wrench, supplied in plastic case.




1" Dr. sockets	32 - 33 mm
Ratio	1 : 56
Maximum torque	3000 Nm
Operating torque	1000 Nm
Net weight	7 kg



€65,90

CN450NX

ERGONOMIC RATCHET HANDLE

starting from
€19,40

Length	Dr.	Art.	€	Promo
150 mm	1/4"	CN450N1/4A	€26,00	€19,40
205 mm	3/8"	CN450N3/8A	€30,10	€21,40
250 mm	1/2"	CN450N1/2A	€31,10	€23,60

0195

€46,60

E SOCKET SET

Suitable for torx bolt.



Torx size	1/4": E4 - E5 - E6 - E7 - E8 - E10 - E11 3/8": E4 - E5 - E6 - E7 - E8 - E10 - E11 - E12 - E14 - E16 - E18 - E20 1/2": E10 - E11 - E12 - E14 - E16 - E18 - E20 - E22 - E24
-----------	---



€37,40

0624

€67,30

1/4" DR. SOCKET SET



1/4" Dr. sockets	4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
Sockets with bits	1/4": T8 - T10 - T15 - T20 - T25 - T30 - T40 - H3 - H4 - H5 - H6 - H7 - H8 - SL4 - SL5.5 - SL7 - PH1 - PH2 - PH3 - PZ1 - PZ2 - PZ3
Ratchet handle	1/4"
Flexible bar	1/4" - 150 mm
1/4" Dr. socket-bars	50 - 100 mm



€55,50

S520

€41,00

1/2" DR. SOCKET SET



1/2" Dr. sockets	8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 27 - 30 - 32 mm
Spark plug sockets sizes	1/2": 16 - 21 mm
1/2" Dr. socket-bars	75 - 150 - 250 mm
Universal joint	1/2"
Adapter	F. 3/8" - M. 1/2"
Ratchet handle	1/2"




€32,90

0620

€119,00

1/2" DR. SOCKET SET



1/2" Dr. sockets	10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 27 - 30 - 32 mm
Spark plug sockets sizes	1/2": 21 mm
1/2" Dr. socket-bars	125 - 250 mm
Universal joint	1/2"
Sliding T-bar	1/2"
Ratchet handle	1/2"



€68,70

0181
€159,00
3/4" DR. SOCKET SET



Sizes	19 - 21 - 22 - 23 - 24 - 26 - 27 - 30 - 32 - 34 - 36 - 38 - 41 - 46 - 48 - 50 mm
Ratchet handle	3/4"
Sliding T-bar	3/4"
Extension bars	3/4" : 100 - 200 mm


€122,00
S108
€179,00
1/4" & 1/2" DR. SOCKET SET


€148,00
0618
€198,00
DR. SOCKET SET


94 TOOLS MADE OF CHROME VANADIUM, WITH REVERSIBLE 1/4", 3/8" AND 1/2" RATCHET WRENCHES, EXTENSIONS, INSERTS AND HEX KEYS.


€148,00
S179
€307,00
DR. SOCKET SET

€253,00
I340
€235,00
STANDARD & DEEP IMPACT SOCKET SET


1/2" Dr. sockets	9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 26 - 27 - 30 mm
1/2" Dr. deep sockets	9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 26 - 27 - 30 mm
Universal joint	1/2"
1/2" Dr. socket-bars	125 mm


€193,00
SI4E3N013
€59,30
**STANDARD IMPACT SOCKET SET
DIN 3129**

€41,40

Socket 10, 11, 12, 13, 14, 16, 17, 19, 21, 22, 24, 27, 30 mm

SI413M006
€51,80
**IMPACT HEX BIT SOCKET SET
DIN 3129.**


Socket Length	8, 10, 12, 14, 17, 19 mm 60 mm
---------------	-----------------------------------


€39,80
0341
€36,90
**DEEP IMPACT HEX SOCKET SET
WITH PLASTIC SLEEVE**


Sizes Length	17 - 19 - 21 mm 87 mm
--------------	--------------------------


€28,60

I217

€310,00

METRIC STANDARD IMPACT
SOCKET SET

17 Pcs

Carrying
case

Cr-Mo



Phosphated



€255,00

Sizes 19 - 21 - 22 - 24 - 27 - 30 - 32 - 33 - 34 -
35 - 36 - 38 - 40 - 41 - 46 - 50 - 55 mm

E191-

3 JAW GEAR PULLER



Box



Steel



Satin

starting from
€48,50

Dimensions	Art.	€	Promo
Max Ø 120 mm - h 101 mm	E191/120	€57,60	€48,50
Max Ø 200 mm - h 150 mm	E191/200	€100,00	€86,50

E190-

2 JAW GEAR PULLER



Box

C45



Satin

starting from
€24,30

Dimensions	Art.	€	Promo
Max Ø 80 mm - h 100 mm	E190/080	€30,00	€24,30
Max Ø 130 mm - h 100 mm	E190/130	€39,20	€27,90
Max Ø 160 mm - h 150 mm	E190/160	€48,20	€35,10
Max Ø 200 mm - h 150 mm	E190/200	€52,00	€38,20

D880/006

PRO €23,90

DIAMOND TIP SCREWDRIVER SET

With black blade and tricomponent handle made of highly elastic TPR resin and oil-resistant polypropylene material. The diamond tip allows a perfect grip, avoiding to ruin the head of the screw. This type of tip is also very effective with already ruined screws.



6 Pcs



Hangable



Mo-V

Sizes Slot (-) 4 x 100 mm, (-) 5 x 125 mm, (-) 6 x 150 mm

Cross (+) PH 1 x 75 mm, (+) PH 2 x 100 mm, (+) PH 3 x 150 mm



€18,70

C880/006

€16,20

SCREWDRIVER SET

With black phosphatized magnetic tip, handle made of high elastic resin TPR and polypropylene material oil resistant.



6 Pcs



Hangable



Cr-V

Sizes Slot (-) 4 x 100 mm, (-) 5 x 125 mm, (-) 6 x 150 mm

Cross (+) PH 1 x 75 mm, (+) PH 2 x 100 mm, (+) PH 3 x 150 mm



€13,70

0634

€11,90

SCREWDRIVER SET



6 Pcs



Box



Cr-V

Sizes Slot (-) 4x0,8x75 mm, (-) 5,5x1,0x100 mm, (-) 6,5x1,2x150 mm

Cross (+) PH 0x3x75 mm, (+) PH 1x5x100 mm, (+) PH 2x6x125 mm



€9,20

0880/307

€19,40

SCREWDRIVER SET



7 Pcs



Box



Slotted (-) 3,0x0,5x75 mm, (-) 4,0x0,8x100 mm, (-) 5,5x1,0x125 mm, (-) 6,5x1,2x150 mm, (-) 8,0x1,2x150 mm

Cross (+) PH 1x80 mm, (+) PH 2x100 mm



€12,70

C180/006

PRO €21,70

INSULATED SCREWDRIVER SET

1000V IEC 60900, with black phosphatized magnetic tip and polypropylene material oil resistant bi-color handle.



6 Pcs



Hangable



Mo-V

Sizes Slot (-) 0,6 x 3 x 100 mm, (-) 0,8 x 4 x 100 mm, (-) 1 x 5,5 x 125 mm

Cross (+) PH 0 x 3 x 60 mm, (+) PH 1 x 4,5 x 80 mm, (+) PH 2 x 6 x 100 mm




€17,90

0888
€ 21,60
L-SHAPED DRIVER

Bits inside the handle.


€ 16,30


S018
€ 86,50
HAND RIVETER SET

€ 71,50


Rivets 50 x ø2,4 mm - 50 x ø3,2 mm - 50 x ø4,0 mm - 50 x ø4,8 mm
Nut rivets 50 x M3 - 50 x M4 - 25 x M5 - 25 x M6 - 20 x M8

0469
PRO € 52,80
HAND NUT RIVETER

With 4 nosepieces. Ergonomic handles.


€ 43,10


Nosepieces M3 - M4 - M5 - M6
Length 200 mm

0841
PRO € 21,70
RATCHET CRIMPING TOOL


With release lever


€ 18,10


For insulated terminals Ø 0,8 ÷ 3,5 mm / 0,25 ÷ 6 mm²
Length 230 mm
Thickness 12 mm

PI063
NEW € 25,80
MULTIFUNCTION REPAIR TOOL KIT


62 pieces kit with magnetic revolving handle for precision repair of your tools, including smartphones, watches and appliances. The magnetic tray and the click-clack function allow to keep the bits organized without losing them.



Magnetic bit holder	1
Phillips	PH00000-PH0000-PH000-PH00-PH0-PH1-PH2
Slotted	1.0 - 1.3 - 1.5 - 2.0 - 2.5 - 3.0 - 4.0
Hexagonal	0.7 - 0.9 - 1.3 - 1.5 - 2.0 - 2.5 - 3.0 - 3.5 - 4.0
Pozi-driv	PZ000 - PZ00 - PZ0 - PZ1


€ 19,40
0455
PRO € 95,20
DOUBLE HAND NUT RIVETER


With 7 nosepieces


€ 78,20


Nosepieces M3 - M4 - M5 - M6 - M8 - M10 - M12
Length 400 mm

0453
PRO € 42,70
DOUBLE HAND RIVETER



Long levers for effortless working, even with 6.4mm rivets. Plastic container, under the riveting tool, to collect the pins of the used rivets to be recycled.


€ 33,30


Rivets Ø 3,2 - 4,0 - 4,8 - 6,4 mm
Length 400 mm

0847
PRO € 70,80
CRIMPING PLIERS FOR END SLEEVES TERMINALS

With release lever


€ 55,70


Terminals 0,25 ÷ 6 mm² AWG 23-10
Length 175 mm
Thickness 12 mm

0603

PRO

€ 97,80

AUTO REPAIRING PLIERS SET FOR CARS ZIP TIES



€ 81,50



9 Pcs



Carrying case



Steel

0306

€ 59,80

CARVING CHISEL SET



€ 49,10



12 Pcs



Box



Steel



Chromed

Hardness

HRC 58-60

Length

215 mm

0126

€ 13,90

DRIFT PIN SET WITH PLASTIC HOLDER



€ 10,90



6 Pcs



Blister



Cr-V

Dimensions

Ø 3-4-5-6-8-10 mm

Length

150 mm

0160

€ 16,60

FILE SET FOR METAL WITH ANATOMIC HANDLE



€ 13,60



5 Pcs



Blister



Steel

Dimensions

200 mm - 8" mm

0818/250

€ 10,50

TINMAN'S SNIPS



€ 8,00



Blister



Steel



Satin

Length

265 mm

0672/B

€ 10,20

ELECTRICIAN SCISSORS

With serrated blade and, bicolor non-slip ergonomic handle.



€ 6,20



Blister



INOX



Satin

Length

140 mm

0325

€ 13,20

MULTIPURPOSE SCISSORS

With serrated blade and ergonomic bicolor non-slip handle.



€ 10,10



Blister



INOX



Satin

Length

210 mm / 8" mm

0678

€ 20,10

POLYURETHANE FOAM GUN

Mount and foam adjustment.



€ 14,30



Box

Length

290 mm

0085
€ 12,30
9" HEAVY DUTY CAULKING GUN

€ 9,80

 Nickel
plated

0861
€ 20,10
9" EPOXY SEAL CAULKING GUN

€ 14,30

 Nickel
plated

C960C
€ 978,00
TOOL ROLLING CABINET WITH TOOLS


291 Pcs


€ 838,00

Dimensions	890 x 458 x 994 mm
Drawer dimensions	565 x 405 mm
Drawers height	5 x 74,5 mm - 2 x 153,5 mm
Drawer capacity	25 kg

C960CB
NEW
€ 978,00
TOOL ROLLING CABINET WITH TOOLS


291 Pcs


€ 838,00

Dimensions	890 x 458 x 994 mm
Drawer dimensions	565 x 405 mm
Drawers height	5 x 74,5 mm - 2 x 153,5 mm
Drawer capacity	25 kg

0105T
€ 303,00
TOOL TROLLEY WITH ACCESSORIES

€ 231,00


162 Pcs



Box



Cr-V

Case size	470 x 350 x 135 mm
Net weight	12 kg

0110T
€ 256,00
TOOL BOX WITH TROLLEY, TOOLS AND ACCESSORIES

€ 194,00


133 Pcs



Box



Cr-V

Case size	470 x 350 x 135 mm
Net weight	10 kg

0105
€ 259,00
TOOL BOX WITH ACCESSORIES

€ 210,00


162 Pcs



Box



Cr-V

Case size	470 x 350 x 135 mm
Net weight	11,5 kg

0110
€ 211,00
TOOL BOX WITH ACCESSORIES

€ 170,00


133 Pcs



Box



Cr-V

Case size	470 x 350 x 135 mm
Net weight	9,5 kg

0399

€192,00

TOOL BOX WITH TOOLS AND ACCESSORIES

Durable case with ergonomic handle.



87 Pcs



Box

Cr-V



€136,00

Case size

450 x 360 x 120 mm

Net weight

7 kg

0165

€255,00

TOOL BOX WITH ACCESSORIES

175 tools and accessories made of light chrome vanadium metal. Suitcase with wheels and extendable handle.



175 Pcs



Box

Cr-V



€201,00

Trolley

1

Net weight

15 kg

0434

€93,10

TOOL BOX WITH TOOLS AND ACCESSORIES

54 Pcs



Box

Cr-V



€73,40

Case size

400 x 270 x 120 mm

Net weight

3 kg

0315

€175,00

TOOL BOX WITH ACCESSORIES

Ergonomic suitcase handle.



132 Pcs



Box

Cr-V



€138,00

Plastic case size

500 x 440 x 150 mm

Net weight

9 kg

0587

€94,80

AIR STAPLER

Carrying case



€53,50

Loader capacity

100

Working pressure

5 - 7 bar

Dimensions

225 x 165 x 45 mm

Staples

80 - 6 / 16 mm

Air inlet

1/4"

Net weight

0,9 kg

0585

€115,00

2 IN 1 AIR STAPLER AND BRAD NAILER

Carrying case



€80,00

Loader capacity

80

Working pressure

5 - 7 bar

Dimensions

245 x 230 x 55 mm

Nails

F - 10 / 50 mm

Staples

90 - 10 / 40 mm

Air inlet

1/4"

Net weight

1,4 kg

0586

€105,00

AIR BRAD NAILER

Carrying case



€66,10

Loader capacity

110

Working pressure

5 - 7 bar

Dimensions

245 x 225 x 55 mm

Nails

F - 10 / 50 mm

Air inlet

1/4"

Net weight

1,5 kg

0588/6

€89,50

AIR BRADDER FOR MINI PINS

Carrying case



€59,20

Loader capacity

130

Working pressure

5 - 7 bar

Dimensions

225 x 170 x 45 mm

Staples

0,60 - 12 / 30 mm

Air inlet


1/4"

Net weight

1 kg

AP01
PRO
€ 238,00
AIR IMPACT WRENCH

Professional series. In composite material, handle and head in shockproof rubber. Operating lever, change of rotation and speed adjustment operated with one hand. High power and great reliability



Speed	8500 rpm
Torque	542 Nm 400 lb-ft
Avg air cons.	108 l/min 3.8 SCFM
Working pressure	6 bar 90 psi
Air inlet	1/4"
Net weight	1,2 kg

€ 184,00

AP02
PRO
€ 247,00
AIR IMPACT WRENCH

Professional series. In composite material, handle and head in shockproof rubber. Operating lever, change of rotation and speed adjustment operated with one hand. High power and great reliability



Speed	7800 rpm
Torque	678 Nm 500 lb-ft
Avg air cons.	136 l/min 4.8 SCFM
Working pressure	6 bar 90 psi
Air inlet	1/4"
Net weight	1,2 kg

€ 198,00

AP03
PRO
€ 255,00
AIR IMPACT WRENCH

Professional series. In composite material, handle and head in shockproof rubber. Operating lever, change of rotation and speed adjustment operated with one hand. High power and great reliability



Speed	7300 rpm
Torque	1085 Nm 800 lb-ft
Avg air cons.	153 l/min 5.4 SCFM
Working pressure	6 bar 90 psi
Air inlet	1/4"
Net weight	2 kg

€ 206,00

AP04
PRO
€ 265,00
AIR IMPACT WRENCH

Professional series. In composite material, handle and head in shockproof rubber. Operating lever, change of rotation and speed adjustment operated with one hand. High power and great reliability



Speed	7300 rpm
Torque	1085 Nm 800 lb-ft
Avg air cons.	153 l/min 5.4 SCFM
Working pressure	6 bar 90 psi
Air inlet	1/4"
Net weight	2,1 kg

€ 213,00

AP05
PRO
€ 417,00
AIR IMPACT WRENCH

Professional series. In composite material, handle and head in shockproof rubber. Operating lever, change of rotation and speed adjustment operated with one hand. High power and great reliability



Speed	5300 rpm
Torque	1900 Nm 1400 lb-ft
Avg air cons.	224 l/min 8.1 SCFM
Working pressure	6 bar 90 psi
Air inlet	3/8"
Net weight	3,3 kg

€ 477,00

AP06
PRO
€ 238,00
AIR IMPACT WRENCH

Professional series. In composite material, handle and head in shockproof rubber. Operating lever, change of rotation and speed adjustment operated with one hand. High power and great reliability



Speed	9000 rpm
Torque	312 Nm 230 lb-ft
Avg air cons.	113 l/min 4 SCFM

Working pressure	6 bar 90 psi
Air inlet	1/4"
Net weight	1,1 kg

€ 191,00

0571
€ 162,00
AIR IMPACT WRENCH


Speed	7000 rpm
Torque	610 Nm
Avg air cons.	5 SCFM (150 l/min)
Working pressure	6 bar 90 psi
Air inlet	1/4"
Net weight	2,6 kg

€ 115,00

0413
€ 30,80
MINI AIR DIE GRINDER

Collet 3mm and 6mm. Revolving rear air outlet. Body frame made from composite material.



Pliers	ø 3 mm - ø 6 mm
Speed	25000 rpm
Avg air cons.	4 SCFM (113 l/min)

Working pressure	6 bar 90 psi
Air inlet	1/4"
Net weight	0,4 kg

€ 25,80


0414

€35,20

AIR DIE GRINDER

3mm and 6mm, with rear exhaust 360°, exclusive composite body design.



Box



€ 25,70

Pliers	ø 3 mm - ø 6 mm
Speed	22000 rpm
Avg air cons.	7 SCFM (198 l/min)

Working pressure	6 bar / 90 psi
Air inlet	1/4"
Net weight	0,6 kg

0417

€60,50

LONG TYPE AIR DIE GRINDER

3 and 6mm pincers, with rear exhaust 360°, exclusive composite body design.



Box



€ 49,80

Pliers	ø 3 mm - ø 6 mm
Length	295 mm
Speed	20000 rpm
Avg air cons.	4 SCFM (113 l/min)

Working pressure	6 bar / 90 psi
Air inlet	1/4"
Net weight	0,6 kg

0419

€90,60

6" AIR ORBIT SANDER WITH SUCTION

And speed control, hook & loop pad, 360° rear exhaust, die cast aluminum body with soft handle grip in lightweight and ergonomic design



Box



€ 76,50

Disc diameter	150 mm - 6"
Orbit	5 mm, 3/16"
Speed	10500 rpm MAX.
Avg air cons.	3 SCFM (85 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Length	200 mm

0458

€90,60

6" AIR ORBIT SANDER WITH SUCTION

Speed control, 2.5mm orbit, hook & loop pad, 360° rear exhaust, die cast aluminum body with soft handle grip in lightweight and ergonomic design.



Box



€ 76,50

Disc diameter	150 mm - 6"
Orbit	2,5 mm - 3 / 32"
Max speed	10500 rpm
Avg air cons.	3 SCFM (85 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Length	200 mm

0416

€54,80

90° AIR DIE GRINDER

Collet ø 3mm - ø 6mm. Revolving rear air outlet.



Box



€ 45,00

Pliers	ø 3 mm - ø 6 mm
Speed	20000 rpm
Avg air cons.	4 SCFM (113 l/min)

Working pressure	6 bar / 90 psi
Air inlet	1/4"
Net weight	0,5 kg

0418

€53,70

REVERSIBLE AIR DRILL

Chuck 10 Ø mm, with rear exhaust 360°, composite body design



Box



€ 44,10

Chuck sizes	Ø 10 mm
Speed	1800 rpm
Avg air cons.	4 SCFM (113 l/min)

Working pressure	6 bar / 90 psi
Air inlet	1/4"
Net weight	0,9 kg

0421

€90,60

6" AIR ORBIT SANDER WITH SELF-INTEGRATED SUCTION

Speed control, hook & loop pad, 360° rear exhaust, die cast aluminum body with soft handle grip in lightweight and ergonomic design, corrugated hose and dust bag



Box



€ 81,80

Disc diameter	150 mm - 6"
Orbit	5 mm, 3/16"
Speed	10500 rpm
Avg air cons.	3 SCFM (85 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Length	200 mm

0460

€107,00

6" AIR ORBIT SANDER WITH SELF-INTEGRATED SUCTION

Speed adjustable, revolving rear air outlet, aluminum body, soft and ergonomic handle, Suction tube and dust collection bag.



Box



€ 88,70

Disc diameter	150 mm - 6"
Orbit	2,5 mm - 3 / 32"
Max speed	10500 rpm
Avg air cons.	3 SCFM (85 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Length	200 mm

0046
€ 89,50
AIR RATCHET WRENCH SET

With 7 sockets, a fixed 75 mm extension for sockets, a 75 mm extension with joint for sockets, 1/4" nozzle, three screwdriver bits and a fixed 75 mm extension for screwdriver bits.



Speed	160 rpm
Torque	65 Nm
Socket	9-10-11-13-14-17-19 mm


€ 72,60
0313
€ 101,00
5" AIR ANGLE DIE GRINDER


Box

Saw blade	Ø 125 mm
Speed	10000 rpm
Avg air cons.	5 SCFM (150 l/min)


Working pressure	6 bar / 90 psi
Air inlet	1/4"
Net weight	2 kg


€ 79,90
0641
€ 63,30
FLEXIBLE PNEUMATIC MICROGRINDING WHEEL

For grinding and chamfering



Collet capacity	3 mm
Speed	56000 rpm
Avg air cons.	2 SCFM (60 l/min.)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Net weight	0,7 kg


€ 39,30
0059
€ 34,60
HEAVY DUTY AIR HAMMER WITH 4 HEXAGONAL CHISELS


Speed	BPM 3500
Bore-stroke	19 x 66 mm / 3/4" x 2 5/8"
Avg air cons.	4,5 SCFM (135 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Net weight	1,5 kg


€ 26,30
0574
€ 98,20
REVERSIBLE AIR DRILL


Box

Chuck sizes	Ø 10 mm
Speed	1800 rpm
Avg air cons.	5 SCFM (150 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Net weight	1 kg


€ 80,30
0051
€ 29,50
AIR DIE GRINDER


Box

Pliers	Ø 3 mm - Ø 6 mm
Speed	22000 rpm
Avg air cons.	4 SCFM (120 l/min.)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Net weight	0,8 kg


€ 23,90
0784
€ 74,30
AIR BELT SANDER

With spare belts. Light metal body



Box

Speed	16000 rpm	Belt	10 x 330 mm
Avg air cons.	6 SCFM (180 l/min.)	Air inlet	1/4"
Working pressure	6 bar / 90 psi	Net weight	0,9 kg


€ 58,30
0607
€ 6,50
BLOW GUN


Blister

Alu

Nozzle	2.0 mm
Working pressure	4-6 bar
Air inlet	1/4"


€ 5,40

0125

€37,40

DIGITAL TYRE GAUGE

With backlight and various measurement units. equipped with tyre valve screwdriver



Blister

Max. pressure	8 bar (110 psi)
Working pressure	2 - 4 bar (30 - 60 psi)
Reading	0,05 bar 0,7 psi
Not included batteries	2 x 1.5V AAA
Rubber hose length	80 mm
Air inlet	1/4"



€28,20

0608

€18,30

TYRE INFLATING GUN



Blister

Manometer	ø 63 mm
Reading	0÷12 bar 0÷174 psi
Rubber hose length	420 mm
Air inlet	1/4"



€12,60

0610

€15,00

WASHING GUN



Box

Capacity	1000 cc
Air inlet	1/4"



€11,70

0609

€44,80

TYRE INFLATING GUN



Blister

Manometer	ø 70 mm
Reading	0÷12 bar 0÷174 psi
Rubber hose length	1000 mm
Air inlet	1/4"



€34,70

0725

€6,70

BLOW GUN



Blister

Hose length	100 mm
Air inlet	1/4"



€3,31

A481/10

PRO NEW

€73,40

AUTO REWIND AIR HOSE REEL

Made of polypropylene shell, with polyurethane mesh hose and regulation for distributing evenly the tube in the internal part, tools free adjustable stop ball and 180° swivel mount bracket



Box



Polyprop.

Max. pressure	16 bar / 250 psi
Hose length	10 + 1 m
Male Fitting	1/4" BSPT
Hose diameter	ø 12 x 8 mm
Working temperature	0 ÷ 45° C
Net weight	2,9 kg



€55,40

A481/15

PRO NEW

€113,00

AUTO REWIND AIR HOSE REEL

Made of polypropylene shell, with polyurethane mesh hose and regulation for distributing evenly the tube in the internal part, tools free adjustable stop ball and 180° swivel mount bracket



Box



Polyprop.

Max. pressure	16 bar / 250 psi
Hose length	15 + 1 m
Male Fitting	1/4" BSPT
Hose diameter	ø 12 x 8 mm
Working temperature	0 ÷ 45° C
Net weight	4,4 kg



€85,60

A481/15H

PRO NEW

€134,00

AUTO REWIND AIR HOSE REEL

Made of polypropylene shell, with polyurethane mesh hose and regulation for distributing evenly the tube in the internal part, tools free adjustable stop ball and 180° swivel mount bracket



Box



Polyprop.

Max. pressure	18 bar / 260 psi
Hose length	15 + 1 m
Male Fitting	3/8" BSPT
Hose diameter	ø 13.5 x 9.5 mm
Working temperature	0 ÷ 45° C
Net weight	4,5 kg



€101,00

A481/30H
NEW €200,00

AUTO REWIND AIR HOSE REEL

Made of polypropylene shell, with polyurethane mesh hose and regulation for distributing evenly the tube in the internal part, tools free adjustable stop ball, low speed retraction system and 180° swivel mount bracket


PP

Box Polyprop.

Max. pressure	18 bar / 260 psi
Hose length	30 + 2 m
Male Fitting	3/8" BSPT
Hose diameter	ø 13,5 x 9,5 mm
Working temperature	0 ÷ 45° C
Net weight	9 kg


€ 151,00
0378/1510
PRO €166,00

AUTO REWIND AIR HOSE REEL

With pu mesh hose and regulation for distributing evenly the tube in the internal part


PP

Box Polyprop.

Max. pressure	18 bar / 260 psi
Hose length	15 + 1 m
Male Fitting	3/8" BSPT
Hose diameter	ø 13,5 x 9,5 mm
Working temperature	0 ÷ 45° C
Net weight	5 kg


€ 122,00
0481/15

€127,00

AUTO REWIND AIR HOSE REEL

With pu mesh hose, german type female quick coupler, german type female plug and regulation for distributing evenly the tube in the internal part


ABS

Box

Max. pressure	16 bar / 250 psi
Hose length	15 + 1 m
Male Fitting	1/4" BSPT
Hose diameter	ø 12 x 8 mm
Working temperature	0 ÷ 45° C
Net weight	4,5 kg


€ 103,00
0240/15

€20,20

AUTO REWIND AIR HOSE REEL

With pu mesh hose



Box

Max. pressure	16 bar / 250 psi
Hose length	15 m + 1 m
Male Fitting	3/8" BSPT
Hose diameter	12 x 8 mm
Net weight	5 kg


€ 13,60
0793

€112,00

WOOD-BURNING PEN SET WITH 6 PINS OF DIFFERENT SHAPE


7 Pcs



Blister

Power	230 V 50 Hz 30 W
-------	------------------


€ 88,10
0033A
PRO €32,90

HIGH PRECISION TEMPERATURE -CONTROLLED SOLDERING IRON STATION

Adjustable temperature 150-420°C, iron tip with hole ø 6 mm



Box

Melting point	215°	Power station supply	230 V 50 Hz
Working temperature	215 ÷ 300°C	Soldering power supply	24 V 48 W
Max temperature	420°C		


€ 25,90
0031

€12,70

HIGH PRECISION TEMPERATURE -CONTROLLED SOLDERING IRON STATION

Adjustable temperature 150°C - 420°C, iron tip with hole ø 6 mm



Box

Melting point	215°
Working temperature	215 ÷ 300°C
Max temperature	450°C
Power	230 V, 50 Hz, 37 W


€ 10,10
0027/30W

€14,40

SOLDERING IRON


Blister

Power	230 V 50 Hz 30 W
Working temperature	450°C ± 10%


€ 11,30

0443

PRO €56,30

FAST HEATING SOLDERING GUN

With adjustable temperature



Carrying case

Power	230V 50Hz 200W
Temperature	70 °C ÷ 500 °C



€ 44,70

0444

PRO €84,00

DIGITAL HOT AIR GUN SET

With electronic temperature control, lcd display to show the temperature, 2 levels of air flow, ideal for heating, folding, bending, removing paint



6 Pcs



Box

ABS



€ 68,90

Power	230 V, 50 Hz, 2000 W
Temperature	I 70°C - II 70°C ÷ 600°C - III 70°C ÷ 600°C
Air stream	I 300L/min - II 300L/min - III 500L/min

0024

€30,10

HOT AIR GUN

Box

Temperature	300 °C - 500 °C
Air stream	280 l/min - 480 l/min
Power	230 V 50Hz 1,5 kW



€ 24,20

0441

€69,90

HOT KNIFE FOR POLYSTYRENE WITH ADJUSTABLE TEMPERATURE

For polystyrene, plastic, foam and sponge, adjustable cutting length, metal stand



Box



€ 57,10

Power	230 V, 50 Hz, 220 W
Temperature	120 - 220 - 330 - 400 - 450 °C
Cutting capacity with adjustment	20 ÷ 90 mm
Max cut	150 mm

0333

PRO €111,00

HOT KNIFE FOR POLYSTYRENE WITH ADJUSTABLE TEMPERATURE

For polystyrene, plastic, foam and sponge, adjustable cutting length, metal stand



Carrying case

Power	230 V, 50 Hz, 150 W
Temperature	Max 500 °C
Max cut	150 mm



€ 86,30

0677/500

€18,00

500CC HAND OPERATED LEVER GREASE GUN

Composed of metal tank and pump, coupler and 300mm PVC flexible hose, for using with loose grease or ø 53mm grease cartridges.



Box

Capacity	500 cc
Flexible hose sizes	ø 8 x 300 mm
Working pressure	6000-8000 psi



€ 14,80

0677

€41,00

HAND OPERATED LEVER GREASE GUN

Composed of metal tank and pump, coupler and 450mm PVC flexible hose for using ø 55mm grease cartridges or loose grease (adaptor already mounted).



Box

Capacity	1000 cc
Flexible hose sizes	ø 9 x 450 mm



€ 33,30

0189-

METAL FUEL TANK

With flexible filler, "un" certified according to european directives

starting from
€ 29,20

Capacity Liters	Net weight	Art.	€	Promo
5	1,5 kg	0189/05C	€42,30	€ 29,20
10	2,5 kg	0189/10C	€42,90	€ 32,20
20	3,7 kg	0189/20C	€48,90	€ 34,80

0356
€ 63,30
**TROLLEY PRESSURE SPRAYER
WITH BRASS LANCE PIPE**

With FPM gaskets.



Box

Capacity 16 l

€ 52,10

0274
€ 8,40
**PRESSURE SPRAYER WITH BRASS
NOZZLE**

With FPM gaskets.


€ 6,50

Capacity 2 l

0385
€ 54,60
ROTARY HAND PUMP

For transferring lubricating oil, diesel, kerosene and antifreeze drums with telescopic suction pipe



Box

Alu

Aluminum

 Capacity 20 l/min
Pump thread 2"

€ 44,90

0386
€ 39,00
LEVER ACTION HAND OIL PUMP

For transferring lubricating oil, diesel, kerosene and antifreeze drums with telescopic pipe



Box

 Capacity 18 l/min
Pump thread 2" / 1-1/2"

€ 32,70

0474/PA
€ 74,90
AUTOMATIC DIESEL GUN

With swivel connector.



Box

 Capacity 90 l/min
Nozzle ø25 mm
Inlet thread 1" BSP

€ 58,20

0755
€ 98,20
12VDC DIESEL PUMP

For mineral oil and diesel.



Box

Motor	DC 12 V, 175 W
Motor speed	4500 rpm
Pump capacity	40 l/min
Hydraulic head	2 m
Suction	4 m
Inlet thread	25 mm
Size	200 x 120 x 155 mm
Usage time	Max 30 min


€ 82,90
0272
€ 14,70
DRILL PUMP

For no flammable, explosive, corrosive and oily liquid. Suitable use for rack spindles.



Blister

Plastic

Hydraulic head	30 m
Pump capacity	2.4 m ³ /h
Max. pressure	0.3 MPa
Max speed	3400 rpm
Max temperature	40°C
Hose diameter	19 mm 3/4"

€ 11,30

0218/50T
€ 93,10
50W LED FLOODLIGHT WITH TRIPOD

Aluminium super slim die-cast housing, tempered glass.



Box

Alu

Aluminum



Power	220 - 240 V, 50 Hz, 50W
Luminous flux	4000 lm
Color temperature	4000 K
Cable	2 m, 3x1 mm ² H05VV-F

€ 72,30


0343

€ 26,20

FLEXIBLE ARM LAMP



Power	110 / 230 V 50 / 60 Hz
Bulb	Max 40 W, E27 not included
Range	800 mm
Clamp capacity	35 mm



€ 17,30

0366

€ 116,00

56 LED MAGNIFIER LAMP

With lens



Power	230 V 50 Hz 8 W
Magnification	2x
Luminous flux	600 lm
Color temperature	6500 K
Lens	Ø 120 mm
Range	810 mm
Clamp capacity	70 mm



€ 92,60

0530

€ 119,00

LOW CONSUMPTION LAMP WITH LENS

With lens



Power	230 V 50 Hz 22 W
Magnification	3x
Lens	Ø 120 mm
Range	810 mm
Clamp capacity	70 mm
Luminous flux	1000lm



€ 89,40

0659

€ 38,60

CRYSTAL LENS SET



Contents	Magnifications
3 Pcs Ø 50	3x - 10x mm
3 Pcs Ø 60	3x - 8x mm
3 Pcs Ø 75	3x - 8x mm
3 Pcs Ø 90	3x - 8x mm



€ 25,30

0482/3

€ 56,50

HEAD LAMP WITH SENSOR

Switch on and off function by passing the hand in front of the lamp.



LED	3 W COB
Luminous flux	Max 300 lm
Color temperature	6500 K
Battery	3.7 V 1500 mAh Li-ion
Autonomy	4h
Recharging time	3h



€ 43,90

0107

€ 7,90

30 + 7 LED MAGNETIC LIGHT

With magnet and hook on the back side



Single LED life	100000 hours
Intensity	50 lm
Not included batteries	3 AA
Dimensions	40 x 35 x 203 mm



€ 6,40

0597

€ 29,10

RECHARGEABLE LED LIGHT WITH MAGNET

With battery charger 12Vdc and 230Vac, foldable, hanging and magnetic.



Battery	3.7 V 1800 mAh
LED	8 SMD + 5 LED
Recharging time	8 ÷ 10 h
Autonomy	7 ÷ 8 h



€ 23,70

0889

€ 60,10

RECHARGEABLE LED LIGHT WITH MAGNET

With battery charger 12Vdc and 230Vac, foldable, hanging and magnetic.



Battery	3,7 V - 1100 mAh - Lithium
LED	21 + 5 - 9000 mcd
Recharging time	4 ÷ 5 h
Autonomy	4 ÷ 6 h



€ 48,90

0693A
PRO NEW
€84,00
RECHARGEABLE LED LAMP

With charging station, foldable, hanging and magnetic


ABS

Battery	3,7V - 2600mAh - Li-ion
LED	6W COB LED - 1W SMD 6500K
Luminous flux	600 lm
Recharging time	4h
Autonomy	4.5h Eco mode
Working temperature	-10°C ÷ 40°C


€63,40
0401
PRO
€73,10
COB LED TECHNOLOGY RECHARGEABLE LAMP

High capacity lithium battery for long time operation, magnetic back for hand-free application, flexible standing arm for multi-angle lighting purposes, strong light output 180 lumens.


ABS

Power	100 ÷ 240 V, 50 ÷ 60 Hz
Battery	3,7 V - 2600 mAh - Li-ion
Recharging time	6 h
Autonomy	3,5 h
Intensity	180 lm


€57,60
0123
€61,60
MULTIFUNCTION USB RECHARGEABLE LED LIGHT

With front torch with various steps of brightness, lateral white and red LEDs with flashing function. USB recharging cable and transformer. Charge and recharge status LED. It can be charged directly from a computer.


ABS

Battery	3.7V - 1800 mAh - Li-ion
LED	24 Cree XPG R5
Intensity	30 - 300 lm
Dimensions	191 x 99 x 148 mm
Battery charger	USB 110 - 230 V 50 - 60 Hz
Autonomy	2.5 h


€50,30
G900
NEW
€14,60
CAMPING LANTERN

ABS

Dimensions	Ø 60 x 160 mm
Intensity	150 lm
Not included batteries	3 x AAA


€11,00
L008
PRO
€127,00
SLIM INSPECTION CORDLESS LED LIGHT

Rechargeable, high capacity lithium battery for long time operation, strong light output 400 lumen, the slim design and robust structure make it indestructible even if it falls from a height of one meter or, if it is forgotten on a flat floor, the car passes over it


ABS

Power	100 ÷ 240 V, 50 ÷ 60 Hz
Battery	3,7 V 2400 mAh Lithium
Luminous flux	400 lm
Recharging time	3,5 h
Autonomy	3 - 10 h
Intensity	400 lm


€104,00
0445/20
PRO
€156,00
RECHARGEABLE LED FLOODLIGHT

With switch, adapters to recharge batteries with car dc lighter and home ac 230V.


Alu


Power	DC 12 - 24 V, 20 W; AC 230 V 20W
Luminous flux	600 - 1450 lm
Battery	7.4V 5400mAh Li-ion
Autonomy	1,5 h


€114,00
0900
PRO NEW
€84,00
MULTI PORTABLE MAGNETIC LED LIGHT

COB Led portable lamp made in impact-resistant ABS. Adjustable in four different light intensities from 350 to 1400 Lumen. The strong magnet at the base and the rotatable body through 180°, makes it perfect to be used in any circumstance.


Alu

LED	COB
Power	USB Type C 5 V 2 A
Battery	3.7 V 5200 mAh Li-ion
Luminous flux	350 ÷ 1400 lm
Recharging time	4 h
Autonomy	3 h ÷ 14 h
Dimensions	116 x 101 x 41.5 mm


€63,40
0621/A3
€107,00
AUTO RE-ENTERING CABLE REEL


Cable length	10 m
Cable type	3 x 1,50 mm ² H05VV-F


€88,70

Power	12 V ÷ 240 V
Max power for rolled cable	1200 W
Max power for unrolled cable	1800 W

C035-

PRO NEW

STAINLESS STEEL ELECTRONIC DIGITAL CALIPER

With glass rail for better accuracy, metal housing and buttons, data output with mini USB port, removable thumbroll, ground and lapped jaws, with locking screw.



starting from
€ 52,20

Range	Reading	Art.	€	Promo
0÷150 mm 0÷6"	0,01 mm 0,0005"	C035/150	€ 69,20	€ 52,20
0÷200 mm 0÷8"	0,01 mm 0,0005"	C035/200	€ 95,10	€ 71,80
0÷300 mm 0÷12"	0,01 mm 0,0005"	C035/300	€ 166,00	€ 126,00

C033-

STAINLESS STEEL ELECTRONIC DIGITAL CALIPER

With 3 functions and a big screen



starting from
€ 44,90

Range	Reading	Art.	€	Promo
0÷150 mm 0÷6"	0,01 mm 0,0005"	C033/150	€ 61,00	€ 44,90
0÷200 mm 0÷8"	0,01 mm 0,0005"	C033/200	€ 88,00	€ 68,50
0÷300 mm 0÷12"	0,01 mm 0,0005"	C033/300	€ 132,00	€ 105,00

C041/150

€ 34,20

MONOBLOCK STAINLESS STEEL ELECTRONIC DIGITAL CALIPER

3 functions with big lcd



€ 22,30

Range	0÷150 mm 0÷6"
Reading	0,01 mm 0,0005"
Jaws	40 mm
Beam	16 x 3 mm

C006-

STAINLESS STEEL DIAL CALIPER



starting from
€ 34,00

Range	Reading	Jaws	Beam	Art.	€	Promo
0 ÷ 150 mm	0,02 mm	40 mm	16 x 3 mm	C006/150	€ 48,10	€ 34,00
0 ÷ 200 mm	0,02 mm	50 mm	16 x 3 mm	C006/200	€ 73,30	€ 51,10
0 ÷ 300 mm	0,02 mm	60 mm	20 x 4 mm	C006/300	€ 119,00	€ 80,40

C057/150

€ 20,80

CHROMED VERNIER CALIPER



€ 16,50

Range	0÷150 mm 0÷6"
Reading	1/20 0,05 mm 1/128"
Jaws	40 mm
Beam	16 x 3 mm

C019/150

€ 16,50

CHROMED VERNIER CALIPER



€ 13,50

Range	0÷150 mm 0÷6"
Reading	1/20 0,05 mm 1/128"
Jaws	40 mm
Beam	16 x 3 mm

C021-

PRO

MONOBLOCK STAINLESS STEEL CHROMED VERNIER CALIPER

Fine adjustment



starting from
€ 92,50

Range	Reading	Art.	€	Promo
0÷300 mm 0÷12"	1/50 0,02 mm 1/1000"	C021/300	€ 171,00	€ 92,50
0÷500 mm 0÷20"	1/50 0,02 mm 1/1000"	C021/500	€ 235,00	€ 157,00
0÷1000 mm 0÷40"	1/50 0,02 mm 1/1000"	C021/1000	€ 525,00	€ 400,00

C020-

CHROMED VERNIER CALIPER

Fine adjustment



starting from
€ 80,80

Range	Reading	Art.	€	Promo
0 ÷ 500 mm	1/50 0,02 mm	C020/500	€ 148,00	€ 80,80
0 ÷ 1000 mm	1/50 0,02 mm	C020/1000	€ 365,00	€ 282,00
0 ÷ 1500 mm	1/50 0,02 mm	C020/1500	€ 1020,00	€ 724,00
0 ÷ 2000 mm	1/50 0,02 mm	C020/2000	€ 1650,00	€ 1250,00

C007-
CHROMED VERNIERE DEPTH GAUGE

**starting from
€ 30,30**

Range	Reading	Base	Beam	Art.	€	Promo
0 ÷ 200 mm	1/50 0,02 mm	100 mm	9,6 x 4,5 mm	C007/200	€ 37,30	€ 30,30
0 ÷ 300 mm	1/50 0,02 mm	100 mm	12 x 4 mm	C007/300	€ 51,20	€ 37,70

T092-
ELECTRONIC DIGITAL MULTI FUNCTION HEIGHTGAUGE

With 4 functions and big display, with scriber


**starting from
€ 417,00**

Range	Reading	Art.	€	Promo
0÷300 mm 0÷12"	0,01 mm 0,0005"	T092/300	€ 542,00	€ 417,00
0÷600 mm 0÷24"	0,01 mm 0,0005"	T092/600	€ 901,00	€ 650,00

C064
€ 105,00
MULTIFUNCTIONAL ELECTRONIC DIGITAL INDICATOR LARGE DISPLAY

Functions: zero point at any position, mm/inch, conversion, hold, min/max functions, auto power off.



Range	0÷12,7 mm 0÷0,5"
Reading	0,01 mm 0,005"
Accuracy	0,02 mm 0,002"
Dial size	60 mm
Battery	SR44W

€ 66,50
C023
€ 30,50
DIAL INDICATOR


Dial size	60 mm
Range	10 mm
Reading	0,01 mm
Accuracy	0,015 mm

€ 15,90
P. 024

Promotion valid until 31/12/2022, while stocks last - VAT not included

CF08
NEW
€ 8,40
GAUGE TO MEASURE WHEEL NUT HOLES CENTER DISTANCE

Handy tool for measuring the hole circle on steel and aluminium rims. Suitable for 4 -, 5 -, 6 - and 8-hole rims


€ 6,30

Range	4-8 LUG 100 ÷ 210 mm
-------	----------------------

RX
SCALE WITH MULTIFUNCTION DIGITAL READOUT

The scale can be cut to reach the desired length functions: on/off - mm/inch - zero - abs/inc - auto power off.


**starting from
€ 57,10**

Total length	Range	Art.	€	Promo
630 mm - 24.8" inch	500 mm - 19.7"	R060	€ 82,00	€ 57,10
1000 mm - 40" inch	900 mm - 35"	R100	€ 107,00	€ 80,80

C002
€ 52,00
DIAL INDICATOR


Dial size	60 mm
Range	10 mm
Reading	0,01 mm
Accuracy	0,015 mm

€ 42,10
C002/42
€ 37,50
DIAL INDICATOR


Dial size	42 mm
Range	5 mm
Reading	0,01 mm
Accuracy	0,015 mm

€ 26,50

C048**€73,40****DIAL INDICATOR**

With back lug



Dial size	60 mm
Range	30 mm
Reading	0,01 mm
Accuracy	0,015 mm

**€54,00****T007-****DIAL TEST INDICATOR**

Dial size	Range	Reading	Contact point	Art.	€	Promo
40 mm	0,8 mm	0,01 mm	Ø 2 mm	T007	€93,20	€55,60
40 mm	0,8 mm	0,01 mm	Ø 2 mm	T007G	€59,40	€48,20

starting from
€48,20**A020****€134,00****ZERO SETTING WITH DIAL INDICATOR WITH MAGNETIC BASE**

Zero setting height	50 mm
Reading	0,01 mm
Range	0 ÷ 8 mm

**€107,00****A021****€124,00****ZERO SETTING WITH DIAL INDICATOR WITH MAGNETIC BASE**

To position or reset the height of tools, such as end mills, directly on the machine tools, also determining the position of the machine spindle.



Range	0÷2,40 mm 0÷0,094"
Reading	0,01 mm 0,0005"
Platform dimensions	Ø 24 mm
Digit height	8 mm
Battery	1 x 3V CR2032
Dimensions	Ø 50 x 51 mm

**€93,30****C061****€227,00****CO-AX INDICATOR**

With positioning rod



Dial indicator	Ø 40 mm
Swing	4,9 mm
Reading	0,01 mm
Max speed	800 rpm
Cylindric shank	Ø 10 mm
Straight feelers	3
Bent feelers	3
Feeler length	50 - 100 - 150 mm
Contact point	Ø 3 mm
Scriber point	50 mm

**€187,00****M021-****ELECTRONIC DIGITAL MICROMETER**

Friction thimble with carbide faces, functions: abs/inc, set, on/off and mm/inch.



Size	Reading	Precision	Art.	€	Promo
0 ÷ 25 mm - 0 ÷ 1"	0,001 mm - 0,00005"	0,003 mm - 0,00015"	M021/00/25	€92,30	€72,60
25 ÷ 50 mm - 1" ÷ 2"	0,001 mm - 0,00005"	0,003 mm - 0,00015"	M021/25/50	€115,00	€91,10
50 ÷ 75 mm - 2" ÷ 3"	0,001 mm - 0,00005"	0,004 mm - 0,0002"	M021/50/75	€139,00	€109,00
75 ÷ 100 mm - 3" ÷ 4"	0,001 mm - 0,00005"	0,004 mm - 0,0002"	M021/75/100	€162,00	€127,00

starting from
€72,60**M033****€197,00****OUTSIDE MICROMETER SET**

With carbide faces and painted frame



Size	0÷25 - 25÷50 - 50÷75 - 75÷100 - 100÷125 - 125÷150 mm
Reading	0,01 mm
Accuracy	0,004 - 0,004 - 0,005 - 0,005 - 0,006 - 0,006 mm
Spindle	Ø 6,3 mm

**€151,00****S049****€35,20****MAGNETIC STAND**

With microadjustment



Main stem	Ø 12 x 170 mm
Assistant stem	Ø 10 x 150 mm
Magnetic force	600 N
Base dimensions	63 x 50 x 55h mm

**€21,30**

S047
€65,90
MAGNETIC STAND

With microadjustment



Carrying case

Main stem	Ø 16 x 220 mm
Assistant stem	Ø 12 x 180 mm
Magnetic force	800 N
Base dimensions	65 x 50 x 55h mm


€49,40
S054
€31,90
MAGNETIC STAND


Carrying case

Main stem	Ø 12 x 170 mm
Assistant stem	Ø 10 x 165 mm
Magnetic force	600 N
Base dimensions	63 x 50 x 55h mm


€20,00
S055
€62,20
MAGNETIC STAND


Carrying case

Main stem	Ø 16 x 210 mm
Assistant stem	Ø 12 x 175 mm
Magnetic force	800 N
Base dimensions	75 x 50 x 55h mm


€36,60
S042/1
€57,50
UNIVERSAL MECHANICAL ARM STAND

With 3d central lock



Carrying case

Base dimensions	36 x 30 x 35 mm
Magnetic force	300 N
Arm length	145 mm


€42,00
S042/2
€72,70
UNIVERSAL MECHANICAL ARM STAND

With micrometric adjustment and 3d central lock



Carrying case

Base dimensions	60 x 50 x 55 mm
Magnetic force	800 N
Arm length	290 mm


€56,40
S045
€73,80
UNIVERSAL MECHANICAL ARM STAND


Carrying case

Main stem	Ø 12 x 160 mm
Assistant stem	Ø 10 x 180 mm
Magnetic force	600 N
Base dimensions	63 x 50 x 55h mm


€46,20
S046
€113,00
HYDRAULIC UNIVERSAL MAGNETIC STAND


Carrying case

Main stem	Ø 17 x 180 mm
Assistant stem	Ø 14 x 200 mm
Magnetic force	600 N
Base dimensions	63 x 50 x 55h mm


€77,20
S056-
90° MAGNETIC SQUARE


Box


**starting from
€ 67,10**

Dimensions	Max. magnetic force	Art.	€	Promo
150 x 150 x 50 mm	500 N	S056/150	€82,30	€ 67,10
200 x 200 x 50 mm	1000 N	S056/200	€103,00	€ 84,20

S057/125**€19,10****WELDING HOLDER**

Box

Dimensions	135 x 135 x 25 mm
Magnetic force	340 N
Hold working angle	45 - 90 - 135°

**€14,40****0109****€48,00****DIGITAL LEVEL**

Magnetic with aluminum body, automatic power off, backlight, 2 vials, inc, abs and hold functions



Box

Length	400 mm	Reading	0° - 90°: 0,1°
Auto power off	5 min	Accuracy	0° - 90°: ±0,2°
Measuring range	0 - 90° x 4	Battery	2 x AAA 1,5 V

**€40,60****L090A****€109,00****DIGITAL LEVEL - INCLINOMETER AND GONIOMETER WITH MAGNET**

0 ÷ 90° magnetic digital level on all the 4 directions, inclinometer and goniometer, function: inclination mm/m and in/ft, % of inclination, backlight, automatic power off, ABS and relative measurements and automatic digit inversion for overhead measurements, with beeper.



Box

Accuracy	± 0.15°
Measuring range	0 ÷ 90° x 4
Reading	0.05°
Dimensions	151 x 31 x 60 mm
Battery	2 x 1.5 V AAA

**€90,20****L085****€83,60****DIGITAL LEVEL BOX**

±0 ÷ 180° magnetic, automatic power off, ABS and relative measurements and automatic digit inversion for overhead measurements, hold function.



Blister

Accuracy	± 0.1°
Measuring range	0° ÷ 180°
Reading	0.1°
Dimensions	51 x 51 x 33 mm
Battery	1 x 3 V CR2032

**€68,60****0666****€176,00****DIGITAL LEVEL WITH LASER**

Measuring unit in degrees or %.



Box

Length	600 mm	Laser power	< 1 mW
Auto power off	5 min	Accuracy	± 0,05°
Measuring range	0 - 360°	Pointing accuracy	± 1 mm / m
Wave length	650 nm	Battery	9 V
Reading	0,1°		

**€140,00****0112****€105,00****DIGITAL LEVEL**

Magnetic with milled aluminum base, automatic power off, backlight, 2 vials, "hold function, 0° and 90° with sound, reading: absolute, ref, percent, mm/m and in/ft, carrying bag.



Box

Length	600 mm	Reading	0° & 90°: 0,05°; 0° - 89°: 0,1°
Auto power off	5 min	Accuracy	0° & 90°: ±0,05°; 0,1° - 89,9°: ±0,2°
Measuring range	0 - 90° x 4	Battery	2 x AAA 1,5 V

**€85,40****L080****€53,00****DIGITAL LEVEL BOX**

0 ÷ 90° magnetic on all the 4 directions, backlight, automatic power off, ABS and relative measurements and automatic digit inversion for overhead measurements.



Blister

Accuracy	0° ± 0.1°; 90° ± 0.1°; 0.1° ÷ 89.9° ± 0.2°
Measuring range	0 ÷ 90° x 4
Reading	0.1°
Dimensions	59 x 27 x 59 mm
Battery	1 x 1.5 V AAA

**€43,10****L200****€188,00****LINEAR LEVEL**

Master precision, with v-slot s ground



Dimensions	200 x 45 x 45 mm
Accuracy	0,02 mm / m

€151,00

G008
€50,90
DIGITAL ANGLE FINDER AND LEVEL WITH 2 VIALS

Automatic calculation of angles and inclinations


€40,50

Length	400 mm
Range	0 ÷ 225°
Reading	0,1°

Accuracy	± 0,5°
Battery	9 V - 6F22

P080
€78,70
DIGITAL CLAMP METER

With LCD display. 7 operating modes: AC current, AC voltage, DC voltage, resistance, continuity, frequency, diode control. High reliability



Box	
ACV	4 / 40 / 400 / 600 V ±1,5 % + 4
ACA	4 / 40 / 400 / 600 A ±1,5 % + 4
DCV	4 / 40 / 400 / 600 V ±1,0 % + 2
RES	400 Ω / 4 kΩ / 40 kΩ / 400 kΩ / 4 MΩ / 40 MΩ ±1,0 % + 2
Frequency	10 MHz ±0,8 % + 2
Battery	2 x 1,5 V x AA
Dimensions	250 x 71 x 38,8 mm


€65,00
P075
PRO
€132,00
DIGITAL CLAMP METER

With LCD display. 9 operating modes: AC current, AC voltage, DC voltage, resistance, continuity, frequency, diode control, temperature measurement. High reliability



Box	
ACV	750 V ±1,2 %
ACA	200 - 1000 A ±2,0 %
DCV	1000 V ±1,0 %
DCA	200 - 1000 A ±2,0 %
RES	200 Ω ±1,0 %
Frequency	2k Hz ±2,5 %
Temperature	-40°C ÷ 400°C ±1,5 %
Battery	9 V


€108,00
T051
€18,80
POCKET DIGITAL MULTIMETER

Audible continuity and diode test



Box	
DCV	2-20-200-500V ±0,5%
ACV	200-500V ±1,2%
DCA	200mA ±1,5%
RES	2K-20K-200K-2M Ω ±1%
Battery	12V


€13,40
T050
€37,30
DIGITAL MULTIMETER

High accuracy temperature meter, audible continuity and diode test



Box	
DCV	200 mV - 1000 V
ACV	2mV - 750 V
DCA	2 mA - 20 A
ACA	200 mA - 20 A
RES	200 Ω - 200 MΩ
CAP	2000 pF - 20 nF - 200 nF - 2 μF - 20 μF ±4%
Temperature	-40 °C ÷ 400 °C ±1,0%
Temperature	400 °C ÷ 1000 °C ±1,5%
Battery	9 V


€28,10
T053
PRO
€89,50
DIGITAL MULTIMETER

High accuracy temperature meter, audible continuity and diode test



Box	
DCV	200 mV - 2 V - 20 V - 200 V - 1000 V ±0,8%
ACV	200 mV - 2 V - 20 V - 750 V ±1,2%
DCA / ACA	200 μA - 2 mA - 20 mA - 200 mA - 20 A ±2,0%
RES	200Ω - 2kΩ - 20kΩ - 200kΩ - 2MΩ - 20MΩ - 200MΩ ±1%


€75,30
ML80A
€81,00
LASER METER

Handy and lightweight, ideal for the measurements in construction and carpentry, functions: addition, subtraction, area and volume calculation, auto power off



Blister	
Range	0,05 ÷ 80 m
Accuracy	±2 mm
Battery	3 AAA x 1,5 V


€63,70
ML40
€60,20
LASER DISTANCE METER

Ideal for the measurements in construction and carpentry, functions: addition, subtraction, area and volume calculation, auto power off



Blister	
Range	0,05 ÷ 40 m
Accuracy	± 2 mm
Battery	2 AAA x 1,5 V


€47,40

T068

€131,00

LASER POINTER INFRARED TEMPERATURE METER

Not suitable for body temperature measurement



Blister

Range	-30°C÷550 °C -22 F÷1022 F
Accuracy	-30 °C ÷ 0 °C -22 F ÷ 32 F ±3 % or ±3 °C
Accuracy	0 °C ÷ 100 °C 32 F ÷ 212 F ±2 % or ±2 °C
Accuracy	> 100 °C > 212 F ±3 % or ±3 °C
Reading	0,1 °C 0,1 F
Emissivity	0,1 ÷ 1,0
Battery	9 V

€77,50

**T064**

€101,00

LASER POINTER INFRARED TEMPERATURE METER

High precision. Non-contact temperature measurement. Not suitable for human beings



Blister

Range	-25°C÷400 °C -13 F÷752 F
Accuracy	-25 °C ÷ 400 °C ±(2 % + 1 °C)
Accuracy	-13 F ÷ 752 F ±(2 % + 1 F)
Reading	1 °C 2 F
Battery	9 V
Distance/Spot size	1 : 10
Sampling time	0.5 s
Emissivity pre-set	0.95

€74,60

**0387A**

NEW €67,40

DIGITAL MULTI-FUNCTION DETECTOR

For measuring ferrous and non-ferrous metals, wood and live cables in walls, ceilings and floors.



Blister

Max depth of detecting	
Ferrous metal	100 ± 5 mm
No ferrous metal	70 ± 5 mm
Wood	20 ± 5 mm
Depth of AC	50 ± 5 mm
Battery	9 V
Dimensions	150 x 75 x 24 mm

€50,90

**MD01**

€118,00

METAL DETECTOR

Analogue consisting of 2 color Leds for metal recognition. Audio sensor.



Box

Coil diameter	170 mm
Jack connector	1/4"
Sensitivity	> 15 cm per una moneta di ø 25 mm
Battery	9 V

€94,50

**C070**

€154,00

CONTACT AND OPTICAL TYPE DIGITAL TACHOMETER

With reflective stripes



Carrying case

Rotation laser speed	2,5 ÷ 9999,9 rpm
Rotation contact speed	0,05 ÷ 999,9 rpm
Surface speed	0,1 ÷ 999,99 m / min
Reading	0,1 (2,5 ÷ 999,9) rpm
Reading	1 (1000 ÷ 9999,9) rpm
Use distance	da 50 ÷ 60 mm a 50 ÷ 250 mm (con ottico)
Accuracy	± 0,05 % + 1 digit
Working temperature	0°C ÷ 40°C
Sampling time	0.8 s

€119,00

**C069**

€110,00

CONTACT TYPE DIGITAL TACHOMETER

Carrying case

Round speed	2,5 - 9999,9 rpm
Surface speed	0,05 - 999,99 m/min
Reading	0,1 (7,5 - 999,9) rpm
Reading	1 (1000-9999,9) rpm
Accuracy	± 0,05 % + 1 digit
Dimensions	190 x 72 x 37 mm
Battery	4 x 1,5 V AA

€72,00

**C067**

€110,00

PHOTO TYPE DIGITAL TACHOMETER

With reflective stripes



Carrying case

Range	2,5 ÷ 9999,9 rpm
Reading	0,1 (2,5 ÷ 999,9) rpm
Reading	1 (1000 ÷ 9999,9) rpm
Use distance	da 50 ÷ 60 mm a 50 ÷ 250 mm
Accuracy	±0.05 % of reading + 1 digit
Dimensions	170 x 72 x 37 mm
Battery	4 x 1,5V AA

€67,30

**0433**

€82,10

REFRACTOMETER

Brix, useful to check coolant oils



Carrying case

Range	0 ÷ 32% Brix
-------	--------------

€65,80



D018
PRO € 4660,00
HARDNESS TESTING MACHINE

Motorized, rockwell, brinell and vickers



Wooden Box

Test force 294,2 N / 306,5 N / 588,4 N / 612,9 N / 980,7 N / 1471 N / 1839 N; 30 kgf / 31,25 kgf / 60 kgf / 62,5 kgf / 100 kgf / 150 kgf / 187,5 kgf

MEASURE UNITS:

HBS	4 - 450
HRB	20 - 100
HRA	20 - 88
HRC	20 - 70
HV	200 - 1000


€ 3710,00
D001
€ 2430,00
ROCKWELL HARDNESS TESTING MACHINE


Wooden Box

Durometer dimensions 185 x 465 x 640 mm
Test force 588,4 N / 980,7 / 1471 N (60 kgf / 100 kgf / 150 kgf)

MEASURE UNITS:

HRC	20 ÷ 70
HRB	25 ÷ 100
HRA	20 ÷ 88
Net weight	90 kg


€ 1940,00
B003/5/1
€ 33,60
ELECTRONIC DIGITAL SCALE

Not legal for trade, auto power off, tare function



Box


€ 19,10

Capacity	5 kg - 176,4 oz	Battery	2 x 1,5V AA
Reading	1 g / 0,1 oz	Dimensions	170 x 240 x 35 mm

B018
€ 122,00
ELECTRONIC DIGITAL SCALE WITH DOUBLE DISPLAY

Not suitable for dealings with third parties. Equipped with 4 V 4AH battery and charger. Memory for unit values. Calculate total values.



Box


€ 95,70

Capacity	30 kg	Dimensions	350 x 330 x 120 mm
Reading	10 g	Power	230V 50 Hz
Platform size	340 x 230 mm	Rechargeable battery	4 V 4 Ah

B004-
RECHARGEABLE ELECTRONIC DIGITAL COUNTER SCALES

Not legal for trade with 6V 4A and transformer.



Box


€ 298,00

Capacity	Reading	Scale dimensions	Art.	€	Promo
7,5 kg	0,2 g	350 x 340 x 105 mm	B004/7	€ 374,00	€ 298,00
30 kg	1 g	350 x 340 x 105 mm	B004/30	€ 374,00	€ 298,00

B004/150
€ 729,00
RECHARGEABLE ELECTRONIC DIGITAL COUNTER SCALE

Not legal for trade with 6V 4A battery and transformer.



Box


€ 567,00

Capacity	150 kg
Reading	10 g
Rechargeable battery	6 V 4 Ah
Net weight	17 kg

D010-
NEW
DIGITAL CRANE SCALES

With cast aluminum structure, equipped with battery, charger, infrared remote control and sound signal Double unit of measurement kg / lb. With Peak, Hold, Tare, Zero and addition functions. Large fonts for easy reading. Not suitable for relations with third parties.



Box


starting from € 428,00

Digits sizes	Capacity	Reading	Art.	€	Promo
40 x 20 mm	1000 kg	0.500 kg	D010/0100	€ 567,00	€ 428,00
40 x 20 mm	3000 kg	1 kg	D010/0300	€ 683,00	€ 515,00
40 x 20 mm	5000 kg	2 kg	D010/0500	€ 798,00	€ 602,00
40 x 20 mm	10000 kg	5 kg	D010/1000	€ 998,00	€ 753,00

D012-
PRO
DIGITAL CRANE SCALES

Equipped with battery, charger, remote control, back light and sound signal Double unit of measurement kg/lb. With Peak, Hold, Tare and Zero functions. Large fonts for easy reading. Not suitable for relations with third parties.



Box


starting from € 688,00

Digits sizes	Capacity	Reading	Art.	€	Promo
40 x 20 mm	1001 kg	0,200 kg	D012/0100	€ 855,00	€ 688,00
40 x 20 mm	3001 kg	0,500 kg	D012/0300	€ 1010,00	€ 808,00
40 x 20 mm	5001 kg	1 kg	D012/0500	€ 1170,00	€ 935,00
40 x 20 mm	10001 kg	2 kg	D012/1000	€ 1390,00	€ 1120,00

T660**€ 4150,00****BENCH LATHE**

Semi norton gear box and belt speed change, partially assembled bench

Centers height	140 mm
Max swing over the bed	280 mm
Max swing over the cross slide	165 mm
Distance between centers	660 mm
Spindle bore	26 mm
Motor	230 V 50 Hz 0,75 kW
Dimensions	1325 x 550 x 1230 mm
Net weight	216 kg

**€ 3350,00****0657****€ 2850,00****BENCH LATHE**

With mill table device, belt speed change

Centers height	125 mm
Max swing over the bed	250 mm
Max swing over the cross slide	150 mm
Distance between centers	550 mm
Spindle bore	20 mm
Motor	230 V 50 Hz 0,55 kW
Dimensions	1120 x 480 x 460 h mm
Net weight	145 kg

**€ 2290,00****0708****€ 2330,00****GEAR BENCH LATHE**

With speed change by gears, morse tapered spindle bearings, adjustable signs, leadscrew hood, chuck guard with microswitch

Centers height	110 mm
Max swing over the bed	200 mm
Max swing over the cross slide	122 mm
Distance between centers	520 mm
Spindle bore	20 mm
Motor	230 V 50 Hz 0,55 kW
Dimensions	1080 x 440 x 400 h mm
Net weight	130 kg

**€ 1840,00****0506****€ 2120,00****BENCH LATHE**

Mini lathe with automatic longitudinal feeds and variable speed shown on digital display. With metal gears.

Centers height	105 mm
Max swing over the bed	210 mm
Max swing over the cross slide	140 mm
Distance between centers	400 mm
Spindle bore	21 mm
Motor	230 V 50 Hz 0,6 kW
Dimensions	780 x 300 x 340 h mm
Net weight	49 kg

**€ 1640,00****0716S****€ 1870,00****MINI LATHE**

Mini lathe with automatic longitudinal feeds and variable speed shown on digital display

Centers height	100 mm
Max swing over the bed	170 mm
Max swing over the cross slide	125 mm
Distance between centers	350 mm
Spindle bore	20 mm
Motor	230 V 50 Hz 0,6 kW
Dimensions	750 x 245 x 290 h mm
Net weight	46 kg

**€ 1380,00****0716****€ 1680,00****MINI LATHE**

With automatic longitudinal feeds and variable speed shown on digital display

Centers height	90 mm
Max swing over the bed	170 mm
Max swing over the cross slide	110 mm
Distance between centers	300 mm
Spindle bore	22 mm
Motor	230 V 50 Hz 0,5 kW
Dimensions	730 x 290 x 280 h mm
Net weight	40 kg

**€ 1200,00****T059/28V****€ 4050,00****GEARED DRILLING MILLING MACHINE**

Variable speed, with digital display of spindle speed and digital display of depth.

Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 28 mm
Face milling cutter max	Ø 63 mm
End milling capacity	Ø 28 mm
Spindle taper	CM 3
Chuck sizes	3 - 16 mm B16
Spindle speed	100 - 2500 rpm ±10%
Motor	230 V 50 Hz 1,1 kW
Net weight	270 kg

**€ 3080,00****T061A****€ 3150,00****GEARED DRILLING MILLING MACHINE**

Variable speed, equipped with light system, chuck speed digital display, depth's digital display

Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 16 mm
Face milling cutter max	Ø 63 mm
End milling capacity	Ø 20 mm
Spindle taper	CM 3
Chuck sizes	1 - 16 mm B16
Motor	230 V 50 Hz 1,1 kW
Net weight	120 kg

**€ 2230,00**

T059/16V
€ 2110,00
GEARED DRILLING MILLING MACHINE

With variable speed

Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 16 mm
Face milling cutter max	Ø 50 mm
End milling capacity	Ø 16 mm
Spindle taper	CM 2
Chuck sizes	1 - 13 mm B16
Motor	230 V 50 Hz 500 W
Net weight	72 kg


€ 1610,00
T058
€ 1700,00
GEARED DRILLING MILLING MACHINE

With variable speed

Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 13 mm
Face milling cutter max	Ø 30 mm
End milling capacity	Ø 16 mm
Spindle taper	CM 3
Motor	230 V 50 Hz 0,55 kW
Net weight	70 kg


€ 1400,00
0857
€ 916,00
RADIAL FLOOR DRILL PRESS WITH DRIVE BELT

Rotating and tilting table with double arm, tilting head, electrical system with separate 24V circuit for on-board machine controls.

Max drilling capacity on cast iron with pre-drilling hole	Ø 20 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 16 mm
Continuous drilling capacity	Ø 12 mm
Spindle taper	CM 2
Chuck sizes	1 - 16 mm B16
Motor	230 V 50 Hz 0,375 kW
Dimensions	950 x 300 x 1600 mm
Net weight	60 kg


€ 695,00
0757
€ 700,00
RADIAL DRILL PRESS WITH DRIVE BELT

Rotating and tilting table with double arm, tilting head, electrical system with separate 24V circuit for on-board machine controls.

Max drilling capacity on cast iron with pre-drilling hole	Ø 20 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 16 mm
Continuous drilling capacity	Ø 12 mm
Spindle taper	CM 2
Chuck sizes	2 - Ø 16 mm
Motor	230 V 50 Hz 0,375 kW
Dimensions	950 x 300 x 810 mm
Net weight	46 kg


€ 594,00
0754/230V
€ 1620,00
FLOOR DRILL PRESS WITH DRIVE BELT

Inclined table. Electrical system with separate 24V circuit for on-board machine controls.

Max drilling capacity on cast iron with pre-drilling hole	Ø 32 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 28 mm
Continuous drilling capacity	Ø 20 mm
Spindle taper	CM 4
Motor	230 V 50 Hz 1,5 kW
Net weight	125 kg


€ 1210,00
0754/400V
€ 1620,00
FLOOR DRILL PRESS WITH DRIVE BELT

Inclined table. Electrical system with separate 24V circuit for on-board machine controls.

Max drilling capacity on cast iron with pre-drilling hole	Ø 32 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 28 mm
Continuous drilling capacity	Ø 20 mm
Spindle taper	CM 4
Motor	400 V 50 Hz 1,5 kW
Net weight	125 kg


€ 1210,00
0752
€ 947,00
FLOOR DRILL PRESS WITH DRIVE BELT

Rotating and inclinable table. Electrical system with separate 24V circuit for on-board machine controls.

Max drilling capacity on cast iron with pre-drilling hole	Ø 25 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 20 mm
Continuous drilling capacity	Ø 16 mm
Spindle taper	CM 2
Motor	230 V 50 Hz 0,75 kW
Net weight	62 kg


€ 729,00
0242
€ 904,00
DRILL PRESS WITH DRIVE BELT

New belt tension device, drilling depth readout, Led light included, rotating and inclinable table. Electrical system with separate 24V circuit for on-board machine controls.

Max drilling capacity on cast iron with pre-drilling hole	Ø 25 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 20 mm
Continuous drilling capacity	Ø 16 mm
Spindle taper	CM 2
Motor	230 V 50 Hz 0,75 kW
Net weight	60 kg


€ 725,00

0750

€ 847,00

DRILL PRESS WITH DRIVE BELT

Rotating and inclinable table. Electrical system with separate 24V circuit for on-board machine controls.

Max drilling capacity on cast iron with pre-drilling hole	Ø 25 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 20 mm
Continuous drilling capacity	Ø 16 mm
Spindle taper	CM 2
Motor	230 V 50 Hz 0,75 kW
Net weight	57 kg



€ 718,00

0260

€ 797,00

DRILL PRESS WITH DRIVE BELT

New belt tension device, drilling depth readout, Led light included, rotating and inclinable table. Electrical system with separate 24V circuit for on-board machine controls.

Max drilling capacity on cast iron with pre-drilling hole	Ø 20 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 16 mm
Continuous drilling capacity	Ø 12 mm
Spindle taper	CM 2
Motor	230 V 50 Hz 0,55 kW
Net weight	50 kg



€ 633,00

0011

€ 460,00

DRILL PRESS WITH DRIVE BELT

Vertical movement of the table with rack, tilting table. Electrical system with separate 24V circuit for on-board machine controls.

Max drilling capacity on cast iron with pre-drilling hole	Ø 13 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 10 mm
Chuck	1 - 13 mm B16
Tilting table	± 45°
Motor	230 V 50 Hz 0,375 kW
Dimensions	315 x 530 x 690h mm
Net weight	25 kg



€ 375,00

0518/20

€ 814,00

MAGNETIC DRILL

With coolant system for core drills until 20mm with weldon shank Ø 19.05mm and straight shank drills until Ø 20mm with reduced shank Ø 13mm.

Continuous drilling capacity	Ø 20 mm
Key chuck	Ø 13 mm
Arbor	Weldon Ø 19,05 mm
Motor	230 V 50 Hz 0.9 kW
Dimensions	300 x 260 x 450 mm
BMC	442 x 395 x 175 mm
Net weight	15 kg



€ 657,00

0518/30

€ 1110,00

MAGNETIC DRILL

With coolant system for core drills until 30mm with weldon shank Ø 19.05mm and straight shank drills until Ø 20mm with reduced shank Ø 13 - 16mm.

Continuous drilling capacity	Ø 20 mm
Key chuck	Ø 16 mm
Arbor	Weldon Ø 19,05 mm
Motor	230 V 50 Hz 1.1 kW
Dimensions	360 x 280 x 490 mm
BMC	527 x 472 x 242 mm
Net weight	23 kg



€ 896,00

0518/50

€ 1520,00

MAGNETIC DRILL

With coolant system for core drills until 50mm with weldon shank Ø 19.05mm, morse taper shank drills mt 3 and straight shank drills until Ø 20mm with reduced shank Ø 13 - 16mm.

Continuous drilling capacity	Ø 20 mm
Key chuck	Ø 16 mm
Spindle taper MT	3
Motor	230 V 50 Hz 1.5 kW
Dimensions	400 x 310 x 475 mm
BMC	587 x 489 x 265 mm
Net weight	35 kg



€ 1220,00

0518/38M

€ 1250,00

MAGNETIC TAPPING/DRILL

With coolant system for core drills until 38mm with weldon shank Ø 19.05mm and straight shank drills until Ø 20mm with reduced shank Ø 13 - 16mm, tapping capacity M4 - M16.

Continuous drilling capacity	Ø 20 mm
Spindle taper MT	2
Arbor	Weldon Ø 19,05 mm
Motor	230 V 50 Hz 1.05 kW
Base dimensions	205 x 105 mm
Dimensions	280 x 320 x 510h mm
Net weight	20 kg



€ 965,00

0518/80

€ 1960,00

MAGNETIC DRILL

With coolant system for core drills until 80 mm with weldon shank Ø 19.05 mm, morse taper shank drills mt 3 and straight shank drills until Ø 20 mm with reduced shank Ø 13 - 16 mm.

Continuous drilling capacity	Ø 20 mm
Spindle taper MT	3
Arbor	Weldon Ø 19,05 mm
Spindle travel	280 mm
Max. magnetic force	20000 N
Spindle speed	230 ÷ 770 rpm
Motor	230 V 50 Hz 1.8 kW
Base dimensions	215 x 110 mm
Dimensions	290 x 410 x 550h mm
Net weight	35 kg



€ 1550,00

DID YOU NOT FIND THE RIGHT MACHINE FOR YOU?

*FERVI is able to offer
a complete range of
lathes, cutters, drills and
miter saws to meet
your professional need.*



*Discover the complete range
and contact your dealer!*



Visit fervi.com or read the QRcode
to consult our Catalogue of Machine Tools
and Accessories

FERVI is



LATHES



DRILLS



MILLING
MACHINES



MECHANICAL
WORKINGS

FERVI

Pro Smart Equipment

0255

€1630,00

METAL BAND SAW

With coolant system, quick vice, base with cabinet tools

Blade dimensions	1735 x 13 x 0,65 mm
Motor	230 V 50 Hz 0,5 kW
Cut range	0 ÷ 60°
Cutting speed	34 m / min
Cutting depth at 90°	— 150 x 140 mm • 140 mm
Cutting depth at 45°	— 140 x 105 mm • 105 mm
Base dimensions	470 x 700 mm
Dimensions	530 x 1000 x 1260h mm
Net weight	95 kg



€1240,00

0132

€496,00

CUTTING BAND SAW

Bench type, easy to carry, with two cutting speed

Blade dimensions	1335 x 12,7 x 0,65 mm
Speed	(2) 60 80 m / min
Cut range	0° ÷ 45°
Motor	230 V 50 Hz 0,850 kW
Cutting depth at 90°	• 105 mm — 105 x 93 mm
Cutting depth at 45°	• 72 mm — 70 x 60 mm
Net weight	17 kg



€397,00

R003/09

NEW

€463,00

PANTOGRAPH ROLLER CONVEYOR

Capacity	130 kg	Height	610 ÷ 950 mm
Roller diameter	50 mm	Size	1460 x 660 x 950 h mm
Length	485 ÷ 1400 mm	Net weight	31 kg

€368,00

0642

€342,00

CUT-OFF MACHINE

For dry cutting of metals, with disc protection guard.

Motor	230 V 50 Hz 2 kW
Disc dimensions	355 x 3.0 x 25.4 mm
Disc speed	3800 rpm
Cut range	± 45°
Cutting capacity	■ 100 x 100 mm - ■ 200 x 40 mm - o 100 mm
Vice opening	155 mm - 190 mm - 230 mm
Net weight	19 kg



€271,00

0362

€787,00

ELECTRONIC CUTTING BAND SAW FOR BENCH

With inverter motor

Blade dimensions	1435 x 12,7 x 0,65 mm
Motor	230 V 50 Hz 0,4 kW
Cutting speed	35 m / min
Cut range	0° ÷ 60°
Cutting depth at 90°	• 125 mm ■ 125 mm
Cutting depth at 45°	• 76 mm ■ 76 mm
Dimensions	700 x 360 x 450h mm
Net weight	22 kg



€625,00

0133

€147,00

ROLLER STAND

Roller shaft diameter	Ø 52 x 350 mm
Height	690 / 1200 mm
Maximum capacity	50 ÷ 60 kg
Net weight	15 kg



€118,00

R001-

ADJUSTABLE HEIGHT ROLLER STAND

With independent height adjustment feet

starting from
€298,00

Dimensions	Height	Maximum capacity	Art.	€	Promo
1000 x 460 mm	580 / 1030 mm	400 kg	R001/04	€348,00	€298,00
2000 x 450 mm	590 / 1050 mm	400 kg	R001/07	€489,00	€419,00

S510

€152,00

BENCH GRINDER WITH BRUSH

With brush and grinding wheel

Brush	2950 rpm - Ø 150 x 20 x 16 mm
Dry grinding wheel	2950 rpm - Ø 150 x 20 x 16 mm GR36



€116,00

Motor	230 V 50 Hz 0,40 kW
Usage type	S2 - 10 min
Net weight	9 kg

S503
€157,00
WET DRY BENCH GRINDER

With wet grinding wheel and dry grinding wheel


€121,00

Dry grinding wheel	2950 rpm - Ø 150 x 20 x 16 mm GR80
Wet grinding wheel	130 rpm - Ø 200 x 40 x 20 mm GR80

Motor	230 V 50 Hz 0,40 kW
Usage type	S2 - 10 min
Net weight	10 kg

S023
€137,00
BENCH GRINDER

With two grinding wheels of different grain


€108,00

Dry grinding wheel	2950 rpm - Ø 150 x 20 x 16 mm GR36 - GR80
Motor	2950 rpm - 230 V 50 Hz 0,40 kW

Usage type	S2 - 10 min
Net weight	8 kg

S383
€173,00
BENCH GRINDER WITH BELT

€134,00

Dry grinding wheel	2950 rpm Ø 150 x 20 x 16 mm GR36
Belt	50 x 686 mm GR100

Motor	230 V 50 Hz 0,40 kW
Usage type	S2 - 10 min
Net weight	8 kg

0510
€111,00
BENCH GRINDER WITH BRUSH

With grinding wheel and brush. Bracket for supporting pieces. Holes for fixing on the bench.


€90,30

Brush	2950 rpm - Ø 150 x 20 x 12,7 mm
Dry grinding wheel	2950 rpm - Ø 150 x 20 x 12,7 mm GR36
Motor	230 V 50 Hz 0,35 kW
Usage type	S2 - 10 min
Net weight	7 kg

0023
€100,00
BENCH GRINDER

Grinding wheel protection screens. Bracket for piece support.


€82,60

Dry grinding wheel	2950 rpm - Ø 150 x 20 x 12,7 mm GR36 - GR80
Motor	2950 rpm - 230 V 50 Hz 0,35 kW
Usage type	S2 - 10 min
Net weight	7 kg

0503
€114,00
WET DRY BENCH GRINDER

With water grinding wheel and dry grinding wheel.


€93,20

Dry grinding wheel	2950 rpm - Ø 150 x 20 x 12,7 mm GR80
Wet grinding wheel	130 rpm - Ø 200 x 40 x 20 mm GR80
Motor	230 V 50 Hz 0,35 kW
Usage type	S2 - 10 min
Net weight	9 kg

0555
€127,00
GRINDING WHEEL STAND

€97,80

Height	760 mm
Column	Ø 75 mm
Table dimensions	320 x 210 mm
Net weight	13,5 kg

0106
€97,80
GRINDING WHEEL STAND

Light duty.


€76,70

Height	760 mm
Column	Ø 75 mm
Table dimensions	320 x 210 mm
Net weight	11 kg

0316

€180,00

ELECTRIC CHAINSAW SHARPENER



€142,00

Pink grinding wheel	Ø 145 x 4,7 x 22,3 mm Ø 145 x 3,2 x 22,3 mm
Sharpening	+30° / -35°
For chains	1/4" - 3/25" - 3/8" - 404" - 3/4"
Motor	230 V 50 Hz 0,23 kW
Net weight	5 kg

0502

€84,40

POWER CHAINSAW SHARPENER

With chain feed lever. Grinding wheel protection screen



€69,70

Pink grinding wheel	Ø 100 x 4,5 x 10 mm
Sharpening	+35° / -35°
For chains	1/4" - 0,325" / 3/8" - 0,404"
Motor	230 V 50 Hz 0,25 kW
Speed	7500 rpm
Usage type	intermittent S2

A003/32

€2940,00

TWIST DRILLS GRINDING MACHINE

With ER collets for the twist drills and inclination device of the cutting edges, thinning of the core for greater precision. Possibility of sharpening carbide twist drills with optional grinding wheel.



€2000,00

Grinding capacity	3 ÷ 32 mm	Motor	230 V 50 Hz 250 W
Tilting tip	95° ÷ 135° / 85° ÷ 140°	Dimensions	400 x 260 x 300 mm
Speed	4400 rpm	Net weight	36 kg

A003/13A

€815,00

TWIST DRILL GRINDING MACHINE

With ER collets for the twist drills and inclination device of the cutting edges, thinning of the core for greater precision. Possibility of sharpening carbide twist drills with optional grinding wheel.



€651,00

Grinding capacity	3 ÷ 13 mm	Motor	230 V 50 Hz 120 W
Tilting tip	95° ÷ 135°	Dimensions	320 x 180 x 190 mm
Speed	4400 rpm	Net weight	8,5 kg

A0132A

€1150,00

TWIST DRILL GRINDING MACHINE



€929,00

Grinding capacity	3 ÷ 20 mm	Motor	230 V 50 Hz 0,6 kW
Tilting tip	90° ÷ 140°	Dimensions	500 x 230 x 250 mm
Speed	7000 rpm	Net weight	21 kg

A004/14

NEW

€1530,00

END MILL GRINDING MACHINE

With ER collets, suitable for sharpening mills with 2, 3 and 4 cutting edges. Possibility to sharpen hard metal mills with optional grinding wheel.



€1150,00

Grinding capacity	4 ÷ 14 mm	Dimensions	350 x 230 x 240 mm
Speed	4400 rpm	Net weight	12,6 kg
Motor	230 V 50 Hz 200 W		

A004/20

NEW

€2240,00

END MILL GRINDING MACHINE

With ER collets, suitable for sharpening mills with 2, 3 and 4 cutting edges. Possibility to sharpen hard metal mills with optional grinding wheel.



€1690,00

Grinding capacity	4 ÷ 20 mm	Dimensions	350 x 230 x 240 mm
Speed	4400 rpm	Net weight	16 kg
Motor	230 V 50 Hz 200 W		

A059

€117,00

MULTIPURPOSE SHARPENER

Ideal for sharpening knives, scissors and blades.



€89,20

Grinding capacity	3 - 13 mm	Vibrations	3.9 m/s²
Speed	3000 rpm	Sound pressure level	86 ±3 db(A)
Motor	230 V 50 Hz 0,15 kW	Acoustic power level	95 ±3 db(A)
Dimensions	232 x 160 x 110 mm		

0691/400V
€ 2570,00
TILTING BELT SANDER

Belt dimensions	2000 x 150 mm
Speed	(2) 18 / 37 mm/sec
Three-phase motor	400 V 50 Hz 4 kW
Net weight	110 kg


€ 2020,00
0662
€ 706,00
TILTING BELT SANDER WITH BENCH

Bench to be assembled

Belt dimensions	1219 x 152 mm
Disc diameter	Ø 230 mm
Working table dimensions	330 x 152 mm
Belt speed	330 m/min
Disc speed	1400 m/min
Dimensions	710 x 510 x 1000 mm
Motor	230 V 50 Hz 0,75 kW
Net weight	54 kg


€ 559,00
0560
€ 703,00
BENCH CHAMFERING MACHINE

Chamfer	45° 0 - 5 mm
Speed	2800 rpm
Motor	230 V 50 Hz 0,25 kW
Table dimensions	2 - 400 x 50 mm
Mill size	Ø 80 mm - Z 8
Insert	SPUN13P
Net weight	21 kg


€ 560,00
C022/100
€ 2540,00
ROLL FORMING MACHINE

With 3 rollers, removable central roller to create complete tubes.

Max length	1000 mm
Max thickness	2 mm
Roller diameter	60 mm
Net weight	200 kg


€ 2100,00
0776
€ 1160,00
ROLL FORMING MACHINE

With 3 rollers, with bench equipped with a shelf, removable central roller to create complete tubes.


€ 961,00
0776/610
NEW
€ 506,00
ROLL FORMING MACHINE

3-roller, bench-top, removable central roller to create complete tubes.

Max length	610 mm
Max thickness	0.8 mm
Roller diameter	38 mm
Net weight	37 kg


€ 382,00
0235
€ 241,00
MINI HAND ROLL FORMING MACHINE

With 3 rollers, vice not included


€ 187,00
0775
€ 1600,00
BENDING MACHINE

Max length	1000 mm
Max shearing thickness	1,2 mm
Max bending angle	140°
Net weight	130 kg


€ 1370,00

0483

€ 249,00

MINI HAND BRAKE

Interchangeable blade, max bending width on handle side 50mm, vice not included.



€ 185,00

Working length	270 mm
Max. shearing thickness	2,5 mm
Net weight	10 kg

0773-

HAND SHEARstarting from
€ 130,00

Dimensions	Plate thick- ness	Round	Net weight	Art.	€	Promo
290 x 120 x 240 mm	0,5 ÷ 3 mm	Ø 6 mm	10 kg	0773/05	€ 170,00	€ 130,00
420 x 120 x 390 mm	0,5 ÷ 3 mm	Ø 6 mm	19 kg	0773/10	€ 240,00	€ 197,00

0102

€ 340,00

IRON BENDER

For cold and hot bending. with blocks to speed up and standardize operations and ergonomic handle



€ 266,00

Round bar	Cold 22 mm Heated 27 mm
Square	Cold 20 mm Heated 25 mm
Flat bar	Steel 100 x 8 mm Copper 100 x 15 mm
Net weight	30 kg

T034/105

€ 2490,00

SHEAR MACHINE WITH STAND

With integrated goniometer, adjustable cutting end stop and bench in assembly kit



€ 1910,00

Bed length	1050 mm
Max. bending thickness	1,25 mm
Cutting capacity with adjustment	0 ÷ 500 mm
Dimensions	1290 x 1300 x 1080 mm
Net weight	220 kg

0721

€ 330,00

MANUAL SPIRAL IRON BENDER

For cold bending, with blocks to speed up and standardize operations. Length-adjustable lever, with rollers for rods and plates already included to make different radii of curvature. Possibility of creating both dry folds and curves and use with pipes.



€ 249,00

Roller diameter	2x Ø 24, 30, 37, 43, 49, 62, 75 mm
Round bar	Steel, Aluminum, Copper Ø16 mm Stainless Steel Ø14 mm
Flat bar	10 x 50 mm Sharp edge 6 x 50 mm
Square	14 x 14 mm
Round pipe	G 3/4"
Handle length	1000 mm Max
Net weight	30 kg

0113

€ 330,00

SPIRAL BENDER

For cold bending with piece stop and ergonomic handle



€ 268,00

Iron	Cold	Square	10 mm
Round bar	10 mm	Dies	80 mm 125 mm 200 mm
Flat bar	10 x 30 mm	Net weight	25 kg

0893

€ 540,00

HYDRAULIC TUBE BENDER 1 1/2" - 2"

With 2 speeds pump



€ 440,00

Dies	1/2" 3/4" 1" 1-1/4" 1-1/2" 2" gas
Capacity	10 tons N
Ram stroke	250 mm
Net weight	48 kg

0722

€ 1320,00

MANUAL PIPE BENDER

For cold bending, for large pipes, with a system that avoids the collapse of the pipe, for the creation of simple or complex curves, with indication of the bend angle, lever included. Ratchet operation to exert maximum force.



€ 996,00

Dies	25.4 - 38.1 - 44.5 mm
Min. bending radius	75 - 125 - 150 mm
Max thickness	3 mm
Round pipe	Ø20 ÷ 50 mm
Max bending angle	120°
Handle length	1000 mm
Net weight	65 kg

0719
~~€1090,00~~
MANUAL PIPE BENDER

For cold bending, with a system that avoids the collapse of the pipe, for the creation of simple or complex curves, with blocks to speed up and standardize operations.


€ 822,00

Dies	14 - 16 - 18 - 20 - 22 - 25 mm
Min. bending radius	4x pipe Ø, 56-100 mm
Max thickness	2 mm
Round pipe	Steel, Aluminum, Copper Ø25 mm Stainless Steel Ø22 mm
Square	20 x 20 mm
Net weight	46 kg

0723
~~€385,00~~
PORTABLE MANUAL PIPE BENDER

For cold bending, with a system that avoids the collapse of the pipe, for the creation of simple or complex curves.


€ 291,00

Dies	8
Round pipe	3/8" - 1/2" - 9/16" - 5/8" - 3/4" - 7/8"
Square pipe	3/4" - 1"
Thickness	0.8 ÷ 1.2 mm
Max bending angle	180°
Handle length	420 ÷ 600 mm
Net weight	25 kg

0758
~~€1280,00~~
WOOD LATHE

With rotating head, variable speed drive belt and cast iron bench


€ 1010,00

Distance between centers	1100 mm
Centers height	185 mm
Maximum turning diameter	370 mm
Thread	1" - 8 TPI
Tailstock	MT 2
Motor	230 V 50 Hz 0,75 kW
Spindle speed	500 ÷ 2000 rpm
Net weight	120 kg

0751
~~€850,00~~
WOOD LATHE

With rotating head, variable speed drive belt and steel sheet bench


€ 676,00

Distance between centers	900 mm
Centers height	155 mm
Maximum turning diameter	310 mm
Thread	1" - 8 TPI
Tailstock	MT 2
Motor	230 V 50 Hz 0,37 kW
Spindle speed	500 ÷ 2000 rpm
Net weight	75 kg

0648
~~€1000,00~~
WOOD LATHE WITH COPY DEVICE

with lever to adjust the speed and processing area protected with interlocked mobile plexiglass guard


€ 762,00

Distance between centers	1000 mm
Centers height	175 mm
Maximum turning diameter	350 mm
Thread	1" - 8 TPI
Tailstock	2
Motor	230 V 50 Hz 0,75 kW
Spindle speed	500 ÷ 2000 rpm
Dimensions	1400 x 500 x 1300h mm
Net weight	68 kg

0497-
12" WOOD LATHE

With belt speed change


starting from € 497,00

Motor	Spindle speed	Art.	€	Promo
230 V 50 Hz 0.37 kW	(5) 700 - 3000 rpm	0497/250	€620,00	€ 497,00
230 V 50 Hz 0.55 kW	(5) 700 - 3000 rpm	0497/300	€687,00	€ 551,00

0517A
~~€860,00~~
THICKNESSER

With working plate made of granite


€ 668,00

Dimensions	710 x 640 x 400 mm
Working table dimensions	330 x 238 mm
Arbor	Ø 51.5 mm
Blade	2
Thickness capacity	330 x 2.4 x 152 mm
Spindle speed	8500 rpm
Motor	230 V 50 Hz 1.5 kW
Net weight	35 kg

0686/200
~~€592,00~~
COMBINED PLANER AND THICKNESSER

With aluminum working tables


€ 465,00

Dimensions	770 x 430 x 450h mm
Tables height	360 mm
Table dimensions	737 x 210 mm
Arbor	Ø 50 mm
Blade	N° 2
Planer capacity	204 x 2 mm
Thickness capacity	204 x 2 x 120h mm
Spindle speed	8000 rpm
Motor	230 V 50 Hz 1,25 kW
Net weight	25 kg

0665

€ 3240,00

PARTIALLY ASSEMBLED PANEL SAW

Blade	250 x 3 x 30 mm Z 40
Blade speed	2800 rpm
Main table dimensions	800 x 560 mm
Extension table dimensions	800 x 305 mm
Working height	860 mm
Max cut depth at 45°	60 mm
Max cut depth at 90°	75 mm
Sliding table	500 x 600 mm
Overall dimensions	1860 x 2030 x 1070h mm
Motor	230 V 50 Hz 2,2 kW
Max cutting length with saw bench	1460 mm
Net weight	230 kg



€ 2550,00

0656/254

€ 2700,00

PANEL SAW

Capacity 254mm, partially assembled.

Blade dimensions	254 x 30 x 3,2 mm 40 T
Blade speed	4000 rpm
Main table dimensions	790 x 350 mm
Extension table dimensions	350 x 350 mm
Working height	850 mm
Cutting depth at 90°	80 mm
Cutting depth at 45°	56 mm
Sliding table	1320 x 238 mm
Motor	230 V 50 Hz 2,2 kW
Max cutting length with saw bench	1250 mm
Net weight	150 kg



€ 2200,00

0656/310

€ 3110,00

PANEL SAW

Capacity 315mm, partially assembled.

Blade dimensions	315 x 30 x 3,2 mm 40 T
Blade speed	4000 rpm
Main table dimensions	790 x 350 mm
Extension table dimensions	350 x 350 mm
Working height	850 mm
Cutting depth at 90°	100 mm
Cutting depth at 45°	70 mm
Sliding table	1320 x 238 mm
Motor	230 V 50 Hz 2,2 kW
Max cutting length with saw bench	1400 mm
Net weight	175 kg



€ 2420,00

0871

€ 617,00

SLIDE COMPOUND MITRE SAW

With laser beam indicator of the cutting line.

Saw blade	Ø 305 x 30 x 3,2 mm Z 40
Max cutting capacity 0° - 90°	340 x 100 mm
Max cutting capacity 45° - 90°	240 x 100 mm
Sliding travel	215 mm
Motor	230 V 50 Hz 2 kW
Motor speed	4500 rpm
Net weight	25 kg



€ 528,00

0870/250

€ 435,00

MITRE SAW

With upper table for usage as saw bench

Saw blade	Ø 250 x 30 x 2,5 mm Z 36
Max cutting capacity 0° - 90°	75 x 130 mm
Max cutting capacity 45° - 45°	75 x 50 mm
Max cutting capacity 45° - 90°	75 x 90 mm
Max cutting capacity 0° - 45°	50 x 130 mm
Max cutting capacity, upper table	40 mm
Motor	230 V 50 Hz 1,8 kW
Motor speed	4500 rpm
Peripheral speed disc	59 m/s
Net weight	15,5 kg



€ 372,00

0855

€ 1030,00

WOOD BAND SAW

Saw wheel	Ø 315 mm
Blade	2240 x 16 x 0,52 mm T4
Cutting capacity	300 x 155 mm
Table dimensions	400 x 500 mm
Cutting speed	6 - 12 m/s 370 - 800 rpm
Tilting table	0 ÷ 20°
Working height	1010 mm
Motor	230 V 50 Hz 0,75 kW
Dimensions	650 x 650 x 1610 h mm
Net weight	75 kg



€ 819,00

FC94/350

€ 1250,00

14" WOOD BAND SAW

Saw wheel	Ø 350 mm
Cutting capacity	335 x 160 mm
Blade	2400 x 13 x 0,52 mm T4
Table dimensions	500 x 400 mm
Cutting speed	10 ÷ 12 m/s
Tilting table	0 ÷ 45°
Working height	1015 mm
Motor	230 V 50 Hz 0,75 kW
Dimensions	730 x 620 x 1540 h mm
Net weight	79 kg



€ 1010,00

FC94/245

€ 630,00

10" WOOD BAND SAW

Saw wheel	Ø 255 mm
Cutting capacity	245 x 120 mm
Blade	1790 x 8,4 x 0,35 mm T6
Table dimensions	340 x 340 mm
Cutting speed	11 ÷ 16 m/s
Tilting table	0 ÷ 45°
Working height	1000 mm
Motor	230 V 50 Hz 0,37 kW
Dimensions	420 x 250 x 800 h mm
Net weight	29 kg



€ 496,00

0302/305
€780,00
WOOD BAND SAW

With aluminium table

Saw wheel	ø 315 mm
Cutting capacity	300 x 170 mm
Blade	2240 x 11 x 0.8 mm T6
Table dimensions	500 x 400 mm
Cutting speed	6 ÷ 12 m/s
Tilting table	0° ÷ 45°
Working height	960 mm
Motor	230 V 50 Hz 0.75 kW
Dimensions	80 x 500 x 1580 h mm
Net weight	58 kg


€668,00
0302/245
€512,00
WOOD BAND SAW

With aluminium table

Saw wheel	ø 255 mm
Cutting capacity	245 x 120 mm
Blade	1790 x 9 x 0.5 mm T6
Table dimensions	290 x 290 mm
Cutting speed	11 ÷ 16 m/s
Tilting table	0° ÷ 45°
Working height	1000 mm
Motor	230 V 50 Hz 0.42 kW
Dimensions	600 x 400 x 1480 h mm
Net weight	28 kg


€438,00
0302/200
€350,00
WOOD BAND SAW

With steel table

Saw wheel	Ø 210 mm
Cutting capacity	200 x 80h mm
Blade	1400 x 6 x 0,36 mm T6
Table dimensions	300 x 300 mm
Cutting speed	15 m/s
Tilting table	0 ÷ 45°
Dimensions	450 x 390 x 680 h mm
Motor	230 V 50 Hz 0,25 kW
Net weight	17 kg


€260,00
0717A
€334,00
WOOD BAND SAW

With adjustable work table and protractor for high precision. Blade protection device.

Saw wheel	Ø 200 mm
Blade	1430 x 6 x 0,36 mm T6
Cutting capacity	190 x 80h mm
Table dimensions	290 x 290 mm
Cutting speed	13,7 m/s
Tilting table	0 ÷ 45°
Motor	230 V 50 Hz 0,35 kW
Dimensions	430 x 355 x 665 h mm
Net weight	17 kg


€253,00
0505
€285,00
TILTING BENCH BELT SANDER

Can be used with sanding belt horizontally or vertically. With workpiece holder, abrasive belt and disc. Tilting work table in cast aluminum. Trailing aluminum roller on bearings. To be used exclusively for working with wood and plastic materials.

Dimensions	460 x 380 x 270h mm
Motor	230V 50 Hz 500 W
Belt	914 x 100 mm
Belt speed	420 m/min
Grit belt	80
Disc diameter	ø 150 mm
Grit Disc	80
Round speed	2850 rpm
Tilting table	0 ÷ 45°
Table dimensions	225 x 155 mm
Net weight	18 kg


€218,00
0564
€291,00
TILTING BENCH BELT SANDER

Can be used with sanding belt horizontally or vertically. With workpiece holder, abrasive belt and disc. Tilting work table in extruded aluminum. Quick belt change system. Trailing plastic roller on bearings. To be used exclusively for working with wood and plastic materials.

Dimensions	470 x 360 x 290 mm
Motor	230V 50 Hz 370 W
Belt	914 x 100 mm
Belt speed	450 m/min
Grit belt	80
Disc diameter	ø 150 mm
Grit Disc	80
Round speed	2980 rpm
Tilting table	0 ÷ 45°
Table dimensions	226 x 160 mm
Net weight	16,5 kg


€220,00
0138
€592,00
BELT AND DISC SANDER

With tilting tables

Dimensions	630 x 370 x 495h mm
Belt	25 x 1075 mm
Belt speed	8,5 m/s
Disc diameter	200 mm
Motor	230 V 50 Hz 0,45 kW 1450 rpm
Table dimensions band	180 x 150 mm
Table dimensions disc	250 x 120 mm
Net weight	26 kg


€477,00
0765
€261,00
SCROLL SAW VARIABLE SPEED

Strong body, tilting table, suitable to cut balsa and plywood

Cutting capacity	400 x 50h mm
Blade length	127 mm
Oscillations	800 ÷ 1400 rpm
Plate Dimensions	410 x 250 mm
Tilting table	0 ÷ 45° sx
Base dimensions	230 x 390 mm
Motor	230 V 50 Hz 0,12 kW
Working temperature	from -50 to +50°C
Net weight	14 kg


€223,00

S009

€ 1470,00

VERTICAL HEAVY DUTY LOG SPLITTER

7 ton, with cross log splitter.



€ 1200,00

Height working capacity	120 ÷ 540 mm
Log capacity	Ø 50 ÷ 320 mm
Max splitting force	7 ton
Motor	230 V 50 Hz 3 kW
No-load speed	2950 rpm
Net weight	120 kg

0496

€ 775,00

DUST COLLECTOR

€ 664,00

Inlet size	3 x Ø 100 mm
Air flow	3900 m ³ / h
Motor	230 V 50 Hz 2.2 kW
Cloth bag	Ø 510 mm
Dimensions	1450 x 800 x 2000 mm
Net weight	48 kg

0759

€ 669,00

PARTIALLY ASSEMBLED DUST COLLECTOR

Inlet size	2 x Ø 100 mm
Air flow	2500 m ³ / h
Filtration rate	5 micron
Cloth bag	Ø 510 mm
Motor speed	2950 rpm
Vacuum suction	1.95 kPa
Motor	230 V 50 Hz 1.5 kW
Dimensions	840 x 560 x 1800 h mm
Net weight	40 kg



€ 573,00

0756

€ 400,00

DUST COLLECTOR

Partially assembled

Inlet size	100 mm
Air flow	850 m ³ / h
Filtration rate	5 micron
Cloth bag	Ø 370 mm
Motor speed	2950 rpm
Vacuum suction	1.08 kPa
Motor	230 V 50 Hz 0.75 kW
Dimensions	500 x 600 x 1700 h mm
Net weight	23 kg



€ 342,00

0507

€ 296,00

DUST COLLECTOR

Partially assembled


Inlet size	100 mm
Air flow	900 m ³ / h
Filtration rate	5 micron
Cloth bag	Ø 320 mm
Motor speed	2840 rpm
Vacuum suction	0.70 kPa
Motor	230 V 50 Hz 0.55 kW
Dimensions	500 x 600 x 1700 h mm
Net weight	18 kg




€ 253,00

M028-**PRO****HIGH PRECISION MODULAR VICE**

Suitable for jobs where precision, reliability, availability and secure locking are required. Suitable for precision milling and grinding work on both manual machines and CNC machining centers. Ground sliding surfaces. Equipped with prismatic descending jaws when tightening. With fasteners and adjustment keys. Accuracy 0.02mm and hardness 57-62 HRC

**M011-****PRO****HIGH PRECISION MODULAR VICE**

Suitable for jobs where precision, reliability, availability and secure locking are required. Suitable for precision milling and grinding work on both manual machines and CNC machining centers. Ground sliding surfaces. Equipped with prismatic descending jaws when tightening. With fasteners and adjustment keys. Accuracy 0.02mm and hardness 57-62 HRC

starting from
€ 843,00

Jaw dimensions	Net weight	Art.	€	Promo
125 x 50h mm	19 kg	M011/125/150	€ 1060,00	€ 843,00
150 x 60h mm	35 kg	M011/150/210	€ 1220,00	€ 961,00
150 x 60h mm	35 kg	M011/150/300	€ 1520,00	€ 1220,00



Wooden Box



Steel



Tempered



Grounded



Mill

starting from
€ 614,00

Jaw dimensions	Net weight	Art.	€	Promo
100 x 30h mm	7 kg	M028/100/100	€ 761,00	€ 614,00
125 x 40h mm	13 kg	M028/125/150	€ 827,00	€ 668,00
150 x 50h mm	26 kg	M028/150/200	€ 987,00	€ 791,00
150 x 50h mm	30 kg	M028/150/300	€ 1060,00	€ 853,00
150 x 50h mm	34 kg	M028/150/400	€ 1220,00	€ 988,00
175 x 60h mm	40 kg	M028/175/200	€ 1220,00	€ 988,00
175 x 60h mm	43 kg	M028/175/300	€ 1260,00	€ 1000,00
175 x 60h mm	50 kg	M028/175/400	€ 1410,00	€ 1100,00
175 x 60h mm	50 kg	M028/175/500	€ 1580,00	€ 1280,00
200 x 65h mm	69 kg	M028/200/300	€ 1900,00	€ 1510,00
200 x 65h mm	74 kg	M028/200/400	€ 1950,00	€ 1570,00
200 x 65h mm	79 kg	M028/200/500	€ 2350,00	€ 1780,00
200 x 65h mm	84 kg	M028/200/600	€ 2590,00	€ 2060,00

M012-
PRO
PRECISION MEASURING MILLING VICE

Quick-release. Couplings ground with high precision. Accuracy indicated on parallelism and quadrature. Ideal for grinding, EDM, milling and measuring systems



starting from
€ 69,40




Dimensions	Accuracy	Art.	€	Promo
38 x 105 x 45h mm	0,005 mm	M012/038	€85,00	€ 69,40
50 x 140 x 50h mm	0,005 mm	M012/050	€89,00	€ 72,50
73 x 190 x 67h mm	0,005 mm	M012/080	€217,00	€ 159,00
100 x 245 x 90h mm	0,005 mm	M012/100	€303,00	€ 219,00

M024-
MILLING MACHINE VICE WITH 360° SWIVEL BASE

With interchangeable jaws in hardened and ground steel. Sliding parts ground. Uncovered vine. With crank and fixing screws



starting from
€ 145,00



Jaws	Opening	Slot	Art.	€	Promo
136 x 32 mm	170 mm	14 mm	M024/136	€184,00	€ 145,00
160 x 50 mm	180 mm	14 mm	M024/160	€265,00	€ 189,00
200 x 63 mm	220 mm	18 mm	M024/200	€349,00	€ 282,00
250 x 45 mm	320 mm	18 mm	M024/250	€507,00	€ 403,00

M001-
DRILL PRESS VICE

Equipped with a prismatic jaw and a smooth jaw. Constant overall length thanks to the screw inserted in the handle



starting from
€ 49,10



Jaws	Opening	Art.	€	Promo
100 mm	80 mm	M001/100	€59,40	€ 49,10
120 mm	110 mm	M001/120	€72,90	€ 60,50
150 mm	135 mm	M001/150	€91,40	€ 73,90

0188-XG
2 - WAY CROSS VICE WITH SWIVEL BASE

Useful for performing precision drilling or tapping operations thanks to the longitudinal and lateral movement without removing the piece from the vice. Equipped with a swivel base




starting from
€ 112,00



Jaws	Opening	Slot	Art.	€	Promo
100 X 25 mm	90 mm	18mm	0188/100G	€146,00	€ 112,00
125 X 40 mm	120 mm	20mm	0188/125G	€165,00	€ 126,00
150 X 45 mm	150 mm	20mm	0188/150G	€188,00	€ 143,00

M014-
NEW
MILLING MACHINE VICE WITH 360° SWIVEL BASE

With interchangeable jaws in hardened and ground steel. Sliding parts ground. Fully covered screw. With crank



starting from
€ 76,00

Jaws	Opening	Slot	Art.	€	Promo
80 x 30 mm	60 mm	14 mm	M014/080	€105,00	€ 76,00
100 x 35 mm	75 mm	14 mm	M014/100	€137,00	€ 99,10
125 x 40 mm	95 mm	14 mm	M014/125	€190,00	€ 138,00
160 x 52 mm	120 mm	18 mm	M014/160	€264,00	€ 191,00
200 x 63 mm	150 mm	18 mm	M014/200	€359,00	€ 280,00

M027-
DRILL PRESS VICE

Equipped with scraped guides for greater precision and better sliding.




starting from
€ 120,00




Jaws	Opening	Base dimensions	Net weight	Art.	€	Promo
100 x 40 mm	100 mm	290 x 170 mm	8 kg	M027/100	€158,00	€ 120,00
140 x 50 mm	140 mm	375 x 230 mm	12 kg	M027/140	€222,00	€ 168,00
200 x 60 mm	200 mm	485 x 295 mm	25 kg	M027/200	€360,00	€ 273,00

0188-
2 - WAY CROSS VICE

Useful for performing precision drilling or tapping operations thanks to the longitudinal and lateral movement without removing the piece from the vice



starting from
€ 66,70



Jaws	Opening	Art.	€	Promo
100 x 25 mm	90 mm	0188/100	€86,30	€ 66,70
125 x 40 mm	110 mm	0188/125	€122,00	€ 94,00
150 x 40 mm	145 mm	0188/150	€154,00	€ 122,00

P014
€ 318,00
PARALLEL COUPLE SET

Ground in pairs. Used as part shims in wide variety of machining operations, ensuring parallel clamping.




€ 224,00

Dimensions	150 x 10 x (14-16-18-20-22-24-26-28-30-32-35-40-45-50) mm
Hardness	HRC 60
Accuracy	± 0,005 mm

P015**€173,00****PARALLEL COUPLE SET**


Ground in pairs. Used as part shims in wide variety of machining operations, ensuring parallel clamping.



Dimensions	160 x 4 x (10-14-18-22-26-30-34-38-42) mm
Hardness	HRC 60
Accuracy	± 0,005 mm

**€132,00****P017****€122,00****PARALLEL COUPLE SET**


Ground in pairs. Used as part shims in wide variety of machining operations, ensuring parallel clamping.



Dimensions	150 x 8 x (14-16-20-24-30-32-36-40-44) mm
Hardness	HRC 45
Accuracy	± 0,005 mm

**€97,70****T013****€1200,00****CROSS WORKING TABLE**


With coolant channels. Adjustable handwheel graduation.



Slot	14 mm
Height	155 mm
Travels	160 x 360 mm
Reading	0,05 mm
Net weight	70 kg

**€946,00****T014G****€1020,00****SWIVELING CROSS WORKING TABLE**

Equipped with a swivel base. With coolant channels. Adjustable handwheel graduation.



Slot	12 mm
Height	160 mm
Travels	155 x 370 mm
Reading	0,02 mm
Net weight	60 kg

**€810,00****T015/E****€286,00****CROSS WORKING TABLE**


With adjustable graduation of the handwheel.



Slot	10 mm
Height	104 mm
Travels	50 x 80 mm
Reading	0,01 mm
Net weight	10 kg

**€209,00****T008****€333,00****CROSS WORKING TABLE**

With adjustable graduation of the handwheel.



Slot	16 mm
Slot distance	75 mm
Height	130 mm
Travels	120 x 325 mm
Base locating slot	162 mm
Net weight	23 kg

**€246,00****T018/350****€158,00****CROSS WORKING TABLE**


With fixed millimeter scale for longitudinal table movements.



Height	120 mm
Slot	8 mm
Slot distance	36 mm
Travels	177 x 50 mm
Reading	0,05 mm
Overall dimensions	415 x 255 mm
Net weight	6 kg

**€122,00****T018/330****€84,20****CROSS WORKING TABLE**

With fixed millimeter scale for longitudinal table movements.




Height	82 mm
Slot	8 mm
Slot distance	36 mm
Travels	190 x 65 mm
Reading	0,05 mm
Overall dimensions	395 x 210 mm
Net weight	2,5 kg


**€66,30**

T004-
ADJUSTABLE ANGLE PLATE

With tilting regulation on both sides.


 starting from
€ 290,00

Dimensions	Slot	Tilting	Art.	€	Promo
255 x 180 x 135h mm	12 mm	± 36°	T004/250	€ 392,00	€ 290,00
380 x 250 x 180h mm	16 mm	± 36°	T004/380	€ 595,00	€ 465,00
610 x 305 x 253h mm	16 mm	± 36°	T004/600	€ 1010,00	€ 834,00

P077-
PERMANENT MAGNETIC CHUCK

 starting from
€ 523,00


Dimensions	Magnetic force	Pole pitch	Art.	€	Promo
250 x 150 x 60 mm	180 N/cm2	3 + 12 mm	P077/1525	€ 693,00	€ 523,00
300 x 150 x 60 mm	180 N/cm2	3 + 12 mm	P077/1530	€ 825,00	€ 623,00
400 x 200 x 60 mm	180 N/cm2	3 + 12 mm	P077/2040	€ 1460,00	€ 1100,00
500 x 300 x 60 mm	180 N/cm2	3 + 12 mm	P077/3050	€ 2750,00	€ 2080,00
600 x 300 x 60 mm	180 N/cm2	3 + 12 mm	P077/3060	€ 3300,00	€ 2490,00

P078-
PERMANENT MAGNETIC CHUCK


With fixed polarity. It allows the machining of small and low thickness pieces due to fine pitch.


 starting from
€ 340,00


Dimensions	Magnetic force	Pole pitch	Art.	€	Promo
250 x 150 x 48 mm	120 N/cm2	0,5 + 1,5 mm	P078/1525	€ 451,00	€ 340,00
300 x 150 x 48 mm	120 N/cm2	0,5 + 1,5 mm	P078/1530	€ 534,00	€ 403,00
350 x 150 x 48 mm	120 N/cm2	0,5 + 1,5 mm	P078/1535	€ 600,00	€ 453,00
400 x 150 x 51 mm	120 N/cm2	0,5 + 1,5 mm	P078/1540	€ 671,00	€ 507,00
450 x 150 x 51 mm	120 N/cm2	0,5 + 1,5 mm	P078/1545	€ 781,00	€ 590,00
450 x 200 x 51 mm	120 N/cm2	0,5 + 1,5 mm	P078/2045	€ 1100,00	€ 830,00
500 x 200 x 58 mm	120 N/cm2	0,5 + 1,5 mm	P078/2050	€ 1210,00	€ 966,00
600 x 200 x 58 mm	120 N/cm2	0,5 + 1,5 mm	P078/2060	€ 1430,00	€ 1130,00

K001-
CLAMPING KIT


Consisting of: 24 tie rods, 6 T-nuts, 6 low nuts, 4 joint sleeves, 6 simple brackets, 12 stair supports, practical wall support


 starting from
€ 87,00


Slot	Thread	Art.	€	Promo
12 mm	M10	K001/12	€ 114,00	€ 87,00
14 mm	M12	K001/14	€ 127,00	€ 94,10
16 mm	M14	K001/16	€ 140,00	€ 114,00
18 mm	M16	K001/18	€ 185,00	€ 144,00

M049-
PRECISION SELF CENTERING

Single guide. integral jaws, concentric clamping, equipped with 1 series consisting of 3 internal jaws, 1 series consisting of 3 external jaws and tightening key




D1	D2	D3	H1	H	h	z-d	Spanner square	Art.	€	Promo
55 mm	66 mm	16 mm	66 mm	50 mm	3,5 mm	3-M6 mm	8 mm	M049/080	€ 170,00	€ 137,00
72 mm	84 mm	22 mm	74,5 mm	55 mm	3,5 mm	3-M8 mm	8 mm	M049/100	€ 190,00	€ 145,00
95 mm	108 mm	30 mm	78 mm	55 mm	3,5 mm	3-M8 mm	10 mm	M049/125	€ 201,00	€ 157,00
130 mm	142 mm	40 mm	95 mm	65 mm	5 mm	3-M8 mm	12 mm	M049/160	€ 265,00	€ 213,00
165 mm	180 mm	60 mm	109 mm	75 mm	6 mm	3-M10 mm	12 mm	M049/200	€ 366,00	€ 290,00
206 mm	226 mm	80 mm	120 mm	80 mm	5 mm	3-M12 mm	12 mm	M049/250	€ 426,00	€ 341,00
270 mm	290 mm	100 mm	142 mm	90 mm	11 mm	3-M16 mm	13 mm	M049/320	€ 754,00	€ 580,00
340 mm	368 mm	130 mm	158 mm	100 mm	8 mm	3-M16 mm	15 mm	M049/400	€ 1170,00	€ 901,00


 starting from
€ 137,00
M449-
SELF CENTERING CHUCK

Single guide. integral jaws, concentric clamping, equipped with 1 series consisting of 4 internal jaws, 1 series consisting of 4 external jaws and tightening key




D	D1	D2	D3	H1	H	h	z-d	Spanner square	Art.	€	Promo
80 mm	55 mm	66 mm	16 mm	66 mm	50 mm	3,5 mm	3 - M6 mm	8 mm	M449/080	€ 170,00	€ 134,00
100 mm	72 mm	84 mm	22 mm	74,5 mm	55 mm	4,5 mm	3 - M8 mm	8 mm	M449/100	€ 201,00	€ 144,00
125 mm	95 mm	108 mm	30 mm	84 mm	58 mm	4 mm	3 - M8 mm	10 mm	M449/125	€ 232,00	€ 169,00
160 mm	130 mm	142 mm	40 mm	95 mm	65 mm	5 mm	3 - M8 mm	10 mm	M449/160	€ 292,00	€ 232,00
200 mm	165 mm	187 mm	65 mm	109 mm	75 mm	5 mm	3 - M10 mm	12 mm	M449/200	€ 413,00	€ 333,00
250 mm	206 mm	226 mm	80 mm	120 mm	80 mm	5 mm	3 - M12 mm	12 mm	M449/250	€ 534,00	€ 429,00
320 mm	270 mm	290 mm	100 mm	142 mm	90 mm	6 mm	3-M16 mm	14 mm	M449/320	€ 918,00	€ 706,00
400 mm	340 mm	368 mm	130 mm	158 mm	100 mm	6 mm	3-M16 mm	17 mm	M449/400	€ 1420,00	€ 1100,00



 starting from
€ 134,00

M005-**PRECISION SELF CENTERING CHUCK**

With single guide, equipped with 3 clamps with base in hardened steel and internal - external reversible jaws, tightening wrench and jaw fixing screws




D1	D2	D3	H1	H	h	z-d	Spanner square	Art.	€	Promo
165 mm	180 mm	65 mm	122 mm	75 mm	5 mm	3-M10 mm	12 mm	M005/200	€ 366,00	€ 291,00
206 mm	226 mm	80 mm	135 mm	80 mm	5 mm	3-M12 mm	12 mm	M005/250	€ 426,00	€ 319,00
270 mm	290 mm	100 mm	135 mm	90 mm	6 mm	3-M16 mm	14 mm	M005/320	€ 672,00	€ 542,00
340 mm	368 mm	130 mm	172 mm	100 mm	8 mm	3-M16 mm	17 mm	M005/400	€ 1088,00	€ 871,00
440 mm	465 mm	200 mm	202 mm	115 mm	6 mm	6-M16 mm	17 mm	M005/500	€ 1840,00	€ 1480,00
560 mm	595 mm	260 mm	218 mm	130 mm	7 mm	6-M16 mm	19 mm	M005/630	€ 5200,00	€ 4180,00



starting from
€ 291,00

M051-**HIGH PRECISION 3 JAWS KEYLESS DRILL CHUCK**

For industrial use, even in the most severe conditions of use. Sliding parts entirely hardened and ground. Spindle jaw hardness HRC58.



starting from
€ 42,80

Capacity	Taper DIN	Dimensions	Art.	€	Promo
0,5 ÷ 8 mm	B 12	Ø 39 x 80 mm	M051/08	€ 55,40	€ 42,80
1 ÷ 10 mm	B 12	Ø 44,5 x 82 mm	M051/10	€ 55,40	€ 43,90
1 ÷ 13 mm	B 16	Ø 49,5 x 91 mm	M051/13	€ 65,10	€ 51,20
1 ÷ 16 mm	B 18	Ø 54 x 102,5 mm	M051/16	€ 78,50	€ 61,10
1 ÷ 20 mm	B 22	Ø 59 x 119 mm	M051/20	€ 101,00	€ 71,60

**M042-****LIGHT DUTY PROFESSIONAL SELF-TIGHTENING KEYLESS DRILL CHUCKS**

starting from
€ 35,20

Capacity	Taper DIN	Art.	€	Promo
0,5 ÷ 8 mm	B12	M042/08	€ 46,60	€ 35,20
1 ÷ 10 mm	B12	M042/10	€ 47,70	€ 36,00
1 ÷ 13 mm	B16	M042/13	€ 54,60	€ 41,20
3 ÷ 16 mm	B18	M042/16	€ 65,70	€ 49,60
5 ÷ 20 mm	B22	M042/20	€ 87,50	€ 66,00

**M052-****KEY TYPE TAPER HOLE DRILL CHUCKS**


starting from
€ 11,10



Capacity	Taper DIN	Dimensions	Art.	€	Promo
1 ÷ 10 mm	B12	Ø 39 x 80 mm	M052/10	€ 14,70	€ 11,10
1 ÷ 13 mm	B16	Ø 41,5 x 95,4 mm	M052/13	€ 19,30	€ 14,60
3 ÷ 16 mm	B 18	Ø 49 x 108,2 mm	M052/16	€ 23,10	€ 17,40
5 ÷ 20 mm	B22	Ø 54 x 114,1 mm	M052/20	€ 35,00	€ 26,40

M059-**REVERSIBLE TAPPING CHUCK WITH ADJUSTABLE CLUTCH**

The adjustable safety device with friction reduces the possibility of breaking the male during the execution of the thread. Built-in rotation inverter, immediately active when the feed device is changed. Adjustable clutch in 4 positions. Equipped with 2 flexible pliers and keys for use.



starting from
€ 369,00

Tapping range	Taper DIN	Art.	€	Promo
M 2 - 7	B16	M059/07	€ 481,00	€ 369,00
M 5 - 12	B16	M059/12	€ 551,00	€ 445,00
M 8 - 20	B22	M059/20	€ 674,00	€ 496,00

**0532A****€ 186,00****LED LIGHT MACHINE OPERATION LAMP**

Articulated, without transformer.



Power	24 V 13 W AC/DC
Luminous flux	1800 lm
Color temperature	6500 K
LED number	9
Height	890 mm
Diameter	125 mm
Joints	3



€ 142,00

0532A/230V**€ 203,00****LED LIGHT MACHINE OPERATION LAMP**

Articulated, with transformer.




Power	230 V 50 Hz 13 W
Luminous flux	1800 lm
Color temperature	6500 K
LED number	9
Height	900 mm
Diameter	125 mm
Joints	3



€ 153,00

0537A
€112,00
LED LIGHT MACHINE OPERATION LAMP

Articulated, without transformer.



Power	12 - 24 V 7 W AC
Luminous flux	700 lm
Color temperature	6500 K
LED number	7
Height	100 mm
Diameter	90 mm
Joints	1


€ 85,70
0538A
€139,00
LED LIGHT MACHINE OPERATION LAMP

Articulated, without transformer.



Power	12 - 24 V 7 W AC
Luminous flux	700 lm
Color temperature	6500 K
LED number	7
Height	650 mm
Diameter	90 mm
Joints	3


€ 104,00
0536A
NEW
€142,00
LED LIGHT MACHINE OPERATION LAMP

Flexible, with transformer and magnetic base



Power	230V / 5W
Height	600 mm
Diameter	60 mm
Joints	1
Intensity	500 lm - 6400 K


€107,00
B007-
INDEXABLE CARBIDE TOOL HOLDER SET

Insert included, useful for having a set that allows you to perform most turning operations with small lathes



Ext. shank / Insert	Int. shank / Insert	Art.	€	Promo
10 mm / TCMT110204N	8 mm / TCMT090204N	B007/10	€108,00	€ 85,20
12 mm / TCMT110204N	10 mm / TCMT110204N	B007/12	€114,00	€ 87,00
16 mm / TCMT16T304N	12 mm / TCMT110204N	B007/16	€141,00	€ 111,00


starting from € 85,20
KITCKJ
EXTERNAL TOOL HOLDER WITH INSERTS


b	h	l	Art.	€	Promo
20mm	20mm	125mm	KITCKJ20	€170,00	€ 97,90
25mm	25mm	150mm	KITCKJ25	€172,00	€ 111,00

starting from € 97,90

KISCLCR
€227,00
SOLID BORING BAR SET 95°


Int. tool holder	SCLCR08; SCLCR10; SCLCR12; SCLCR16
Bits	CCMT060204N x 10 Pcs
Torx key	T7 x 2 Pcs
Screw	T7 x 2,5 mm x 4 Pcs


€ 149,00
KISTCMT
€268,00
SOLID BORING BAR SET 90°


Int. tool holder	STFCR08; STFCR10; STFCR12; STFCR16; STFCR20
Bits	TCMT110204N x 10 Pcs
Torx key	T8 x 2 Pcs
Screw	T8 x 2,5 mm x 2 Pcs


€ 205,00
KISTFCR
€211,00
SOLID BORING BAR SET 90°


Int. tool holder	STFCR08; STFCR10; STFCR12; STFCR16; STFCR20
Insert (not included)	TCMT110204...
Torx key	T8 x 2 Pcs
Screw	T8 x 2,5 mm x 5 Pcs


€ 162,00

KISER

EXTERNAL THREAD TOOL HOLDER

Consisting of external threading tool (1 Pc), M3.5 X 12mm spare screw (1 Pc), 2.5mm hex wrench (1 Pc), T15 torx wrench (1 Pc) and assorted inserts: AG55 - AG60; - ISO 0.8 - 1.00 - 1.25 - 1.50 - 1.75 - 2.00 - 2.50 - 3.00mm (1 Pc each).



starting from
€ 142,00

b	l	h	Art.	€	Promo
20 mm	20 mm	125 mm	KISER	€ 179,00	€ 142,00
25 mm	25 mm	150 mm	KISER25	€ 235,00	€ 171,00

KISNR

INTERNAL THREAD TOOL HOLDER

Consisting of internal threading tool (1 Pc), spare M3.5 X 12mm screw (1 Pc), 2.5mm hex wrench (1 Pc), T15 torx wrench (1 Pc) and assorted inserts: AG55 - AG60; - ISO 0.8 - 1.00 - 1.25 - 1.50 - 1.75 - 2.00 - 2.50 - 3.00mm (1 Pc each).



starting from
€ 159,00


D	h	l	Art.	€	Promo
20 mm	18 mm	170 mm	KISNR	€ 206,00	€ 159,00
25 mm	23 mm	200 mm	KISNR25	€ 246,00	€ 199,00

KICAN

€ 230,00

INTERNAL AND EXTERNAL GROOVING TOOL HOLDER SET

Consisting of the tool for external grooves: 20 x 20 mm (1 Pc), the tool for internal grooves: ø 20mm (1 Pc), spare screw M4 x 12mm (2 Pcs), torx wrench: T15 (1 Pc) and inserts for 16mm groove TIN coated: 165110134 (2 Pcs), 165130134 (2 Pcs), 165160134 (2 Pcs), 165185134 (1 Pc), 165215134 (1 Pc), 165265134 (1 Pc), 165315134 (1 Pc).




€ 179,00

T088

€ 99,00

TOOL CUTTING SET



Set composition	
1 Pcs SGTBK16 - 1 Pcs SGH26/2 - 1 Pcs SGH26/3	
S	2 - 3 mm
h	25.75 mm
l	109 mm
Insert (not included)	GCMX2N - GCMX3N



€ 77,00

B005-

CARBIDE TIPPED LATH E TOOL SET



starting from
€ 17,90

Kit	Art.	€	Promo
1BRAS411108RP - 1BRAS411110RP - 1BRAS-410312RP - 1BRAS410412RP - 1BRAS410912RP	B005	€ 25,40	€ 17,90
1BRAS411110RP - 1BRAS411112RP - 1BRAS-410316RP - 1BRAS410416RP - 1BRAS410916RP	B005/16	€ 38,10	€ 30,10
1BRAS411112RP - 1BRAS411116RP - 1BRAS-410320RP - 1BRAS410420RP - 1BRAS410920RP	B005/20	€ 47,70	€ 38,60

P046

€ 31,30

TWIST DRILL SET

DIN 338/N, right hand, black finish.



Size (step 0,5 mm)	1 ÷ 13 mm
--------------------	-----------



€ 19,70

P045

€ 15,80

TWIST DRILL SET

DIN 338/N, right hand, black finish.



Size (step 0,5 mm)	1÷10 mm
--------------------	---------



€ 11,80

P023/19

€ 36,20

STRAIGHT SHANK TWIST DRILL SET

DIN 338/N, Right hand, rectified



Size (step 0,5 mm)	1 ÷ 10 mm
--------------------	-----------



€ 29,60

P023/25
€73,40
STRAIGHT SHANK TWIST DRILL SET

DIN 338/N, Right hand, rectified



Size (step 0,5 mm)

1 ÷ 13 mm


P010/51
€61,00
SERIES OF CYLINDRICAL TIPS TO THE TENTH

DIN 338/N, right hand, long durability thanks to the titanium coating.



Size (step 0,1 mm)

1 ÷ 6 mm


P010/41
€142,00
SERIES OF CYLINDRICAL TIPS TO THE TENTH

DIN 338/N, right hand, long durability thanks to the titanium coating.



Size (step 0,1 mm)

6 ÷ 10 mm


P062
€67,20
TWIST DRILL SET

DIN 338/N, Right hand, Long durability thanks to the titanium coating



Size (step 0,5 mm)

1 ÷ 13 mm


P061
€37,60
STRAIGHT SHANK TWIST DRILL SET

DIN 338/N, right hand, long durability thanks to the titanium coating.




Size (step 0,5 mm)

1 ÷ 10 mm


P067
€67,20
COBALT TWIST DRILL SET

DIN 338/N, self-centering, right, with great thermal resistance



Size (step 0,5 mm)

1 ÷ 10 mm


P069
€132,00
COBALT TWIST DRILL SET

DIN 338/N, self-centering, right, with great thermal resistance



Size (step 0,5 mm)

1 ÷ 13 mm


P064/19A
€81,30
COBALT TWIST DRILL SET

DIN 338/N, self-centering, right, with great thermal resistance.



Size (step 0,5 mm)

1 ÷ 10 mm




P064/25A

€173,00

COBALT TWIST DRILL SET

DIN 338/N, self-centering, right, with great thermal resistance



Size (step 0,5 mm) 1 ÷ 13 mm

**P057**

€102,00

SET OF TWIST DRILLS WITH CONICAL SHANK

DIN 345/N, right hand

MT 14 mm
MT 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 mm**P056/10S**

€34,70

CENTER DRILL SET

DIN 333, ground, with vaporized grooves. Taper angle 60 °




Sizes 0.75 - 1.00 - 1.5 - 1.6 - 2.0 - 2.5 - 3.0 - 3.15 - 4.0 - 5.0 mm

Type A
Tolerance K12**F011/6**

€185,00

WELDON SHANK CORE DRILL SET

Allows a very fast cut, does not require pre-drilling and does not create any burr formation thanks to the lower effort of the cutting edge during processing.




Sizes 12 x 62 - 14 x 62 - 16 x 62 - 18 x 62 - 20 x 62 - 22 x 62 mm

Cutting capacity 30 mm
Shank Weldon 19,05 mm**F002/6**

PRO €283,00

WELDON SHANK CORE DRILL SET

Allows a very fast cut, does not require pre-drilling and does not create any burr formation thanks to the lower effort of the cutting edge during processing.



Sizes 12 x 62 - 14 x 62 - 16 x 62 - 18 x 62 - 20 x 62 - 22 x 62 mm

Shank Weldon 19,05 mm

**F019/008**

€141,00

TCT CORE DRILL SET

With lateral chip and center drill.



Sizes 16 mm, 18 mm, 20 mm, 22 mm, 25 mm, 30 mm, 32 mm, 35 mm

Cutting Depth 5 mm

**F015/008S**

€141,00

DRILL BIT HOLE SAW SET

With lateral chip and center drill.



Sizes 16 mm, 18 mm, 20 mm, 22 mm, 25 mm, 30 mm, 32 mm, 35 mm

**S001**

€93,10

90° THREE FLUTES COUNTERSINK SET

DIN 335C, with ground edges and grooves machined from solid, to perform conical countersinks without vibrations.



ø max 8 - 10 - 12,4 - 16,5 - 20,5 mm



F639
€78,60
STEP DRILL BITS

For creating and enlarging holes in sheet metal



Stem	10 mm
Ø	6 ÷ 39 (6-9-12-15-18-21-24-27-30-33-36-39) mm


€59,50
F23X
STEP DRILL BITS

For creating and enlarging holes in sheet metal, with interchangeable point.



Stem	Ø	Art.	€	Promo
10 mm	2,5 ÷ 32 (2,5-6,3-11,2-14,5-18,2-22,3-27,9-32) mm	F232	€72,40	€53,30
10 mm	2,5 ÷ 38 (2,5-6,3-13-16-19-21-23-26-29-32-35-38) mm	F238	€77,50	€56,80


starting from €53,30
F001/20
€228,00
SET END MILLS

DIN 844/B and DIN 327/D, two and four flute, regular length, weldon shank, center cutting.



2 Flute mill	Ø 3 - 4 - 5 - 6 - 8 - 10 - 12 - 14 - 18 - 20 mm
Stem	Ø 6 - 6 - 6 - 6 - 10 - 10 - 12 - 12 - 16 - 20 mm
4 Flute mill	Ø 3 - 4 - 5 - 6 - 8 - 10 - 12 - 14 - 18 - 20 mm
Stem	Ø 6 - 6 - 6 - 6 - 10 - 10 - 12 - 12 - 16 - 20 mm


€157,00
M015S
€55,40
SPIRAL POINT TAP AND DRILL SET

With adjustable tap holder



Taps	M3 x 0,50 mm, M4 x 0,70 mm, M5 x 0,80 mm, M6 x 1,00 mm, M8 x 1,2
Drills	Ø2,5 mm, Ø3,3 mm, Ø4,2 mm, Ø5,0 mm, Ø6,8 mm, Ø8,5 mm, Ø10


€43,70
F430
€74,40
STEP DRILL BITS SET

For creating and enlarging holes in sheet metal



Stem	6 - 8 - 10 mm
Ø	4 ÷ 12 - 6 ÷ 20 - 6 ÷ 30 mm


€42,20
F001/10
€228,00
SET FRONTAL ROUGHING END MILLS

DIN 844/B, regular length, center cutting, weldon shank.



Mill	Ø 6 8 10 12 14 16 18 20 22 25 mm
Stem	Ø 6 10 10 12 12 16 16 20 20 25 mm


€166,00
F008-
CARBIDE ROTARY FILE SET

Cross cut



Stem	Art.	€	Promo
Ø 3 mm	F008/3	€60,00	€45,50
Ø 6 mm	F008/6	€102,00	€81,80


starting from €45,50
M312/P
€60,60
MACHINE TAP SET FOR THROUGH HOLES WITH REINFORCED SHANK

With adjustable tap holder.



Size	M3 x 0,50 - M4 x 0,70 - M5 x 0,80 - M6 x 1 - M8 x 1,25 - M10 x 1,50 - M12 x 1,75
------	--


€45,40

M312/C

€65,90

MACHINE TAP SET FOR BLIND HOLES 35° WITH REINFORCED SHANK

With adjustable tap holder.




Size M3 x 0,50 - M4 x 0,70 - M5 x 0,80 - M6 x 1 - M8 x 1,25 - M10 x 1,50 - M12 x 1,75



€48,50

M020

€30,60

TAP AND DIE SET

Tap holder M3 - M12
Round die-stock 25 x 9 mm
Taps M3x0,5 - M4x0,7 - M5x0,8 - M6x1 - M7x1 - M8x1,25 - M10x1,5 - M12x1,75 - 1/8" NPT27
Dies M3x0,5 - M4x0,7 - M5x0,8 - M6x1 - M7x1 - M8x1,25 - M10x1,5 - M12x1,75 - 1/8" NPT27




€25,60

M036

€59,40

TAP AND DIE SET

With twist drills and screw pitch gauge



Tap holder M3 - M12
Round die-stock 25 x 9 mm
Taps M3x0,5 - M4x0,7 - M5x0,8 - M6x1 - M7x1 - M8x1,25 - M10x1,5 - M12
Dies M3x0,5 - M4x0,7 - M5x0,8 - M6x1 - M7x1 - M8x1,25 - M10x1,5 - M12
Drills 2,5 - 3,3 - 4,2 - 5 - 6 - 6,8 - 8,5 - 10,3 mm
Screwdriver 6,5 x 50 mm



€50,00

M032

€110,00

TAP AND DIE METRIC SET

With round die-stock, adjustable tap holder and screw pitch gauge.



Taps M3x0,5 M4x0,7 M5x0,8 M6x1 M8x1,25 M10x1,5 M12x1,75
Dies M3x0,5 M4x0,7 M5x0,8 M6x1 M8x1,25 M10x1,5 M12x1,75
Screwdriver 3,5 x 50 mm




€82,30

M101

€109,00

TAPS AND DIE METRIC SET

Hand tap and die: M3x0,5 - UNC 1/4 20 - UNF 4 40 - Metric M4x0,7 - UNC 1/4 28 - UNF 6 32 - Metric M5x0,8 - UNC 5/16 18 - UNF 8 32 - Metric M6x1 - UNC 5/16 24 - UNF 10 32 - Metric M7x1 - UNC 3/8 16 - UNF 10 24 - Metric M8x1,25 - UNC 3/8 24 - UNF 12 24 - Metric M9x1,25 - UNC 7/16 14 - Metric M10x1,5 - UNC 7/16 20 - Metric M10x1 - UNC 1/2 13 - Metric M12x1,75 - UNC 1/2 20 - NPT 1/8 27. Complete with round die-stock and adjustable tap holder.



€84,00

M100

€146,00

TAP AND DIE METRIC SET

With round die-stock and adjustable tap holder: M6x0,75 - M6x1 - M8x1 - M8x1,25 - M10x1,25 - M10x1,5 - M12x1,5 - M12x1,75 - M14x1,5 - M14x2 - M16x1,5 - M16x2 - M18x1,5 - M18x2,5 - M20x1,5 - M20x2,5 - M22x1,5 - M22x2,5 - M24x1,5 - M24x3



€113,00

M218

€235,00

TAP AND DIE METRIC SET

2 pcs hand tap set and die: M2 x 0,40 - M3 x 0,50 - M4 x 0,70 - M5 x 0,80 - M6 x 0,75 - M6 x 1 - M7 x 0,75 - M7 x 1 - M8 x 0,75 - M8 x 1 - M8 x 1,25 - M9 x 0,75 - M9 x 1 - M9 x 1,25 - M10 x 0,75 - M10 x 1 - M10 x 1,25 - M10 x 1,5 - M11 x 0,75 - M11 x 1 - M11 x 1,25 - M11 x 1,5 - M12 x 0,75 - M12 x 1 - M12 x 1,25 - M12 x 1,5 - M12 x 1,75 - M14 x 1 - M14 x 1,25 - M14 x 1,5 - M14 x 2 - M16 x 1 - M16 x 1,5 - M16 x 2 - M18 x 1,5. Complete with 2 tap holders and 2 round die-stocks.



€189,00

E010

€123,00

METRIC THREAD REPAIR F-COIL SET

Suitable for thread regeneration or to obtain very resistant tapping in soft materials



Sizes M5 - M12
STI Taps M5 x 0,8 - M6 x 1,0 - M8 x 1,25 - M10 x 1,5 - M12 x 1,75
Drills 5,2 mm - 6,3 mm - 8,3 mm - 10,4 mm - 12,4 mm
Wire-thread inserts M5=25 M6=25 M8=25 M10=25 M12=10
Inserting tool 5 Pcs
Tang break tool 5 Pcs



€100,00

WORKSHOP FURNITURE

The right solution for your needs



Wooden top (all codes A007-)

DISCOVER THE RIGHT CONFIGURATION
FOR YOU in 3 simple steps


1. Consult the Catalogue
2. Choose from the ready-to-use configurations or compose your own furniture
3. Contact your dealer for a personalized and advantageous quote



A007A

€ 4480,00

€ 2799,00



3920 x 498 x 2000h mm



A007B

€ 4390,00

€ 2749,00




3920 x 498 x 2000h mm



A007C

€ 2160,00

€ 1339,00




1960 x 498 x 2000h mm



A007D

€ 3010,00

€ 1849,00




2640 x 498 x 2000h mm



A007E

€ 2480,00

€ 1750,00



2640 x 498 x 2000h mm



A008A

€ 4710,00

€ 2849,00




864 x 864 x 2000h mm



A008B

€ 4590,00

€ 2799,00



2640 x 498 x 2000h mm



A008C

€ 2270,00

€ 1419,00



3500 x 2250 x 2000h mm
Profondità 498 mm



A008D

€ 3150,00

€ 1899,00



1960 x 498 x 2000h mm



A008E

€ 2580,00

€ 1829,00




2800 x 2800 x 2000h mm
Profondità 498 mm



A007F

€ 1160,00


€ 759,00



A007G

€ 2560,00

€ 1819,00




2640 x 498 x 2000h mm



A007H

€ 4850,00

€ 3499,00




3500 x 2250 x 2000h mm
Profondità 498 mm



A007I

€ 2320,00

€ 1479,00




1960 x 498 x 2000h mm



A007L

€ 5110,00

€ 3599,00



2800 x 2800 x 2000h mm
Profondità 498 mm



A008F

€ 1220,00

€ 799,00



A008G

€ 2.160,00

€ 1859,00

2640 x 498 x 2000h mm



A008H

€ 5100,00

€ 3599,00

3500 x 2250 x 2000h mm
Profondità 498 mm



A008I

€ 2430,00

€ 1519,00

1960 x 498 x 2000h mm



A008L

€ 5380,00

€ 3699,00

2800 x 2800 x 2000h mm
Profondità 498 mm



Read the QR Code
you will be able to
access immediately
Datasheet




Steel top (all codes A008-)



A007M

€1560,00

€1059,00




1360 x 498 x 2000h mm



A008M

€1650,00

€1099,00



2640 x 498 x 2000h mm



A008S

€2920,00


€1999,00



A007N

€2510,00

€1599,00



2040 x 498 x 2000h mm



A008N

€2630,00

€1649,00



2640 x 498 x 2000h mm



A008T

€2350,00

€1599,00



A007P

€4700,00

€2899,00




3920 x 498 x 2000h mm



A008P

€4910,00

€2999,00



2640 x 498 x 2000h mm



A008U

€3080,00

€2099,00



A007Q

€2430,00

€1549,00




1960 x 498 x 2000h mm



A008Q

€2530,00

€1589,00



2640 x 498 x 2000h mm



A008UF

€3340,00

€2199,00



A007R

€1040,00

€659,00



680 x 498 x 2000h mm



A008R

€1100,00

€699,00



3920 x 498 x 2000h mm



A008V

€4890,00


€2999,00



A007S

€2820,00

€1949,00



2640 x 498 x 2000h mm



A007T

€2250,00

€1499,00




2640 x 498 x 2000h mm



A007U

€2960,00

€1999,00




2640 x 498 x 2000h mm



A007UF

€3240,00

€2099,00



2640 x 498 x 2000h mm



A007V

€4700,00

€2899,00



3920 x 498 x 2000h mm

B015
€548,00
STEEL WORKBENCH KIT

With steel top and two lockable drawers


€ 469,00

Bench dimensions	1500 x 645 x 865h mm
Legs thickness	1 mm
Plate thickness	2 mm
Capacity	800 kg
Drawer dimensions	433 x 347 x 122h mm
Drawer capacity	30 kg
Net weight	62 kg

B015/10
€386,00
WORKBENCH KIT

With steel top and lockable drawer


€ 262,00

Dimensions	1000 x 640 x 865h mm
Legs thickness	2 mm
Plate thickness	2 mm
Capacity	600 kg
Drawer dimensions	433 x 347 x 122h mm
Drawer capacity	30 kg
Net weight	55 kg

B022/10
€358,00
WORKBENCH KIT

With wood press top and a lockable drawer


€ 306,00

Dimensions	1000 x 640 x 865h mm
Legs thickness	2 mm
Plate thickness	38 mm
Capacity	350 kg
Drawer dimensions	400 x 344 x 125h mm
Drawer capacity	50 kg
Net weight	47 kg

B022/15
€516,00
WORKBENCH KIT

With wood press top and 2 lockable drawers


€ 442,00

Dimensions	1500 x 640 x 865h mm
Legs thickness	2 mm
Plate thickness	38 mm
Capacity	350 kg
Drawer dimensions	400 x 344 x 125h mm
Drawer capacity	50 kg
Net weight	75 kg

B009/A1
€516,00
WORKBENCH KIT

With wood press top, 3 lockable drawers, 1 shelf and adjustable feet


€ 442,00

Dimensions	1200 x 600 x 865h mm
Legs thickness	2 mm
Plate thickness	36 mm
Capacity	350 kg
Net weight	62 kg

B009/B1
€601,00
WORKBENCH KIT

With wood press top, 3 lockable drawers, 1 shelf with door and adjustable feet


€ 515,00

Dimensions	1200 x 600 x 865h mm
Legs thickness	2 mm
Plate thickness	36 mm
Capacity	350 kg
Net weight	64,5 kg

B009/A2
€813,00
WORKBENCH KIT

With wood press top, 3 lockable drawers, 1 door and shelf and adjustable feet


€ 696,00

Dimensions	1690 x 600 x 865 mm
Legs thickness	2 mm
Plate thickness	36 mm
Capacity	350 kg
Net weight	84 kg

B009/B2
€854,00
WORKBENCH KIT

With wood press top, 3 lockable drawers, 2 shelves with door and adjustable feet


€ 730,00

Dimensions	1690 x 600 x 865 mm
Legs thickness	2 mm
Plate thickness	36 mm
Capacity	350 kg
Net weight	90 kg

B019**€ 548,00****FOLDABLE HEAVY DUTY WORKBENCH**

Made of steel, tear down structure with 2 powerful gas struts, peg board 1195 x 458 x 20 mm, main leg height 1380mm, total width for the product 1280mm, depth of the open/close product 648/130mm at a height of 330mm, auto-lock with handle in the corner of top plate, peg board with holes ø 4mm, distance between centers holes 25mm for hooks with wire ø 3mm.

**€ 271,00**

Plate Dimensions	1195 x 648 x 41 mm
Slot distance	25 mm
Capacity	225 kg
Net weight	45 kg

P009**€ 191,00****WALLCABINET KIT****€ 163,00**

Cabinet dimensions	1200 x 200 x 600h mm
Steel thickness	0,8 mm
Internal shelves	4
Hooks	18 (6 + 6 + 6)
Slot distance	30 mm
Net weight	17 kg

A100**€ 275,00****CABINET**

With 1 drawer, slide on bearing with locking device

**€ 235,00**

Cabinet dimensions	500 x 460 x 1000h mm
Steel thickness	1 mm
Internal shelves	2
Maximum capacity	100 kg
Shelf capacity	25 kg
Net weight	35 kg

A300**€ 440,00****CABINET**

With 2 drawers, slide on ball bearing with locking device

**€ 377,00**

Cabinet dimensions	1000 x 460 x 1000h mm
Steel thickness	1 mm
Internal shelves	2
Maximum capacity	150 kg
Shelf capacity	25 kg
Net weight	62 kg

C800**€ 947,00****TOOL CABINET**

With 8 drawers, slide on bearing with locking device, without internal dividers.

**€ 781,00**

Drawer capacity	50 kg
External Dimensions	630 x 550 x 930h mm
Drawer dimensions	517 x 440 mm
Drawers height	8 x 73 mm
Net weight	58 kg

0849**€ 239,00****ALLUMINUM CASE SET**

Ergonomic handles and lock with key.

**€ 204,00**

3 Pcs

Alu

Aluminum

Cases dimensions	730 x 380 x 360h mm - 680 x 310 x 320h mm - 475 x 260 x 210h mm
Net weight	14 kg

0363-**3 PCS STEEL CASE SET**

Padlockable.

starting from
€ 162,00



External Dimensions	Net weight	Art.	€	Promo
770 x 420 x 305h mm, 915 x 440 x 565h mm, 1220 x 620 x 700h mm	107 kg	0363	€ 1040,00	€ 891,00
770 x 420 x 305h mm	14,5 kg	0363/30	€ 190,00	€ 162,00
915 x 440 x 565h mm	35 kg	0363/36	€ 243,00	€ 208,00
1220 x 620 x 700h mm	57 kg	0363/48	€ 686,00	€ 586,00


MODULAR DRAWER UNIT WITH PULL-OUT TRAYS

Connectable with other drawers through guides to create infinite combinations. Equipped with trays locking to prevent the contents from accidentally falling and rear fixing holes for wall mounting. Made of resistant plastic, it is suitable for use in the construction site, at home and in the workshop.

C086/01T
~~€16,80~~
C086/01C
~~€16,80~~
MODULAR DRAWER UNIT WITH PULL-OUT DRAWERS

€ 14,00

Dimensions	295 x 165 x 200h mm
Drawers number	1
Drawer dimensions	250 x 150 x 150 mm


€ 14,00

Dimensions	295 x 165 x 200h mm
Drawers number	1
Drawer dimensions	250 x 160 x 150 mm

C086/02C
~~€19,00~~
MODULAR DRAWER UNIT WITH PULL-OUT DRAWERS

Connectable with other drawers through guides to create infinite combinations. equipped with drawer locking to prevent the contents from accidentally falling and rear fixing holes for wall mounting. Made of resistant plastic, it is suitable for use in the construction site, at home and in the workshop.


€ 16,20

Dimensions	295 x 165 x 200h mm
Drawers number	2
Drawer dimensions	250 x 160 x 70 mm

C086/02T
~~€19,50~~
MODULAR DRAWER UNIT WITH PULL-OUT TRAYS

€ 16,70

Dimensions	295 x 165 x 200h mm
Drawers number	2
Drawer dimensions	250 x 160 x 70 mm

C086/04C
~~€20,00~~
MODULAR DRAWER UNIT WITH PULL-OUT DRAWERS

€ 17,10

Dimensions	300 x 200 x 165 mm
Drawers number	4
Drawer dimensions	120 x 160 x 70 mm

C086/04T
~~€22,20~~
MODULAR DRAWER UNIT WITH PULL-OUT TRAYS

€ 19,00

Dimensions	295 x 165 x 200h mm
Drawers number	4
Drawer dimensions	120 x 160 x 70 mm

C086/12C
~~€23,20~~
MODULAR DRAWER UNIT WITH PULL-OUT DRAWERS

€ 19,80

Dimensions	295 x 165 x 200h mm
Drawers number	12
Drawer dimensions	60 x 160 x 50 mm

C900/A**€ 285,00****TOOL CHEST**

With 6 drawers with central lock and portable tray.

**€ 244,00**

Dimensions	660 x 322 x 380h mm
Drawer dimensions	2 174 x 285 mm - 1 232 x 285 mm - 3 580 x 285 mm
Drawers height	5 x 45 mm - 1 x 70 mm
Net weight	22 kg

C960/F7**€ 591,00****TOOL ROLLING CABINET WITH 7 DRAWERS**

Ball bearing equipped safety drawers with central locking, paper dispenser and tray, 2 swivel and 2 fixed casters

**€ 506,00**

Dimensions	890 x 458 x 994 mm
Drawer dimensions	565 x 405 mm
Drawers height	5 x 65 mm - 2 x 145 mm
Drawer capacity	25 kg
Net weight	62 kg

0323/45**€ 49,10****TOOL CHEST**

With 5 trays.

**€ 39,90**

Steel

Dimensions	450 x 200 x 205 h mm
Net weight	4 kg

0323/55**€ 55,70****TOOL CHEST**

With 5 trays.

**€ 44,50**

Steel

Dimensions	550 x 200 x 205h mm
Net weight	4,5 kg

0683**€ 168,00****TROLLEY ABS TOOL CASE**

Tools not included

**€ 120,00**

Box



A	460 mm	E	92 mm
B	330 mm	Capacity	25 kg
C	190 mm	Net weight	4,5 kg
D	98 mm		

068X**ALUMINIUM TOOL CASE**

Tools not included

**starting from € 99,00**

Box



Aluminum

A	B	C	D	E	Capacity	Net weight	Art.	€	Promo
510 mm	375 mm	185 mm	110 mm	75 mm	30 kg	5 kg	0680	€ 137,00	€ 102,00
440 mm	390 mm	185 mm	110 mm	75 mm	30 kg	4,8 kg	0681	€ 118,00	€ 99,00

0390**€ 45,70****TOOL BAG**

With shoulder belt made of 1680 denier polyester, big and rugged pockets to accommodate a great number of tools.

**€ 38,40**

Polyester

Pockets	14
Dimensions	400 x 225 x 250h mm

0395**€ 56,20****TOOL BAG**

With shoulder belt made of 1680 denier polyester, big and rugged pockets to accommodate a great number of tools.

**€ 47,10**

Polyester

Pockets	19
Dimensions	480 x 250 x 225h mm

0036-
STEEL VICE

Attaches directly to the work base to ensure high stability. Lateral sliding adjustment.



starting from
€ 87,00

Jaws	Opening	Working height	Slot distance	Net weight	Art.	€	Promo
100 mm	105 mm	60 mm	85 mm	4,9 kg	0036/100	€ 114,00	€ 87,00
125 mm	138 mm	75 mm	110 mm	9,5 kg	0036/125	€ 169,00	€ 134,00
150 mm	180 mm	90 mm	150 mm	19 kg	0036/150	€ 285,00	€ 227,00

0135-
FORGED STEEL VICE

Attaches directly to the work base to ensure high stability. Lateral sliding adjustment.



starting from
€ 94,00

Jaws	Opening	Working height	Slot distance	Net weight	Art.	€	Promo
100 mm	125 mm	60 mm	98 mm	5,8 kg	0135/100	€ 122,00	€ 94,00
125 mm	160 mm	70 mm	111 mm	9,8 kg	0135/125	€ 173,00	€ 134,00
150 mm	190 mm	85 mm	136 mm	17,8 kg	0135/150	€ 275,00	€ 212,00

0591-
PRO
STEEL VICE

Attaches directly to the work base to ensure high stability. Lateral sliding adjustment. Equipped with bearing on the screw, hose clamp and interchangeable jaws.



starting from
€ 118,00

Jaws	Opening	Net weight	Art.	€	Promo
100 mm	95 mm	5,3 kg	0591/100	€ 151,00	€ 118,00
125 mm	130 mm	11 kg	0591/125	€ 213,00	€ 169,00
150 mm	230 mm	23 kg	0591/150	€ 321,00	€ 255,00

0174-
SG IRON BENCH VICE

Equipped with interchangeable jaws.



starting from
€ 47,30

Jaws	Opening	Working height	Net weight	Art.	€	Promo
100 x 20 mm	100 mm	50 mm	4,8 kg	0174/100	€ 61,10	€ 47,30
125 x 22 mm	130 mm	60 mm	7,7 kg	0174/125	€ 76,20	€ 60,50
150 x 22 mm	150 mm	75 mm	10 kg	0174/150	€ 95,30	€ 75,80

0036-XG
TABLE VICE WITH SWIVEL BASE

Attaches directly to the work base to ensure high stability. Lateral sliding adjustment. Equipped with swivel mechanism.



starting from
€ 106,00

Jaws	Opening	Net weight	Art.	€	Promo
100 mm	105 mm	5,5 kg	0036/100G	€ 134,00	€ 106,00
125 mm	124 mm	11 kg	0036/125G	€ 184,00	€ 145,00
150 mm	180 mm	22 kg	0036/150G	€ 316,00	€ 250,00

0140-
STEEL VICE

Attaches directly to the work base to ensure high stability. Lateral sliding adjustment. Equipped with hose clamp. Recommended for heavy use.



starting from
€ 36,10

Jaws	Opening	Working height	Slot distance	Net weight	Art.	€	Promo
80 mm	80 mm	60 mm	81 mm	4 kg	0140/080	€ 45,00	€ 36,10
100 mm	100 mm	65 mm	81 mm	5,5 kg	0140/100	€ 53,50	€ 41,60
125 mm	125 mm	90 mm	103 mm	10 kg	0140/125	€ 79,00	€ 62,20
150 mm	150 mm	95 mm	123 mm	14 kg	0140/150	€ 99,40	€ 78,30

0145-
STEEL VICE

Equipped with hose clamp.



starting from
€ 28,80



Jaws	Opening	Working height	Net weight	Art.	€	Promo
80 x 20 mm	80 mm	58 mm	3,7 kg	0145/80	€ 38,70	€ 28,80
100 x 20 mm	100 mm	70 mm	5,2 kg	0145/100	€ 43,00	€ 33,80
125 x 20 mm	125 mm	75 mm	7,4 kg	0145/125	€ 57,20	€ 41,30
150 x 27 mm	150 mm	95 mm	12 kg	0145/150	€ 93,10	€ 76,20

0146/60

€ 25,20


STEEL VICE WITH SWIVEL BASE


Cast Iron



€ 19,00

Jaws	60 mm
Opening	65 mm
Clamp capacity	51 mm
Net weight	1,5 kg

M006-**GENERAL USE STEEL CLAMP WITH T-SPINDLE**

starting from
€ 22,90



Span x Depth	Spindle	Art.	€	Promo
200 x 120 mm	22 x 10,5 mm	M006/200	€ 27,20	€ 22,90
300 x 140 mm	25 x 12 mm	M006/300	€ 38,10	€ 27,80
420 x 120 mm	25 x 12 mm	M006/400	€ 38,60	€ 30,60
500 x 120 mm	25 x 12 mm	M006/500	€ 42,90	€ 30,70
600 x 120 mm	25 x 12 mm	M006/600	€ 61,60	€ 38,60
800 x 120 mm	25 x 12 mm	M006/800	€ 74,00	€ 42,40
1000 x 120 mm	25 x 12 mm	M006/1000	€ 87,90	€ 57,70

0157-**C50 HARDENED STEEL ANVIL**

Sturdy construction, round hole and square hole for punching and bending.

starting from
€ 84,30



Tolerance	Net weight	Art.	€	Promo
±5%	10 kg	0157/10	€ 112,00	€ 84,30
±5%	30 kg	0157/30	€ 269,00	€ 210,00
±5%	50 kg	0157/50	€ 392,00	€ 312,00
±5%	100 kg	0157/100	€ 819,00	€ 662,00

0605**€ 3810,00****SANDBLAST CABINET WITH 2 DUST COLLECTORS**

With pressurized tank to have a greater abrasive effect, 2 cyclone-type dust collectors, paper filter, front opening and ceiling light with 3 fluorescent lamps

Working area	1180 x 850 x 890 h mm
Maximum capacity	150 kg
Working pressure	6 ÷ 8 Bar
Air consumption	31 SCFM 880 l / min
Gun nozzle	ø 6 - 7 mm
Electric vacuum	2 x 230 V 50 Hz 1,2 kW
Filtration rate	5 micron
With light	Yes
Overall dimensions	1800 x 1515 x 2070 h mm
Net weight	245 kg



€ 3070,00

0687**€ 2220,00****VERTICAL SANDBLAST CABINET WITH VACUUM**

With paper filter


Working area	1200 x 600 x 600 h mm
Maximum capacity	120 kg
Working pressure	6,5 ÷ 7,5 Bar
Air consumption	21 SCFM 630 l / min
Gun nozzle	ø 6 - 7 mm
Electric vacuum	230 V 50 Hz 1,2 kW
Filtration rate	5 micron
Overall dimensions	1220 x 910 x 1740 h mm
Net weight	149 kg



€ 1710,00

M007-**GENERAL USE STEEL CLAMP RATCHET**

Quick clamping.



starting from
€ 37,70



Span x Depth	Spindle	Art.	€	Promo
250 x 120 mm	22 x 10,5 mm	M007/250	€ 53,30	€ 37,70
300 x 140 mm	25 x 12 mm	M007/300	€ 61,60	€ 45,80
400 x 120 mm	25 x 12 mm	M007/400	€ 67,20	€ 47,10
500 x 120 mm	25 x 12 mm	M007/500	€ 72,40	€ 52,00
600 x 120 mm	25 x 12 mm	M007/600	€ 80,60	€ 61,80

0615**€ 4310,00****PRESSURE SANDBLAST CABINET**

With cyclone vacuum cleaner, HEPA filter, front opening and ceiling light with 3 fluorescent lamps.

Internal dimensions	1180 x 850 x 890 h mm
Maximum capacity	150 kg
Working pressure	6 ÷ 8 Bar
Air consumption	31 SCFM 880 l / min
Gun nozzle	ø 6 - 7 mm
Electric vacuum	230 V 50 Hz 0,7 kW
Filtration rate	8 micron
With light	Yes
Overall dimensions	1330 x 1515 x 2070 h mm
Net weight	300 kg



€ 3694,00

0601**€ 3120,00****SANDBLAST CABINET WITH DUST COLLECTOR**

Cyclone-type, paper filter, front opening and ceiling light with 3 fluorescent lamps

Working area	1180 x 850 x 890 h mm
Maximum capacity	150 kg
Working pressure	6 ÷ 8 Bar
Air consumption	21 SCFM 630 l / min
Gun nozzle	ø 6 - 7 mm
Electric vacuum	230 V 50 Hz 1,2 kW
Filtration rate	5 micron
With light	Yes
Overall dimensions	1330 x 1240 x 1770 h mm
Net weight	180 kg



€ 2430,00

0878**€ 1770,00****VERTICAL SANDBLAST CABINET WITH VACUUM**

With paper filter.

Working area	960 x 480 x 250 ÷ 470 h mm
Working pressure	6,5 ÷ 7,5 bar
Air consumption	18 SCFM 540 l / min
Gun nozzle	ø 4 - 5 - 6 - 7 mm
Electric vacuum	230 V 50 Hz 1,2 kW
Filtration rate	5 micron
Overall dimensions	1030 x 850 x 1640 h mm
Net weight	100 kg
Internal volume	295 L
Opening size	945 x 380 ÷ 945 x 380 mm



€ 1310,00

0575
€744,00
VERTICAL SANDBLAST CABINET

Working area	850 x 480 x 340 ÷ 540 h mm
Working pressure	6.5 ÷ 7.5 Bar
Air consumption	8 ÷ 10 SCFM (240 ÷ 300 l/min)
Gun nozzle	ø 4 - 5 - 6 - 7 mm
Overall dimensions	890 x 560 x 1385 h mm
Net weight	46 kg
Internal volume	217 L
Opening size	860 x 595 mm


€637,00
0580
€288,00
BENCH SANDBLAST CABINET

Overall dimensions	630 x 510 x 490 h mm
Working area	590 x 480 x 290 h mm
Working pressure	6.5 ÷ 7.5 Bar
Air consumption	8 ÷ 10 SCFM (240 ÷ 300 l/min)
Gun nozzle	ø 4 - 5 - 6 - 7 mm
Net weight	13 kg
Internal volume	95 L
Opening size	534 x 436 mm


€246,00
0310
€201,00
SODA BLASTER

For external use, light weight, easy to carry, indicated for the removal of paints, rust, graffiti etc ..


€172,00
0578-
NEW
SILICON CARBIDE

Black Silicon Carbide is the hardest material used for sandblasting, making it the ideal solution for all the most demanding jobs. Virtually iron-free, its abrasive properties make it very aggressive and fast in removing impurities. Its conformation allows the grains to break continuously creating new sharp and cutting edges, increasing the fineness of the grain size. Very durable it allows a high reusability. It tends to be incorporated into the material


€99,70

Grit	Hardness	Net weight	Art.	€	Promo
36	9.1 Mohs	25 kg	0578/36	€132,00	€99,70
80	9.1 Mohs	25 kg	0578/80	€132,00	€99,70

0487
€304,00
BENCH SANDBLAST

With provision for the connection of a vacuum cleaner, lighting with low consumption lamp, gun and gloves


€260,00

Working area	685 x 455 x 420 mm
Working pressure	6.5 ÷ 7.5 Bar
Air consumption	8 ÷ 10 SCFM (240 ÷ 300 l/min)
Gun nozzle	ø 4 - 5 - 6 - 7 mm
With light	230 V 50 Hz; 6 W 12 V
Overall dimensions	755 x 495 x 720 h mm
Net weight	26.5 kg

0462
€792,00
SANDBLAST MACHINE WITH VACUUM

For rusted metallic objects that can't be put in traditional sandblast machine. if the object to be considered is flat, the vacuum cleaner allows the operator to not lose the most part of the abrasive material that is being used. the four wheels, two of which swivel, allow the operator that the machine is close to the object to be sandblasted


€678,00

Tubes length	2.5 m
Motor	230 V 50 Hz 1.2 kW
Max vacuum capacity	13 ÷ 15 kPa
Working pressure	8 Bar
Air consumption	420 l/min
Dimensions	404 x 612 x 1046 h mm
Net weight	30 kg

0582-
SANDBLAST CORUNDUM

It stands out for being edgy and extremely stable by combining the properties of hardness and density. Its longevity and reusability make it the most used material for sandblasting. Being composed for the most part of aluminum oxide it is practically free of iron. Particularly suitable for cleaning metal surfaces, removing rust and oxide layers and removing temper colors


€82,20

Grit	Hardness	Net weight	Art.	€	Promo
36	9 Mohs	25 kg	0582/36	€96,00	€82,20
80	9 Mohs	25 kg	0582/80	€96,00	€82,20

0579-
NEW
GARNET

Garnet is one of the last natural abrasives still in use. It is a natural stone, and therefore ecological, with excellent abrasive properties that allows you to create profiles without abrasive incorporation, produce little dust and have a relatively low consumption. It is excellent for removing hard coatings, paint, rust and laminate scales. It can be used for both dry and water sandblasting. Its low cost makes it an alternative to corundum.


€39,80

Grit	Hardness	Net weight	Art.	€	Promo
36 ÷ 60	7.5 Mohs	25 kg	0579/30	€52,00	€39,80
80	7.5 Mohs	25 kg	0579/80	€52,00	€39,80

0569

NEW €82,50

STEEL SHOT

Thanks to their spherical surface and hardness they allow to obtain shiny surfaces. Excellent for removing paint, blemishes, burrs and rust. Their low crushing does not create dust inside the sandblasting cabin and allows a long life of the abrasive. They can be used both as a means for shot peening and for both dry and water sandblasting.



€ 62,60


Grit	S390
Hardness	40 ÷ 50 HRC
Net weight	25 kg

0310B

€74,00

SODA BLASTING MEDIA

Salt composed basic bicarbonate synthetic, suitable for treating steel, aluminum, fiberglass, plastic, bricks etc ...



€ 57,60

Grit	36 ÷ 80 (0,5 ÷ 0,3 mm)
Hardness	2,5 - 3 Mohs
Decomposition temperature	> 50°C
Net weight	25 kg

0203

€582,00

BENCH PART WASHER

For washing with water/solvent, with a venturium pneumatic gun

Dimensions	770 x 595 x 700h mm
Tank capacity	4 ÷ 9 l
Avg air cons.	5 SCFM 145 l / min
Working area	765 x 560 x 380 mm
Power	30 W
Washing pressure	5 ÷ 8 Bar
Power	230 V 50 Hz
Net weight	32 kg



€498,00

0038

€283,00

DEGREASER CLEANING TANK

75L capacity, with 26w pump, cleaning brush and hose, workpiece tray.

Internal tank dimensions	710 x 480 x 260h mm
Tub capacity	75 l
Pump	230 V 50 Hz 26 W
Pump capacity	10-12 l / min
Dimensions	775 x 540 x 880 h mm
Net weight	25 kg



€ 242,00

0581

€84,80

MICRO GLASS BEADS

Thanks to their spherical shape they are perfect for surface finishing. They create smooth and bright surfaces, leaving an incomparable satin effect. As they do not contain iron, they are very suitable for working on stainless steel for food use and aluminum. The microspheres will not damage the substrate of the material being processed but will leave an anchoring profile for subsequent painting, especially on soft materials such as brass, aluminum, plastics, etc...



€ 72,60

Grit	50 ÷ 70 (0,3 ÷ 0,2 mm)
Hardness	5-7 Mohs
Net weight	25 kg

0305

€761,00

PART WASHER WITH HEATING SYSTEM

For washing with hot water up to 60° C, with a Venturium pneumatic gun.

Tank capacity	8 ÷ 14 l
Avg air cons.	5 SCFM 145 l / min
Working area	760 x 560 x 380 mm
Washing pressure	5 ÷ 8 Bar
Power	1350 W
Dimensions	790 x 610 x 1260 h mm
Net weight	49 kg



€652,00

0486

€545,00

PARTS WASHER WITH DUAL PUMP

Left tank internal dimensions	470 x 520 x 270 mm
Right tank internal dimensions	590 x 520 x 270 mm
Tub capacity	150 l
Pump	230V 50Hz 26 + 26 W
Pump capacity	10 ÷ 12 l/min
Size	1140 x 550 x 880 h mm
Net weight	43 kg



€467,00

0232

€357,00

DEGREASER CLEANING TANK WITH WHEEL

Internal tank dimensions	710 x 480 x 200 h mm
Tub capacity	60 l
Pump	230 V 50 Hz 26 W
Pump capacity	10 ÷ 12 l / min
Dimensions	970 x 540 x 930 h mm
Net weight	35 kg



€299,00

0632
~~€ 805,00~~
DEGREASER CLEANING PNEUMATIC TANK

Internal tank dimensions	710 x 480 x 200 h mm
Height	1015 mm
Tank capacity	50 l
Tub capacity	65 l
Power pressure	6 Bar
Maximum tank pressure	0.5 Bar
Net weight	38 kg


€ 672,00
0632-
DETERGENT LIQUID

**starting from
€ 78,10**

Contents	Specification	Art.	€	Promo
25 l	Solvent base	0632/D	€ 143,00	€ 113,00
25 l	Water dilutable max. 50%	0632/DA	€ 191,00	€ 151,00
25 l	Water dilutable max. 20%, hot usage	0632/DCF	€ 105,00	€ 78,10

0211
~~€ 508,00~~
TEAR-DOWN WORKBENCH WITH FLUID RECOVERY

Provided in assembly kit, with one drawer equipped with lock, removable bowl and pivoting wheels, 2 with safety brake.

Dimensions	1200 x 640 x 872h mm
Working table dimensions	1190 x 635 x 15h mm
Drawer dimensions	420 x 340 x 120h mm
Internal tank dimensions	360 x 260 x 115h mm
Internal shelf height	445 mm
Maximum capacity with wheels	280 kg
Maximum capacity without wheels	350 kg
Net weight	64 kg


€ 435,00
A024/10
~~€ 69,90~~
WET AND DRY VACUUM CLEANER

With ABS tank, blower function, equipped with accessories.

Power	1,2 kW
Capacity	10 l
Motor	230 V 50 Hz
Air flow	30 ± 2 l/s
Net weight	3,7 kg


€ 59,90
A025/30
~~€ 104,00~~
WET AND DRY VACUUM CLEANER

With stainless steel tank, blower function, equipped with accessories

Power	1,2 kW
Capacity	30 l
Motor	230 V 50 Hz
Air flow	28 l / s
Net weight	6 kg


€ 89,10
A040/30A
~~€ 182,00~~
INDUSTRIAL WET AND DRY VACUUM CLEANER EQUIPPED OF ACCESSORIES

For industrial use, with socket for electronic devices

Power	1,4 kW
Capacity	30 l
Motors	1 (230 V 50 Hz)
Air flow	35 l / s
Power socket	1600 W
Net weight	7,5 kg


€ 149,00
A040/60A
~~€ 296,00~~
INDUSTRIAL WET AND DRY VACUUM CLEANER EQUIPPED OF ACCESSORIES

For industrial use, with socket for electronic devices

Power	1,4 kW
Capacity	60 l
Motors	1 (230 V 50 Hz)
Air flow	46 l / s
Power socket	1600 W
Net weight	13 kg


€ 253,00
A024/602
~~€ 287,00~~
60L 2 MOTORS WET AND DRY VACUUM CLEANER

With ABS tank, equipped with accessories.

Power	2,8 kW
Capacity	60 l
Motors	2 (230 V 50 Hz)
Air flow	30 ± 2 l/s
Net weight	12,5 kg


€ 239,00

A040/802**€519,00****80L 2 MOTORS INDUSTRIAL WET AND DRY VACUUM CLEANER**

For industrial use, equipped with accessories

Power	2 kW
Capacity	80 l
Motors	2 (230 V 50 Hz)
Air flow	75 l / s
Dimensions	600 x 580 x 950 mm
Net weight	25 kg

**A040/803****€642,00****80L 3 MOTORS INDUSTRIAL WET AND DRY VACUUM CLEANER**

For industrial use, equipped of accessories

Power	3 kW
Capacity	80 l
Motors	3 (230 V 50 Hz)
Air flow	96 l / s
Dimensions	600 x 580 x 950 mm
Net weight	28 kg

**P001/45****€2860,00****HYDRAULIC SHOP PRESS WITH MANUAL PNEUMATIC CONTROL**

Equipped with mobile piston with trolley, with winch for bench movement, manual control and pneumatic servo pump with hand control

Capacity	45000 kg
Working area	830 x 360 x 1000 h mm
Cylinder ø	90 mm
Ram ø	58 mm
Ram stroke	190 mm
Working pressure	7÷ 8 Bar
Max. pressure	63,5 MPa
Dimensions	1400 x 800 x 1700 h mm
Net weight	330 kg

**P001/30****€1130,00****HYDRAULIC SHOP PRESS**

With two speed pump and movable piston

Capacity	30000 kg
Working area	525 x 290 x 980h mm
Cylinder ø	92 mm
Ram ø	56 mm
Ram stroke	160 mm
Max. pressure	69 MPa
Dimensions	875 x 700 x 1780 h mm
Net weight	145 kg

**P001/20****€924,00****HYDRAULIC SHOP PRESS**

With moveable piston

Capacity	20000 kg
Working area	495 x 200 x 1125 h mm
Cylinder ø	75 mm
Ram ø	48 mm
Ram stroke	140 mm
Max. pressure	69,3 MPa
Dimensions	690 x 600 x 1830 h mm
Net weight	94 kg

**P001/12****€559,00****HYDRAULIC SHOP PRESS**

With moveable piston

Capacity	12000 kg
Working area	480 x 190 x 900 h mm
Cylinder ø	56 mm
Ram ø	38 mm
Ram stroke	135 mm
Max. pressure	69 MPa
Dimensions	730 x 550 x 1600 h mm
Net weight	60 kg

**P001/10****€457,00****HYDRAULIC SHOP PRESS**

With bench and movable piston

Capacity	10000 kg
Working area	340 x 140 x 370 h mm
Cylinder ø	56 mm
Ram ø	38 mm
Ram stroke	130 mm
Max. pressure	69 MPa
Dimensions	565 x 500 x 1040 h mm
Net weight	52 kg

**P001/04****€305,00****HYDRAULIC SHOP PRESS**

Counter top, 4 ton, for brearings

Capacity	4000 kg
Working area	350 x 115 x 325 h mm
Cylinder ø	40 mm
Ram ø	25 mm
Ram stroke	125 mm
Max. pressure	51 MPa
Dimensions	450 x 400 x 655 h mm
Net weight	30 kg



P028-
HAND PUNCH

With spring loaded return


 starting from
€ 107,00

Max height piece	Max ø piece	Net weight	Art.	€	Promo
170 mm	150 mm	8,5 kg	P028/07	€ 137,00	€ 107,00
275 mm	180 mm	18 kg	P028/14	€ 232,00	€ 185,00

0054/10
€ 385,00
HYDRAULIC BODY FRAME REPAIR KIT

€ 279,00

Capacity	10 ton	Ram stroke	130 mm
Ram length	330 mm	Net weight	30 kg

0054/4
€ 310,00
HYDRAULIC BODY FRAME REPAIR KIT

€ 237,00

Capacity	4 ton	Ram stroke	120 mm
Ram length	270 mm	Net weight	19 kg

0664
€ 349,00
HYDRAULIC PUMP WITH PNEUMATIC PEDAL CONTROL

Useful for shop press, trolley jacks and rams.


€ 279,00

Rated pressure	70 MPa
Working pressure	7 ÷ 8 bar
Usable oil capacity	690 c.c.
Air consumption	10 SCFM
Net weight	8 kg

0271
€ 142,00
HYDRAULIC PUMP

With pump activation pedal.


€ 106,00

Rated pressure	63,7 MPa
Usable oil capacity	790 ml
Hose length	1500mm
Net weight	7 kg

0567
€ 103,00
LOW PROFILE HYDRAULIC TROLLEY JACK

2 tons, made of steel


€ 81,40

Capacity	2 ton
Lifting	90 ÷ 385 mm
Dimensions	580 x 165 x 235 h mm
Net weight	13 kg

0369
€ 358,00
HYDRAULIC TROLLEY JACK

Dual pump, with removeable saddle and rubber pad


€ 289,00

Capacity	3,5 ton
Dimensions	745 x 335 x 180 mm
Lifting	110 ÷ 560 mm
Net weight	46 kg

0375A
€ 295,00
LOW PROFILE HYDRAULIC TROLLEY JACK

2,5 ton, double pump quick lift, with load limiter.


€ 224,00

Capacity	2,5 ton
Lifting	75 ÷ 500 mm
Dimensions	680 x 345 x 220 h mm
Net weight	32,5 kg

0065A

€ 249,00

HYDRAULIC TROLLEY JACK

With removable saddle.



€ 199,00

Capacity	3 ton
Dimensions	660 x 345 x 260 mm
Lifting	140 ÷ 515 mm
Net weight	33 kg

0060

€ 76,10

HYDRAULIC TROLLEY JACK

Metal body frame. Handle for hand carrying. Extendable lever.



€ 65,20

Capacity	2 ton
Dimensions	535 x 225 x 145 mm
Lifting	135 ÷ 385 mm
Net weight	11 kg

C039/25

€ 315,00

HYDRAULIC TROLLEY JACK

Aluminium and steel hydraulic trolley jack with double pump



€ 240,00

Capacity	2.5 ton
Dimensions	659 x 289 x 165 h mm
Lifting	110 ÷ 460 mm
Net weight	27 kg

C039/15

€ 228,00

HYDRAULIC TROLLEY JACK

Aluminium and steel hydraulic trolley jack with double pump



€ 173,00

Capacity	1,5 ton
Dimensions	490 x 270 x 130 h mm
Lifting	90 ÷ 358 mm
Net weight	15 kg

0658

€ 858,00

HYDRAULIC JACK

€ 679,00

Capacity	10 ton
Lifting range of foot	30 ÷ 260 mm
Lifting range of head	420 ÷ 665 mm
Net weight	30 kg

0067

€ 29,20

COUPLE JACK STAND

Height adjustable with fixing pin.



€ 24,20

Capacity	2 ton
Heights	240 - 270 - 320 - 365 mm
Net weight	3 kg

0069-

COUPLE JACK STANDstarting from
€ 39,90

Capacity	Height min - max	Base dimensions	Art.	€	Promo
3 ton	298 ÷ 428 mm	190 x 210 mm	0069/3	€ 48,20	€ 39,90
6 ton	400 ÷ 610 mm	260 x 285 mm	0069/6	€ 89,60	€ 74,40
10 ton	468 ÷ 718 mm	290 x 328 mm	0069/10	€ 197,00	€ 155,00

0021/1

€ 554,00

HYDRAULIC FOLDING CRANE

With two pivoting wheels with brakes, cast iron wheels. Lowering system and pumping lever arranged laterally. The ability to fold the legs when not in use allows it to be stored in confined spaces.



€ 418,00

Capacity	1000 kg
Dimensions	1540 x 1020 x 1550h mm
Fold dimensions	490 x 510 x 1520h mm
Min/max boom extension	810 ÷ 1090 mm
Hook heights with raised arm	1900 mm @ 1000 kg 2080 mm @ 250 kg
Hook heights with lowered arm	0 mm @ 250 kg 2400 mm @ 1000 kg
Front opening	1030 mm
Net weight	64,5 kg

0021/2
NEW
€ 678,00
HYDRAULIC FOLDING CRANE

With two pivoting wheels with brakes, cast iron wheels. Lowering system and pumping lever arranged laterally. The ability to fold the legs when not in use allows it to be stored in confined spaces.

Capacity	2000 kg
Dimensions	1760 x 1031 x 1600h mm
Fold dimensions	855 x 720 x 1610h mm
Min/max boom extension	750 ÷ 1280 mm
Hook heights with raised arm	1980 mm @ 2000 kg 2450 mm @ 500 kg
Hook heights with lowered arm	0 mm @ 500 kg 300 mm @ 2000 kg
Front opening	1050 mm
Net weight	90,5 kg


€ 512,00
0063
€ 695,00
HYDRAULIC FOLDING CRANE

With two pivoting wheels and rear pad brake, lowering system and pumping lever placed in the rear, cast iron wheels. The ability to fold the legs when not in use allows it to be stored in confined spaces.

Capacity	1000 kg
Dimensions	1800 x 1000 x 1500h mm
Fold dimensions	800 x 860 x 1600h mm
Min/max boom extension	680 ÷ 1220 mm
Hook heights with raised arm	2100 mm @ 1000 kg 2550 mm @ 250 kg
Hook heights with lowered arm	0 mm @ 250 kg 480 mm @ 1000 kg
Front opening	800 mm
Net weight	90 kg


€ 558,00
0094
€ 348,00
TRANSMISSION JACK

With load limiter, cross support and tilt support to better align and position gearboxes and differentials.

Capacity	500 kg
Dimensions	1190 x 700 x 660 mm
Min - Max height	1190 ÷ 2000 mm
Net weight	32,5 kg


€ 284,00
S033
NEW
€ 164,00
ENGINE STAND

2 swivel wheels with brake and 2 fixed cast iron wheels, possibility to tilt the engine. Equipped with rotating small parts shelf

Capacity	600 kg
Dimensions	1230 x 850 x 930 mm
Net weight	27,5 kg


€ 128,00
S068
NEW
€ 209,00
ENGINE STAND

2 swivel wheels with brake and 2 fixed cast iron wheels, possibility to tilt the engine. The ability to fold it when not in use allows it to be stored in confined spaces.

Capacity	680 kg
Dimensions	860 x 830 x 870 mm
Net weight	31 kg


€ 164,00
S019
€ 149,00
ENGINE STAND

2 wheels with breaks and 2 fix wheels, possibility to tilt the motor

Capacity	450 kg
Dimensions	865 x 810 x 870 mm
Net weight	21 kg


€ 120,00
S024
€ 143,00
ENGINE SUPPORT

Engine support holds your engine or transmission in place during heavy automotive repairs, used to support the engine while removing gear box, transmission, replacing clutch and all motor mounts. rubber feet for safe hold of motor, easy regulation for hold engine in its place in the car. swivel and tilting holders.


€ 113,00

Capacity	500 kg
Adjusting height	205 mm
Bed length	730 ÷ 1480 mm
Net weight	13 kg

R015
€ 168,00
CAR RAMPS SET


2 Pcs

Dimensions	905 x 330 x 218 mm
Capacity	2,5 ton
Max tire width	240 mm
Min - Max height	170 mm
Tilting	15°
Net weight	8 kg


€ 139,00

0649-

ALUMINUM RAMPS

In aluminum with non-slip floors. Load 170kg.

starting from
€ 302,00

Dimensions	Capacity	Max Working angle	Max Working height	Art.	€	Promo
1520 x 735 mm	170 kg	12,5 % (7°)	180 mm	0649/1500	€ 380,00	€ 302,00
1800 x 735 mm	150 kg	12,5 % (7°)	220 mm	0649/1800	€ 472,00	€ 368,00

0595

€ 295,00

OIL DRAINER

With tank and wheels, to use under lifts, for waste oil



€ 252,00

Tank capacity	70 l
Height min - max	1170 ÷ 1860 mm
Maximum tank pressure	0.45 bar
Net weight	23 kg

0594

€ 147,00

OIL DRAINER WITHOUT TANK

With wheels, to use under lifts, for waste oil



€ 124,00

Base dimensions	390 x 390 mm
Height max	1700 mm
Net weight	13 kg

0596

€ 473,00

PNEUMATIC OIL DRAINER

With wheels and different size of suction probes, for waste oil, for use under lifts too



€ 405,00

Tank capacity	70 l
Measuring tank capacity	10 l
Height max	1500 mm
Metal probe	2 x ø6 mm x 695 mm
Nylon probe	2 x ø6 mm x 680 mm 2 x ø8 mm x 700 mm
Suction	ø6 x 4,5 mm - 0,4 ÷ 0,8 l/min ø8 x 6,5 mm - 1 ÷ 1,6 l/min
Rubber hose length	Suction 1500 mm Drain 2050 mm
Power pressure	8 ÷ 10 bar
Maximum tank pressure	0.45 bar
Net weight	25 kg

0630/2720

€ 1050,00

12V ELECTRIC WINCH - DIRECT CURRENT

Permanent magnet motor, metal frame, strong cable, with anti unwinding device and cable guide. To be used only for horizontal pulling, not suitable for lifting.



€ 859,00

Rated line pull	2720 kg
Speed	1,3 - 4,5 m / min
Motor	12 V 1,3 kW 1,8 hp
Gear Reduction ratio	294:1
Cable size	ø 7,2 mm x 32 m
Drum dimensions	ø 63 x 228 mm
Overall dimensions	520 x 180 x 175h mm
Net weight	29 kg

0630/2200

€ 776,00

12V ELECTRIC WINCH - DIRECT CURRENT

Permanent magnet motor, metal frame, strong cable, with anti unwinding device and cable guide. To be used only for horizontal pulling, not suitable for lifting



€ 550,00

Rated line pull	2000 kg
Speed	1,5 - 3,6 m / min
Motor	12 V 1,0 kW 1,3 hp
Gear reduction ratio	172:1
Cable size	ø 6,4 mm x 14,5 m
Drum dimensions	ø 45 x 97 mm
Overall dimensions	364 x 126 x 141h mm
Net weight	13 kg

0630/0900

€ 314,00

12V ELECTRIC WINCH - DIRECT CURRENT

Permanent magnet motor, metal frame, hook with pulley for double pull, resistant cable, with anti unwinding device and cable guide. To be used only for horizontal pulling, not suitable for lifting.



€ 234,00

Rated line pull	450 / 900 kg
Speed	1,3 - 3,2 m / min
Motor	12 V 0,7 kW 0,9 hp
Gear reduction ratio	153:1
Cable size	ø 4 mm x 15 m
Drum dimensions	ø 31,5 x 73 mm
Overall dimensions	285 x 105 x 105h mm
Net weight	6,7 kg

S029

€ 2630,00

ELECTRO-HYDRAULIC MOTORCYCLE LIFT



€ 2254,00

Max lifting capacity	600 kg	Min - Max height	260 - 520 - 625 - 710 - 780 - 840 mm
Platform dimensions	2200 x 750 mm	Vice	330 x 320 mm
Total length	2995 mm	Vice opening	40 ÷ 180 mm
Service hole dimensions	550 x 340 mm	Motor	230 V 50 Hz 550 W
		Net weight	225 kg

S029P
€ 2850,00
ELECTRO-HYDRAULIC MOTORCYCLE LIFT

With pump and separate control system that give the possibility to position it at floor level.


€ 2440,00

Max lifting capacity	600 kg
Platform dimensions	2200 x 750 mm
Total length	2995 mm
Service hole dimensions	550 x 340 mm

Min - Max height	215 - 520 - 625 - 710 - 780 - 840 mm
Vice	330 x 320 mm
Vice opening	40 ÷ 180 mm
Motor	230 V 50 Hz 550 W
Net weight	240 kg

S027
€ 2400,00
ELECTRO-HYDRAULIC MOTORCYCLE LIFT

€ 1999,00

Max lifting capacity	600 kg
Platform dimensions	1800 x 600 mm
Total length	2600 mm
Service hole dimensions	550 x 340 mm

Min - Max height	260 ÷ 880 mm
Vice	330 x 320 mm
Vice opening	40 ÷ 200 mm
Motor	230 V 50 Hz 550 W
Net weight	150 kg

S027ATV
€ 3190,00
ELECTRO-HYDRAULIC ATV & MOTORCYCLE LIFT

€ 2734,00

Max lifting capacity	600 kg
Platform dimensions	1800 x 1200 mm
Total length	2600 mm
Service hole dimensions	550 x 340 mm

Min - Max height	260 ÷ 880 mm
Vice	330 x 320 mm
Vice opening	40 ÷ 200 mm
Motor	230 V 50 Hz 550 W
Net weight	235 kg

S008/M
€ 969,00
HYDRAULIC MOTORCYCLE LIFT TABLE

With foot pump


€ 830,00

Max lifting capacity	400 kg
Platform dimensions	1825 x 660 mm
Total length	2500 mm
Min - Max height	195 ÷ 750 mm

Vice	270 x 100 mm
Vice opening	210 x 50 mm
Net weight	133 kg

S013
€ 1900,00
HYDRAULIC LIFT TABLE

With foot pump and pneumatic control


€ 1599,00

Max lifting capacity	600 kg
Platform dimensions	2000 x 1220 mm
Total length	2575 mm

Min - Max height	185 ÷ 825 mm
Net weight	230 kg

0452
€ 159,00
MOTORCYCLE SCISSORS LIFT

Scissor support stand suitable for use on the floor or on a motorcycle lift to repair bikes, with 2 height adjustable and removable sliding supports.


€ 128,00

Max lifting capacity	400 kg
Platform dimensions	470 x 150 mm
Min - Max height	95 ÷ 400
Stand height	55 - 80 mm
Hexagon	22 mm
Net weight	14 kg

0430
€ 266,00
MOTORCYCLE DOLLY

Powder coated steel. It is suitable for motorcycles and scooters that have the side stand. It allows you to move and to park your bike in tight spaces


€ 221,00

Maximum capacity	300 kg
Length	1929 mm
Net weight	33 kg

0217
€ 206,00
VEHICLE POSITIONING JACK

With wheel positioning brakes.


€ 157,00

Capacity	680 kg
Lateral stroke	370 mm
Working range	710 - 340 mm
Max tire width	325 mm
Overall dimensions	730 x 468 x 440h mm
Net weight	15 kg

S017

€ 230,00

UNIVERSAL TELESCOPIC CART

Adjustable in height and length, made of square steel pipes, after use it can be stored in small space, upper sides with rubber to prevent scratches and give more stability to the leaned object, 4 swivel casters of which 2 with brake, ideal for the car body repair, for repairing and spraying area



€ 197,00

Height min - max	840 ÷ 1320 mm
Length	225 ÷ 1380 mm
Width	860 mm
Capacity	100 kg
Net weight	26 kg

0645/CC

€ 95,60

THREE-DRAWER CAR SEAT

Equipped with 3 drawers with bearings, 3 can trays and a small frontal tray, 4 pivoting wheels



Box



€ 81,90

Dimensions	370 x 400 x 367h mm
Drawer dimensions	3 - 150 x 300 x 40 h mm
Net weight	8 kg

0645/C

€ 63,30

6 WHEELS CAR CREEPER



€ 54,20



Box

Dimensions	1030 x 420 x 110h mm
Net weight	6,5 kg

0256-

BOTTLE JACK

Hydraulic jack. it provides an excellent stability thanks to its small size. easy to carry and use

starting from
€ 43,50

Max. load	Min. height	Stem	Piston stroke	Art.	€	Promo
5 ton	33 ÷ 39 mm	ø 24 mm	6 mm	0256/05	€ 58,00	€ 43,50
10 ton	44 ÷ 55 mm	ø 38 mm	11 mm	0256/10	€ 98,60	€ 78,90
20 ton	52 ÷ 63 mm	ø 50 mm	11 mm	0256/20	€ 121,00	€ 99,40
30 ton	60 ÷ 72 mm	ø 63 mm	12 mm	0256/30	€ 133,00	€ 111,00
50 ton	66 ÷ 78 mm	ø 70 mm	12 mm	0256/50	€ 190,00	€ 146,00

0645/S

€ 56,70

SHOP SEAT

With pivoting wheels, tool holder base, seat with padding



Box



€ 46,00

Dimensions	368 x 360 x 365 mm
Net weight	3,8 kg

0645/CP

€ 70,50

PLASTIC CREEPER

Shockproof, with 6 wheels.



Box



€ 60,40

Dimensions	1000 x 470 x 120h mm
Net weight	4,8 kg

0645/SS

6 WHEELS CAR CREEPER



€ 59,60



Dimensions	1030 x 420 x 110h mm
Net weight	6,5 kg

0062-

BOTTLE JACK

Hydraulic jack. it provides an excellent stability thanks to its small size. easy to carry and use

starting from
€ 21,50

Capacity	Min. height	Lifting	Art.	€	Promo
2 ton	181 mm	116 mm	0062/2	€ 26,30	€ 21,50
5 ton	220 mm	127 mm	0062/5	€ 41,00	€ 33,00
10 ton	230 mm	150 mm	0062/10	€ 55,10	€ 46,40
15 ton	230 mm	150 mm	0062/15	€ 81,30	€ 66,70
20 ton	242 mm	150 mm	0062/20	€ 92,80	€ 75,00
32 ton	285 mm	180 mm	0062/32	€ 170,00	€ 112,00
50 ton	295 mm	180 mm	0062/50	€ 306,00	€ 236,00

0010
€ 853,00
LIFT TROLLEY

With foldable handle, mechanical blocking system of the platform, swivel wheels with brakes


€ 731,00

Capacity	500 kg
Table dimensions	850 x 500 x 50 mm
Lifting	290 ÷ 880 mm
Net weight	86 kg

0075
€ 780,00
LIFT TROLLEY

With foldable handle with mechanical blocking system, swivel wheels with brakes


€ 668,00

Capacity	300 kg
Table dimensions	850 x 500 x 50 mm
Lifting	290 ÷ 880 mm
Net weight	78 kg

0467
€ 1010,00
HIGH LIFT TROLLEY

With double scissor action, mechanical blocking system of the platform, swivel wheels with brakes


€ 865,00

Capacity	350 kg
Table dimensions	910 x 500 x 53 mm
Lifting	335 ÷ 1300 mm
Net weight	92 kg

C650
€ 180,00
THREE SHELVES TROLLEY

Strong and easy to assemble, 2 swivel and 2 fixed casters


€ 154,00

Dimensions	800 x 450 x 800h mm
Steel thickness	2 mm
Wheels	ø 80 mm
Capacity	100 kg
Net weight	23 kg

C750
€ 296,00
THREE SHELVES TROLLEY

Strong and easy to assemble, 2 swivel and 2 fixed casters


€ 253,00

Dimensions	940 x 600 x 870h mm
Steel thickness	2,3 mm
Wheels	ø 150 mm
Capacity	200 kg
Net weight	52 kg

C065/2
€ 190,00
PP TWO SHELVES TOOL CART

Light weight, strong and easy to assemble, 2 swivel and 2 fixed casters


€ 162,00

Dimensions	1010 x 440 x 840h mm
Wheels	ø 125 mm
Capacity	250 kg
Working temperature	-20 ° a +50 °
Net weight	15,5 kg

C075/2
€ 249,00
PP TWO SHELVES TOOL CART

Light weight, strong and easy to assemble, 2 swivel and 2 fixed casters


€ 213,00

Dimensions	1170 x 652 x 840h mm
Wheels	ø 125 mm
Capacity	250 kg
Net weight	22,5 kg

C009
€ 400,00
CART WITH WOODEN SHELF

Cart made of steel, with 2 fixed wheels and 2 swivel wheels with brake


€ 342,00

Overall dimensions	1000 x 800 x 810 h mm
Steel thickness	2 mm
Plate thickness	36 mm
Wheels	ø 150 mm
Capacity	150 kg
Net weight	52 kg

CX

PVC PLATFORM TROLLEY

With foldable handle, 2 fixed casters and 2 swivel casters

starting from
€ 60,40



Capacity	Platform dimensions	Art.	€	Promo
150 kg	700 x 450 mm	C150	€ 70,50	€ 60,40
300 kg	900 x 600 mm	C300	€ 137,00	€ 160,00

C182

€190,00

ALUMINUM HAND TRUCK WITH PNEUMATIC WHEELS

Aluminium

Pneumatic wheels	Ø 260 x 85 mm
Capacity	200 kg
Toe plate dimensions	300 x 205 mm
Net weight	6 kg

€ 162,00



0461

€20,00

POLYURETHANE WHEEL

260 x 85mm not pierceable, with Ø 20mm bearing and adapter from 20mm to 18mm, for hand trucks with 18-20mm wheel shaft.

Wheel sizes	250 x 75 mm
Hole sizes	Ø 20 - 18 x 74 mm



€ 17,80

0237-

LEVER CHAIN HOIST



starting from
€ 151,00

Capacity	Lifting	Net weight	Art.	€	Promo
500 kg	1500 mm	5 kg	0237/05	€ 190,00	€ 151,00
1500 kg	1500 mm	10 kg	0237/15	€ 202,00	€ 226,00

C1102

€92,80

HAND TRUCK WITH PNEUMATIC WHEELS

For flower pots and boxes, safety handles, epoxy painting

Pneumatic wheels	Ø 260 x 85 mm
Capacity	200 kg
Toe plate dimensions	450 x 215 mm
Net weight	8,5 kg



€ 79,50

C189

€94,40

MULTIFUNCTION HAND TRUCK

With pneumatic wheels for firewood, pots, boxes and other objects. strong, easy to handle and versatile. plastic handles

Pneumatic wheels	Ø 260 x 85 mm
Capacity	150 kg
Toe plate dimensions	400 x 250 mm
Movable grid	340 x 390 mm
Net weight	11,5 kg



€ 80,90

0056-

CHAIN HOIST



starting from
€ 107,00

Capacity	Lifting	Net weight	Art.	€	Promo
1000 kg	3000 mm	11 kg	0056/1	€ 157,00	€ 107,00
2000 kg	3000 mm	20 kg	0056/2	€ 233,00	€ 186,00

0236

€92,40

HOIST ARM



€ 75,30

Capacity	300 kg
Arm length	750 mm
Slot distance	380 mm
Stem	45 X 45 mm ²
Net weight	6 kg

0602
~~€ 287,00~~
ELECTRIC CABLE HOIST

€ 228,00

Capacity	200 / 400 kg
Cable length	18 m
Speed	8 m/min
Motor	230 V 50 Hz 1 kW
Net weight	16,7 kg

SX
MAGNETIC LIFTER

Neodymium.


**starting from
€ 420,00**

Maximum capacity	Round bar lifting cap.	Art.	€	Promo
300 kg	100 kg	S0300	€ 580,00	€ 420,00
600 kg	200 kg	S0600	€ 907,00	€ 600,00
1000 kg	330 kg	S1000	€ 1370,00	€ 936,00

0066
~~€ 34,90~~
DOUBLE RATCHET HAND PULLER

€ 28,60

Max load	800 kg
Cable diameter	ø 5 mm
Max length	2 m
Net weight	2,7 kg

0070
~~€ 35,30~~
GEARED HAND WINCH

 Frame in galvanized steel.
Ergonomic handle

€ 26,70

Max load	500 kg
Throat width	50 mm
Max ø wheel	133 mm
Min. ø wheel	40 mm
Base dimensions	140 x 90 mm

0600
~~€ 320,00~~
CABLE HOIST

€ 252,00

Capacity	200 / 400 kg
Cable length	18 m
Speed	8 m / min
Motor	230 V 50 Hz 0,75 kW
Net weight	16,7 kg

0791-
WIRE ROPE PULLING HOIST

For pulling and lifting


**starting from
€ 255,00**

Max load	Cable	Net weight	Art.	€	Promo
800 kg	ø 8,3mm x 20m	11 kg	0791/08	€ 373,00	€ 255,00
1600 kg	ø 11mm x 20m	24 kg	0791/16	€ 504,00	€ 376,00
3200 kg	ø 16mm x 20m	50 kg	0791/32	€ 986,00	€ 666,00

0070/C
~~€ 45,80~~
GEARED HAND WINCH

Zinc-plated


€ 38,10

Max load	500 kg
Throat width	50 mm
Max ø wheel	133 mm
Min. ø wheel	40 mm
Cable size	ø 4,5 mm x 10 m
Base dimensions	140 x 90 mm

0590
~~€ 74,00~~
**HAND OPERATED WINCH WITH
BRAKE**

€ 60,80

Max load	450 kg
Throat width	49 mm
Max ø wheel	110 mm
Min. ø wheel	45 mm
Overall dimensions without handle	170 x 150 x 125h mm

0068L**€ 2340,00****TRUCK PALLET WITH SCALE**

Truck pallet with scale not legal for trade - tare function powered by replaceable batteries

Capacity	2000 kg
Weight capacity	2000 kg
Fork height	85 ÷ 175 mm
Fork dimensions	1150 x 570 mm
Reading	0,5 kg
Accuracy	±0,05% kg
Front wheel	Double
Net weight	125 kg

**€ 1800,00****0028R****€ 686,00****LOWERED MANUAL PALLET TRUCK**

With polyurethane wheels.

Capacity	2500 kg
Fork height	63 ÷ 165 mm
Fork dimensions	1150 x 540 mm
Armor plate thickness	3 mm
Front wheel	Double
Net weight	68,5 kg

**€ 527,00****0028****€ 597,00****MANUAL TRUCK -PALLET**

Polyurethane

Capacity	2500 kg
Fork height	85 ÷ 200 mm
Fork dimensions	1150 x 540 mm
Armor plate thickness	3 mm
Front wheel	Double
Net weight	71,5 kg

**€ 484,00****0064****€ 690,00****MANUAL TRUCK -PALLET**

Polyurethane

Capacity	2500 kg
Fork height	85 ÷ 200 mm
Fork dimensions	900 x 540 mm
Armor plate thickness	3 mm
Front wheel	Single
Net weight	68,5 kg

**€ 549,00****S2/800****€ 1190,00****HIGH LIFT TRUCK-PALLET**

Scissors

Capacity	1000 kg
Fork height	85 ÷ 800 mm
Fork dimensions	1170 x 540 mm
Tire	Polyurethane
Front wheel	Single
Net weight	117 kg

**€ 957,00****0782****€ 1130,00****PLATFORM STACKER WITH FORKS**

Capacity	400 kg
Fork height	85 ÷ 1500 mm
Fork dimensions	545 x 650 mm
Platform	576 x 650 mm
Mobile wheels	Ø 127 x 40 mm
Fix wheels	Ø 75 x 40 mm
Tire	Polyurethane
Dimensions	1100 x 600 x 1725h mm
Net weight	95 kg

**€ 968,00****0143A****€ 1910,00****MANUAL STACKER**

With brake and lifting foot pedal

Capacity	1000 kg
Fork height	90 ÷ 1600 mm
Fork dimensions	1150 x 550 mm
Fork section	160 x 55 mm
Upright height	2100 mm
Tire	Polyurethane
Front wheel	Double
Dimensions	920 x 1670 x 2100h mm
Net weight	250 kg

**€ 1635,00****0143/25****€ 2110,00****MANUAL STACKER**

With double telescopic mast, brake and lifting pedal

Capacity	1000 / 800 kg
Fork height	75 ÷ 1600 ÷ 2500 mm
Fork dimensions	1150 x 550 mm
Fork section	160 x 55 mm
Upright height	1840 mm
Tire	Polyurethane
Front wheel	Double
Dimensions	1670 x 920 x 1840h mm
Net weight	310 kg

**€ 1799,00**

Art.	Pag.	Promo	Art.	Pag.	Promo	Art.	Pag.	Promo	Art.	Pag.	Promo
0010	72	731,00 €	0140/080	60	36,10 €	0305	63	652,00 €	0506	32	1.640,00 €
0011	34	375,00 €	0140/100	60	41,60 €	0306	11	49,10 €	0507	43	253,00 €
0021/1	67	418,00 €	0140/125	60	62,20 €	0310	62	172,00 €	0510	36	90,30 €
0021/2	68	512,00 €	0140/150	60	78,30 €	0310B	63	57,60 €	0517A	40	668,00 €
0023	36	82,60 €	0143/25	75	1.799,00 €	0313	16	79,90 €	0518/20	34	657,00 €
0024	19	24,20 €	0143A	75	1.635,00 €	0315	13	138,00 €	0518/30	34	896,00 €
0027/30W	18	10,10 €	0145/100	60	33,80 €	0316	37	142,00 €	0518/38M	34	965,00 €
0027/40W	18	11,30 €	0145/125	60	41,30 €	0323/45	59	39,90 €	0518/50	34	1.220,00 €
0028	75	484,00 €	0145/150	60	76,20 €	0323/55	59	44,50 €	0518/80	34	1.550,00 €
0028R	75	527,00 €	0145/80	60	28,80 €	0325	11	10,10 €	0530	21	89,40 €
0031	18	25,90 €	0146/60	60	19,00 €	0333	19	86,30 €	0532A	47	142,00 €
0033A	18	88,10 €	0157/10	61	84,30 €	0341	8	28,60 €	0532A/230V	47	153,00 €
0036/100	60	87,00 €	0157/100	61	662,00 €	0343	21	17,30 €	0536A	48	107,00 €
0036/100G	60	106,00 €	0157/30	61	210,00 €	0356	20	52,10 €	0537A	48	85,70 €
0036/125	60	134,00 €	0157/50	61	312,00 €	0360	7	65,90 €	0538A	48	104,00 €
0036/125G	60	145,00 €	0160	11	13,60 €	0362	35	625,00 €	0541S	5	24,60 €
0036/150	60	227,00 €	0165	13	201,00 €	0363	57	891,00 €	0545/EF	5	25,50 €
0036/150G	60	250,00 €	0174/100	60	47,30 €	0363/30	57	162,00 €	0545/TF	6	27,90 €
0038	63	242,00 €	0174/125	60	60,50 €	0363/36	57	208,00 €	0555	36	97,80 €
0046	16	72,60 €	0174/150	60	75,80 €	0363/48	57	586,00 €	0558/EM	5	13,80 €
0051	16	23,90 €	0181	8	122,00 €	0366	21	92,60 €	0558/EP	5	13,80 €
0054/10	66	279,00 €	0188/100	44	66,70 €	0369	66	289,00 €	0558/GE	5	10,90 €
0054/4	66	237,00 €	0188/100G	44	112,00 €	0375A	66	224,00 €	0558/TX	6	13,80 €
0056/1	73	107,00 €	0188/125	44	94,00 €	0378/1510	18	122,00 €	0560	38	560,00 €
0056/2	73	186,00 €	0188/125G	44	126,00 €	0385	20	44,90 €	0564	42	220,00 €
0059	16	26,30 €	0188/150	44	122,00 €	0386	20	32,70 €	0567	66	81,40 €
0060	67	65,20 €	0188/150G	44	143,00 €	0387A	29	50,90 €	0569	63	62,60 €
0062/10	71	46,40 €	0189/05C	19	29,20 €	0390	59	38,40 €	0571	14	115,00 €
0062/15	71	66,70 €	0189/10C	19	32,20 €	0395	59	47,10 €	0574	16	80,30 €
0062/2	71	21,50 €	0189/20C	19	34,80 €	0399	13	136,00 €	0575	62	637,00 €
0062/20	71	75,00 €	0190	6	59,40 €	0400	5	55,10 €	0578/36	62	99,70 €
0062/32	71	112,00 €	0195	7	37,40 €	0401	22	57,60 €	0578/80	62	99,70 €
0062/5	71	33,00 €	0199	3	35,30 €	0413	14	25,80 €	0579/30	62	39,80 €
0062/50	71	236,00 €	0199P	4	53,20 €	0414	15	25,70 €	0579/80	62	39,80 €
0063	68	558,00 €	0200	3	21,90 €	0416	15	45,00 €	0580	62	246,00 €
0064	75	549,00 €	0201	3	42,00 €	0417	15	49,80 €	0581	63	72,60 €
0065A	67	199,00 €	0203	63	498,00 €	0418	15	44,10 €	0582/36	62	82,20 €
0066	74	28,60 €	0204	4	122,00 €	0419	15	76,50 €	0582/80	62	82,20 €
0067	67	24,20 €	0208	3	90,90 €	0421	15	81,80 €	0585	13	80,00 €
0068L	75	1.800,00 €	0211	64	435,00 €	0430	70	221,00 €	0586	13	66,10 €
0069/10	67	155,00 €	0215	5	9,00 €	0433	29	65,80 €	0587	13	53,50 €
0069/3	67	39,90 €	0215P	5	9,00 €	0434	13	73,40 €	0588/6	13	59,20 €
0069/6	67	74,40 €	0217	70	157,00 €	0441	19	57,10 €	0590	74	60,80 €
0070	74	26,70 €	0218/50T	20	72,30 €	0443	19	44,70 €	0591/100	60	118,00 €
0070/C	74	38,10 €	0220	6	9,60 €	0444	19	68,90 €	0591/125	60	169,00 €
0073	4	14,40 €	0220/C	6	6,50 €	0445/20	22	114,00 €	0591/150	60	255,00 €
0075	72	668,00 €	0221	4	13,00 €	0452	70	128,00 €	0594	69	124,00 €
0085	12	9,80 €	0222	4	27,90 €	0453	10	33,30 €	0595	69	252,00 €
0094	68	284,00 €	0223	4	59,90 €	0455	10	78,20 €	0596	69	405,00 €
0102	39	266,00 €	0232	63	299,00 €	0458	15	76,50 €	0597	21	23,70 €
0105	12	210,00 €	0235	38	187,00 €	0460	15	88,70 €	0600	74	252,00 €
0105T	12	231,00 €	0236	73	75,30 €	0461	73	17,80 €	0601	61	2.430,00 €
0106	36	76,70 €	0237/05	73	151,00 €	0462	62	678,00 €	0602	74	228,00 €
0107	21	6,40 €	0237/15	73	226,00 €	0467	72	865,00 €	0603	11	81,50 €
0109	27	40,60 €	0242	33	725,00 €	0469	10	43,10 €	0605	61	3.070,00 €
0110	12	170,00 €	0255	35	1.240,00 €	0474/PA	20	58,20 €	0607	16	5,40 €
0110T	12	194,00 €	0256/05	71	43,50 €	0476	4	53,70 €	0608	17	12,60 €
0112	27	85,40 €	0256/10	71	78,90 €	0477	4	23,20 €	0609	17	34,70 €
0113	39	268,00 €	0256/20	71	99,40 €	0481/15	18	103,00 €	0610	17	11,70 €
0123	22	50,30 €	0256/30	71	111,00 €	0482/3	21	43,90 €	0615	61	3.690,00 €
0125	17	28,20 €	0256/50	71	146,00 €	0483	39	185,00 €	0618	8	148,00 €
0126	11	10,90 €	0260	34	633,00 €	0486	63	467,00 €	0620	7	68,70 €
0132	35	397,00 €	0268A	6	73,60 €	0487	62	260,00 €	0621/A3	22	88,70 €
0133	35	118,00 €	0271	66	106,00 €	0496	43	664,00 €	0624	7	55,50 €
0135/100	60	94,00 €	0272	20	11,30 €	0497/250	40	497,00 €	0630/0900	69	234,00 €
0135/125	60	134,00 €	0274	20	6,50 €	0497/300	40	551,00 €	0630/2200	69	550,00 €
0135/150	60	212,00 €	0302/200	42	260,00 €	0502	37	69,70 €	0630/2720	69	859,00 €
0137	7	44,20 €	0302/245	42	438,00 €	0503	36	93,20 €	0632	64	672,00 €
0138	42	477,00 €	0302/305	42	668,00 €	0505	42	218,00 €	0632/D	64	113,00 €

Promotion valid until 31/12/2022, while stocks last - VAT not included

Art.	Pag.	Promo
0632/DA	64	151,00 €
0632/DCF	64	78,10 €
0634	9	9,20 €
0641	16	39,30 €
0642	35	271,00 €
0645/C	71	54,20 €
0645/CC	71	81,90 €
0645/CP	71	60,40 €
0645/S	71	46,00 €
0645/SS	71	59,60 €
0648	40	762,00 €
0649/1500	69	302,00 €
0649/1800	69	368,00 €
0656/254	41	2.200,00 €
0656/310	41	2.420,00 €
0657	32	2.290,00 €
0658	67	679,00 €
0659	21	25,30 €
0662	38	559,00 €
0664	66	279,00 €
0665	41	2.550,00 €
0666	27	140,00 €
0672/B	11	6,20 €
0677	19	33,30 €
0677/500	19	14,80 €
0678	11	14,30 €
0680	59	102,00 €
0681	59	99,00 €
0683	59	120,00 €
0686/200	40	465,00 €
0687	61	1.710,00 €
0690/07P	3	71,10 €
0690/12P	3	101,00 €
0691/400V	38	2.020,00 €
0693A	22	63,40 €
0700/07P	3	52,50 €
0700/12P	3	97,40 €
0708	32	1.840,00 €
0714	5	89,70 €
0716	32	1.200,00 €
0716S	32	1.380,00 €
0717A	42	253,00 €
0719	40	822,00 €
0721	39	249,00 €
0722	39	996,00 €
0723	40	291,00 €
0725	17	3,31 €
0750	34	718,00 €
0751	40	676,00 €
0752	33	729,00 €
0754/230V	33	1.210,00 €
0754/400V	33	1.210,00 €
0755	20	82,90 €
0756	43	342,00 €
0757	33	594,00 €
0758	40	1.010,00 €
0759	43	573,00 €
0765	42	223,00 €
0773/05	39	130,00 €
0773/10	39	197,00 €
0775	38	1.370,00 €
0776	38	961,00 €
0776/610	38	382,00 €
0782	75	968,00 €
0784	16	58,30 €
0791/08	74	255,00 €
0791/16	74	376,00 €
0791/32	74	666,00 €
0793	18	13,60 €

Art.	Pag.	Promo
0806/020	6	90,80 €
0809/030	6	86,60 €
0809/080	6	92,80 €
0809/100	6	97,30 €
0818/250	11	8,00 €
0841	10	18,10 €
0847	10	55,70 €
0849	57	204,00 €
0855	41	819,00 €
0857	33	695,00 €
0861	12	14,30 €
0870/250	41	372,00 €
0871	41	528,00 €
0878	61	1.310,00 €
0880/307	9	12,70 €
0888	10	16,30 €
0889	21	48,90 €
0893	39	440,00 €
0900	22	63,40 €
A003/13A	37	651,00 €
A003/32	37	2.000,00 €
A004/14	37	1.150,00 €
A004/20	37	1.690,00 €
A007A	54	2.799,00 €
A007B	54	2.749,00 €
A007C	54	1.339,00 €
A007D	54	1.849,00 €
A007E	54	1.750,00 €
A007F	54	759,00 €
A007G	54	1.819,00 €
A007H	54	3.499,00 €
A007I	54	1.479,00 €
A007L	54	3.599,00 €
A007M	55	1.059,00 €
A007N	55	1.599,00 €
A007P	55	2.899,00 €
A007Q	55	1.549,00 €
A007R	55	659,00 €
A007S	55	1.949,00 €
A007T	55	1.499,00 €
A007U	55	1.999,00 €
A007UF	55	2.099,00 €
A007V	55	2.899,00 €
A008A	54	2.849,00 €
A008B	54	2.799,00 €
A008C	54	1.419,00 €
A008D	54	1.899,00 €
A008E	54	1.829,00 €
A008F	54	799,00 €
A008G	54	1.859,00 €
A008H	54	3.599,00 €
A008I	54	1.519,00 €
A008L	54	3.699,00 €
A008M	55	1.099,00 €
A008N	55	1.649,00 €
A008P	55	2.999,00 €
A008Q	55	1.589,00 €
A008R	55	699,00 €
A008S	55	1.999,00 €
A008T	55	1.599,00 €
A008U	55	2.099,00 €
A008UF	55	2.199,00 €
A008V	55	2.999,00 €
A0132A	37	929,00 €
A020	25	107,00 €
A021	25	93,30 €
A024/10	64	59,90 €
A024/602	64	239,00 €
A025/30	64	89,10 €

Art.	Pag.	Promo
A040/30A	64	149,00 €
A040/60A	64	253,00 €
A040/802	65	444,00 €
A040/803	65	550,00 €
A059	37	89,20 €
A100	57	235,00 €
A300	57	377,00 €
A481/10	17	55,40 €
A481/15	17	85,60 €
A481/15H	17	101,00 €
A481/30H	18	151,00 €
AP01	14	184,00 €
AP02	14	198,00 €
AP03	14	206,00 €
AP04	14	213,00 €
AP05	14	477,00 €
AP06	14	191,00 €
B003/5/1	30	19,10 €
B004/150	30	567,00 €
B004/30	30	298,00 €
B004/7	30	298,00 €
B005	49	17,90 €
B005/16	49	30,10 €
B005/20	49	38,60 €
B007/10	48	85,20 €
B007/12	48	87,00 €
B007/16	48	111,00 €
B009/A1	56	442,00 €
B009/A2	56	696,00 €
B009/B1	56	515,00 €
B009/B2	56	730,00 €
B015	56	469,00 €
B015/10	56	262,00 €
B018	30	95,70 €
B019	57	271,00 €
B022/10	56	306,00 €
B022/15	56	442,00 €
C002	24	42,10 €
C002/42	24	26,50 €
C006/150	23	34,00 €
C006/200	23	51,10 €
C006/300	23	80,40 €
C007/200	24	30,30 €
C007/300	24	37,70 €
C009	72	342,00 €
C019/150	23	13,50 €
C020/1000	23	282,00 €
C020/1500	23	724,00 €
C020/2000	23	1.250,00 €
C020/500	23	80,80 €
C021/1000	23	400,00 €
C021/300	23	92,50 €
C021/500	23	157,00 €
C022/100	38	2.100,00 €
C023	24	15,90 €
C033/150	23	44,90 €
C033/200	23	68,50 €
C033/300	23	105,00 €
C035/150	23	52,20 €
C035/200	23	71,80 €
C035/300	23	126,00 €
C039/15	67	173,00 €
C039/25	67	240,00 €
C041/150	23	22,30 €
C048	25	54,00 €
C057/150	23	16,50 €
C061	25	187,00 €
C064	24	66,50 €
C065/2	72	162,00 €

Art.	Pag.	Promo
C067	29	67,30 €
C069	29	72,00 €
C070	29	119,00 €
C075/2	72	213,00 €
C086/01C	58	14,00 €
C086/01T	58	14,00 €
C086/02C	58	16,20 €
C086/02T	58	16,70 €
C086/04C	58	17,10 €
C086/04T	58	19,00 €
C086/12C	58	19,80 €
C1102	73	79,50 €
C150	73	60,40 €
C182	73	162,00 €
C189	73	80,90 €
C300	73	160,00 €
C650	72	154,00 €
C750	72	253,00 €
C800	57	781,00 €
C880/006	9	13,70 €
C900/A	59	244,00 €
C960/F7	59	506,00 €
C960C	12	838,00 €
C960CB	12	838,00 €
CF08	24	6,30 €
CI80/006	9	17,90 €
CN450N1/2A	7	23,60 €
CN450N1/4A	7	19,40 €
CN450N3/8A	7	21,40 €
D001	30	1.940,00 €
D010/0100	30	428,00 €
D010/0300	30	515,00 €
D010/0500	30	602,00 €
D010/1000	30	753,00 €
D012/0100	30	688,00 €
D012/0300	30	808,00 €
D012/0500	30	935,00 €
D012/1000	30	1.120,00 €
D018	30	3.710,00 €
D880/006	9	18,70 €
E010	53	100,00 €
E190/080	9	24,30 €
E190/130	9	27,90 €
E190/160	9	35,10 €
E190/200	9	38,20 €
E191/120	9	48,50 €
E191/200	9	86,50 €
F001/10	52	166,00 €
F001/20	52	157,00 €
F002/6	51	227,00 €
F008/3	52	45,50 €
F008/6	52	81,80 €
F011/6	51	148,00 €
F015/008S	51	110,00 €
F019/008	51	110,00 €
F232	52	53,30 €
F238	52	56,80 €
F430	52	42,20 €
F639	52	59,50 €
FC94/245	41	496,00 €
FC94/350	41	1.010,00 €
G008	28	40,50 €
G090/1/2	7	24,90 €
G090/1/4	7	16,90 €
G090/3/8	7	21,50 €
G900	22	11,00 €
I217	9	255,00 €
I340	8	193,00 €
K001/12	46	87,00 €

Art.	Pag.	Promo
K001/14	46	94,10 €
K001/16	46	114,00 €
K001/18	46	144,00 €
KICAN	49	179,00 €
KISCLCR	48	149,00 €
KISER	49	142,00 €
KISER25	49	171,00 €
KISNR	49	159,00 €
KISNR25	49	199,00 €
KISTCMT	48	205,00 €
KISTFCR	48	162,00 €
KITCKJ20	48	97,90 €
KITCKJ25	48	111,00 €
L008	22	104,00 €
L080	27	43,10 €
L085	27	68,60 €
L090A	27	90,20 €
L200	27	151,00 €
M001/100	44	49,10 €
M001/120	44	60,50 €
M001/150	44	73,90 €
M005/200	47	291,00 €
M005/250	47	319,00 €
M005/320	47	542,00 €
M005/400	47	871,00 €
M005/500	47	1.480,00 €
M005/630	47	4.180,00 €
M006/1000	61	57,70 €
M006/200	61	22,90 €
M006/300	61	27,80 €
M006/400	61	30,60 €
M006/500	61	30,70 €
M006/600	61	38,60 €
M006/800	61	42,40 €
M007/250	61	37,70 €
M007/300	61	45,80 €
M007/400	61	47,10 €
M007/500	61	52,00 €
M007/600	61	61,80 €
M011/125/150	43	843,00 €
M011/150/210	43	961,00 €
M011/150/300	43	1.220,00 €
M012/038	44	69,40 €
M012/050	44	72,50 €
M012/080	44	159,00 €
M012/100	44	219,00 €
M014/080	44	76,00 €
M014/100	44	99,10 €
M014/125	44	138,00 €
M014/160	44	191,00 €
M014/200	44	280,00 €
M015S	52	43,70 €
M020	53	25,60 €
M021/00/25	25	72,60 €
M021/25/50	25	91,10 €
M021/50/75	25	109,00 €
M021/75/100	25	127,00 €
M024/136	44	145,00 €
M024/160	44	189,00 €
M024/200	44	282,00 €
M024/250	44	403,00 €
M027/100	44	120,00 €
M027/140	44	168,00 €
M027/200	44	273,00 €
M028/100/100	43	614,00 €
M028/125/150	43	668,00 €
M028/150/200	43	791,00 €
M028/150/300	43	853,00 €
M028/150/400	43	988,00 €

Art.	Pag.	Promo
M028/175/200	43	988,00 €
M028/175/300	43	1.000,00 €
M028/175/400	43	1.100,00 €
M028/175/500	43	1.280,00 €
M028/200/300	43	1.510,00 €
M028/200/400	43	1.570,00 €
M028/200/500	43	1.780,00 €
M028/200/600	43	2.060,00 €
M032	53	82,30 €
M033	25	151,00 €
M036	53	50,00 €
M042/08	47	35,20 €
M042/10	47	36,00 €
M042/13	47	41,20 €
M042/16	47	49,60 €
M042/20	47	66,00 €
M049/080	46	137,00 €
M049/100	46	145,00 €
M049/125	46	157,00 €
M049/160	46	213,00 €
M049/200	46	290,00 €
M049/250	46	341,00 €
M049/320	46	580,00 €
M049/400	46	901,00 €
M051/08	47	42,80 €
M051/10	47	43,90 €
M051/13	47	51,20 €
M051/16	47	61,10 €
M051/20	47	71,60 €
M052/10	47	11,10 €
M052/13	47	14,60 €
M052/16	47	17,40 €
M052/20	47	26,40 €
M059/07	47	369,00 €
M059/12	47	445,00 €
M059/20	47	496,00 €
M100	53	113,00 €
M101	53	84,00 €
M218	53	189,00 €
M312/C	53	48,50 €
M312/P	52	45,40 €
M449/080	46	134,00 €
M449/100	46	144,00 €
M449/125	46	169,00 €
M449/160	46	232,00 €
M449/200	46	333,00 €
M449/250	46	429,00 €
M449/320	46	706,00 €
M449/400	46	1.100,00 €
MD01	29	94,50 €
ML40	28	47,40 €
ML80A	28	63,70 €
P001/04	65	245,00 €
P001/10	65	353,00 €
P001/12	65	431,00 €
P001/20	65	732,00 €
P001/30	65	871,00 €
P001/45	65	2.250,00 €
P009	57	163,00 €
P010/41	50	102,00 €
P010/51	50	38,80 €
P014	44	224,00 €
P015	45	132,00 €
P017	45	97,70 €
P023/19	49	29,60 €
P023/25	50	59,90 €
P028/07	66	107,00 €
P028/14	66	185,00 €
P045	49	11,80 €

Art.	Pag.	Promo
P046	49	19,70 €
P056/10S	51	26,90 €
P057	51	87,30 €
P061	50	18,50 €
P062	50	49,60 €
P064/19A	50	64,30 €
P064/25A	51	137,00 €
P067	50	54,30 €
P069	50	103,00 €
P075	28	108,00 €
P077/1525	46	523,00 €
P077/1530	46	623,00 €
P077/2040	46	1.100,00 €
P077/3050	46	2.080,00 €
P077/3060	46	2.490,00 €
P078/1525	46	340,00 €
P078/1530	46	403,00 €
P078/1535	46	453,00 €
P078/1540	46	507,00 €
P078/1545	46	590,00 €
P078/2045	46	830,00 €
P078/2050	46	966,00 €
P078/2060	46	1.130,00 €
P080	28	65,00 €
PI063	10	19,40 €
R001/04	35	298,00 €
R001/07	35	419,00 €
R003/09	35	368,00 €
R015	68	139,00 €
R060	24	57,10 €
R100	24	80,80 €
S001	51	76,80 €
S008/M	70	830,00 €
S009	43	1.200,00 €
S013	70	1.599,00 €
S017	71	197,00 €
S018	10	71,50 €
S019	68	120,00 €
S023	36	108,00 €
S024	68	113,00 €
S027	70	1.999,00 €
S027ATV	70	2.734,00 €
S029	69	2.254,00 €
S029P	70	2.440,00 €
S0300	74	420,00 €
S033	68	128,00 €
S042/1	26	42,00 €
S042/2	26	56,40 €
S045	26	46,20 €
S046	26	77,20 €
S047	26	49,40 €
S049	25	21,30 €
S054	26	20,00 €
S055	26	36,60 €
S056/150	26	67,10 €
S056/200	26	84,20 €
S057/125	27	14,40 €
S0600	74	600,00 €
S068	68	164,00 €
S1000	74	936,00 €
S108	8	148,00 €
S179	8	253,00 €
S2/800	75	957,00 €
S383	36	134,00 €
S503	36	121,00 €
S510	35	116,00 €
S520	7	32,90 €
SI413M006	8	39,80 €
SI4E3N013	8	41,40 €

Art.	Pag.	Promo
T004/250	46	290,00 €
T004/380	46	465,00 €
T004/600	46	834,00 €
T007	25	55,60 €
T007G	25	48,20 €
T008	45	246,00 €
T013	45	946,00 €
T014G	45	810,00 €
T015/E	45	209,00 €
T018/330	45	66,30 €
T018/350	45	122,00 €
T034/105	39	1.910,00 €
T050	28	28,10 €
T051	28	13,40 €
T053	28	75,30 €
T058	33	1.400,00 €
T059/16V	33	1.610,00 €
T059/28V	32	3.080,00 €
T061A	32	2.230,00 €
T064	29	74,60 €
T068	29	77,50 €
T088	49	77,00 €
T092/300	24	417,00 €
T092/600	24	650,00 €
T660	32	3.350,00 €

DIGITAL FERVI

Quality for sharing

Fervi focuses more and more on digital and social platforms to showcase its products at their best and meet the needs of the community promptly, at any time of day.



The fervi.com website – speedy, dynamic, with new graphics and constantly updated with all the technical information you need to get to know more about each product.

Where to buy it – It's really easy to find a dealer where you can buy the products on the Fervi website. Just enter your location and there you go.

Virtual Show Room. – The perfect place to go on a virtual tour of the display shelves, and to see all the tools in the Fervi range.



Scan the QR Code with your smartphone or visit fervi.com and enter the Fervi

Social – A page that is extremely active thanks to our community, but also Instagram and YouTube, to keep you constantly up-to-date and let you swap opinions on hobbies and the professional world.



FERVI IS CERTIFIED QUALITY

A quality that stems from responsibility.

A sense of Fervi's social and business responsibility is at the root of each initiative and activities undertaken by those in the Fervi Group and those involved.

FERVI IS CERTIFIED

ISO 9001 for Quality

ISO 14001 for Environment

ISO 45001 for Health and Safety Management System

FERVI IS SUSTAINABLE

Our concern for environmental sustainability has prompted us to produce an eco-sustainable promotional offer, using lighter and less treated PEFC paper, with a single goal in mind: to care for our planet by saving, in our own small way, as much CO2 as we possibly can.



info@fervi.com



FerviProSmartEquipment



FerviTools