



*Choose the
SUPERBIKE world
champion products*

OFFICIAL SPONSOR



AUTHORIZED DISTRIBUTOR

In this promo

New products

03

Tool rolling cabinet	p.03
Tool rolling cabinet with tools	p.06
Ultrasonic cleaner	p.08
Manual truck-pallet long forks	p.08
Low consumption lamp	p.08

Hardware

09

Wrenches	p.09
Socket wrenches and screw extractors	p.13
Screwdrivers and riveters	p.15
Pliers, hammers, files and chisels	p.16
Utility knives, Deburring and cutting tools	p.17
Construction and packaging	p.18
Tool kits	p.18

General Tools

19

Pneumatics	p.19
Soldering irons, paint strippers and heat glue guns	p.24
Equipment for liquids and fluids	p.25
Heaters, lighting and lenses	p.26

Measure

29

Calipers, Height gauge and Rulers	p.29
Dial indicators	p.30
Micrometers	p.31
Measuring tools	p.31
Precision tapes, Levels and Goniometers	p.33
Analogic and digital meters	p.34
Scales and dynamometers	p.36

Machinery

37

Lathes	p.37
Milling machines	p.37
Drill presses	p.38
Starter Kit	p.41
Metal working machinery	p.42
Sheet metal, iron and tube processing	p.45
Wood working machinery	p.47
Machine vices	p.51
Tables and dividers	p.53
Chucks	p.54
Live centers and tool posts	p.54
Machinery accessories	p.55

Cutting tools

55

Tools for turning and milling	p.55
Inserts, lathe tools and tool bits	p.56
Twist drills and cutters for metal	p.57
Taps and dies	p.60
Thread repair	p.61

Workshop equipment

62

Workshop furniture	p.62
Bench vices, clamps and anvils	p.68

Machinery for finishing	p.69
Presses and hydraulic pumps	p.73

Car and motorcycle workshop	p.75
Lifting and handling	p.80

NEW PRODUCTS

The year 2023 was born in the name of News for FERVI. The voice of customers is a very important part of our development and we are glad to present you some New Products. We have gone further, not only new products but even with an amazing promotional price to try them without wasting time!

**C900/A****€ 285,00****TOOL CHEST**

Can be combined with trolley carts. Retractable side handles, 6 drawers, mounted on telescopic ball-bearing slides, removable tray, and front central locking with 2 foldable keys.

**€ 179,00**

Dimensions	661 x 309 x 363h mm
Drawer dimensions	3: 174 x 267 x 45h mm 2: 578 x 267 x 45h mm 1: 578 x 267 x 60h mm
Compartment dimensions	655 x 250 x 80h mm
Drawer capacity	25 kg
Net weight	20 kg

C900/B**€ 438,00****TOOL ROLLING CABINET**

Side handle, polypropylene foam worktop, 6 drawers with internal oil-resistant mat, mounted on telescopic ball-bearing slides, front central locking supplied with 2 foldable keys, 2 fixed and 2 swivel casters with foot-operated brake, made of shockproof and non-slip thermoplastic rubber.

**€ 299,00**

Dimensions	744 x 461 x 964h mm
Drawer dimensions	585 x 405 mm
Drawers height	4 x 45 mm - 1 x 145 mm - 1 x 225 mm
Drawer capacity	25 kg
Net weight	44 kg

DETAILS MAKE THE DIFFERENCE

We thought about meeting your needs. How? By taking care of the details and the choice of optionals, making the tool rolling cabinet your personal product to work easily and smoothly every day. So, the new FERVI rolling cabinets were born. Simple and easy to set up, thanks to the compliant list of accessories for all different models.

Set it up according to your needs. Our goal is to get you the tool rolling cabinet you dream, not just any rolling cabinet!

C960/PF €80,00
PERFORATED HANGING



C960/PL €56,00
LAMINATED WORK TOP



C960/MP €29,00
FOLDING SHELF



C960/PC €15,00
PAPER ROLL HOLDER



C960/PD €30,00
DOCUMENT HOLDER



C960/PG €10,50
SCREWDRIVER HOLDER



C960/F6

€ 538,00

TOOL ROLLING CABINET WITH 6 DRAWERS

Side handle, polypropylene foam worktop, steel sheet body with impact protection bumpers and perforated side panels, 6 full-extension drawers with oil-resistant mats, mounted on telescopic ball bearing slides, anti-tip device, front central locking supplied with 2 folding keys, 2 fixed and 2 swivel casters with brakes. Optional accessories: screwdriver holder, document holder, shelf, paper roll holder, rear pegboard and laminated top.

Dimensions	770 x 460 x 985h mm
Drawer dimensions	566 x 405 mm
Drawers height	4 x 68 mm - 1 x 147 mm - 1 x 199 mm
Drawer capacity	5 x 25 kg - 1 x 40 kg
Slot distance	15 mm
Hole diameter	Ø 5 mm
Net weight	55 kg



€ 389,00

C960/F7

€ 591,00

TOOL ROLLING CABINET WITH 7 DRAWERS

Side handle, polypropylene foam worktop, steel sheet body with impact protection bumpers and perforated side panels, 7 full-extension drawers with oil-resistant mats, mounted on telescopic ball bearing slides, anti-tip device, front central locking supplied with 2 folding keys, 2 fixed and 2 swivel casters with brakes. Optional accessories: screwdriver holder, document holder, shelf, paper roll holder, rear pegboard and laminated top.

Dimensions	770 x 460 x 985h mm
Drawer dimensions	566 x 405 mm
Drawers height	6 x 68 mm - 1 x 199 mm
Drawer capacity	6 x 25 kg - 1 x 40 kg
Slot distance	15 mm
Hole diameter	Ø 5 mm
Net weight	58 kg



€ 419,00

C960/F8

€ 643,00

TOOL ROLLING CABINET WITH 8 DRAWERS

Side handle, polypropylene foam worktop, steel sheet body with impact protection bumpers and perforated side panels, 8 full-extension drawers with oil-resistant mats, mounted on telescopic ball bearing slides, anti-tip device, front central locking supplied with 2 folding keys, 2 fixed and 2 swivel casters with brakes. Optional accessories: screwdriver holder, document holder, shelf, paper roll holder, rear pegboard and laminated top.

Dimensions	770 x 460 x 985h mm
Drawer dimensions	566 x 405 mm
Drawers height	7 x 68 mm - 1 x 120 mm
Drawer capacity	25 kg
Slot distance	15 mm
Hole diameter	Ø 5 mm
Net weight	60 kg



€ 449,00

C960C
€ 978,00
TOOL ROLLING CABINET WITH TOOLS


291 Pcs

Dimensions	770 x 460 x 985h mm
Drawer dimensions	566 x 405 mm
Drawers height	6 x 68 mm - 1 x 199 mm
Drawer capacity	6 x 23 kg - 1 x 39 kg


€ 790,00
C960/AM01
€ 1130,00
TOOL ROLLING CABINET WITH AUTOMOTIVE TOOLS


142 Pcs

Dimensions	770 x 460 x 985h mm
Drawer dimensions	566 x 405 mm
Drawers height	6 x 68 mm - 1 x 199 mm
Drawer capacity	6 x 25 kg - 1 x 40 kg


€ 839,00
C960/CC03
€ 1030,00
TOOL ROLLING CABINET WITH TOOLS


253 Pcs

Dimensions	770 x 460 x 985h mm
Drawer dimensions	566 x 405 mm
Drawers height	6 x 68 mm - 1 x 199 mm
Drawer capacity	6 x 25 kg - 1 x 40 kg


€ 779,00
C960/CC04
€ 1280,00
TOOL ROLLING CABINET WITH TOOLS


219 Pcs

Dimensions	770 x 460 x 985h mm
Drawer dimensions	566 x 405 mm
Drawers height	6 x 68 mm - 1 x 199 mm
Drawer capacity	6 x 25 kg - 1 x 40 kg


€ 969,00

C900C

€ 818,00

TOOL ROLLING CABINET WITH TOOLS

291 Pcs

Dimensions	744 x 461 x 964h mm
Drawer dimensions	585 x 405 mm
Drawers height	4 x 45 mm - 1 x 145 mm - 1 x 225 mm
Drawer capacity	25 kg



€ 670,00

C900/CC03

€ 840,00

TOOL ROLLING CABINET WITH TOOLS

253 Pcs

Dimensions	744 x 461 x 964h mm
Drawer dimensions	585 x 405 mm
Drawers height	4 x 45 mm - 1 x 145 mm - 1 x 225 mm
Drawer capacity	25 kg



€ 619,00

C900/CC04

€ 1100,00

TOOL ROLLING CABINET WITH TOOLS

219 Pcs

Dimensions	744 x 461 x 964h mm
Drawer dimensions	585 x 405 mm
Drawers height	4 x 45 mm - 1 x 145 mm - 1 x 225 mm
Drawer capacity	25 kg



€ 849,00

**DIDN'T FOUND THE ASSORTMENT THAT'S RIGHT FOR YOU?**

Visit fervi.com or read the QRcode to consult our catalog of series of thermoformed tools




UC01-
ULTRASONIC CLEANER

The ultrasonic cleaning tank is ideal for deep cleaning of spare parts, metal spare parts in general, mechanical / electronic components and tools. Thanks to the LCD controls it is easy to adjust time and temperature. For general cleaning, the use of water is sufficient; for a deeper cleaning use specific detergents. The tank, entirely made of stainless steel, is hygienic and easy to clean.


0632/DCF05 € 28,50
DETERGENT LIQUID

€ 21,00
starting from
€ 121,00

Power	Ultrasonic power	Heating power	Capacity Liters	Emptying mode	Washing time adjustment	Temperature	External Dimensions	Compartment dimensions	Net weight	Art.	€	Promo
230V 50Hz	60 W	100 W	2 L	Manual	0 - 99 min	0C° - 80C°	190 x 170 x 195 mm	150 x 140 x 100 mm	2,1 Kg	UC01/20	€ 160,00	€ 121,00
230V 50Hz	120 W	100 W	3,2 L	Manual	0 - 99 min	0C° - 80C°	270 x 170 x 220 mm	240 x 140 x 100 mm	3,2 Kg	UC01/32	€ 220,00	€ 166,00
230V 50Hz	180 W	300 W	6,5 L	Drain Tap	0 - 99 min	0C° - 80C°	330 x 180 x 280 mm	300 x 155 x 150 mm	5,2 Kg	UC01/65	€ 350,00	€ 264,00
230V 50Hz	240 W	300 W	10 L	Drain Tap	0 - 99 min	0C° - 80C°	330 x 270 x 280 mm	300 x 240 x 150 mm	6,55 Kg	UC01/100	€ 440,00	€ 332,00
230V 50Hz	360 W	400 W	15 L	Drain Tap	0 - 99 min	0C° - 80C°	360 x 330 x 280 mm	330 x 300 x 150 mm	8,3 Kg	UC01/150	€ 580,00	€ 438,00

0028-XL
MANUAL TRUCK-PALLET LONG FORKS

starting from
€ 599,00

Capacity	Fork height	Fork dimensions	Armor plate thickness	Front wheel	Net weight	Art.	€	Promo
2000 kg	85 ÷ 200 mm	1500 x 540 mm	3 mm	Double	86 kg	0028/1500	€ 780,00	€ 599,00
2000 kg	85 ÷ 200 mm	1800 x 540 mm	3 mm	Double	96 kg	0028/1800	€ 800,00	€ 613,00
2000 kg	85 ÷ 200 mm	2000 x 540 mm	3 mm	Double	102 kg	0028/2000	€ 830,00	€ 631,00

0530A
€ 99,00
LOW CONSUMPTION LAMP


Box

Power	250V 50 Hz 11W
Magnification	3x
Lens	127 mm
Clamp capacity	75 mm
Luminous flux	1000 lm
Color temperature	6000 K


€ 74,70
0891A
€ 139,00
LOW CONSUMPTION LAMP

Led lamp with two lenses, dimmable touch buttons, 6 UV Led lights and a super bright and adjustable light point. Lifetime up to 25,000 hours.

Power	250V 50 Hz 11W
Magnification	2x + 6x
Lens	138 mm
Clamp capacity	75 mm
Luminous flux	1000 lm
Color temperature	6000 K



€ 105,00

0690/07P

PRO €99,00

RATCHET FLEXIBLE HEAD
COMBINATION SPANNER SET

DIN 3113.



Sizes 8 - 10 - 11 - 13 - 15 - 17 - 19 mm




€ 71,10

0690/12P

PRO €158,00

RATCHET FLEXIBLE HEAD
COMBINATION SPANNER SET

DIN 3113.




Sizes 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm



€ 101,00

0700/07P

€69,30

RATCHET COMBINATION SPANNER
SET


Sizes 8 - 10 - 11 - 13 - 15 - 17 - 19 mm



€ 52,50

0700/12P

€125,00

RATCHET COMBINATION SPANNER
SET

Sizes 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm



€ 97,40

0544

€138,00

COMBINATION SPANNER SET



Sizes 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-30-32 mm



€ 109,00

0200

€31,90

DOUBLE OPEN END MIRROR POLISH
LONG PATTERN WRENCH SET

DIN 3110.



Sizes 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm



€ 21,90

0201

€73,80

DOUBLE OPEN END MIRROR POLISH
LONG PATTERN WRENCH SET

DIN 3110.



Sizes 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x27 - 25x28 - 30x32 mm



€ 42,00

0199

€52,60

MIRROR POLISH LONG PATTERN
COMBINATION SPANNER SET

DIN 3113.





Sizes 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 17 - 19 - 22 mm



€ 35,30

0208
€126,00
**MIRROR POLISH LONG PATTERN
COMBINATION SPANNER SET**

DIN 3113.


€90,90
Sizes 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-30-32 mm

0204
€161,00
**MIRROR POLISH LONG PATTERN
COMBINATION SPANNER SET**

DIN 3113.


€122,00
Sizes 34 - 36 - 38 - 41 - 46 - 50 mm

0199P
€62,20
**MIRROR POLISH LONG PATTERN
COMBINATION SPANNER SET**

DIN 3113 Inches


€50,00
Size 1/4" - 5/16" - 3/8" - 7/16" - 1/2" - 9/16" - 5/8" - 11/16" - 3/4" - 13/16" - 7/8" - 15/16" - 1"

0221
€16,70
DOUBLE OPEN END WRENCH SET

DIN 3110.


€13,00
Sizes 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm

0222
€40,40
DOUBLE OPEN END WRENCH SET

DIN 3110.


€27,90
Sizes 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x27 - 25x28 - 30x32 mm

0073
€18,10
COMBINATION SPANNER

DIN 3113.


€14,40
Sizes 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 17 - 19 - 22 mm

0223
€71,60
COMBINATION SPANNER

DIN 3113.


€57,90
Sizes 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-30-32 mm

0477
€28,10
**MIRROR POLISH RING SPANNER
SET**

DIN 838.


€23,20
Sizes 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm

0476

€ 64,40

MIRROR POLISH RING SPANNER SET

DIN 838.



12 Pcs

Hangable

Cr-V

Chromed



€ 52,10

Sizes

6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x27 - 25x28 - 30x32 mm

0714

€ 119,00

HOOK WRENCHES SET

8 Pcs

Box

Cr-Mo

Chromed



€ 89,70

Model

35 ÷ 120

Sizes

35÷60 60÷90 90÷120

0558/GE

€ 13,90

HEX KEY SET

With ph and slot screwdriver head, with multipurpose handle that can be used as a t-handle or as a key extension.



8 Pcs

Blister

Cr-V



€ 10,90

Sizes

2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm

Cross screwdriver

PH0 (3mm) - PH1 (4mm) - PH2 (5mm)

Slotted screwdriver

6mm

0215X

BALL POINT HEX KEY SET, LONG TYPE

9 Pcs

Blister

Cr-V

Satin



€ 9,00

Size

1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10

Art.

€

Promo

1/16" - 5/64" - 3/32" - 1/8" - 5/32" - 3/16" - 1/4" - 5/16" - 3/8"

0215

€ 11,90

€ 9,00

0215P

€ 11,90

€ 9,00

0545/EF

PRO € 32,80

BALL POINT COLORED HEX KEY SERIES

DIN 911.



9 Pcs

Blister

Mo-V



€ 25,50

Sizes


1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm

0558/EM

PRO € 17,50

HEX KEY SET WITH DIAMOND TIP

DIN ISO 2936, the diamond tip allows a perfect grip, avoiding to ruin the head of the screw. This type of tip is also very effective with already ruined screws.



8 Pcs

Hangable

Cr-V

Diamond coated



€ 13,80

Sizes

1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 mm

0558/EP

PRO € 17,50

HEX KEY SET WITH DIAMOND TIP

DIN ISO 2936, the diamond tip allows a perfect grip, avoiding to ruin the head of the screw. This type of tip is also very effective with already ruined screws.



9 Pcs

Hangable

Cr-V

Diamond coated



€ 13,80

Sizes

5/64" - 3/32" - 7/64" - 1/8" - 9/64" - 5/32" - 3/16" - 7/32" - 1/4"

0400

€ 66,50

MALE "T" HANDLE HEX WRENCH SET

DIN ISO 2936, with sliding bar making them versatile for use in difficult situations and under extreme conditions.



7 Pcs

Box

Cr-V

Fork



€ 55,10

Sizes

2 - 3 - 4 - 5 - 6 - 8 - 10 mm

0190
PRO €74,60
3-WAY SPEEDY HEX KEY WRENCH SET

With practical "speedy" rotating handle for increased working velocity


€ 59,40

Sizes 2 - 3 - 4 - 5 - 6 - 8 - 10 mm

0220/C
€8,60
TORX KEY SET SHORT TYPE

With tamper resistant head (Hole)


€ 6,50

Sizes T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50

0558/TX
PRO €17,50
TORX KEY SET WITH DIAMOND TIP

DIN ISO 2936, the diamond tip allows a perfect grip, avoiding to ruin the head of the screw. This type of tip is also very effective with already ruined screws.


€ 13,80

Sizes T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40

0806/020
€109,00
DIGITAL TORQUE SCREWDRIVER

ISO 6789-2017, Clockwise and anticlockwise tightening, sound and vibration diagnostics of the preset torque reached.



MEASURE UNITS:	Nm / lbft / lbin
Capacity	0 ÷ 20 Nm
Reading	0,01 Nm
Accuracy	±2%


€ 87,70
P. 012

Promotion valid until 31/07/2023, while stocks last - VAT not included

0220
€14,00
TORX KEY SET LONG TYPE

DIN 911, with tamper resistant head (hole).


€ 9,60

Sizes T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50

0545/TF
PRO €35,30
COLORED TORX KEY SERIES

DIN 911.


€ 27,90

Sizes T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50

0809-
PRO
ELECTRONIC DIGITAL TORQUE WRENCH

It allows cw and ccw operation and a led and buzzer diagnostic of torque status.


**starting from
€ 86,60**

Capacity	Dr.	Length	Art.	€	Promo
6 ÷ 30 Nm	1/4"	200 mm	0809/030	€106,00	€ 86,60
16 ÷ 80 Nm	3/8"	230 mm	0809/080	€113,00	€ 92,80
20 ÷ 100 Nm	1/2"	275 mm	0809/100	€119,00	€ 97,30

0268A
€97,50
DIGITAL TORQUE METER

Twist monitoring tool. Applied to a ratchet wrench it can be used as a torque wrench. Backlit LCD screen, Peak and Trace operating mode. Auto power off function.

Operation mode	Peak/track
MEASURE UNITS:	Nm/kgm/kgcm/lbft/lbin
Capacity	40 ÷ 200 Nm
Reading	0,1 Nm
Memory	50
Accuracy	±2%
Dimensions	75 x 44mm
Battery	2 x AAA
Working temperature	-10°C-60 °C (14°F-139.9 °F)
Storage temperature	-20°C -70°C (-4 °F-157.9°F)


€ 73,60

0137

€ 61,00

TORQUE WRENCH




Capacity	28 ÷ 210 Nm
Extension	120 mm

€ 44,20

G090-

PRO

ERGONOMIC RATCHET HANDLE

starting from
€ 16,90


Length	Dr.	Art.	€	Promo
145 mm	1/4"	G090/1/4	€ 21,50	€ 16,90
195 mm	3/8"	G090/3/8	€ 26,10	€ 21,50
265 mm	1/2"	G090/1/2	€ 29,80	€ 24,90

0360

€ 77,70

TORQUE MULTIPLIER

DIN 3113, labor saving wheel wrench, supplied in plastic case.




1" Dr. sockets	32 - 33 mm
Ratio	1 : 56
Maximum torque	3000 Nm
Operating torque	1000 Nm
Net weight	7 kg



€ 65,90

CN450NX

ERGONOMIC RATCHET HANDLE

starting from
€ 19,40

Length	Dr.	Art.	€	Promo
150 mm	1/4"	CN450N1/4A	€ 26,80	€ 19,40
205 mm	3/8"	CN450N3/8A	€ 30,10	€ 21,40
250 mm	1/2"	CN450N1/2A	€ 31,10	€ 23,60

0195

€ 46,60

E SOCKET SET

Suitable for torx bolt.



Torx size	1/4": E4 - E5 - E6 - E7 - E8 - E10 - E11 3/8": E4 - E5 - E6 - E7 - E8 - E10 - E11 - E12 - E14 - E16 - E18 - E20 1/2": E10 - E11 - E12 - E14 - E16 - E18 - E20 - E22 - E24
-----------	---



€ 37,40

S328

PRO

€ 134,00

1/2" DR. SOCKET SET



1/2" Dr. sockets	8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 27 - 30 - 32 mm
Spark plug sockets sizes	1/2" : 16 - 21 mm
1/2" Dr. socket-bars	75 - 150 - 250 mm
Universal joint	1/2"
Adapter	F. 3/8" - M. 1/2"
Ratchet handle	1/2"



€ 107,00

0624

€ 67,30

1/4" DR. SOCKET SET



1/4" Dr. sockets	4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
Sockets with bits	1/4" : T8 - T10 - T15 - T20 - T25 - T30 - T40 - H3 - H4 - H5 - H6 - H7 - H8 - SL4 - SL5.5 - SL7 - PH1 - PH2 - PH3 - PZ1 - PZ2 - PZ3
Ratchet handle	1/4"
Flexible bar	1/4" - 150 mm
1/4" Dr. socket-bars	50 - 100 mm




€ 55,50

0620

€ 119,00

1/2" DR. SOCKET SET




1/2" Dr. sockets	10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 27 - 30 - 32 mm
Spark plug sockets sizes	1/2" : 21 mm
1/2" Dr. socket-bars	125 - 250 mm
Universal joint	1/2"
Sliding T-bar	1/2"
Ratchet handle	1/2"



€ 73,10


0181
€159,00
3/4" DR. SOCKET SET


Sizes	19 - 21 - 22 - 23 - 24 - 26 - 27 - 30 - 32 - 34 - 36 - 38 - 41 - 46 - 48 - 50 mm
Ratchet handle	3/4"
Sliding T-bar	3/4"
Extension bars	3/4" : 100 - 200 mm


€122,00
S108
€179,00
1/4" & 1/2" DR. SOCKET SET

€148,00
0618
€198,00
DR. SOCKET SET

94 TOOLS MADE OF CHROME VANADIUM, WITH REVERSIBLE 1/4", 3/8" AND 1/2" RATCHET WRENCHES, EXTENSIONS, INSERTS AND HEX KEYS.


€148,00
S179
€307,00
DR. SOCKET SET

€253,00
I340
€235,00
STANDARD & DEEP IMPACT SOCKET SET


1/2" Dr. sockets	9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 26 - 27 - 30 mm
1/2" Dr. deep sockets	9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 26 - 27 - 30 mm
Universal joint	1/2"
1/2" Dr. socket-bars	125 mm


€193,00
SI4E3N013
€59,30
STANDARD IMPACT SOCKET SET
DIN 3129

€41,40
Socket
10, 11, 12, 13, 14, 16, 17, 19, 21, 22, 24, 27, 30 mm
SI413M006
€51,80
IMPACT HEX BIT SOCKET SET
DIN 3129.

€39,80

Socket Length	8, 10, 12, 14, 17, 19 mm 60 mm
---------------	-----------------------------------

0341
€36,90
DEEP IMPACT HEX SOCKET SET WITH PLASTIC SLEEVE

€28,60

Sizes Length	17 - 19 - 21 mm 87 mm
--------------	--------------------------

P. 014
Promotion valid until 31/07/2023, while stocks last - VAT not included

I217

€ 310,00

**METRIC STANDARD IMPACT
SOCKET SET**

Sizes 19 - 21 - 22 - 24 - 27 - 30 - 32 - 33 - 34 -
35 - 36 - 38 - 40 - 41 - 46 - 50 - 55 mm



€ 255,00


E190-

2 JAW GEAR PULLER

Dimensions	Art.	€	Promo
Max Ø 80 mm - h 100 mm	E190/080	€ 30,00	€ 24,30
Max Ø 130 mm - h 100 mm	E190/130	€ 39,20	€ 27,90
Max Ø 160 mm - h 150 mm	E190/160	€ 48,20	€ 35,10
Max Ø 200 mm - h 150 mm	E190/200	€ 52,00	€ 38,20

starting from
€ 24,30

E191-

3 JAW GEAR PULLER

Dimensions	Art.	€	Promo
Max Ø 120 mm - h 101 mm	E191/120	€ 57,60	€ 48,50
Max Ø 200 mm - h 150 mm	E191/200	€ 108,00	€ 86,50

starting from
€ 48,50

D880/006

PRO € 23,90

DIAMOND TIP SCREWDRIVER SET

With black blade and tricomponent handle made of highly elastic TPR resin and oil-resistant polypropylene material. The diamond tip allows a perfect grip, avoiding to ruin the head of the screw. This type of tip is also very effective with already ruined screws.



Sizes Slot	(-) 4 x 100 mm, (-) 5 x 125 mm, (-) 6 x 150 mm
Cross	(+) PH 1 x 75 mm, (+) PH 2 x 100 mm, (+) PH 3 x 150 mm



€ 18,70

C880/006

€ 16,20

SCREWDRIVER SET

With black phosphatized magnetic tip, handle made of high elastic resin TPR and polypropylene material oil resistant.



Sizes Slot	(-) 4 x 100 mm, (-) 5 x 125 mm, (-) 6 x 150 mm
Cross	(+) PH 1 x 75 mm, (+) PH 2 x 100 mm, (+) PH 3 x 150 mm



€ 13,40

0634

€ 11,90

SCREWDRIVER SET

Sizes Slot	(-) 4x0,8x75 mm, (-) 5,5x1,0x100 mm, (-) 6,5x1,2x150 mm
Cross	(+) PH 0x3x75 mm, (+) PH 1x5x100 mm, (+) PH 2x6x125 mm



€ 9,20

0880/307

€ 19,40

SCREWDRIVER SET

Slotted	(-) 3,0x0,5x75 mm, (-) 4,0x0,8x100 mm, (-) 5,5x1,0x125 mm, (-) 6,5x1,2x150 mm, (-) 8,0x1,2x150 mm
Cross	(+) PH 1x80 mm, (+) PH 2x100 mm



€ 12,70

CI80/006

PRO € 21,90

INSULATED SCREWDRIVER SET

1000V IEC 60900, with black phosphatized magnetic tip and polypropylene material oil resistant bi-color handle.



Sizes Slot	(-) 0,6 x 3 x 100 mm, (-) 0,8 x 4 x 100 mm, (-) 1 x 5,5 x 125 mm
Cross	(+) PH 0 x 3 x 60 mm, (+) PH 1 x 4,5 x 80 mm, (+) PH 2 x 6 x 100 mm



€ 17,90

0888
€ 21,60
L-SHAPED DRIVER

Bits inside the handle.



5 Pcs



Hangable



Aluminum



Satin



1/4"

€ 16,30
S018
€ 86,50
HAND RIVETER SET


372 Pcs



Carrying case



Cr-Mo



Satin

€ 71,50

 Rivets 50 x ø2,4 mm - 50 x ø3,2 mm - 50 x ø4,0 mm - 50 x ø4,8 mm
 Nut rivets 50 x M3 - 50 x M4 - 25 x M5 - 25 x M6 - 20 x M8

0469
PRO € 52,80
HAND NUT RIVETER

With 4 nosepieces. Ergonomic handles.



10 Pcs



Box



Steel



Tempered

€ 43,10

 Nosepieces M3 - M4 - M5 - M6
 Length 200 mm

0841
PRO € 21,70
RATCHET CRIMPING TOOL

With release lever



Blister



Steel

 For insulated terminals Ø 0,8 ÷ 3,5 mm / 0,25 ÷ 6 mm²
 Length 230 mm
 Thickness 12 mm

€ 18,10
P. 016

Promotion valid until 31/07/2023, while stocks last - VAT not included

PI063
€ 25,80
MULTIFUNCTION REPAIR TOOL KIT

62 pieces kit with magnetic revolving handle for precision repair of your tools, including smartphones, watches and appliances. The magnetic tray and the click-clack function allow to keep the bits organized without losing them.



63 Pcs



Box



Cr-V

Magnetic bit holder	1
Phillips	PH00000-PH0000-PH000-PH00-PH0-PH1-PH2
Slotted	1.0 - 1.3 - 1.5 - 2.0 - 2.5 - 3.0 - 4.0
Hexagonal	0.7 - 0.9 - 1.3 - 1.5 - 2.0 - 2.5 - 3.0 - 3.5 - 4.0
Pozi-driv	PZ000 - PZ00 - PZ0 - PZ1


€ 19,40
0455
PRO € 95,20
DOUBLE HAND NUT RIVETER

With 7 nosepieces


€ 78,20


15 Pcs



Carrying case



Steel



Tempered

 Nosepieces M3 - M4 - M5 - M6 - M8 - M10 - M12
 Length 400 mm

0453
PRO € 42,70
DOUBLE HAND RIVETER

Long levers for effortless working, even with 6.4mm rivets. Plastic container, under the riveting tool, to collect the pins of the used rivets to be recycled.


€ 33,30


Box



Steel



Tempered

 Rivets Ø 3,2 - 4,0 - 4,8 - 6,4 mm
 Length 400 mm

0847
PRO € 70,80
CRIMPING PLIERS FOR END SLEEVES TERMINALS

With release lever



Blister



Steel




Satin

 Terminals 0,25 ÷ 6 mm² AWG 23-10
 Length 175 mm
 Thickness 12 mm

€ 55,70

0603

PRO €97,00

AUTO REPAIRING PLIERS SET FOR CARS ZIP TIES

€81,50

0126

€13,90

DRIFT PIN SET WITH PLASTIC HOLDER

Dimensions Ø 3-4-5-6-8-10 mm
Length 150 mm

€10,90

0160

€16,60

FILE SET FOR METAL WITH ANATOMIC HANDLE

Dimensions 200 mm - 8" mm

€13,60

0672/B

PRO €10,20

ELECTRICIAN SCISSORS

With serrated blade and, bicolor non-slip ergonomic handle.



Length 140 mm

€6,20

0831-

PRO

WATER PUMP PLIERS


DIN ISO 8976/C, 7 positions.

starting from
€5,30

Length	Art.	€	Promo
175 mm	0831/175	€7,70	€5,30
250 mm	0831/250	€9,10	€5,90
300 mm	0831/300	€11,20	€9,30

0306

€59,80


CARVING CHISEL SET

Hardness HRC 58-60
Length 215 mm

€49,10

0818/250

€10,50

TINMAN'S SNIPS

Length 265 mm

€8,00

0325

€13,20

MULTIPURPOSE SCISSORS

With serrated blade and ergonomic bicolor non-slip handle.



Length 210 mm / 8" mm

€10,10

0678 € 20,10

POLYURETHANE FOAM GUN

Mount and foam adjustment.


€ 14,30


Box

Length 290 mm

0085 **PRO** € 12,30

9" HEAVY DUTY CAULKING GUN

€ 9,80


Nickel plated

0521 **PRO** € 9,90

9" HEAVY DUTY CAULKING GUN

€ 7,40


Nickel plated

0861 € 20,10

9" EPOXY SEAL CAULKING GUN

€ 14,30


Nickel plated

0105T € 303,00

TOOL TROLLEY WITH ACCESSORIES

€ 231,00


162 Pcs



Box

Cr-V

 Case size 470 x 350 x 135 mm
Net weight 12 kg

0110T € 256,00

TOOL BOX WITH TROLLEY, TOOLS AND ACCESSORIES

€ 194,00


133 Pcs



Box

Cr-V

 Case size 470 x 350 x 135 mm
Net weight 10 kg

0105 € 259,00

TOOL BOX WITH ACCESSORIES

€ 210,00


162 Pcs



Box

Cr-V

 Case size 470 x 350 x 135 mm
Net weight 11,5 kg

0110 € 211,00

TOOL BOX WITH ACCESSORIES

€ 170,00


133 Pcs



Box

Cr-V

 Case size 470 x 350 x 135 mm
Net weight 9,5 kg

0399

€ 192,00

TOOL BOX WITH TOOLS AND ACCESSORIES

Durable case with ergonomic handle.



87 Pcs



Box

Cr-V



€ 129,00

Case size 450 x 360 x 120 mm

Net weight 7 kg

0434

€ 93,10

TOOL BOX WITH TOOLS AND ACCESSORIES



54 Pcs



Box

Cr-V



€ 73,40

Case size

400 x 270 x 120 mm

Net weight

3 kg

0165

€ 255,00

TOOL BOX WITH ACCESSORIES

175 tools and accessories made of light chrome vanadium metal. Suitcase with wheels and extendable handle.



175 Pcs



Box

Cr-V

€ 201,00



Trolley

1

Net weight

15 kg

0315

€ 175,00

TOOL BOX WITH ACCESSORIES

Ergonomic suitcase handle.



132 Pcs



Box

Cr-V

€ 138,00



Plastic case size

500 x 440 x 150 mm

Net weight

9 kg

0587

€ 94,80

AIR STAPLER



Carrying case



€ 53,50

Loader capacity	100
Working pressure	5 - 7 bar
Dimensions	225 x 165 x 45 mm
Staples	80 - 6 / 16 mm
Air inlet	1/4"
Net weight	0,9 kg

0585

€ 115,00

2 IN 1 AIR STAPLER AND BRAD NAILER



Carrying case



€ 80,00

Loader capacity	80
Working pressure	5 - 7 bar
Dimensions	245 x 230 x 55 mm
Nails	F - 10 / 50 mm
Staples	90 - 10 / 40 mm
Air inlet	1/4"
Net weight	1,4 kg

0586

€ 105,00

AIR BRAD NAILER



Carrying case



€ 66,10

Loader capacity	110
Working pressure	5 - 7 bar
Dimensions	245 x 225 x 55 mm
Nails	F - 10 / 50 mm
Air inlet	1/4"
Net weight	1,5 kg

0588/6

€ 89,50

AIR BRADDER FOR MINI PINS



Carrying case




€ 59,20

Loader capacity	130
Working pressure	5 - 7 bar
Dimensions	225 x 170 x 45 mm
Staples	0,60 - 12 / 30 mm
Air inlet	1/4"
Net weight	1 kg

AP01
PRO €238,00
AIR IMPACT WRENCH


Professional series. In composite material, handle and head in shockproof rubber. Operating lever, change of rotation and speed adjustment operated with one hand. High power and great reliability



Speed	8500 rpm
Torque	542 Nm 400 lb-ft
Avg air cons.	108 l/min 3.8 SCFM
Working pressure	6 bar 90 psi
Air inlet	1/4"
Net weight	1,2 kg


AP02
PRO €247,00
AIR IMPACT WRENCH


Professional series. In composite material, handle and head in shockproof rubber. Operating lever, change of rotation and speed adjustment operated with one hand. High power and great reliability



Speed	7800 rpm
Torque	678 Nm 500 lb-ft
Avg air cons.	136 l/min 4.8 SCFM
Working pressure	6 bar 90 psi
Air inlet	1/4"
Net weight	1,2 kg


AP03
PRO €255,00
AIR IMPACT WRENCH


Professional series. In composite material, handle and head in shockproof rubber. Operating lever, change of rotation and speed adjustment operated with one hand. High power and great reliability



Speed	7300 rpm
Torque	1085 Nm 800 lb-ft
Avg air cons.	153 l/min 5.4 SCFM
Working pressure	6 bar 90 psi
Air inlet	1/4"
Net weight	2 kg


AP04
PRO €265,00
AIR IMPACT WRENCH

Professional series. In composite material, handle and head in shockproof rubber. Operating lever, change of rotation and speed adjustment operated with one hand. High power and great reliability



Speed	7300 rpm
Torque	1085 Nm 800 lb-ft
Avg air cons.	153 l/min 5.4 SCFM
Working pressure	6 bar 90 psi
Air inlet	1/4"
Net weight	2,1 kg


AP05
PRO €617,00
AIR IMPACT WRENCH

Professional series. In composite material, handle and head in shockproof rubber. Operating lever, change of rotation and speed adjustment operated with one hand. High power and great reliability



Speed	5300 rpm
Torque	1900 Nm 1400 lb-ft
Avg air cons.	224 l/min 8.1 SCFM
Working pressure	6 bar 90 psi
Air inlet	3/8"
Net weight	3,3 kg


AP06
PRO €238,00
AIR IMPACT WRENCH

Professional series. In composite material, handle and head in shockproof rubber. Operating lever, change of rotation and speed adjustment operated with one hand. High power and great reliability



Speed	9000 rpm	Working pressure	6 bar 90 psi
Torque	312 Nm 230 lb-ft	Air inlet	1/4"
Avg air cons.	113 l/min 4 SCFM	Net weight	1,1 kg


0571
€162,00
AIR IMPACT WRENCH

Professional series. In composite material, handle and head in shockproof rubber. Operating lever, change of rotation and speed adjustment operated with one hand. High power and great reliability



Speed	7000 rpm
Torque	610 Nm
Avg air cons.	5 SCFM (150 l/min)
Working pressure	6 bar 90 psi
Air inlet	1/4"
Net weight	2,6 kg


0413
€30,80
MINI AIR DIE GRINDER

Collet 3mm and 6mm. Revolving rear air outlet. Body frame made from composite material.



Pliers	ø 3 mm - ø 6 mm	Working pressure	6 bar 90 psi
Speed	25000 rpm	Air inlet	1/4"
Avg air cons.	4 SCFM (113 l/min)	Net weight	0,4 kg



0414

€35,20

AIR DIE GRINDER

3mm and 6mm, with rear exhaust 360°, exclusive composite body design.



Box

Pliers	ø 3 mm - ø 6 mm
Speed	22000 rpm
Avg air cons.	7 SCFM (198 l/min)

Working pressure	6 bar / 90 psi
Air inlet	1/4"
Net weight	0,6 kg



€ 25,70

0417

€60,50

LONG TYPE AIR DIE GRINDER

3 and 6mm pincers, with rear exhaust 360°, exclusive composite body design.



Box

Pliers	ø 3 mm - ø 6 mm
Length	295 mm
Speed	20000 rpm
Avg air cons.	4 SCFM (113 l/min)

Working pressure	6 bar / 90 psi
Air inlet	1/4"
Net weight	0,6 kg



€ 49,80

0419

€90,60

6" AIR ORBIT SANDER WITH SUCTION

And speed control, hook & loop pad, 360° rear exhaust, die cast aluminum body with soft handle grip in lightweight and ergonomic design



Box

Disc diameter	150 mm - 6"
Orbit	5 mm, 3/16"
Speed	10500 rpm MAX.
Avg air cons.	3 SCFM (85 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Length	200 mm



€ 76,50

0458

€90,60

6" AIR ORBIT SANDER WITH SUCTION

Speed control, 2,5mm orbit, hook & loop pad, 360° rear exhaust, die cast aluminum body with soft handle grip in lightweight and ergonomic design.



Box

Disc diameter	150 mm - 6"
Orbit	2,5 mm - 3 / 32"
Max speed	10500 rpm
Avg air cons.	3 SCFM (85 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Length	200 mm



€ 76,50

0416

€54,80

90° AIR DIE GRINDER

Collet ø 3mm - ø 6mm. Revolving rear air outlet.



Box

Pliers	ø 3 mm - ø 6 mm
Speed	20000 rpm
Avg air cons.	4 SCFM (113 l/min)

Working pressure	6 bar / 90 psi
Air inlet	1/4"
Net weight	0,5 kg



€ 45,00

0418

€53,70

REVERSIBLE AIR DRILL

Chuck 10 Ø mm, with rear exhaust 360°, composite body design



Box

Chuck sizes	Ø 10 mm
Speed	1800 rpm
Avg air cons.	4 SCFM (113 l/min)

Working pressure	6 bar / 90 psi
Air inlet	1/4"
Net weight	0,9 kg



€ 44,10

0421

€98,60

6" AIR ORBIT SANDER WITH SELF-INTEGRATED SUCTION

Speed control, hook & loop pad, 360° rear exhaust, die cast aluminum body with soft handle grip in lightweight and ergonomic design, corrugated hose and dust bag



Box

Disc diameter	150 mm - 6"
Orbit	5 mm, 3/16"
Speed	10500 rpm
Avg air cons.	3 SCFM (85 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Length	200 mm



€ 81,80

0460

€107,00

6" AIR ORBIT SANDER WITH SELF-INTEGRATED SUCTION

Speed adjustable, revolving rear air outlet, aluminum body, soft and ergonomic handle, Suction tube and dust collection bag.



Box

Disc diameter	150 mm - 6"
Orbit	2,5 mm - 3 / 32"
Max speed	10500 rpm
Avg air cons.	3 SCFM (85 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Length	200 mm



€ 88,70

0046
€ 89,50
AIR RATCHET WRENCH SET

With 7 sockets, a fixed 75 mm extension for sockets, a 75 mm extension with joint for sockets, 1/4" nozzle, three screwdriver bits and a fixed 75 mm extension for screwdriver bits.



Speed	160 rpm
Torque	65 Nm
Socket	9-10-11-13-14-17-19 mm


€ 72,60
0313
€ 101,00
5" AIR ANGLE DIE GRINDER


Box


€ 79,90

Saw blade	Ø 125 mm	Working pressure	6 bar / 90 psi
Speed	10000 rpm	Air inlet	1/4"
Avg air cons.	5 SCFM (150 l/min)	Net weight	2 kg

0641
€ 63,30
FLEXIBLE PNEUMATIC MICROGRINDING WHEEL

For grinding and chamfering



Collet capacity	3 mm
Speed	56000 rpm
Avg air cons.	2 SCFM (60 l/min.)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Net weight	0,7 kg


€ 39,30
0059
€ 34,60
HEAVY DUTY AIR HAMMER WITH 4 HEXAGONAL CHISELS


Speed	BPM 3500
Bore-stroke	19 x 66 mm / 3/4" x 2 5/8"
Avg air cons.	4,5 SCFM (135 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Net weight	1,5 kg


€ 26,30
P. 022

Promotion valid until 31/07/2023, while stocks last - VAT not included

0574
€ 98,20
REVERSIBLE AIR DRILL


Box

Chuck sizes	Ø 10 mm
Speed	1800 rpm
Avg air cons.	5 SCFM (150 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Net weight	1 kg


€ 80,30
0051
€ 29,50
AIR DIE GRINDER


Box


€ 23,90

Pliers	Ø 3 mm - Ø 6 mm
Speed	22000 rpm
Avg air cons.	4 SCFM (120 l/min.)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Net weight	0,8 kg

0784
€ 74,30
AIR BELT SANDER

With spare belts. Light metal body



Box


€ 58,30

Speed	16000 rpm	Belt	10 x 330 mm
Avg air cons.	6 SCFM (180 l/min.)	Air inlet	1/4"
Working pressure	6 bar / 90 psi	Net weight	0,9 kg

0607
€ 6,50
BLOW GUN


Blister

Alu

Aluminum

Nozzle	2.0 mm
Working pressure	4-6 bar
Air inlet	1/4"


€ 5,40

0125

€37,40

DIGITAL TYRE GAUGE

With backlight and various measurement units. equipped with tyre valve screwdriver



Blister

Max. pressure	8 bar (110 psi)
Working pressure	2 - 4 bar (30 - 60 psi)
Reading	0,05 bar 0,7 psi
Not included batteries	2 x 1.5V AAA
Air inlet	1/4"



€28,20

0608

€18,30

TYRE INFLATING GUN

Blister

Manometer	ø 63 mm
Reading	0÷12 bar 0÷174 psi
Air inlet	1/4"



€12,60

0610

€15,00

WASHING GUN

Box

Capacity	1000 cc
Air inlet	1/4"



€11,70

0609

PRO €44,80**TYRE INFLATING GUN**

Blister

Manometer	ø 70 mm
Reading	0÷12 bar 0÷174 psi
Rubber hose length	1000 mm
Air inlet	1/4"



€34,70

A481/10

PRO €73,40**AUTO REWIND AIR HOSE REEL**

Made of polypropylene shell, with polyurethane mesh hose and regulation for distributing evenly the tube in the internal part, tools free adjustable stop ball and 180° swivel mount bracket



Box



Polyprop.

Max. pressure	16 bar / 250 psi
Hose length	10 + 1 m
Male Fitting	1/4" BSPT
Hose diameter	ø 12 x 8 mm
Working temperature	0 ÷ 45° C
Net weight	2,9 kg



€55,40

A481/15

PRO €113,00**AUTO REWIND AIR HOSE REEL**

Made of polypropylene shell, with polyurethane mesh hose and regulation for distributing evenly the tube in the internal part, tools free adjustable stop ball and 180° swivel mount bracket



Box



Polyprop.

Max. pressure	16 bar / 250 psi
Hose length	15 + 1 m
Male Fitting	1/4" BSPT
Hose diameter	ø 12 x 8 mm
Working temperature	0 ÷ 45° C
Net weight	4,4 kg



€85,60

A481/15H

PRO €134,00**AUTO REWIND AIR HOSE REEL**

Made of polypropylene shell, with polyurethane mesh hose and regulation for distributing evenly the tube in the internal part, tools free adjustable stop ball and 180° swivel mount bracket



Box



Polyprop.

Max. pressure	18 bar / 260 psi
Hose length	15 + 1 m
Male Fitting	3/8" BSPT
Hose diameter	ø 13.5 x 9.5 mm
Working temperature	0 ÷ 45° C
Net weight	4,5 kg



€101,00

A481/30H

PRO €200,00**AUTO REWIND AIR HOSE REEL**

Made of polypropylene shell, with polyurethane mesh hose and regulation for distributing evenly the tube in the internal part, tools free adjustable stop ball, low speed retraction system and 180° swivel mount bracket



Box



Polyprop.

Max. pressure	18 bar / 260 psi
Hose length	30 + 2 m
Male Fitting	3/8" BSPT
Hose diameter	ø 13.5 x 9.5 mm
Working temperature	0 ÷ 45° C
Net weight	9 kg



€151,00

0378/1510
PRO €166,00
AUTO REWIND AIR HOSE REEL

With pu mesh hose and regulation for distributing evenly the tube in the internal part


PP

Box Polyprop.

Max. pressure	18 bar / 260 psi
Hose length	15 + 1 m
Male Fitting	3/8" BSPT
Hose diameter	ø 13,5 x 9,5 mm
Working temperature	0 ÷ 45° C
Net weight	5 kg


€ 122,00
0481/15
€127,00
AUTO REWIND AIR HOSE REEL

With pu mesh hose, german type female quick coupler, german type female plug and regulation for distributing evenly the tube in the internal part


ABS

Box

Max. pressure	16 bar / 250 psi
Hose length	15 + 1 m
Male Fitting	1/4" BSPT
Hose diameter	ø 12 x 8 mm
Working temperature	0 ÷ 45° C
Net weight	4,5 kg


€ 103,00
0793
€ 20,20
AUTO REWIND AIR HOSE REEL

With pu mesh hose



7 Pcs



Blister

Power	230 V 50 Hz 30 W
-------	------------------


€ 13,60
0033A
PRO €112,00
WOOD-BURNING PEN SET WITH 6 PINS OF DIFFERENT SHAPE


Box

Melting point	215°
Working temperature	215 ÷ 300°C
Max temperature	420°C
Power station supply	230 V, 50 Hz
Soldering power supply	24 V, 48 W


€ 88,10
0031
€32,90
HIGH PRECISION TEMPERATURE -CONTROLLED SOLDERING IRON STATION

Adjustable temperature 150-420°C, iron tip with hole ø 6 mm



Box

Working temperature	450°C ± 10%
Power	230 V, 50 Hz, 40 W


€ 25,90
0027/30W
€12,70
HIGH PRECISION TEMPERATURE -CONTROLLED SOLDERING IRON STATION


Blister

Working temperature	450°C ± 10%
Power	230 V, 50 Hz, 30 W


€ 10,10
0027/40W
€14,40
SOLDERING IRON


Blister

Power	230 V 50 Hz 30 W
Working temperature	450°C ± 10%


€ 11,30
0443
PRO €56,30
FAST HEATING SOLDERING GUN

With adjustable temperature



Carrying case

Power	230V 50Hz 200W
Temperature	70 °C ÷ 500 °C


€ 44,70

0024

€ 30,10

HOT AIR GUN



Box



Temperature	300 °C - 500 °C
Air stream	280 l/min - 480 l/min
Power	230 V 50Hz 1,5 kW

€ 24,20

0441

€ 69,90

HOT KNIFE FOR POLYSTYRENE WITH ADJUSTABLE TEMPERATURE

For polystyrene, plastic, foam and sponge, adjustable cutting length, metal stand



Box



€ 57,10

Power	230 V, 50 Hz, 220 W
Temperature	120 - 220 - 330 - 400 - 450 °C
Cutting capacity with adjustment	20 ÷ 90 mm
Max cut	150 mm

0333

PRO € 111,00

HOT KNIFE FOR POLYSTYRENE WITH ADJUSTABLE TEMPERATURE

For polystyrene, plastic, foam and sponge, adjustable cutting length, metal stand



Carrying case



€ 86,30

Power	230 V, 50 Hz, 150 W
Temperature	Max 500 °C
Max cut	150 mm

0677

€ 41,00

HAND OPERATED LEVER GREASE GUN

Composed of metal tank and pump, coupler and 450mm PVC flexible hose for using ø 55mm grease cartridges or loose grease (adaptor already mounted).



Box



€ 33,30

Capacity	1000 cc
Flexible hose sizes	Ø 9 x 450 mm

0444

PRO € 84,00

DIGITAL HOT AIR GUN SET

With electronic temperature control, lcd display to show the temperature, 2 levels of air flow, ideal for heating, folding, bending, removing paint



6 Pcs



Box



ABS



€ 68,90

Power	230 V, 50 Hz, 2000 W
Temperature	I 70°C - II 70°C ÷ 600°C - III 70°C ÷ 600°C
Air stream	I 300L/min - II 300L/min - III 500L/min

0321

€ 47,60

HOT KNIFE FOR POLYSTYRENE WITH ADJUSTABLE TEMPERATURE

For polystyrene, plastic, foam and sponge, adjustable cutting length.



Box



€ 37,10

Power	230 V, 50 Hz, 130 W
Temperature	Max 450 °C
Cutting capacity with adjustment	14 ÷ 97 mm
Max cut	120 mm

0677/500

€ 18,00

500CC HAND OPERATED LEVER GREASE GUN

Composed of metal tank and pump, coupler and 300mm PVC flexible hose, for using with loose grease or ø 53mm grease cartridges.



Box



€ 14,80

Capacity	500 cc
Flexible hose sizes	ø 8 x 300 mm
Working pressure	6000-8000 psi

0189-

METAL FUEL TANK

With flexible filler, "un" certified according to european directives

a partire da
€ 29,20

Capacity Liters	Net weight	Art.	€	Promo
5	1,5 kg	0189/05C	€ 42,30	€ 29,20
10	2,5 kg	0189/10C	€ 42,90	€ 32,20
20	3,7 kg	0189/20C	€ 48,90	€ 32,80

0356
€ 63,30
**TROLLEY PRESSURE SPRAYER
WITH BRASS LANCE PIPE**

With FPM gaskets.



Box

Capacity 16 l

€ 52,10

0274
PRO € 8,40
**PRESSURE SPRAYER WITH BRASS
NOZZLE**

With FPM gaskets.


€ 6,50

Capacity 2 l

0385
€ 54,60
ROTARY HAND PUMP

For transferring lubricating oil, diesel, kerosene and antifreeze drums with telescopic suction pipe



Box

Alu

Aluminum

 Capacity 20 l/min
Pump thread 2"

€ 44,90

0386
€ 39,00
LEVER ACTION HAND OIL PUMP

For transferring lubricating oil, diesel, kerosene and antifreeze drums with telescopic pipe



Box

 Capacity 18 l/min
Pump thread 2" / 1-1/2"

€ 32,70

0474/PA
€ 74,90
AUTOMATIC DIESEL GUN

With swivel connector.



Box

 Capacity 90 l/min
Nozzle ø25 mm
Inlet thread 1" BSP

€ 58,20

0755
€ 98,20
12VDC DIESEL PUMP

For mineral oil and diesel.



Box

Motor	DC 12 V, 175 W
Motor speed	4500 rpm
Pump capacity	40 l/min
Hydraulic head	2 m
Suction	4 m
Inlet thread	25 mm
Size	200 x 120 x 155 mm
Usage time	Max 30 min


€ 82,90
0272
€ 14,70
DRILL PUMP

For no flammable, explosive, corrosive and oily liquid. Suitable use for rack spindles.



Blister

Plastic

Hydraulic head	30 m
Pump capacity	2.4 m ³ /h
Max. pressure	0.3 MPa
Max speed	3400 rpm
Max temperature	40°C
Hose diameter	19 mm 3/4"

€ 11,30

0218/50T
€ 93,10
50W LED FLOODLIGHT WITH TRIPOD

Aluminium super slim die-cast housing, tempered glass.



Box

Alu

Aluminum



Power	220 - 240 V, 50 Hz, 50W
Luminous flux	4000 lm
Color temperature	4000 K
Cable	2 m, 3x1 mm ² H05VV-F

€ 72,30


0343

€ 26,20

FLEXIBLE ARM LAMP



Power	110 / 230 V 50 / 60 Hz
Bulb	Max 40 W, E27 not included
Range	800 mm
Clamp capacity	35 mm



€ 17,30

0366

€ 116,00

56 LED MAGNIFIER LAMP

With lense



Power	230 V 50 Hz 8 W
Magnification	2x
Luminous flux	600 lm
Color temperature	6500 K
Lens	Ø 120 mm
Range	810 mm
Clamp capacity	70 mm



€ 92,60

0516

€ 164,00

LOW CONSUMPTION LAMP

With lens.



Power	230V 50Hz 2 x 9W
Magnification	2x
Lens	190 x 157 mm
Range	810 mm
Clamp capacity	70 mm
Luminous flux	1000 lm



€ 118,00

0659

€ 38,60

CRYSTAL LENS SET



Contents	Magnifications
3 Pcs ø 50	3x - 10x mm
3 Pcs ø 60	3x - 8x mm
3 Pcs ø 75	3x - 8x mm
3 Pcs ø 90	3x - 8x mm



€ 25,30

0482/3

PRO € 56,50

HEAD LAMP WITH SENSOR

Switch on and off function by passing the hand in front of the lamp.



LED	3 W COB
Luminous flux	Max 300 lm
Color temperature	6500 K
Battery	3.7 V 1500 mAh Li-ion
Autonomy	4h
Recharging time	3h



€ 43,90

0107

€ 7,90

30 + 7 LED MAGNETIC LIGHT

With magnet and hook on the back side



Single LED life	100000 hours
Intensity	50 lm
Not included batteries	3 AA
Dimensions	40 x 35 x 203 mm



€ 6,40

0597

€ 29,10

RECHARGEABLE LED LIGHT WITH MAGNET

With battery charger 12Vdc and 230Vac, foldable, hanging and magnetic.



Battery	3.7 V 1800 mAh
LED	8 SMD + 5 LED
Recharging time	8 ÷ 10 h
Autonomy	7 ÷ 8 h



€ 23,70

0889

€ 60,10

RECHARGEABLE LED LIGHT WITH MAGNET

With battery charger 12Vdc and 230Vac, foldable, hanging and magnetic.



Battery	3,7 V - 1100 mAh - Lithium
LED	21 + 5 - 9000 mcd
Recharging time	4 ÷ 5 h
Autonomy	4 ÷ 6 h



€ 48,90

0693A
PRO
€ 84,00
RECHARGEABLE LED LAMP

With charging station, foldable, hanging and magnetic


ABS

Battery	3,7V - 2600mAh - Li-ion
LED	6W COB LED - 1W SMD 6500K
Luminous flux	600 lm
Recharging time	4h
Autonomy	4,5h Eco mode
Working temperature	-10°C ÷ 40°C


€ 63,40
0123
€ 61,60
MULTIFUNCTION USB RECHARGEABLE LED LIGHT

With front torch with various steps of brightness, lateral white and red Leds with flashing function. Usb recharging cable and transformer. Charge and recharge status Led . It can be charged directly from a computer.


ABS

Battery	3,7V - 1800 mAh - Li-ion
LED	24 Cree XPG R5
Intensity	30 - 300 lm
Dimensions	191 x 99 x 148 mm
Battery charger	USB 110 - 230 V 50 - 60 Hz
Autonomy	2,5 h


€ 50,30
0445/20
PRO
€ 156,00
RECHARGEABLE LED FLOODLIGHT

With switch, adapters to recharge batteries with car dc lighter and home ac 230V.


Alu


Power	DC 12 - 24 V, 20 W; AC 230 V 20W
Luminous flux	600 - 1450 lm
Battery	7.4V 5400mAh Li-ion
Autonomy	1,5 h


€ 114,00
0900/BL
PRO
€ 235,00
MAGNETIC LED LAMP WITH EXTENDABLE UNDERCABINET STAND

The under-hood lamp consists of two magnetic, 360-degree rotatable Cob Led light points for a maximum of 2800 lumens (1400lm + 1400lm) and an extendable bar up to 2100mm to fit any type of hood.


ABS
Alu
Nylon

LED	COB
Power	USB Type C 5 V 2 A
Luminous flux	2 x 400-1400 lm
Recharging time	4 h
Autonomy	4 h
Adjustable extension clamps	850 ÷ 2100mm


€ 178,00
P. 028

Promotion valid until 31/07/2023, while stocks last - VAT not included

0401
PRO
€ 73,10
COB LED TECHNOLOGY RECHARGEABLE LAMP

High capacity lithium battery for long time operation, magnetic back for hand-free application, flexible standing arm for multi-angle lighting purposes, strong light output 180 lumens.


ABS

Power	100 ÷ 240 V, 50 ÷ 60 Hz
Battery	3,7 V - 2600 mAh - Li-ion
Recharging time	6 h
Autonomy	3,5 h
Intensity	180 lm


€ 57,60
G900
€ 14,60
CAMPING LANTERN

ABS

Dimensions	Ø 60 x 160 mm
Intensity	150 lm
Not included batteries	3 x AAA


€ 11,00
0900
PRO
€ 84,00
MULTI PORTABLE MAGNETIC LED LIGHT

COB Led portable lamp made in impact-resistant ABS. Adjustable in four different light intensities from 350 to 1400 Lumen. The strong magnet at the base and the rotatable body through 180°, makes it perfect to be used in any circumstance.


Alu
Aluminum

LED	COB
Power	USB Type C 5 V 2 A
Battery	3.7 V 5200 mAh Li-ion
Luminous flux	350 ÷ 1400 lm
Recharging time	4 h
Autonomy	3 h ÷ 14 h
Dimensions	116 x 101 x 41,5 mm


€ 63,40
0621/A3
€ 107,00
AUTO RE-ENTERING CABLE REEL


Cable length	10 m
Cable type	3 x 1,50 mm2 H05VV-F


€ 88,70

Power	12 V ÷ 240 V
Max power for rolled cable	1200 W
Max power for unrolled cable	1800 W

C035-

PRO

STAINLESS STEEL ELECTRONIC DIGITAL CALIPER

With glass rail for better accuracy, metal housing and buttons, data output with mini USB port, removable thumbroll, ground and lapped jaws, with locking screw.



starting from
€ 52,20

Range	Reading	Art.	€	Promo
0÷150 mm 0÷6"	0,01 mm 0,0005"	C035/150	€ 69,20	€ 52,20
0÷200 mm 0÷8"	0,01 mm 0,0005"	C035/200	€ 95,10	€ 71,80
0÷300 mm 0÷12"	0,01 mm 0,0005"	C035/300	€ 166,00	€ 126,00

C033-

STAINLESS STEEL ELECTRONIC DIGITAL CALIPER

With 3 functions and a big screen



starting from
€ 44,90

Range	Reading	Art.	€	Promo
0÷150 mm 0÷6"	0,01 mm 0,0005"	C033/150	€ 61,00	€ 44,90
0÷200 mm 0÷8"	0,01 mm 0,0005"	C033/200	€ 88,00	€ 68,50
0÷300 mm 0÷12"	0,01 mm 0,0005"	C033/300	€ 132,00	€ 105,00

C041/150

€ 34,20

MONOBLOCK STAINLESS STEEL ELECTRONIC DIGITAL CALIPER

3 functions with big lcd



€ 22,30

Range	0÷150 mm 0÷6"
Reading	0,01 mm 0,0005"
Jaws	40 mm
Beam	16 x 3 mm

C006-

STAINLESS STEEL DIAL CALIPER



starting from
€ 34,00

Range	Reading	Jaws	Beam	Art.	€	Promo
0 ÷ 150 mm	0,02 mm	40 mm	16 x 3 mm	C006/150	€ 48,10	€ 34,00
0 ÷ 200 mm	0,02 mm	50 mm	16 x 3 mm	C006/200	€ 73,30	€ 51,10
0 ÷ 300 mm	0,02 mm	60 mm	20 x 4 mm	C006/300	€ 119,00	€ 80,40

C057/150

€ 20,80

CHROMED VERNIER CALIPER



€ 16,50

Range	0÷150 mm 0÷6"
Reading	1/20 0,05 mm 1/128"
Jaws	40 mm
Beam	16 x 3 mm

C019/150

€ 16,50

CHROMED VERNIER CALIPER



€ 13,50

Range	0÷150 mm 0÷6"
Reading	1/20 0,05 mm 1/128"
Jaws	40 mm
Beam	16 x 3 mm

C021-

PRO

MONOBLOCK STAINLESS STEEL CHROMED VERNIER CALIPER

Fine adjustment



starting from
€ 92,50

Range	Reading	Art.	€	Promo
0÷300 mm 0÷12"	1/50 0,02 mm 1/1000"	C021/300	€ 171,00	€ 92,50
0÷1000 mm 0÷40"	1/50 0,02 mm 1/1000"	C021/1000	€ 525,00	€ 400,00

C020-

CHROMED VERNIER CALIPER

Fine adjustment



starting from
€ 80,80

Range	Reading	Art.	€	Promo
0 ÷ 500 mm	1/50 0,02 mm	C020/500	€ 148,00	€ 80,80
0 ÷ 1000 mm	1/50 0,02 mm	C020/1000	€ 365,00	€ 282,00
0 ÷ 1500 mm	1/50 0,02 mm	C020/1500	€ 1020,00	€ 724,00
0 ÷ 2000 mm	1/50 0,02 mm	C020/2000	€ 1650,00	€ 1250,00

C007-
CHROMED VERNIERE DEPTH GAUGE


starting from
€ 30,30



Range	Reading	Base	Beam	Art.	€	Promo
0 ÷ 200 mm	1/50 0,02 mm	100 mm	9,6 x 4,5 mm	C007/200	€ 37,30	€ 30,30
0 ÷ 300 mm	1/50 0,02 mm	100 mm	12 x 4 mm	C007/300	€ 51,20	€ 37,70

T092-
ELECTRONIC DIGITAL MULTI FUNCTION HEIGHTGAUGE

With 4 functions and big display, with scriber



starting from
€ 417,00



Range	Reading	Art.	€	Promo
0÷300 mm 0÷12"	0,01 mm 0,0005"	T092/300	€ 542,00	€ 417,00
0÷600 mm 0÷24"	0,01 mm 0,0005"	T092/600	€ 901,00	€ 650,00

C064
€ 105,00
MULTIFUNCTIONAL ELECTRONIC DIGITAL INDICATOR LARGE DISPLAY

Functions: zero point at any position, mm/inch, conversion, hold, min/max functions, auto power off.



€ 66,50



Range	0÷12,7 mm 0÷0,5"
Reading	0,01 mm 0,005"
Accuracy	0,02 mm 0,002"
Dial size	60 mm
Battery	SR44W

C023
€ 30,50
DIAL INDICATOR


€ 15,90



Dial size	60 mm
Range	10 mm
Reading	0,01 mm
Accuracy	0,015 mm

CF08
€ 8,40
GAUGE TO MEASURE WHEEL NUT HOLES CENTER DISTANCE

Handy tool for measuring the hole circle on steel and aluminium rims. Suitable for 4 -, 5 -, 6 - and 8-hole rims



€ 6,30



Range	4-8 LUG 100 ÷ 210 mm
-------	----------------------

RX
SCALE WITH MULTIFUNCTION DIGITAL READOUT

The scale can be cut to reach the desired length functions: on/off - mm/inch - zero - abs/inc - auto power off.



starting from
€ 57,10



Total length	Range	Art.	€	Promo
630 mm - 24.8" inch	500 mm - 19.7"	R060	€ 82,00	€ 57,10
1000 mm - 40" inch	900 mm - 35"	R100	€ 107,00	€ 80,80

C002
€ 52,00
DIAL INDICATOR


€ 42,10



Dial size	60 mm
Range	10 mm
Reading	0,01 mm
Accuracy	0,015 mm

C002/42
€ 37,50
DIAL INDICATOR


€ 26,50



Dial size	42 mm
Range	5 mm
Reading	0,01 mm
Accuracy	0,015 mm

C048**€73,40****DIAL INDICATOR**

With back lug



Dial size	60 mm
Range	30 mm
Reading	0,01 mm
Accuracy	0,015 mm

**€54,00****A020****€134,00****ZERO SETTING WITH DIAL INDICATOR WITH MAGNETIC BASE**

Zero setting height	50 mm
Reading	0,01 mm
Range	0 ÷ 8 mm

**€107,00****C061****€227,00****CO-AX INDICATOR**

With positioning rod



Dial indicator	Ø 40 mm
Swing	4,9 mm
Reading	0,01 mm
Max speed	800 rpm
Cylindric shank	Ø 10 mm
Straight feelers	3
Bent feelers	3
Feeler length	50 - 100 - 150 mm
Contact point	Ø 3 mm
Scriber point	50 mm

**€187,00****M033****€197,00****OUTSIDE MICROMETER SET**

With carbide faces and painted frame



Size	0÷25 - 25÷50 - 50÷75 - 75÷100 - 100÷125 - 125÷150 mm
Reading	0,01 mm
Accuracy	0,004 - 0,004 - 0,005 - 0,005 - 0,006 - 0,006 mm
Spindle	Ø 6,3 mm

**€151,00****T007-****DIAL TEST INDICATOR**

Dial size	Range	Reading	Contact point	Art.	€	Promo
40 mm	0,8 mm	0,01 mm	Ø 2 mm	T007	€93,20	€55,60
40 mm	0,8 mm	0,01 mm	Ø 2 mm	T007G	€59,40	€48,20

**starting from €48,20****A021****PRO €124,00****ZERO SETTING WITH DIAL INDICATOR WITH MAGNETIC BASE**

To position or reset the height of tools, such as end mills, directly on the machine tools, also determining the position of the machine spindle.



Range	0÷2,40 mm 0÷0,094"
Reading	0,01 mm 0,0005"
Platform dimensions	Ø 24 mm
Digit height	8 mm
Battery	1 x 3V CR2032
Dimensions	Ø 50 x 51 mm

**€93,30****M021-****ELECTRONIC DIGITAL MICROMETER**

Friction thimble with carbide faces, functions: abs/inc, set, on/off and mm/inch.



Size	Reading	Precision	Art.	€	Promo
0 ÷ 25 mm - 0 ÷ 1"	0,001 mm - 0,00005"	0,003 mm - 0,00015"	M021/00/25	€92,30	€72,60
25 ÷ 50 mm - 1" ÷ 2"	0,001 mm - 0,00005"	0,003 mm - 0,00015"	M021/25/50	€115,00	€91,10
50 ÷ 75 mm - 2" ÷ 3"	0,001 mm - 0,00005"	0,004 mm - 0,0002"	M021/50/75	€139,00	€109,00
75 ÷ 100 mm - 3" ÷ 4"	0,001 mm - 0,00005"	0,004 mm - 0,0002"	M021/75/100	€162,00	€127,00

**starting from €72,60****S049****€35,20****MAGNETIC STAND**

With microadjustment



Main stem	Ø 12 x 170 mm
Assistant stem	Ø 10 x 150 mm
Magnetic force	600 N
Base dimensions	63 x 50 x 55h mm

**€21,30**

S047
€ 65,90
MAGNETIC STAND

With microadjustment



Carrying case

Main stem	Ø 16 x 220 mm
Assistant stem	Ø 12 x 180 mm
Magnetic force	800 N
Base dimensions	65 x 50 x 55h mm


€49,40
S054
€ 31,90
MAGNETIC STAND


Carrying case

Main stem	Ø 12 x 170 mm
Assistant stem	Ø 10 x 165 mm
Magnetic force	600 N
Base dimensions	63 x 50 x 55h mm


€20,00
S055
€ 62,20
MAGNETIC STAND


Carrying case

Main stem	Ø 16 x 210 mm
Assistant stem	Ø 12 x 175 mm
Magnetic force	800 N
Base dimensions	75 x 50 x 55h mm


€36,60
S042/1
€ 57,50
UNIVERSAL MECHANICAL ARM STAND

With 3d central lock



Carrying case

Base dimensions	36 x 30 x 35 mm
Magnetic force	300 N
Arm length	145 mm


€42,00
S042/2
€ 72,70
UNIVERSAL MECHANICAL ARM STAND

With micrometric adjustment and 3d central lock



Carrying case

Base dimensions	60 x 50 x 55 mm
Magnetic force	800 N
Arm length	290 mm


€56,40
S045
€ 73,80
UNIVERSAL MECHANICAL ARM STAND


Carrying case

Main stem	Ø 12 x 160 mm
Assistant stem	Ø 10 x 180 mm
Magnetic force	600 N
Base dimensions	63 x 50 x 55h mm


€ 46,20
S042/3
€ 93,50
UNIVERSAL MECHANICAL ARM STAND

With micrometric adjustment and 3d central lock.



Carrying case

Base dimensions	75 x 50 x 55 mm
Magnetic force	1000 N
Arm length	365 mm


€72,70
S056-
90° MAGNETIC SQUARE


Box


**starting from
€ 67,10**

Dimensions	Max. magnetic force	Art.	€	Promo
150 x 150 x 50 mm	500 N	S056/150	€ 82,90	€ 67,10
200 x 200 x 50 mm	1000 N	S056/200	€ 103,00	€ 84,20

S057/125**€19,10****WELDING HOLDER**

Box

Dimensions	135 x 135 x 25 mm
Magnetic force	340 N
Hold working angle	45 - 90 - 135°

**€14,40****0109****€48,00****DIGITAL LEVEL**

Magnetic with aluminum body, automatic power off, backlight, 2 vials, inc, abs and hold functions



Box

Length	400 mm	Reading	0° - 90°: 0,1°
Auto power off	5 min	Accuracy	0° - 90°: ±0,2°
Measuring range	0 - 90° x 4	Battery	2 x AAA 1,5 V

**€39,70****L090A****€109,00****DIGITAL LEVEL - INCLINOMETER AND GONIOMETER WITH MAGNET**

0 ÷ 90° magnetic digital level on all the 4 directions, inclinometer and goniometer, function: inclination mm/m and in/ft, % of inclination, backlight, automatic power off, ABS and relative measurements and automatic digit inversion for overhead measurements, with beeper.



Box

Accuracy	± 0.15°
Measuring range	0 ÷ 90° x 4
Reading	0.05°
Dimensions	151 x 31 x 60 mm
Battery	2 x 1.5 V AAA

**€90,20****L085****€83,60****DIGITAL LEVEL BOX**

±0 ÷ 180° magnetic, automatic power off, ABS and relative measurements and automatic digit inversion for overhead measurements, hold function.



Blister

Accuracy	± 0.1°
Measuring range	0° ÷ 180°
Reading	0.1°
Dimensions	51 x 51 x 33 mm
Battery	1 x 3 V CR2032

**€68,60****0666****€176,00****DIGITAL LEVEL WITH LASER**

Measuring unit in degrees or %.



Box

Length	600 mm	Laser power	< 1 mW
Auto power off	5 min	Accuracy	± 0,05°
Measuring range	0 - 360°	Pointing accuracy	± 1 mm / m
Wave length	650 nm	Battery	9 V
Reading	0,1°		

**€140,00****0112****€105,00****DIGITAL LEVEL**

Magnetic with milled aluminum base, automatic power off, backlight, 2 vials, "hold function, 0° and 90° with sound, reading: absolute, ref, percent, mm/m and in/ft, carrying bag.



Box

Length	600 mm	Reading	0° & 90°: 0,05°; 0° - 89°: 0,1°
Auto power off	5 min	Accuracy	0° & 90°: ±0,05°; 0,1° - 89,9°: ±0,2°
Measuring range	0 - 90° x 4	Battery	2 x AAA 1,5 V

**€85,40****L080****€53,00****DIGITAL LEVEL BOX**

0 ÷ 90° magnetic on all the 4 directions, backlight, automatic power off, ABS and relative measurements and automatic digit inversion for overhead measurements.



Blister

Accuracy	0° ± 0.1°; 90° ± 0.1°; 0.1° ÷ 89.9° ± 0.2°
Measuring range	0 ÷ 90° x 4
Reading	0.1°
Dimensions	59 x 27 x 59 mm
Battery	1 x 1.5 V AAA

**€43,10****L200****€188,00****LINEAR LEVEL**

Master precision, with v-slot s ground



Dimensions	200 x 45 x 45 mm
Accuracy	0,02 mm / m

€151,00

G008
€ 50,90
DIGITAL ANGLE FINDER AND LEVEL WITH 2 VIALS

Automatic calculation of angles and inclinations


€ 40,50

Length	400 mm
Range	0 ÷ 225°
Reading	0,1°

Accuracy	± 0,5°
Battery	9 V - 6F22

P080
€ 78,70
DIGITAL CLAMP METER

With LCD display. 7 operating modes: AC current, AC voltage, DC voltage, resistance, continuity, frequency, diode control. High reliability



Box

ACV	4 / 40 / 400 / 600 V ±1,5 % + 4
ACA	4 / 40 / 400 / 600 A ±1,5 % + 4
DCV	4 / 40 / 400 / 600 V ±1,0 % + 2
RES	400 Ω / 4 kΩ / 40 kΩ / 400 kΩ / 4 MΩ / 40 MΩ ±1,0 % + 2
Frequency	10 MHz ±0,8 % + 2
Battery	2 x 1,5 V x AA
Dimensions	250 x 71 x 38,8 mm


€ 65,00
P075
PRO € 132,00
DIGITAL CLAMP METER

With LCD display. 9 operating modes: AC current, AC voltage, DC voltage, resistance, continuity, frequency, diode control, temperature measurement. High reliability



Box

ACV	750 V ±1,2 %
ACA	200 - 1000 A ±2,0 %
DCV	1000 V ±1,0 %
DCA	200 - 1000 A ±2,0 %
RES	200 Ω ±1,0 %
Frequency	2k Hz ±2,5 %
Temperature	-40°C ÷ 400°C ±1,5 %
Battery	9 V


€ 108,00
T051
€ 18,80
POCKET DIGITAL MULTIMETER

Audible continuity and diode test



Box

DCV	2-20-200-500V ±0,5%
ACV	200-500V ±1,2%
DCA	200mA ±1,5%
RES	2K-20K-200K-2M Ω ±1%
Battery	12V


€ 13,40
T050
€ 37,30
DIGITAL MULTIMETER

High accuracy temperature meter, audible continuity and diode test



Box

DCV	200 mV - 1000 V
ACV	2mV - 750 V
DCA	2 mA - 20 A
ACA	200 mA - 20 A
RES	200 Ω - 200 MΩ
CAP	2000 pF - 20 nF - 200 nF - 2 μF - 20 μF ±4%
Temperature	-40 °C ÷ 400 °C ±1,0%
Temperature	400 °C ÷ 1000 °C ±1,5%
Battery	9 V


€ 28,10
T053
PRO € 89,50
DIGITAL MULTIMETER

High accuracy temperature meter, audible continuity and diode test



Box

DCV	200 mV - 2 V - 20 V - 200 V - 1000 V ±0,8%
ACV	200 mV - 2 V - 20 V - 750 V ±1,2%
DCA / ACA	200 μA - 2 mA - 20 mA - 200 mA - 20 A ±2,0%
RES	200Ω - 2kΩ - 20kΩ - 200kΩ - 2MΩ - 20MΩ - 200MΩ ±1%


€ 75,30
ML80A
€ 81,00
LASER METER

Handy and lightweight, ideal for the measurements in construction and carpentry, functions: addition, subtraction, area and volume calculation, auto power off



Blister



Range	0,05 ÷ 80 m
Accuracy	±2 mm
Battery	3 AAA x 1,5 V


€ 63,70
ML40
€ 60,20
LASER DISTANCE METER

Ideal for the measurements in construction and carpentry, functions: addition, subtraction, area and volume calculation, auto power off



Blister



Range	0,05 ÷ 40 m
Accuracy	± 2 mm
Battery	2 AAA x 1,5 V


€ 47,40

T068**€ 131,00****LASER POINTER INFRARED TEMPERATURE METER**

Not suitable for body temperature measurement



Blister

Range	-30°C÷550 °C -22 F÷1022 F
Accuracy	-30 °C ÷ 0 °C -22 F ÷ 32 F ±3 % or ±3 °C
Accuracy	0 °C ÷ 100 °C 32 F ÷ 212 F ±2 % or ±2 °C
Accuracy	> 100 °C > 212 F ±3 % or ±3 °C
Reading	0,1 °C 0,1 F
Emissivity	0,1 ÷ 1,0
Battery	9 V

€ 77,50**T064****€ 101,00****LASER POINTER INFRARED TEMPERATURE METER**

High precision. Non-contact temperature measurement. Not suitable for human beings



Blister

Range	-25°C÷400 °C -13 F÷752 F
Accuracy	-25 °C ÷ 400 °C ±(2 % + 1 °C)
Accuracy	-13 F ÷ 752 F ±(2 % + 1 F)
Reading	1 °C 2 F
Battery	9 V
Distance/Spot size	1 : 10
Sampling time	0.5 s

€ 74,60**0387A****€ 67,40****DIGITAL MULTI-FUNCTION DETECTOR**

For measuring ferrous and non-ferrous metals, wood and live cables in walls, ceilings and floors.



Blister

Max depth of detecting	
Ferrous metal	100 ± 5 mm
No ferrous metal	70 ± 5 mm
Wood	20 ± 5 mm
Depth of AC	50 ± 5 mm
Battery	9 V
Dimensions	150 x 75 x 24 mm

€ 50,90**MD01****€ 118,00****METAL DETECTOR**

Analogue consisting of 2 color Leds for metal recognition. Audio sensor.



Box

Coil diameter	170 mm
Jack connector	1/4"
Sensitivity	> 15 cm per una moneta di ø 25 mm
Battery	9 V

€ 94,50**C070****€ 154,00****CONTACT AND OPTICAL TYPE DIGITAL TACHOMETER**

With reflective stripes



Carrying case

Rotation laser speed	2,5 ÷ 9999,9 rpm
Rotation contact speed	0,05 ÷ 999,9 rpm
Surface speed	0,1 ÷ 999,99 m / min
Reading	0,1 (2,5 ÷ 999,9) rpm
Reading	1 (1000 ÷ 9999,9) rpm
Use distance	da 50 ÷ 60 mm a 50 ÷ 250 mm (con ottico)
Accuracy	± 0,05 % + 1 digit
Working temperature	0°C ÷ 40°C
Sampling time	0.8 s

€ 119,00**C069****€ 110,00****CONTACT TYPE DIGITAL TACHOMETER**

Carrying case

Round speed	2,5 - 9999,9 rpm
Surface speed	0,05 - 999,99 m/min
Reading	0,1 (7,5 - 999,9) rpm
Reading	1 (1000-9999,9) rpm
Accuracy	± 0,05 % + 1 digit
Dimensions	190 x 72 x 37 mm
Battery	4 x 1,5 V AA

€ 72,00**C067****€ 110,00****PHOTO TYPE DIGITAL TACHOMETER**

With reflective stripes



Carrying case

Range	2,5 ÷ 9999,9 rpm
Reading	0,1 (2,5 ÷ 999,9) rpm
Reading	1 (1000 ÷ 9999,9) rpm
Use distance	da 50 ÷ 60 mm a 50 ÷ 250 mm
Accuracy	±0.05 % of reading + 1 digit
Dimensions	170 x 72 x 37 mm
Battery	4 x 1,5V AA

€ 67,30**0433****€ 82,10****REFRACTOMETER**

Brix, useful to check coolant oils



Carrying case

Range	0 ÷ 32% Brix
-------	--------------

€ 65,80

D018
PRO € 4660,00
HARDNESS TESTING MACHINE

Motorized, rockwell, brinell and vickers



Wooden Box

Test force	294,2 N / 306,5 N / 588,4 N / 612,9 N / 980,7 N / 1471 N / 1839 N; 30 kgf / 31,25 kgf / 60 kgf / 62,5 kgf / 100 kgf / 150 kgf / 187,5 kgf
------------	---

MEASURE UNITS:

HBS	4 - 450
HRB	20 - 100
HRA	20 - 88
HRC	20 - 70
HV	200 - 1000


€ 3710,00
B003/5/1
€ 33,60
ELECTRONIC DIGITAL SCALE

Not legal for trade, auto power off, tare function



Box


€ 19,10

Capacity	5 kg - 176,4 oz	Battery	2 x 1,5V AA
Reading	1 g / 0,1 oz	Dimensions	170 x 240 x 35 mm

B004-
RECHARGEABLE ELECTRONIC DIGITAL COUNTER SCALES

Not legal for trade with 6V 4A and transformer.



Box


starting from € 298,00

Capacity	Reading	Scale dimensions	Art.	€	Promo
7,5 kg	0,2 g	350 x 340 x 105 mm	B004/7	€ 374,00	€ 298,00
30 kg	1 g	350 x 340 x 105 mm	B004/30	€ 374,00	€ 298,00

D010-
DIGITAL CRANE SCALES

With cast aluminum structure, equipped with battery, charger, infrared remote control and sound signal Double unit of measurement kg / lb. With Peak, Hold, Tare, Zero and addition functions. Large fonts for easy reading. Not suitable for relations with third parties.



Box


starting from € 428,00

Digits sizes	Capacity	Reading	Art.	€	Promo
40 x 20 mm	1000 kg	0.500 kg	D010/0100	€ 567,00	€ 428,00
40 x 20 mm	3000 kg	1 kg	D010/0300	€ 683,00	€ 515,00
40 x 20 mm	5000 kg	2 kg	D010/0500	€ 798,00	€ 602,00
40 x 20 mm	10000 kg	5 kg	D010/1000	€ 998,00	€ 753,00

D001
€ 2430,00
ROCKWELL HARDNESS TESTING MACHINE


Wooden Box

Durometer dimensions	185 x 465 x 640 mm
Test force	588,4 N / 980,7 / 1471 N (60 kgf / 100 kgf / 150 kgf)

MEASURE UNITS:

HRC	20 ÷ 70
HRB	25 ÷ 100
HRA	20 ÷ 88
Net weight	90 kg


€ 1940,00
B018
€ 122,00
ELECTRONIC DIGITAL SCALE WITH DOUBLE DISPLAY

Not suitable for dealings with third parties. Equipped with 4 V 4AH battery and charger. Memory for unit values. Calculate total values.



Box


€ 95,70

Capacity	30 kg	Dimensions	350 x 330 x 120 mm
Reading	10 g	Power	230V 50 Hz
Platform size	340 x 230 mm	Rechargeable battery	4 V 4 Ah

B004/150
€ 729,00
RECHARGEABLE ELECTRONIC DIGITAL COUNTER SCALE

Not legal for trade with 6V 4A battery and transformer.



Box


€ 567,00

Capacity	150 kg
Reading	10 g
Rechargeable battery	6 V 4 Ah
Net weight	17 kg

D012-
PRO
DIGITAL CRANE SCALES

Equipped with battery, charger, remote control, back light and sound signal Double unit of measurement kg/lb. With Peak, Hold, Tare and Zero functions. Large fonts for easy reading. Not suitable for relations with third parties.



Box


starting from € 688,00

Digits sizes	Capacity	Reading	Art.	€	Promo
40 x 20 mm	1001 kg	0,200 kg	D012/0100	€ 855,00	€ 688,00
40 x 20 mm	3001 kg	0,500 kg	D012/0300	€ 1010,00	€ 808,00
40 x 20 mm	5001 kg	1 kg	D012/0500	€ 1170,00	€ 935,00
40 x 20 mm	10001 kg	2 kg	D012/1000	€ 1390,00	€ 1120,00

T660**€ 4150,00****BENCH LATHE**

Semi norton gear box and belt speed change, partially assembled bench

**COMPATIBLE WITH STARTER KITS
SKT12F E SKT12B**

Centers height	140 mm
Max swing over the bed	280 mm
Max swing over the cross slide	165 mm
Distance between centers	660 mm
Spindle bore	26 mm
Motor	230 V 50 Hz 0,75 kW
Dimensions	1325 x 550 x 1230 mm
Net weight	216 kg

**€ 3350,00****0657****€ 2850,00****BENCH LATHE**

With mill table device, belt speed change

**COMPATIBLE WITH STARTER KITS
SKT12F E SKT12B**

Centers height	125 mm
Max swing over the bed	250 mm
Max swing over the cross slide	150 mm
Distance between centers	550 mm
Spindle bore	20 mm
Motor	230 V 50 Hz 0,55 kW
Dimensions	1120 x 480 x 460h mm
Net weight	145 kg

**€ 2290,00****0708****€ 2330,00****GEAR BENCH LATHE**

With speed change by gears, morse tapered spindle bearings, adjustable signs, leadscrew hood, chuck guard with microswitch

**COMPATIBLE WITH STARTER KITS
SKT12F E SKT12B**

Centers height	110 mm
Max swing over the bed	200 mm
Max swing over the cross slide	122 mm
Distance between centers	520 mm
Spindle bore	20 mm
Motor	230 V 50 Hz 0,55 kW
Dimensions	1080 x 440 x 400h mm
Net weight	130 kg

**€ 1840,00****0506****€ 2120,00****BENCH LATHE**

Mini lathe with automatic longitudinal feeds and variable speed shown on digital display. With metal gears.

**COMPATIBLE WITH STARTER KITS
SKT10F E SKT10B**

Centers height	105 mm
Max swing over the bed	210 mm
Max swing over the cross slide	140 mm
Distance between centers	400 mm
Spindle bore	21 mm
Motor	230 V 50 Hz 0,6 kW
Dimensions	780 x 300 x 340 h mm
Net weight	49 kg

**€ 1640,00****0716S****€ 1870,00****MINI LATHE**

Mini lathe with automatic longitudinal feeds and variable speed shown on digital display

**COMPATIBLE WITH STARTER KITS
SKT10F E SKT10B**

Centers height	100 mm
Max swing over the bed	170 mm
Max swing over the cross slide	125 mm
Distance between centers	350 mm
Spindle bore	20 mm
Motor	230 V 50 Hz 0,6 kW
Dimensions	750 x 245 x 290 h mm
Net weight	46 kg

**€ 1380,00****0716****€ 1680,00****MINI LATHE**

With automatic longitudinal feeds and variable speed shown on digital display

**COMPATIBLE WITH STARTER KITS
SKT10F E SKT10B**

Centers height	90 mm
Max swing over the bed	170 mm
Max swing over the cross slide	110 mm
Distance between centers	300 mm
Spindle bore	22 mm
Motor	230 V 50 Hz 0,5 kW
Dimensions	730 x 290 x 280 h mm
Net weight	40 kg

**€ 1200,00****T059/28V****€ 4050,00****GEARED DRILLING MILLING MACHINE**

Variable speed, with digital display of spindle speed and digital display of depth.

**COMPATIBLE WITH STARTER KITS
SKTF3F E SKTF3B**

Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 28 mm
Face milling cutter max	Ø 63 mm
End milling capacity	Ø 28 mm
Spindle taper	CM 3
Chuck sizes	3 - 16 mm B16
Spindle speed	100 - 2500 rpm ±10%
Motor	230 V 50 Hz 1,1 kW
Net weight	270 kg

**€ 3080,00****T061A****€ 3150,00****GEARED DRILLING MILLING MACHINE**

Variable speed, equipped with light system, chuck speed digital display, depth's digital display

**COMPATIBLE WITH STARTER KITS
SKTF3F E SKTF3B**

Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 16 mm
Face milling cutter max	Ø 63 mm
End milling capacity	Ø 20 mm
Spindle taper	CM 3
Chuck sizes	1 - 16 mm B16
Motor	230 V 50 Hz 1,1 kW
Net weight	120 kg

**€ 2230,00**

T059/16V
€ 2110,00
GEARED DRILLING MILLING MACHINE

With variable speed

COMPATIBLE WITH STARTER KITS SKTF3B

Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 16 mm
Face milling cutter max	Ø 50 mm
End milling capacity	Ø 16 mm
Spindle taper	CM 2
Chuck sizes	1 - 13 mm B16
Motor	230 V 50 Hz 500 W
Net weight	72 kg


€ 1610,00
T058
€ 1700,00
GEARED DRILLING MILLING MACHINE

With variable speed

COMPATIBLE WITH STARTER KITS SKTF3F

Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 13 mm
Face milling cutter max	Ø 30 mm
End milling capacity	Ø 16 mm
Spindle taper	CM 3
Motor	230 V 50 Hz 0,55 kW
Net weight	70 kg


€ 1400,00
0857
€ 916,00
RADIAL FLOOR DRILL PRESS WITH DRIVE BELT

Rotating and tilting table with double arm, tilting head, electrical system with separate 24V circuit for on-board machine controls.

COMPATIBLE WITH STARTER KITS SKTEF E SKTEB

Max drilling capacity on cast iron with pre-drilling hole	Ø 20 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 16 mm
Continuous drilling capacity	Ø 12 mm
Chuck sizes	1 - 16 mm B16
Motor	230 V 50 Hz 0,375 kW
Dimensions	950 x 300 x 1600 mm


€ 695,00
0757
€ 700,00
RADIAL DRILL PRESS WITH DRIVE BELT

Rotating and tilting table with double arm, tilting head, electrical system with separate 24V circuit for on-board machine controls.

COMPATIBLE WITH STARTER KITS SKTEF E SKTEB

Max drilling capacity on cast iron with pre-drilling hole	Ø 20 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 16 mm
Continuous drilling capacity	Ø 12 mm
Chuck sizes	2 - Ø 16 mm
Motor	230 V 50 Hz 0,375 kW
Dimensions	950 x 300 x 810h mm


€ 557,00
0754/230V
€ 1620,00
FLOOR DRILL PRESS WITH DRIVE BELT

Inclined table. Electrical system with separate 24V circuit for on-board machine controls.

COMPATIBLE WITH STARTER KITS SKTEF E SKTEB

Max drilling capacity on cast iron with pre-drilling hole	Ø 32 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 28 mm
Continuous drilling capacity	Ø 20 mm
Spindle taper	CM 4
Motor	230 V 50 Hz 1,5 kW
Net weight	125 kg


€ 1210,00
0754/400V
€ 1620,00
FLOOR DRILL PRESS WITH DRIVE BELT

Inclined table. Electrical system with separate 24V circuit for on-board machine controls.

COMPATIBLE WITH STARTER KITS SKTEF E SKTEB

Max drilling capacity on cast iron with pre-drilling hole	Ø 32 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 28 mm
Continuous drilling capacity	Ø 20 mm
Spindle taper	CM 4
Motor	400 V 50 Hz 1,5 kW
Net weight	125 kg


€ 1210,00
0752CM3
€ 1010,00
FLOOR DRILL PRESS WITH DRIVE BELT

Rotating and inclinable table. Electrical system with separate 24V circuit for on-board machine controls.

COMPATIBLE WITH STARTER KITS SKTEF E SKTEB

Max drilling capacity on cast iron with pre-drilling hole	Ø 25 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 20 mm
Continuous drilling capacity	Ø 16 mm
Motor	230 V 50 Hz 0,75 kW


€ 814,00
0752
€ 947,00
FLOOR DRILL PRESS WITH DRIVE BELT

Rotating and inclinable table. Electrical system with separate 24V circuit for on-board machine controls.

COMPATIBLE WITH STARTER KITS SKTEF E SKTEB

Max drilling capacity on cast iron with pre-drilling hole	Ø 25 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 20 mm
Continuous drilling capacity	Ø 16 mm
Spindle taper	CM 2
Motor	230 V 50 Hz 0,75 kW
Net weight	62 kg


€ 729,00

0242

€ 904,00

DRILL PRESS WITH DRIVE BELT

New belt tension device, drilling depth readout, Led light included, rotating and inclinable table. Electrical system with separate 24V circuit for on-board machine controls.

COMPATIBLE WITH STARTER KITS SKTEF E SKTEB

Max drilling capacity on cast iron with pre-drilling hole	Ø 25 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 20 mm
Continuous drilling capacity	Ø 16 mm
Spindle taper	CM 2
Motor	230 V 50 Hz 0,75 kW
Net weight	60 kg



€ 725,00

0750

€ 847,00

DRILL PRESS WITH DRIVE BELT

Rotating and inclinable table. Electrical system with separate 24V circuit for on-board machine controls.

COMPATIBLE WITH STARTER KITS SKTEF E SKTEB

Max drilling capacity on cast iron with pre-drilling hole	Ø 25 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 20 mm
Continuous drilling capacity	Ø 16 mm
Spindle taper	CM 2
Motor	230 V 50 Hz 0,75 kW
Net weight	57 kg



€ 690,00

0260

€ 797,00

DRILL PRESS WITH DRIVE BELT

New belt tension device, drilling depth readout, Led light included, rotating and inclinable table. Electrical system with separate 24V circuit for on-board machine controls.

COMPATIBLE WITH STARTER KITS SKTEF E SKTEB

Max drilling capacity on cast iron with pre-drilling hole	Ø 20 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 16 mm
Continuous drilling capacity	Ø 12 mm
Spindle taper	CM 2
Motor	230 V 50 Hz 0,55 kW
Net weight	50 kg



€ 633,00

0011

€ 460,00

DRILL PRESS WITH DRIVE BELT

Vertical movement of the table with rack, tilting table. Electrical system with separate 24V circuit for on-board machine controls.

COMPATIBLE WITH STARTER KITS SKTEF E SKTEB

Max drilling capacity on cast iron with pre-drilling hole	Ø 13 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 10 mm
Chuck	1 - 13 mm B16
Tilting table	± 45°
Motor	230 V 50 Hz 0,375 kW
Dimensions	315 x 530 x 690h mm
Net weight	25 kg



€ 375,00

0518/30

€ 1110,00

MAGNETIC DRILL

With coolant system for core drills until 30mm with weldon shank Ø 19.05mm and straight shank drills until Ø 20mm with reduced shank Ø 13 - 16mm.

Continuous drilling capacity	Ø 20 mm
Key chuck	Ø 16 mm
Arbor	Weldon Ø 19,05 mm
Motor	230 V 50 Hz 1.1 kW
Dimensions	360 x 280 x 490 mm
BMC	527 x 472 x 242 mm
Net weight	23 kg



€ 896,00

0518/50

€ 1520,00

MAGNETIC DRILL

With coolant system for core drills until 50mm with weldon shank Ø 19.05mm, morse taper shank drills mt 3 and straight shank drills until Ø 20mm with reduced shank Ø 13 - 16mm.

Continuous drilling capacity	Ø 20 mm
Key chuck	Ø 16 mm
Spindle taper MT	3
Motor	230 V 50 Hz 1.5 kW
Dimensions	400 x 310 x 475 mm
BMC	587 x 489 x 265 mm
Net weight	35 kg



€ 1220,00

0518/38M

€ 1250,00

MAGNETIC TAPPING/DRILL

With coolant system for core drills until 38mm with weldon shank Ø 19.05mm and straight shank drills until Ø 20mm with reduced shank Ø 13 - 16mm, tapping capacity M4 - M16.

Continuous drilling capacity	Ø 20 mm
Spindle taper MT	2
Arbor	Weldon Ø 19,05 mm
Motor	230 V 50 Hz 1.05 kW
Base dimensions	205 x 105 mm
Dimensions	280 x 320 x 510h mm
Net weight	20 kg



€ 965,00

0518/80

€ 1960,00

MAGNETIC DRILL

With coolant system for core drills until 80 mm with weldon shank Ø 19.05 mm, morse taper shank drills mt 3 and straight shank drills until Ø 20 mm with reduced shank Ø 13 - 16 mm.

Continuous drilling capacity	Ø 20 mm
Spindle taper MT	3
Arbor	Weldon Ø 19,05 mm
Spindle travel	280 mm
Max. magnetic force	20000 N
Spindle speed	230 ÷ 770 rpm
Motor	230 V 50 Hz 1.8 kW
Base dimensions	215 x 110 mm
Dimensions	290 x 410 x 550h mm
Net weight	35 kg



€ 1550,00

DID YOU NOT FIND THE RIGHT MACHINE FOR YOU?

***FERVI is able to offer
a complete range of
lathes, cutters, drills and
miter saws to meet
your professional need.***



***Discover the complete range
and contact your dealer!***



Visit fervi.com or read the QRcode
to consult our Catalogue of Machine Tools
and Accessories



LATHES



DRILLS



**MILLING
MACHINES**



**MECHANICAL
WORKINGS**

FERVI is

FERVI

Pro Smart Equipment



STARTER KIT

SKT12F

€ 291,60

STARTER KIT LATHES 12 MM FULL

€ 212,00

ART.		PCS
B007/12	INDEXABLE CARBIDE TOOL HOLDER SET	1
TCMT110204N	TURNING INSERTS	10
TCMT11020420A	TURNING INSERTS	10
BRFE12RP	CARBIDE TIPPED TOOL FOR EXTERNAL THREAD	1
BRFI12RP	CARBIDE TIPPED TOOL FOR INTERNAL THREAD	1
BRAS410912RP	CARBIDE TIPPED TOOL FOR CUTTING OFF	1
C041/150	MONOBLOCK STAINLESS STEEL ELECTRONIC DIGITAL CALIPER	1

SKT12B

€ 168,30

STARTER KIT LATHES 12 MM BASE

€ 126,00

ART.		PCS
B007/12	INDEXABLE CARBIDE TOOL HOLDER SET	1
TCMT110204N	TURNING INSERTS	10

SKT10F

€ 130,68

STARTER KIT LATHES 10 MM FULL

€ 92,90

ART.		PCS
BRAS411108RP	CARBIDE TIPPED TOOL FOR BLIND HOLES	1
BRAS411110RP	CARBIDE TIPPED TOOL FOR BLIND HOLES	1
BRAS410410RP	CARBIDE TIPPED TOOL FOR FACING	1
BRAS410310RP	CARBIDE TIPPED TOOL FOR OUTSIDE ROUGHING	1
BRC110RP	CARBIDE TIPPED TOOL FOR INTERNAL SLOTS	1
A001/2/16	PRECISION DRILL CHUCK SHANK	1
M052/13	KEY TYPE TAPER HOLE DRILL CHUCKS	1
E002/12	DRIFT SLEEVES	1
P023/19	STRAIGHT SHANK TWIST DRILL SET	1
C041/150	MONOBLOCK STAINLESS STEEL ELECTRONIC DIGITAL CALIPER	1

SKT10B

€ 67,32

STARTER KIT LATHES 10 MM BASE

€ 46,40

ART.		PCS
BRAS411108RP	CARBIDE TIPPED TOOL FOR BLIND HOLES	1
BRAS411110RP	CARBIDE TIPPED TOOL FOR BLIND HOLES	1
BRAS410410RP	CARBIDE TIPPED TOOL FOR FACING	1
BRAS410310RP	CARBIDE TIPPED TOOL FOR OUTSIDE ROUGHING	1
BRC110RP	CARBIDE TIPPED TOOL FOR INTERNAL SLOTS	1
A001/2/16	PRECISION DRILL CHUCK SHANK	1
M052/13	KEY TYPE TAPER HOLE DRILL CHUCKS	1
E002/12	DRIFT SLEEVES	1

SKTF3F

€ 224,64

STARTER KIT MILLING DRILLING
MACHINES 3 FULL

€ 180,00

ART.		PCS
M001/100	DRILL PRESS VICE	1
P062	TWIST DRILL SET	1
F401/40	FACE MILLING CUTTER	1
ADLT1503ZZR234	MILLING INSERTS	4

SKTF3B

€ 113,94

STARTER KIT MILLING DRILLING
MACHINES 3 BASE

€ 89,80

ART.		PCS
M001/100	DRILL PRESS VICE	1
P062	TWIST DRILL SET	1

SKTEF

€ 87,84

STARTER KIT DRILLING MACHINES
2 FULL

€ 66,50

ART.		PCS
0142/75	DRILL PRESS VICE	1
P023/19	STRAIGHT SHANK TWIST DRILL SET	1
S401/10	CUTTING OIL	1
C041/150	MONOBLOCK STAINLESS STEEL ELECTRONIC DIGITAL CALIPER	1

SKTEB

€ 51,03

STARTER KIT MILLING DRILLING
MACHINES 3 BASE

€ 41,90

ART.		PCS
M001/100	DRILL PRESS VICE	1
P062	STRAIGHT SHANK TWIST DRILL SET	1

FIND OUT MORE



0255
€1630,00
METAL BAND SAW

With coolant system, quick vice, base with cabinet tools

Blade dimensions	1735 x 13 x 0,65 mm
Motor	230 V 50 Hz 0,5 kW
Cut range	0 ÷ 60°
Cutting speed	34 m / min
Cutting depth at 90°	— 150 x 140 mm • 140 mm
Cutting depth at 45°	— 140 x 105 mm • 105 mm
Base dimensions	470 x 700 mm
Dimensions	530 x 1000 x 1260h mm
Net weight	95 kg


€1240,00
0132
€496,00
CUTTING BAND SAW

Bench type, easy to carry, with two cutting speed

Blade dimensions	1335 x 12,7 x 0,65 mm
Speed	[2] 60 80 m / min
Cut range	0° ÷ 45°
Motor	230 V 50 Hz 0,850 kW
Cutting depth at 90°	• 105 mm — 105 x 93 mm
Cutting depth at 45°	• 72 mm — 70 x 60 mm
Net weight	17 kg


€397,00
R003/09
€463,00
PANTOGRAPH ROLLER CONVEYOR

€368,00

Capacity	130 kg
Roller diameter	50 mm
Length	485 ÷ 1400 mm

Height	610 ÷ 950 mm
Size	1460 x 660 x 950 h mm
Net weight	31 kg

0642
€342,00
CUT-OFF MACHINE

For dry cutting of metals, with disc protection guard.

Motor	230 V 50 Hz 2 kW
Disc dimensions	355 x 3.0 x 25.4 mm
Disc speed	3800 rpm
Cut range	± 45°
Cutting capacity	■ 100 x 100 mm - ■ 200 x 40 mm - o 100 mm
Vice opening	155 mm - 190 mm - 230 mm
Net weight	19 kg


€271,00
0362
€787,00
ELECTRONIC CUTTING BAND SAW FOR BENCH

With inverter motor

Blade dimensions	1435 x 12,7 x 0,65 mm
Motor	230 V 50 Hz 0,4 kW
Cutting speed	35 m / min
Cut range	0° ÷ 60°
Cutting depth at 90°	• 125 mm ■ 125 mm
Cutting depth at 45°	• 76 mm ■ 76 mm
Dimensions	700 x 360 x 450h mm
Net weight	22 kg


€625,00
0133
€147,00
ROLLER STAND

Roller shaft diameter	Ø 52 x 350 mm
Height	690 / 1200 mm
Maximum capacity	50 ÷ 60 kg
Net weight	15 kg


€118,00
R001-
ADJUSTABLE HEIGHT ROLLER STAND

With independent height adjustment feet

starting from
€266,00



Dimensions	Height	Maximum capacity	Art.	€	Promo
1000 x 460 mm	580 / 1030 mm	400 kg	R001/04	€348,00	€266,00
2000 x 450 mm	590 / 1050 mm	400 kg	R001/07	€487,00	€374,00

S510
€152,00
BENCH GRINDER WITH BRUSH

With brush and grinding wheel

Brush	2950 rpm - Ø 150 x 20 x 16 mm
Dry grinding wheel	2950 rpm - Ø 150 x 20 x 16 mm GR36


€116,00

Motor	230 V 50 Hz 0,40 kW
Usage type	S2 - 10 min
Net weight	9 kg

S503**€157,00****WET DRY BENCH GRINDER**

With wet grinding wheel and dry grinding wheel

**€121,00**

Dry grinding wheel	2950 rpm - Ø 150 x 20 x 16 mm GR80
Wet grinding wheel	130 rpm - Ø 200 x 40 x 20 mm GR80

Motor	230 V 50 Hz 0,40 kW
Usage type	S2 - 10 min
Net weight	10 kg

S023**€137,00****BENCH GRINDER**

With two grinding wheels of different grain

**€108,00**

Dry grinding wheel	2950 rpm - Ø 150 x 20 x 16 mm GR36 - GR80
Motor	2950 rpm - 230 V 50 Hz 0,40 kW

Usage type	S2 - 10 min
Net weight	8 kg

S383**€173,00****BENCH GRINDER WITH BELT****€134,00**

Dry grinding wheel	2950 rpm Ø 150 x 20 x 16 mm GR36
Belt	50 x 686 mm GR100

Motor	230 V 50 Hz 0,40 kW
Usage type	S2 - 10 min
Net weight	8 kg

0510**€111,00****BENCH GRINDER WITH BRUSH**

With grinding wheel and brush. Bracket for supporting pieces. Holes for fixing on the bench.

**€90,30**

Brush	2950 rpm - Ø 150 x 20 x 12,7 mm
Dry grinding wheel	2950 rpm - Ø 150 x 20 x 12,7 mm GR36

Motor	230 V 50 Hz 0,35 kW
Usage type	S2 - 10 min
Net weight	7 kg

0023**€100,00****BENCH GRINDER**

Grinding wheel protection screens. Bracket for piece support.

**€82,60**

Dry grinding wheel	2950 rpm - Ø 150 x 20 x 12,7 mm GR36 - GR80
--------------------	---

Motor	2950 rpm - 230 V 50 Hz 0,35 kW
Usage type	S2 - 10 min
Net weight	7 kg

0503**€114,00****WET DRY BENCH GRINDER**

With water grinding wheel and dry grinding wheel.

**€93,20**

Dry grinding wheel	2950 rpm - Ø 150 x 20 x 12,7 mm GR80
Wet grinding wheel	130 rpm - Ø 200 x 40 x 20 mm GR80

Motor	230 V 50 Hz 0,35 kW
Usage type	S2 - 10 min
Net weight	9 kg

0555**€127,00****GRINDING WHEEL STAND****€97,80**

Height	760 mm
Column	Ø 75 mm
Table dimensions	320 x 210 mm
Net weight	13.5 kg

0106**€97,80****GRINDING WHEEL STAND**

Light duty.

**€76,70**

Height	760 mm
Column	Ø 75 mm
Table dimensions	320 x 210 mm
Net weight	11 kg

0316
€180,00
ELECTRIC CHAINSAW SHARPENER

Pink grinding wheel	Ø 145 x 4,7 x 22,3 mm Ø 145 x 3,2 x 22,3 mm
Sharpening	+30° / -35°
For chains	1/4" - 3/8" - 3/4" - 404"
Motor	230 V 50 Hz 0,23 kW
Net weight	5 kg


€142,00
0502
€84,40
POWER CHAINSAW SHARPENER

With chain feed lever. Grinding wheel protection screen

Pink grinding wheel	Ø 100 x 4,5 x 10 mm
Sharpening	+35° / -35°
For chains	1/4" - 0,325" / 3/8" - 0,404"
Motor	230 V 50 Hz 0,25 kW
Speed	7500 rpm
Usage type	intermittent S2


€69,70
A003/32
€2940,00
TWIST DRILLS GRINDING MACHINE

With ER collets for the twist drills and inclination device of the cutting edges, thinning of the core for greater precision. Possibility of sharpening carbide twist drills with optional grinding wheel.


€2000,00

Grinding capacity	3 ÷ 32 mm	Motor	230 V 50 Hz 250 W
Tilting tip	95° ÷ 135° / 85° ÷ 140°	Dimensions	400 x 260 x 300 mm
Speed	4400 rpm	Net weight	36 kg

A003/13A
€815,00
TWIST DRILL GRINDING MACHINE

With ER collets for the twist drills and inclination device of the cutting edges, thinning of the core for greater precision. Possibility of sharpening carbide twist drills with optional grinding wheel.


€651,00

Grinding capacity	3 ÷ 13 mm	Motor	230 V 50 Hz 120 W
Tilting tip	95° ÷ 135°	Dimensions	320 x 180 x 190 mm
Speed	4400 rpm	Net weight	8,5 kg

A0132A
€1150,00
TWIST DRILL GRINDING MACHINE

€929,00

Grinding capacity	3 ÷ 20 mm	Motor	230 V 50 Hz 0,6 kW
Tilting tip	90° ÷ 140°	Dimensions	500 x 230 x 250 mm
Speed	7000 rpm	Net weight	21 kg

A004/14
€1530,00
END MILL GRINDING MACHINE

With ER collets, suitable for sharpening mills with 2, 3 and 4 cutting edges. Possibility to sharpen hard metal mills with optional grinding wheel.


€1150,00

Grinding capacity	4 ÷ 14 mm	Dimensions	350 x 230 x 240 mm
Speed	4400 rpm	Net weight	12,6 kg
Motor	230 V 50 Hz 200 W		

A004/20
€2240,00
END MILL GRINDING MACHINE

With ER collets, suitable for sharpening mills with 2, 3 and 4 cutting edges. Possibility to sharpen hard metal mills with optional grinding wheel.


€1690,00

Grinding capacity	4 ÷ 20 mm	Dimensions	350 x 230 x 240 mm
Speed	4400 rpm	Net weight	16 kg
Motor	230 V 50 Hz 200 W		

A059
€117,00
MULTIPURPOSE SHARPENER

Ideal for sharpening knives, scissors and blades.


€89,20

Grinding capacity	3 - 13 mm	Vibrations	3,9 m/s²
Speed	3000 rpm	Sound pressure level	86 ±3 db(A)
Motor	230 V 50 Hz 0,15 kW	Acoustic power level	95 ±3 db(A)
Dimensions	232 x 160 x 110 mm		

0691/400V**€ 2570,00****TILTING BELT SANDER**

Belt dimensions	2000 x 150 mm
Speed	(2) 18 / 37 mm/sec
Three-phase motor	400 V 50 Hz 4 kW
Net weight	110 kg

**€ 2020,00****0662****€ 706,00****TILTING BELT SANDER WITH BENCH**

Bench to be assembled

Belt dimensions	1219 x 152 mm
Disc diameter	Ø 230 mm
Working table dimensions	330 x 152 mm
Belt speed	330 m/min
Disc speed	1400 m/min
Dimensions	710 x 510 x 1000 mm
Motor	230 V 50 Hz 0,75 kW
Net weight	54 kg

**€ 559,00****0560****€ 703,00****BENCH CHAMFERING MACHINE**

Chamfer	45° 0 - 5 mm
Speed	2800 rpm
Motor	230 V 50 Hz 0,25 kW
Table dimensions	2 - 400 x 50 mm
Mill size	Ø 80 mm - Z 8
Insert	SPUN13P
Net weight	21 kg

**€ 560,00****C022/100****€ 2540,00****ROLL FORMING MACHINE**

With 3 rollers, removable central roller to create complete tubes.

Max length	1000 mm
Max thickness	2 mm
Roller diameter	60 mm
Net weight	200 kg

**€ 1860,00****0776****€ 1160,00****ROLL FORMING MACHINE**

With 3 rollers, with bench equipped with a shelf, removable central roller to create complete tubes.

Max length	1000 mm
Max thickness	0,8 mm
Roller diameter	50 mm
Net weight	105 kg

**€ 961,00****0776/610****€ 506,00****ROLL FORMING MACHINE**

3-roller, bench-top, removable central roller to create complete tubes.

Max length	610 mm
Max thickness	0,8 mm
Roller diameter	38 mm
Net weight	37 kg

**€ 382,00****0235****€ 241,00****MINI HAND ROLL FORMING MACHINE**

With 3 rollers, vice not included

Max length	300 mm
Max thickness	2,5 mm
Roller diameter	30 mm
Net weight	10 kg

**€ 187,00****0775****€ 1600,00****BENDING MACHINE**

Max length	1000 mm
Max. shearing thickness	1,2 mm
Max bending angle	140°
Net weight	130 kg

**€ 1280,00**

0483
€ 249,00
MINI HAND BRAKE

Interchangeable blade, max bending width on handle side 50mm, vice not included.


€ 185,00

Working length	270 mm
Max. shearing thickness	2,5 mm
Net weight	10 kg

0773-
HAND SHEAR

**starting from
€ 130,00**

Dimensions	Plate thick- ness	Round	Net weight	Art.	€	Promo
290 x 120 x 240 mm	0,5 ÷ 3 mm	Ø 6 mm	10 kg	0773/05	€ 170,00	€ 130,00
420 x 120 x 390 mm	0,5 ÷ 3 mm	Ø 6 mm	19 kg	0773/10	€ 248,00	€ 197,00

0721
€ 330,00
MANUAL SPIRAL IRON BENDER

For cold bending, with blocks to speed up and standardize operations. Length-adjustable lever, with rollers for rods and plates already included to make different radii of curvature. Possibility of creating both dry folds and curves and use with pipes.


€ 249,00

Roller diameter	2x Ø 24, 30, 37, 43, 49, 62, 75 mm
Round bar	Steel, Aluminum, Copper Ø16 mm Stainless Steel Ø14 mm
Flat bar	10 x 50 mm Sharp edge 6 x 50 mm
Square	14 x 14 mm
Round pipe	G 3/4"
Handle length	1000 mm Max
Net weight	30 kg

0113
€ 330,00
SPIRAL BENDER

For cold bending with piece stop and ergonomic handle


€ 268,00

Iron	Cold	Square	10 mm
Round bar	10 mm	Dies	80 mm 125 mm 200 mm
Flat bar	10 x 30 mm	Net weight	25 kg

P. 046

Promotion valid until 31/07/2023, while stocks last - VAT not included

T034/105
€ 2490,00
SHEAR MACHINE WITH STAND

With integrated goniometer, adjustable cutting end stop and bench in assembly kit


€ 1910,00

Bed length	1050 mm
Max. bending thickness	1,25 mm
Cutting capacity with adjustment	0 ÷ 500 mm
Dimensions	1290 x 1300 x 1080 mm
Net weight	220 kg

C076/30
€ 4050,00
MOTORIZED 3 ROLL PIPE & PROFILE BENDING MACHINES


Horizontal and vertical operation for pipes, profiles and bars.


€ 3250,00

Shaft diameter	30 mm
Upper roller diameter	148 mm
Lower rollers diameter	148 mm
Round speed	4.8 ÷ 7.2 m/min
Three-phase motor	400 V 50 Hz 1,1 kW
Dimensions	620 x 1100 x 1360 mm
Net weight	230 kg

0102
€ 340,00
IRON BENDER

For cold and hot bending, with blocks to speed up and standardize operations and ergonomic handle


€ 266,00

Round bar	Cold 22 mm Heated 27 mm
Square	Cold 20 mm Heated 25 mm
Flat bar	Steel 100 x 8 mm Copper 100 x 15 mm
Net weight	30 kg

0893
€ 548,00
HYDRAULIC TUBE BENDER 1 1/2" - 2"

With 2 speeds pump


€ 440,00

Dies	1/2" 3/4" 1" 1-1/4" 1-1/2" 2" gas
Capacity	10 tons N
Ram stroke	250 mm
Net weight	48 kg

0722

€ 1320,00

MANUAL PIPE BENDER

For cold bending, for large pipes, with a system that avoids the collapse of the pipe, for the creation of simple or complex curves, with indication of the bend angle, lever included. Ratchet operation to exert maximum force.



€ 996,00

Dies	25.4 - 38.1 - 44.5 mm
Min. bending radius	75 - 125 - 150 mm
Max thickness	3 mm
Round pipe	Ø20 ÷ 50 mm
Max bending angle	120°
Handle length	1000 mm
Net weight	65 kg

0723

€ 385,00

PORTABLE MANUAL PIPE BENDER

For cold bending, with a system that avoids the collapse of the pipe, for the creation of simple or complex curves.



€ 291,00

Dies	8
Round pipe	3/8" - 1/2" - 9/16" - 5/8" - 3/4" - 7/8"
Square pipe	3/4" - 1"
Thickness	0.8 ÷ 1.2 mm
Max bending angle	180°
Handle length	420 ÷ 600 mm
Net weight	25 kg

0751

€ 850,00

WOOD LATHE

With rotating head, variable speed drive belt and steel sheet bench



€ 676,00

Distance between centers	900 mm
Centers height	155 mm
Maximum turning diameter	310 mm
Thread	1" - 8 TPI
Tailstock	MT 2
Motor	230 V 50 Hz 0,37 kW
Spindle speed	500 ÷ 2000 rpm
Net weight	75 kg

0497-

12" WOOD LATHE

With belt speed change

starting from
€ 497,00

Motor	Spindle speed	Art.	€	Promo
230 V 50 Hz 0.37 kW	(5) 700 - 3000 rpm	0497/250	€ 620,00	€ 497,00
230 V 50 Hz 0.55 kW	(5) 700 - 3000 rpm	0497/300	€ 689,00	€ 551,00

0719

€ 1090,00

MANUAL PIPE BENDER

For cold bending, with a system that avoids the collapse of the pipe, for the creation of simple or complex curves, with blocks to speed up and standardize operations.



€ 822,00

Dies	14 - 16 - 18 - 20 - 22 - 25 mm
Min. bending radius	4x pipe Ø, 56-100 mm
Max thickness	2 mm
Round pipe	Steel, Aluminum, Copper Ø25 mm Stainless Steel Ø22 mm
Square	20 x 20 mm
Net weight	46 kg

0758

€ 1280,00

WOOD LATHE

With rotating head, variable speed drive belt and cast iron bench



€ 1010,00

Distance between centers	1100 mm
Centers height	185 mm
Maximum turning diameter	370 mm
Thread	1" - 8 TPI
Tailstock	MT 2
Motor	230 V 50 Hz 0,75 kW
Spindle speed	500 ÷ 2000 rpm
Net weight	120 kg

0648

€ 1000,00

WOOD LATHE WITH COPY DEVICE

with lever to adjust the speed and processing area protected with interlocked mobile plexiglass guard



€ 762,00

Distance between centers	1000 mm
Centers height	175 mm
Maximum turning diameter	350 mm
Thread	1" - 8 TPI
Tailstock	2
Motor	230 V 50 Hz 0,75 kW
Spindle speed	500 ÷ 2000 rpm
Dimensions	1400 x 500 x 1300h mm
Net weight	68 kg

0749

€ 2080,00

COMBINED PLANER AND THICKNESSER

With cast iron tables.



€ 1620,00

Dimensions	1050 x 485 x 800h mm
Tables height	810 mm
Table dimensions	1050 x 250 mm
Arbor	Ø 75 mm
Blade	N° 3
Planer capacity	250 x 2 mm
Thickness capacity	250 x 1,2 180h mm
Spindle speed	4000 rpm
Motor	230 V - 50 Hz - 1,5 kW
Net weight	155 kg

0517A
€ 868,00
THICKNESSER

With working plate made of granite

Dimensions	710 x 640 x 400 mm
Working table dimensions	330 x 238 mm
Arbor	ø 51.5 mm
Blade	2
Thickness capacity	330 x 2.4 x 152 mm
Spindle speed	8500 rpm
Motor	230 V 50 Hz 1.5 kW
Net weight	35 kg


€ 668,00
0686/200
€ 592,00
COMBINED PLANER AND THICKNESSER

With aluminum working tables

Dimensions	770 x 430 x 450h mm
Tables height	360 mm
Table dimensions	737 x 210 mm
Arbor	ø 50 mm
Blade	N° 2
Planer capacity	204 x 2 mm
Thickness capacity	204 x 2 x 120h mm
Spindle speed	8000 rpm
Motor	230 V 50 Hz 1,25 kW
Net weight	25 kg


€ 465,00
0665
€ 3240,00
PARTIALLY ASSEMBLED PANEL SAW

Blade	250 x 3 x 30 mm Z 40
Blade speed	2800 rpm
Main table dimensions	800 x 560 mm
Extension table dimensions	800 x 305 mm
Working height	860 mm
Max cut depth at 45°	60 mm
Max cut depth at 90°	75 mm
Sliding table	500 x 600 mm
Overall dimensions	1860 x 2030 x 1070h mm
Motor	230 V 50 Hz 2,2 kW
Max cutting length with saw bench	1460 mm
Net weight	230 kg


€ 2550,00
0656/254
€ 2700,00
PANEL SAW

Capacity 254mm, partially assembled.

Blade dimensions	254 x 30 x 3,2 mm 40 T
Blade speed	4000 rpm
Main table dimensions	790 x 350 mm
Extension table dimensions	350 x 350 mm
Working height	850 mm
Cutting depth at 90°	80 mm
Cutting depth at 45°	56 mm
Sliding table	1320 x 238 mm
Motor	230 V 50 Hz 2,2 kW
Max cutting length with saw bench	1250 mm
Net weight	150 kg


€ 2060,00
0656/310
€ 3110,00
PANEL SAW

Capacity 315mm, partially assembled.

Blade dimensions	315 x 30 x 3,2 mm 40 T
Blade speed	4000 rpm
Main table dimensions	790 x 350 mm
Extension table dimensions	350 x 350 mm
Working height	850 mm
Cutting depth at 90°	100 mm
Cutting depth at 45°	70 mm
Sliding table	1320 x 238 mm
Motor	230 V 50 Hz 2,2 kW
Max cutting length with saw bench	1400 mm
Net weight	175 kg


€ 2420,00
0871
€ 617,00
SLIDE COMPOUND MITRE SAW

With laser beam indicator of the cutting line.

Saw blade	ø 305 x 30 x 3,2 mm Z 40
Max cutting capacity 0° - 90°	340 x 100 mm
Max cutting capacity 45° - 90°	240 x 100 mm
Sliding travel	215 mm
Motor	230 V 50 Hz 2 kW
Motor speed	4500 rpm
Net weight	25 kg


€ 491,00
0870/250
PRO € 435,00
MITRE SAW

With upper table for usage as saw bench

Saw blade	ø 250 x 30 x 2,5 mm Z 36
Max cutting capacity 0° - 90°	75 x 130 mm
Max cutting capacity 45° - 45°	75 x 50 mm
Max cutting capacity 45° - 90°	75 x 90 mm
Max cutting capacity 0° - 45°	50 x 130 mm
Max cutting capacity, upper table	40 mm
Motor	230 V 50 Hz 1,8 kW
Motor speed	4500 rpm
Peripheral speed disc	59 m/s
Net weight	15,5 kg


€ 299,00
0855
€ 1030,00
WOOD BAND SAW

Saw wheel	ø 315 mm
Blade	2240 x 16 x 0,52 mm T4
Cutting capacity	300 x 155 mm
Table dimensions	400 x 500 mm
Cutting speed	6 - 12 m/s 370 - 800 rpm
Tilting table	0 ÷ 20°
Working height	1010 mm
Motor	230 V 50 Hz 0,75 kW
Dimensions	650 x 650 x 1610 h mm
Net weight	75 kg


€ 819,00

FC94/350**€ 1250,00****14" WOOD BAND SAW**

Saw wheel	ø 350 mm
Cutting capacity	335 x 160 mm
Blade	2400 x 13 x 0.52 mm T4
Table dimensions	500 x 400 mm
Cutting speed	10 ÷ 12 m/s
Tilting table	0 ÷ 45°
Working height	1015 mm
Motor	230 V 50 Hz 0.75 kW
Dimensions	730 x 620 x 1540 h mm
Net weight	79 kg

**€ 1010,00****FC94/245****€ 630,00****10" WOOD BAND SAW**

Saw wheel	ø 255 mm
Cutting capacity	245 x 120 mm
Blade	1790 x 8.4 x 0.35 mm T6
Table dimensions	340 x 340 mm
Cutting speed	11 ÷ 16 m/s
Tilting table	0 ÷ 45°
Working height	1000 mm
Motor	230 V 50 Hz 0.37 kW
Dimensions	420 x 250 x 800 h mm
Net weight	29 kg

**€ 496,00****0302/305****€ 780,00****WOOD BAND SAW**

With aluminium table

Saw wheel	ø 315 mm
Cutting capacity	300 x 170 mm
Blade	2240 x 11 x 0.8 mm T6
Table dimensions	500 x 400 mm
Cutting speed	6 ÷ 12 m/s
Tilting table	0° ÷ 45°
Working height	960 mm
Motor	230 V 50 Hz 0.75 kW
Dimensions	80 x 500 x 1580 h mm
Net weight	58 kg

**€ 619,00****0302/245****€ 512,00****WOOD BAND SAW**

With aluminium table

Saw wheel	ø 255 mm
Cutting capacity	245 x 120 mm
Blade	1790 x 9 x 0.5 mm T6
Table dimensions	290 x 290 mm
Cutting speed	11 ÷ 16 m/s
Tilting table	0° ÷ 45°
Working height	1000 mm
Motor	230 V 50 Hz 0.42 kW
Dimensions	600 x 400 x 1480 h mm
Net weight	28 kg

**€ 407,00****0302/200****€ 350,00****WOOD BAND SAW**

With steel table

Saw wheel	Ø 210 mm
Cutting capacity	200 x 80 mm
Blade	1400 x 6 x 0,36 mm T6
Table dimensions	300 x 300 mm
Cutting speed	15 m/s
Tilting table	0 ÷ 45°
Dimensions	450 x 390 x 680 h mm
Motor	230 V 50 Hz 0,25 kW
Net weight	17 kg

**€ 260,00****0717A****€ 334,00****WOOD BAND SAW**

With adjustable work table and protractor for high precision. Blade protection device.

Saw wheel	Ø 200 mm
Blade	1430 x 6 x 0,36 mm T6
Cutting capacity	190 x 80 mm
Table dimensions	290 x 290 mm
Cutting speed	13,7 m/s
Tilting table	0 ÷ 45°
Motor	230 V 50 Hz 0,35 kW
Dimensions	430 x 355 x 665 h mm
Net weight	17 kg

**€ 199,00****0505****€ 285,00****TILTING BENCH BELT SANDER**

Can be used with sanding belt horizontally or vertically. With workpiece holder, abrasive belt and disc. Tilting work table in cast aluminum. Trained aluminum roller on bearings. To be used exclusively for working with wood and plastic materials.

Dimensions	460 x 380 x 270h mm
Motor	230V 50 Hz 500 W
Belt	914 x 100 mm
Belt speed	420 m/min
Grit belt	80
Disc diameter	ø 150 mm
Grit Disc	80
Round speed	2850 rpm
Tilting table	0 ÷ 45°
Table dimensions	225 x 155 mm
Net weight	18 kg

**€ 218,00****0564****€ 291,00****TILTING BENCH BELT SANDER**

Can be used with sanding belt horizontally or vertically. With workpiece holder, abrasive belt and disc. Tilting work table in extruded aluminum. Quick belt change system. Trained plastic roller on bearings. To be used exclusively for working with wood and plastic materials.

Dimensions	470 x 360 x 290 mm
Motor	230V 50 Hz 370 W
Belt	914 x 100 mm
Belt speed	450 m/min
Grit belt	80
Disc diameter	ø 150 mm
Grit Disc	80
Round speed	2980 rpm
Tilting table	0 ÷ 45°
Table dimensions	226 x 160 mm
Net weight	16,5 kg

**€ 220,00**

0138
€ 592,00
BELT AND DISC SANDER

With tilting tables

Dimensions	630 x 370 x 495h mm
Belt	25 x 1075 mm
Belt speed	8,5 m/s
Disc diameter	200 mm
Motor	230 V 50 Hz 0,45 kW 1450 rpm
Table dimensions band	180 x 150 mm
Table dimensions disc	250 x 120 mm
Net weight	26 kg


€ 477,00
0765
€ 261,00
SCROLL SAW VARIABLE SPEED

Strong body, tilting table, suitable to cut balsa and plywood

Cutting capacity	400 x 50h mm
Blade length	127 mm
Oscillations	800 ÷ 1400 rpm
Plate Dimensions	410 x 250 mm
Tilting table	0 ÷ 45° sx
Base dimensions	230 x 390 mm
Motor	230 V 50 Hz 0,12 kW
Working temperature	from -50 to +50
Net weight	14 kg


€ 202,00
S009
€ 1470,00
VERTICAL HEAVY DUTY LOG SPLITTER

7 ton, with cross log splitter.

Height working capacity	120 ÷ 540 mm
Log capacity	ø 50 x 320 mm
Max splitting force	7 ton
Motor	230 V 50 Hz 3 kW
No-load speed	2950 rpm
Net weight	120 kg


€ 1080,00
0496
€ 775,00
DUST COLLECTOR

Inlet size	3 x ø 100 mm
Air flow	3900 m3 / h
Motor	230 V 50 Hz 2.2 kW
Cloth bag	ø 510 mm
Dimensions	1450 x 800 x 2000 mm
Net weight	48 kg


€ 604,00
KIT0129
€ 751,70
DUST COLLECTOR + FILTER BAG + 10 PC PLASTIC BAG SET

€ 569,00

0759/F

0759/S


10 Pcs

0759
PARTIALLY ASSEMBLED DUST COLLECTOR

Inlet size	2 x ø 100 mm
Air flow	2500 m3 / h
Filtration rate	5 micron
Cloth bag	ø 510 mm
Motor speed	2950 rpm
Vacuum suction	1.95 kPa
Motor	230 V 50 Hz 1.5 kW
Dimensions	840 x 560 x 1800 h mm
Net weight	40 kg

KIT0128
€ 467,70
DUST COLLECTOR + FILTER BAG + 10 PC PLASTIC BAG SET

€ 349,00

0756/F

0756/S


10 Pcs

0756
DUST COLLECTOR

Partially assembled.

Inlet size	100 mm
Air flow	850 m3 / h
Filtration rate	5 micron
Cloth bag	ø 370 mm
Motor speed	2950 rpm
Vacuum suction	1.08 kPa
Motor	230 V 50 Hz 0.75 kW
Dimensions	500 x 600 x 1700 h mm
Net weight	23 kg

KIT0229

€ 363,60

DUST COLLECTOR + FILTER BAG + 10 PC PLASTIC BAG SET



0507

DUST COLLECTOR

Partially assembled.



Inlet size	100 mm
Air flow	900 m ³ / h
Filtration rate	5 micron
Cloth bag	ø 320 mm
Motor speed	2840 rpm
Vacuum suction	0.70 kPa
Motor	230 V 50 Hz 0.55 kW
Dimensions	500 x 600 x 1700 h mm
Net weight	18 kg

M028-

PRO

HIGH PRECISION MODULAR VICE

Suitable for jobs where precision, reliability, availability and secure locking are required. Suitable for precision milling and grinding work on both manual machines and CNC machining centers. Ground sliding surfaces. Equipped with prismatic descending jaws when tightening. With fasteners and adjustment keys. Accuracy 0.02mm and hardness 57-62 HRC



starting from
€ 614,00

Jaw dimensions	Net weight	Art.	€	Promo
100 x 30h mm	7 kg	M028/100/100	€ 761,00	€ 614,00
125 x 40h mm	13 kg	M028/125/150	€ 827,00	€ 668,00
150 x 50h mm	26 kg	M028/150/200	€ 987,00	€ 791,00
150 x 50h mm	30 kg	M028/150/300	€ 1060,00	€ 853,00
150 x 50h mm	34 kg	M028/150/400	€ 1220,00	€ 988,00
175 x 60h mm	40 kg	M028/175/200	€ 1220,00	€ 988,00
175 x 60h mm	43 kg	M028/175/300	€ 1260,00	€ 1000,00
175 x 60h mm	50 kg	M028/175/400	€ 1410,00	€ 1100,00
175 x 60h mm	50 kg	M028/175/500	€ 1580,00	€ 1280,00
200 x 65h mm	69 kg	M028/200/300	€ 1900,00	€ 1510,00
200 x 65h mm	74 kg	M028/200/400	€ 1950,00	€ 1570,00
200 x 65h mm	79 kg	M028/200/500	€ 2350,00	€ 1780,00
200 x 65h mm	84 kg	M028/200/600	€ 2590,00	€ 2060,00

0495

€ 399,00

PORTABLE DUST COLLECTOR

With wheels for wood band saw and mitre saw.




Inlet size	100 mm
Air flow	830 m ³ / h
Cloth bag	ø 380 mm
Motor	230 V 50 Hz 0.75 kW
Dimensions	395 x 325 x 350 mm
Net weight	14 kg

M011-

PRO

HIGH PRECISION MODULAR VICE

Suitable for jobs where precision, reliability, availability and secure locking are required. Suitable for precision milling and grinding work on both manual machines and CNC machining centers. Ground sliding surfaces. Equipped with prismatic descending jaws when tightening. With fasteners and adjustment keys. Accuracy 0.02mm and hardness 57-62 HRC




Jaw dimensions	Net weight	Art.	€	Promo
125 x 50h mm	19 kg	M011/125/150	€ 1060,00	€ 843,00
150 x 60h mm	35 kg	M011/150/210	€ 1220,00	€ 961,00
150 x 60h mm	35 kg	M011/150/300	€ 1520,00	€ 1220,00

M012-

PRO

PRECISION MEASURING MILLING VICE

Quick-release. Couplings ground with high precision. Accuracy indicated on parallelism and quadrature. Ideal for grinding, EDM, milling and measuring systems



starting from
€ 69,40



Dimensions	Accuracy	Art.	€	Promo
38 x 105 x 45h mm	0,005 mm	M012/038	€ 85,00	€ 69,40
50 x 140 x 50h mm	0,005 mm	M012/050	€ 89,00	€ 72,50
73 x 190 x 67h mm	0,005 mm	M012/080	€ 217,00	€ 159,00
100 x 245 x 90h mm	0,005 mm	M012/100	€ 303,00	€ 219,00

M023-

PRO

MILLING MACHINE VICE WITH 360° SWIVEL BASE

With interchangeable jaws in hardened and ground steel. Sliding parts ground. Fully covered screw. With crank.




starting from
€ 142,00

Jaws	Opening	Slot	Art.	€	Promo
100 x 35 mm	80 mm	14 mm	M023/100	€ 213,00	€ 142,00
125 x 40 mm	100 mm	14 mm	M023/125	€ 254,00	€ 178,00
160 x 50 mm	125 mm	18 mm	M023/160	€ 344,00	€ 257,00
200 x 61 mm	160 mm	18 mm	M023/200	€ 433,00	€ 338,00

M014-
MILLING MACHINE VICE WITH 360° SWIVEL BASE

With interchangeable jaws in hardened and ground steel. Sliding parts ground. Fully covered screw. With crank




starting from
€ 76,00

Jaws	Opening	Slot	Art.	€	Promo
80 x 30 mm	60 mm	14 mm	M014/080	€ 105,00	€ 76,00
125 x 40 mm	95 mm	14 mm	M014/125	€ 190,00	€ 138,00
160 x 63 mm	120 mm	18 mm	M014/160	€ 264,00	€ 191,00
200 x 63 mm	150 mm	18 mm	M014/200	€ 359,00	€ 280,00

M024-
MILLING MACHINE VICE WITH 360° SWIVEL BASE

With interchangeable jaws in hardened and ground steel. Sliding parts ground. Uncovered vine. With crank and fixing screws




starting from
€ 145,00

Jaws	Opening	Slot	Art.	€	Promo
136 x 32 mm	170 mm	14 mm	M024/136	€ 184,00	€ 145,00
160 x 50 mm	180 mm	14 mm	M024/160	€ 265,00	€ 189,00
200 x 63 mm	220 mm	18 mm	M024/200	€ 349,00	€ 282,00
250 x 45 mm	320 mm	18 mm	M024/250	€ 507,00	€ 403,00

M027-
DRILL PRESS VICE

Equipped with scraped guides for greater precision and better sliding.





starting from
€ 120,00

Jaws	Opening	Base dimensions	Net weight	Art.	€	Promo
100 x 40 mm	100 mm	290 x 170 mm	8 kg	M027/100	€ 158,00	€ 120,00
140 x 50 mm	140 mm	375 x 230 mm	12 kg	M027/140	€ 222,00	€ 168,00
200 x 60 mm	200 mm	485 x 295 mm	25 kg	M027/200	€ 360,00	€ 273,00

M001-
DRILL PRESS VICE

Equipped with a prismatic jaw and a smooth jaw. Constant overall length thanks to the screw inserted in the handle




starting from
€ 49,10

Jaws	Opening	Art.	€	Promo
100 mm	80 mm	M001/100	€ 59,40	€ 49,10
120 mm	110 mm	M001/120	€ 72,90	€ 59,00
150 mm	135 mm	M001/150	€ 91,40	€ 73,90

0188-
2 - WAY CROSS VICE

Useful for performing precision drilling or tapping operations thanks to the longitudinal and lateral movement without removing the piece from the vice




€ 66,70

Jaws	Opening	Art.	€	Promo
100 x 25 mm	90 mm	0188/100	€ 86,30	€ 66,70
125 x 40 mm	110 mm	0188/125	€ 122,00	€ 94,00
150 x 40 mm	145 mm	0188/150	€ 154,00	€ 122,00

0188-XG
2 - WAY CROSS VICE WITH SWIVEL BASE

Useful for performing precision drilling or tapping operations thanks to the longitudinal and lateral movement without removing the piece from the vice. Equipped with a swivel base



starting from
€ 112,00

Jaws	Opening	Slot	Art.	€	Promo
100 X 25 mm	90 mm	18mm	0188/100G	€ 146,00	€ 112,00
125 X 40 mm	120 mm	20mm	0188/125G	€ 165,00	€ 126,00
150 X 45 mm	150 mm	20mm	0188/150G	€ 188,00	€ 143,00

P014
PRO € 318,00
PARALLEL COUPLE SET

Ground in pairs. Used as part shims in wide variety of machining operations, ensuring parallel clamping.




€ 224,00

Dimensions	150 x 10 x (14-16-18-20-22-24-26-28-30-32-35-40-45-50) mm
Hardness	HRC 60
Accuracy	± 0,005 mm

P015
PRO € 173,00
PARALLEL COUPLE SET

Ground in pairs. Used as part shims in wide variety of machining operations, ensuring parallel clamping.




€ 132,00

Dimensions	160 x 4 x (10-14-18-22-26-30-34-38-42) mm
Hardness	HRC 60
Accuracy	± 0,005 mm

P017**€122,00****PARALLEL COUPLE SET**


Ground in pairs. Used as part shims in wide variety of machining operations, ensuring parallel clamping.



Dimensions	150 x 8 x (14-16-20-24-30-32-36-40-44) mm
Hardness	HRC 45
Accuracy	± 0,005 mm

**T013****€1200,00****CROSS WORKING TABLE**


With coolant channels. Adjustable handwheel graduation.



Slot	14 mm
Height	155 mm
Travels	160 x 360 mm
Reading	0,05 mm
Net weight	70 kg

**€946,00****T014G****€1020,00****SWIVELING CROSS WORKING TABLE**


Equipped with a swivel base. With coolant channels. Adjustable handwheel graduation.



Slot	12 mm
Height	160 mm
Travels	155 x 370 mm
Reading	0,02 mm
Net weight	60 kg

**€810,00****T015/E****€286,00****CROSS WORKING TABLE**

With adjustable graduation of the handwheel.



Slot	10 mm
Height	104 mm
Travels	50 x 80 mm
Reading	0,01 mm
Net weight	10 kg

**€209,00****T008****€333,00****CROSS WORKING TABLE**

Slot	16 mm
Slot distance	75 mm
Height	130 mm
Travels	120 x 325 mm
Base locating slot	162 mm
Net weight	23 kg

**€246,00****T018/350****€158,00****CROSS WORKING TABLE**

With fixed millimeter scale for longitudinal table movements.



Height	120 mm
Slot	8 mm
Slot distance	36 mm
Travels	177 x 50 mm
Reading	0.05 mm
Overall dimensions	415 x 255 mm
Net weight	6 kg

**€122,00****T018/330****€84,20****CROSS WORKING TABLE**


With fixed millimeter scale for longitudinal table movements.



Height	82 mm
Slot	8 mm
Slot distance	36 mm
Travels	190 x 65 mm
Reading	0,05 mm
Overall dimensions	395 x 210 mm
Net weight	2,5 kg


**€66,30****T004-****ADJUSTABLE ANGLE PLATE**

With tilting regulation on both sides.



Dimensions	Slot	Tilting	Art.	€	Promo
255 x 180 x 135h mm	12 mm	± 36°	T004/250	€392,00	€290,00
380 x 250 x 180h mm	16 mm	± 36°	T004/380	€595,00	€465,00
610 x 305 x 253h mm	16 mm	± 36°	T004/600	€1010,00	€834,00

**starting from
€290,00**

P077-
PERMANENT MAGNETIC CHUCK



starting from
€ 523,00



Dimensions	Magnetic force	Pole pitch	Art.	€	Promo
250 x 150 x 60 mm	180 N/cm2	3 + 12 mm	P077/1525	€ 693,00	€ 523,00
300 x 150 x 60 mm	180 N/cm2	3 + 12 mm	P077/1530	€ 825,00	€ 623,00
400 x 200 x 60 mm	180 N/cm2	3 + 12 mm	P077/2040	€ 1460,00	€ 1100,00
500 x 300 x 60 mm	180 N/cm2	3 + 12 mm	P077/3050	€ 2750,00	€ 2080,00
600 x 300 x 60 mm	180 N/cm2	3 + 12 mm	P077/3060	€ 3300,00	€ 2490,00

K001-
CLAMPING KIT


Consisting of: 24 tie rods, 6 T-nuts, 6 low nuts, 4 joint sleeves, 6 simple brackets, 12 stair supports, practical wall support



starting from
€ 87,00



Slot	Thread	Art.	€	Promo
12 mm	M10	K001/12	€ 114,00	€ 87,00
14 mm	M12	K001/14	€ 127,00	€ 94,10
16 mm	M14	K001/16	€ 140,00	€ 114,00
18 mm	M16	K001/18	€ 185,00	€ 144,00

M042-
LIGHT DUTY PROFESSIONAL SELF-TIGHTENING KEYLESS DRILL CHUCKS



starting from
€ 35,20



Capacity	Taper DIN	Art.	€	Promo
0.5 ÷ 8 mm	B12	M042/08	€ 46,60	€ 35,20
1 ÷ 10 mm	B12	M042/10	€ 47,70	€ 36,00
1 ÷ 13 mm	B16	M042/13	€ 54,60	€ 41,20
3 ÷ 16 mm	B18	M042/16	€ 65,70	€ 49,60
5 ÷ 20 mm	B22	M042/20	€ 87,50	€ 66,00

M059-
REVERSIBLE TAPPING CHUCK WITH ADJUSTABLE CLUTCH

The adjustable safety device with friction reduces the possibility of breaking the male during the execution of the thread. Built-in rotation inverter, immediately active when the feed device is changed. Adjustable clutch in 4 positions. Equipped with 2 flexible pliers and keys for use.




starting from
€ 369,00



Tapping range	Taper DIN	Art.	€	Promo
M 2 - 7	B16	M059/07	€ 481,00	€ 369,00
M 5 - 12	B16	M059/12	€ 551,00	€ 445,00
M 8 - 20	B22	M059/20	€ 674,00	€ 496,00

P078-
PERMANENT MAGNETIC CHUCK

With fixed polarity. It allows the machining of small and low thickness pieces due to fine pitch.




starting from
€ 340,00



Dimensions	Magnetic force	Pole pitch	Art.	€	Promo
250 x 150 x 48 mm	120 N/cm2	0,5 + 1,5 mm	P078/1525	€ 451,00	€ 340,00
300 x 150 x 48 mm	120 N/cm2	0,5 + 1,5 mm	P078/1530	€ 534,00	€ 403,00
350 x 150 x 48 mm	120 N/cm2	0,5 + 1,5 mm	P078/1535	€ 600,00	€ 453,00
400 x 150 x 51 mm	120 N/cm2	0,5 + 1,5 mm	P078/1540	€ 671,00	€ 507,00
450 x 150 x 51 mm	120 N/cm2	0,5 + 1,5 mm	P078/1545	€ 781,00	€ 590,00
450 x 200 x 51 mm	120 N/cm2	0,5 + 1,5 mm	P078/2045	€ 1100,00	€ 830,00
500 x 200 x 58 mm	120 N/cm2	0,5 + 1,5 mm	P078/2050	€ 1210,00	€ 966,00
600 x 200 x 58 mm	120 N/cm2	0,5 + 1,5 mm	P078/2060	€ 1430,00	€ 1130,00

M051-
HIGH PRECISION 3 JAWS KEYLESS DRILL CHUCK

For industrial use, even in the most severe conditions of use. Sliding parts entirely hardened and ground. Spindle jaw hardness HRC58.



starting from
€ 42,80

Capacity	Taper DIN	Dimensions	Art.	€	Promo
0,5 ÷ 8 mm	B 12	Ø 39 x 80 mm	M051/08	€ 55,40	€ 42,80
1 ÷ 10 mm	B 12	Ø 44.5 x 82 mm	M051/10	€ 55,40	€ 43,90
1 ÷ 13 mm	B 16	Ø 49.5 x 91 mm	M051/13	€ 65,10	€ 51,20
1 ÷ 16 mm	B 18	Ø 54 x 102.5 mm	M051/16	€ 70,50	€ 61,10
1 ÷ 20 mm	B 22	Ø 59 x 119 mm	M051/20	€ 101,00	€ 71,60

M052-
KEY TYPE TAPER HOLE DRILL CHUCKS


starting from
€ 11,10

Capacity	Taper DIN	Dimensions	Art.	€	Promo
1 ÷ 10 mm	B12	Ø 39 x 80 mm	M052/10	€ 14,70	€ 11,10
1 ÷ 13 mm	B16	Ø 41.5 x 95.4 mm	M052/13	€ 19,30	€ 14,60
3 ÷ 16 mm	B 18	Ø 49 x 108.2 mm	M052/16	€ 23,10	€ 17,40
5 ÷ 20 mm	B22	Ø 54 x 114.1 mm	M052/20	€ 35,00	€ 26,40

0688
€ 196,00
LATHE MILL TABLE UNIVERSAL DEVICE

It allows you to perform a surface machining on the clamped piece with the use of the lathe spindle as a tool holder. Fixing by mechanical adaptation to the machine in which it is to be applied.



€ 154,00

P100/250**€ 124,00****MACHINE TOOL SAFETY GUARD**

With safety microswitch, adjustable height.



Spindle	400 mm
Shield	150x250 H x L mm

**€ 94,10****0532A/230V****€ 203,00****LED LIGHT MACHINE OPERATION LAMP**

Articulated, with transformer.



Power	230 V 50 Hz 13 W
Luminous flux	1800 lm
Color temperature	6500 K
LED number	9
Height	900 mm
Diameter	125 mm
Joints	3

**€ 153,00****0538A****€ 139,00****LED LIGHT MACHINE OPERATION LAMP**

Articulated, without transformer.



Power	12 - 24 V 7 W AC
Luminous flux	700 lm
Color temperature	6500 K
LED number	7
Height	650 mm
Diameter	90 mm
Joints	3

**€ 104,00****B007-****INDEXABLE CARBIDE TOOL HOLDER SET**


Insert included, useful for having a set that allows you to perform most turning operations with small lathes



Ext. shank / Insert	Int. shank / Insert	Art.	€	Promo
10 mm / TCMT110204N	8 mm / TCMT090204N	B007/10	€ 108,00	€ 85,20
12 mm / TCMT110204N	10 mm / TCMT110204N	B007/12	€ 114,00	€ 87,00
16 mm / TCMT16T304N	12 mm / TCMT110204N	B007/16	€ 141,00	€ 111,00

**starting from € 85,20****0532A****€ 186,00****LED LIGHT MACHINE OPERATION LAMP**

Articulated, without transformer.



Power	24 V 13 W AC/DC
Luminous flux	1800 lm
Color temperature	6500 K
LED number	9
Height	890 mm
Diameter	125 mm
Joints	3

**€ 142,00****0537A****€ 112,00****LED LIGHT MACHINE OPERATION LAMP**

Articulated, without transformer.



Power	12 - 24 V 7 W AC
Luminous flux	700 lm
Color temperature	6500 K
LED number	7
Height	100 mm
Diameter	90 mm
Joints	1

**€ 85,70****0536A****€ 142,00****LED LIGHT MACHINE OPERATION LAMP**

Flexible, with transformer and magnetic base



Power	230V / 5W
Height	600 mm
Diameter	60 mm
Joints	1
Intensity	500 lm - 6400 K

**€ 107,00****KITCKJ****EXTERNAL TOOL HOLDER WITH INSERTS**

b	h	l	Art.	€	Promo
20mm	20mm	125mm	KITCKJ20	€ 170,00	€ 97,90
25mm	25mm	150mm	KITCKJ25	€ 172,00	€ 111,00

**starting from € 97,90**

KISCLCR
€ 227,00
SOLID BORING BAR SET 95°


Int. tool holder	SCLCR08; SCLCR10; SCLCR12; SCLCR16
Bits	CCMT060204N x 10 Pcs
Torx key	T7 x 2 Pcs
Screw	T7 x 2,5 mm x 4 Pcs


€ 149,00
KISTCMT
€ 268,00
SOLID BORING BAR SET 90°


Int. tool holder	STFCR08; STFCR10; STFCR12; STFCR16; STFCR20
Bits	TCMT110204N x 10 Pcs
Torx key	T8 x 2 Pcs
Screw	T8 x 2,5 mm x 2 Pcs


€ 205,00
KISTFCR
€ 211,00
SOLID BORING BAR SET 90°


Int. tool holder	STFCR08, STFCR10, STFCR12, STFCR16, STFCR20
Insert (not included)	TCMT110204...
Torx key	T8 x 2 Pcs
Screw	T8 x 2,5 mm x 5 Pcs


€ 162,00
KISER
EXTERNAL THREAD TOOL HOLDER

Consisting of external threading tool (1 Pc), M3.5 X 12mm spare screw (1 Pc), 2.5mm hex wrench (1 Pc), T15 torx wrench (1 Pc) and assorted inserts: AG55 - AG60; - ISO 0.8 - 1.00 - 1.25 - 1.50 - 1.75 - 2.00 - 2.50 - 3.00mm (1 Pc each).


starting from € 142,00

b	l	h	Art.	€	Promo
20 mm	20 mm	125 mm	KISER	€ 179,00	€ 142,00
25 mm	25 mm	150 mm	KISER25	€ 235,00	€ 171,00

KISNR
INTERNAL THREAD TOOL HOLDER


Consisting of internal threading tool (1 Pc), spare M3.5 X 12mm screw (1 Pc), 2.5mm hex wrench (1 Pc), T15 torx wrench (1 Pc) and assorted inserts: AG55 - AG60; - ISO 0.8 - 1.00 - 1.25 - 1.50 - 1.75 - 2.00 - 2.50 - 3.00mm (1 Pc each).


starting from € 159,00


D	h	l	Art.	€	Promo
20 mm	18 mm	170 mm	KISNR	€ 206,00	€ 159,00
25 mm	23 mm	200 mm	KISNR25	€ 246,00	€ 199,00

KICAN
€ 230,00
INTERNAL AND EXTERNAL GROOVING TOOL HOLDER SET

Consisting of the tool for external grooves: 20 x 20 mm (1 Pc), the tool for internal grooves: ø 20mm (1 Pc), spare screw M4 x 12mm (2 Pcs), torx wrench: T15 (1 Pc) and inserts for 16mm groove TIN coated: 165110134 (2 Pcs), 165130134 (2 Pcs), 165160134 (2 Pcs), 165185134 (1 Pc), 165215134 (1 Pc), 165265134 (1 Pc), 165315134 (1 Pc).


€ 179,00
T088
€ 99,00
TOOL CUTTING SET


Set composition	1 Pcs SGTBK16 - 1 Pcs SGH26/2 - 1 Pcs SGH26/3
S	2 - 3 mm
h	25.75 mm
l	109 mm
Insert (not included)	GCMX2N - GCMX3N


€ 77,00
B005-
CARBIDE TIPPED LATH E TOOL SET

starting from € 17,90

Kit	Art.	€	Promo
1BRAS411108RP - 1BRAS411110RP - 1BRAS-410312RP - 1BRAS410412RP - 1BRAS410912RP	B005	€ 25,40	€ 17,90
1BRAS411110RP - 1BRAS411112RP - 1BRAS-410316RP - 1BRAS410416RP - 1BRAS410916RP	B005/16	€ 38,10	€ 30,10
1BRAS411112RP - 1BRAS411116RP - 1BRAS-410320RP - 1BRAS410420RP - 1BRAS410920RP	B005/20	€ 47,70	€ 38,60

P046**€ 31,30****TWIST DRILL SET**

DIN 338/N, right hand, black finish.



Size (step 0,5 mm)

1 ÷ 13 mm

**P045****€ 15,80****TWIST DRILL SET**

DIN 338/N, right hand, black finish.



Size (step 0,5 mm)

1 ÷ 10 mm

**P023/19****€ 36,20****STRAIGHT SHANK TWIST DRILL SET**

DIN 338/N, Right hand, rectified



Size (step 0,5 mm)

1 ÷ 10 mm

**P023/25****€ 73,40****STRAIGHT SHANK TWIST DRILL SET**

DIN 338/N, Right hand, rectified



Size (step 0,5 mm)

1 ÷ 13 mm

**P058/170****€ 177,00****TWIST DRILL SET**

DIN 338/N, right hand, long durability thanks to the titanium coating.



150 (10x) Pcs (step 0,5 mm)

Ø 1 ÷ 8 mm

20 (5x) Pcs (step 0,5 mm)

Ø 8,5 ÷ 10 mm

**P010/51****€ 61,00****SERIES OF CYLINDRICAL TIPS TO THE TENTH**

DIN 338/N, right hand, long durability thanks to the titanium coating.



Size (step 0,1 mm)

1 ÷ 6 mm

**P010/41****€ 142,00****SERIES OF CYLINDRICAL TIPS TO THE TENTH**

DIN 338/N, right hand, long durability thanks to the titanium coating.



Size (step 0,1 mm)

6 ÷ 10 mm

**P062****€ 67,20****TWIST DRILL SET**

DIN 338/N, Right hand, Long durability thanks to the titanium coating




Size (step 0,5 mm)

1 ÷ 13 mm




P061
€ 37,60
STRAIGHT SHANK TWIST DRILL SET


DIN 338/N, right hand, long durability thanks to the titanium coating.


P067
€ 67,20
COBALT TWIST DRILL SET


DIN 338/N, self-centering, right, with great thermal resistance


P069
€ 132,00
COBALT TWIST DRILL SET


DIN 338/N, self-centering, right, with great thermal resistance


P064/19A
€ 81,30
COBALT TWIST DRILL SET


DIN 338/N, self-centering, right, with great thermal resistance.


P064/25A
€ 173,00
COBALT TWIST DRILL SET


DIN 338/N, self-centering, right, with great thermal resistance


P057
€ 102,00
SET OF TWIST DRILLS WITH CONICAL SHANK


DIN 345/N, right hand


P056/10S
€ 34,70
CENTER DRILL SET

DIN 333, ground, with vaporized grooves. Taper angle 60°


F011/6
€ 185,00
WELDON SHANK CORE DRILL SET

Allows a very fast cut, does not require pre-drilling and does not create any burr formation thanks to the lower effort of the cutting edge during processing.




F002/6

PRO € 283,00

WELDON SHANK CORE DRILL SET

Allows a very fast cut, does not require pre-drilling and does not create any burr formation thanks to the lower effort of the cutting edge during processing.



Sizes 12 x 62 - 14 x 62 - 16 x 62 - 18 x 62 - 20 x 62 - 22 x 62 mm
Shank Weldon 19,05 mm




€ 227,00

F019/008

€ 141,00

TCT CORE DRILL SET

With lateral chip and center drill.



Sizes 16 mm, 18 mm, 20 mm, 22 mm, 25 mm, 30 mm, 32 mm, 35 mm
Cutting Depth 5 mm



€ 110,00

F015/008S

€ 141,00

DRILL BIT HOLE SAW SET

With lateral chip and center drill.



Sizes 16 mm, 18 mm, 20 mm, 22 mm, 25 mm, 30 mm, 32 mm, 35 mm




€ 110,00

0712/009

€ 98,70

HOLE SAW SET

Installer set.



Hole saw 19 - 22 - 29 mm
Corresponding arbors, adapter, bits 0712/600 - 0712/900 - 0712/300
Hole saw 35 - 38 - 44 - 51 - 57 - 64 mm
Corresponding arbors, adapter, bits 0712/800



€ 61,90

0712/010

€ 186,00

HOLE SAW SET

Industry kit.



Hole saw 19 - 22 - 29 mm
Corresponding arbors, adapter, bits 0712/600
Hole saw 35 - 38 - 44 - 51 - 57 - 64 - 76 - 83 - 92 - 95 - 105 - 114 mm
Corresponding arbors, adapter, bits 0712/600 - 0712/900 - 0712/300
Extension 300 mm



€ 144,00

S001

€ 93,10

90° THREE FLUTES COUNTERSINK SET

DIN 335C, with ground edges and grooves machined from solid, to perform conical countersinks without vibrations.



ø max 8 - 10 - 12,4 - 16,5 - 20,5 mm



€ 76,80

F639

€ 78,60

STEP DRILL BITS

For creating and enlarging holes in sheet metal



Stem 10 mm
ø 6 ÷ 39 [6-9-12-15-18-21-24-27-30-33-36-39] mm



€ 59,50

F430

€ 74,40

STEP DRILL BITS SET

For creating and enlarging holes in sheet metal



Stem 6 - 8 - 10 mm
ø 4 ÷ 12 - 6 ÷ 20 - 6 ÷ 30 mm



€ 42,20

F23X

STEP DRILL BITS

For creating and enlarging holes in sheet metal, with interchangeable point.



starting from
€ 53,30

Stem	Ø	Art.	€	Promo
10 mm	2,5 ÷ 32 (2,5-6,3-11,2-14,5-18,2-22,3-27,9-32) mm	F232	€ 72,40	€ 53,30
10 mm	2,5 ÷ 38 (2,5-6,3-13-16-19-21-23-26-29-32-35-38) mm	F238	€ 77,50	€ 56,80

F001/20

€ 228,00

SET END MILLS

DIN 844/B and DIN 327/D, two and four flute, regular length, weldon shank, center cutting.



€ 157,00

2 Flute mill	Ø 3 - 4 - 5 - 6 - 8 - 10 - 12 - 14 - 18 - 20 mm
Stem	Ø 6 - 6 - 6 - 6 - 10 - 10 - 12 - 12 - 16 - 20 mm
4 Flute mill	Ø 3 - 4 - 5 - 6 - 8 - 10 - 12 - 14 - 18 - 20 mm
Stem	Ø 6 - 6 - 6 - 6 - 10 - 10 - 12 - 12 - 16 - 20 mm

F008SC

€ 64,30

HARD METAL ROTARY BURR SET

With single cut.



€ 50,00

Sizes	10 x 20 mm
Type	B, C, D, G, M
Stem	6 mm

M015S

€ 55,40

SPIRAL POINT TAP AND DRILL SET

With adjustable tap holder



€ 43,70

Taps	M3 x 0,50 mm, M4 x 0,70 mm, M5 x 0,80 mm, M6 x 1,00 mm, M8 x 1,2 mm
Drills	Ø2,5 mm, Ø3,3 mm, Ø4,2 mm, Ø5,0 mm, Ø6,8 mm, Ø8,5 mm, Ø10

P. 060

Promotion valid until 31/07/2023, while stocks last - VAT not included

F001/10

€ 228,00

SET FRONTAL ROUGHING END MILLS

DIN 844/B, regular length, center cutting, weldon shank.



€ 166,00

Mill	Ø 6 8 10 12 14 16 18 20 22 25 mm
Stem	Ø 6 10 10 12 12 16 16 20 20 25 mm

F008DC

€ 64,30

HARD METAL ROTARY BURR SET

With diamond cut.



€ 50,00

Sizes	10 x 20 mm
Type	B, C, D, G, M
Stem	6 mm

F008-

CARBIDE ROTARY FILE SET

Cross cut



starting from
€ 45,50

Stem	Art.	€	Promo
Ø 3 mm	F008/3	€ 60,00	€ 45,50
Ø 6 mm	F008/6	€ 102,00	€ 81,80

M312/P

€ 60,60

MACHINE TAP SET FOR THROUGH HOLES WITH REINFORCED SHANK

With adjustable tap holder.



€ 45,40

Size	M3 x 0,50 - M4 x 0,70 - M5 x 0,80 - M6 x 1 - M8 x 1,25 - M10 x 1,50 - M12 x 1,75
------	--

M312/C

€ 65,90

MACHINE TAP SET FOR BLIND HOLES 35° WITH REINFORCED SHANK

With adjustable tap holder.



Size M3 x 0,50 - M4 x 0,70 - M5 x 0,80 - M6 x 1 - M8 x 1,25 - M10 x 1,50 - M12 x 1,75




€ 48,50

M036

€ 59,40

TAP AND DIE SET

With twist drills and screw pitch gauge



Tap holder	M3 - M12
Round die-stock	25 x 9 mm
Taps	M3x0,5 - M4x0,7 - M5x0,8 - M6x1 - M7x1 - M8x1,25 - M10x1,5 - M12
Dies	M3x0,5 - M4x0,7 - M5x0,8 - M6x1 - M7x1 - M8x1,25 - M10x1,5 - M12
Drills	2,5 - 3,3 - 4,2 - 5 - 6 - 6,8 - 8,5 - 10,3 mm
Screwdriver	6,5 x 50 mm




€ 48,40

M101

€ 109,00

TAPS AND DIE METRIC SET

Hand tap and die: M3x0,5 - UNC 1/4 20 - UNF 4 40 - Metric M4x0,7 - UNC 1/4 28 - UNF 6 32 - Metric M5x0,8 - UNC 5/16 18 - UNF 8 32 - Metric M6x1 - UNC 5/16 24 - UNF 10 32 - Metric M7x1 - UNC 3/8 16 - UNF 10 24 - Metric M8x1,25 - UNC 3/8 24 - UNF 12 24 - Metric M9x1,25 - UNC 7/16 14 - Metric M10x1,5 - UNC 7/16 20 - Metric M10x1 - UNC 1/2 13 - Metric M12x1,75 - UNC 1/2 20 - NPT 1/8 27. Complete with round die-stock and adjustable tap holder.



€ 84,00

M218

€ 235,00

TAP AND DIE METRIC SET

2 pcs hand tap set and die: M2 x 0,40 - M3 x 0,50 - M4 x 0,70 - M5 x 0,80 - M6 x 0,75 - M6 x 1 - M7 x 0,75 - M7 x 1 - M8 x 0,75 - M8 x 1 - M8 x 1,25 - M9 x 0,75 - M9 x 1 - M9 x 1,25 - M10 x 0,75 - M10 x 1 - M10 x 1,25 - M10 x 1,5 - M11 x 0,75 - M11 x 1 - M11 x 1,25 - M11 x 1,5 - M12 x 0,75 - M12 x 1 - M12 x 1,25 - M12 x 1,5 - M12 x 1,75 - M14 x 1 - M14 x 1,25 - M14 x 1,5 - M14 x 2 - M16 x 1 - M16 x 1,5 - M16 x 2 - M18 x 1,5. Complete with 2 tap holders and 2 round die-stocks.



€ 189,00

M020

€ 30,60

TAP AND DIE SET

Tap holder	M3 - M12
Round die-stock	25 x 9 mm
Taps	M3x0,5 - M4x0,7 - M5x0,8 - M6x1 - M7x1 - M8x1,25 - M10x1,5 - M12x1,75 - 1/8" NPT27
Dies	M3x0,5 - M4x0,7 - M5x0,8 - M6x1 - M7x1 - M8x1,25 - M10x1,5 - M12x1,75 - 1/8" NPT27



€ 24,90

M032

€ 110,00

TAP AND DIE METRIC SET

With round die-stock, adjustable tap holder and screw pitch gauge.



Taps	M3x0,5 M4x0,7 M5x0,8 M6x1 M8x1,25 M10x1,5 M12x1,75
Dies	M3x0,5 M4x0,7 M5x0,8 M6x1 M8x1,25 M10x1,5 M12x1,75
Screwdriver	3,5 x 50 mm



€ 82,30

M100

€ 146,00

TAP AND DIE METRIC SET

With round die-stock and adjustable tap holder: M6x0,75 - M6x1 - M8x1 - M8x1,25 - M10x1,25 - M10x1,5 - M12x1,5 - M12x1,75 - M14x1,5 - M14x2 - M16x1,5 - M16x2 - M18x1,5 - M18x2,5 - M20x1,5 - M20x2,5 - M22x1,5 - M22x2,5 - M24x1,5 - M24x3



€ 113,00

E010

€ 123,00

METRIC THREAD REPAIR F-COIL SET

Suitable for thread regeneration or to obtain very resistant tapping in soft materials



Sizes	M5 - M12
STI Taps	M5 x 0.8 - M6 x 1.0 - M8 x 1.25 - M10 x 1.5 - M12 x 1.75
Drills	5.2 mm - 6.3 mm - 8.3 mm - 10.4 mm - 12.4 mm
Wire-thread inserts	M5=25 M6=25 M8=25 M10=25 M12=10
Inserting tool	5 Pcs
Tang break tool	5 Pcs



€ 100,00

WORKSHOP FURNITURE

The right solution for your needs
















Wooden top (all codes A007-)

**DISCOVER THE RIGHT CONFIGURATION
FOR YOU in 3 simple steps**

1. Consult the Catalogue
2. Choose from the ready-to-use configurations or compose your own furniture
3. Contact your dealer for a personalized and advantageous quote



 A007A € 4480,00 € 2940,00  3920 x 498 x 2000h mm	 A007B € 4390,00 € 2890,00  3920 x 498 x 2000h mm	 A007C € 2160,00 € 1410,00  1960 x 498 x 2000h mm	 A007D € 3010,00 € 1940,00  2640 x 498 x 2000h mm	 A007E € 2480,00 € 1970,00  2640 x 498 x 2000h mm
 A008A € 4710,00 € 2990,00  3920 x 498 x 2000h mm	 A008B € 4590,00 € 2940,00  3920 x 498 x 2000h mm	 A008C € 2270,00 € 1490,00  1960 x 498 x 2000h mm	 A008D € 3150,00 € 1990,00  2640 x 498 x 2000h mm	 A008E € 2580,00 € 2040,00  2640 x 498 x 2000h mm
 A007F € 1160,00 € 797,00  864 x 864 x 2000h mm	 A007G € 2560,00 € 1910,00  2640 x 498 x 2000h mm	 A007H € 4850,00 € 3670,00  3500 x 2250 x 2000h mm Depth 498 mm	 A007I € 2320,00 € 1550,00  1960 x 498 x 2000h mm	 A007L € 5110,00 € 3780,00  2800 x 2800 x 2000h mm Depth 498 mm
 A008F € 1220,00 € 839,00  864 x 864 x 2000h mm	 A008G € 2.700,00 € 1950,00  2640 x 498 x 2000h mm	 A008H € 5100,00 € 3780,00  3500 x 2250 x 2000h mm Depth 498 mm	 A008I € 2430,00 € 1590,00  1960 x 498 x 2000h mm	 A008L € 5380,00 € 3880,00  2800 x 2800 x 2000h mm Depth 498 mm



Read the QR Code
you will be able to
access immediately
Datasheet




Steel top (all codes A008-)



A007M

€ 1560,00

€ 1110,00




1360 x 498 x 2000h mm



A007N

€ 2510,00

€ 1680,00



2040 x 498 x 2000h mm



A007P

€ 4700,00

€ 3040,00




3920 x 498 x 2000h mm



A007Q

€ 2430,00

€ 1630,00



1960 x 498 x 2000h mm



A007R

€ 1040,00

€ 692,00



680 x 498 x 2000h mm



A008M

€ 1650,00

€ 1150,00



2640 x 498 x 2000h mm



A008N

€ 2630,00

€ 1730,00



2640 x 498 x 2000h mm



A008P

€ 4910,00

€ 3150,00



2640 x 498 x 2000h mm



A008Q

€ 2530,00

€ 1670,00



2640 x 498 x 2000h mm



A008R

€ 1100,00

€ 734,00




3920 x 498 x 2000h mm



A007S

€ 2820,00

€ 2050,00



2640 x 498 x 2000h mm



A007T

€ 2250,00

€ 1570,00




2640 x 498 x 2000h mm



A007U

€ 2960,00

€ 2100,00




2640 x 498 x 2000h mm



A007UF

€ 3240,00

€ 2200,00



2640 x 498 x 2000h mm



A007V

€ 4700,00

€ 3040,00




3920 x 498 x 2000h mm



A008S

€ 2920,00


€ 2100,00



A008T

€ 2350,00

€ 1680,00




2640 x 498 x 2000h mm



A008U

€ 3080,00

€ 2200,00




2640 x 498 x 2000h mm



A008UF

€ 3340,00

€ 2310,00




2640 x 498 x 2000h mm



A008V

€ 4890,00

€ 3150,00



3920 x 498 x 2000h mm

B015
€548,00
STEEL WORKBENCH KIT

With steel top and two lockable drawers


€ 451,00

Bench dimensions	1500 x 645 x 865h mm
Legs thickness	1 mm
Plate thickness	2 mm
Capacity	800 kg
Drawer dimensions	433 x 347 x 122h mm
Drawer capacity	30 kg
Net weight	62 kg

B015/10
€306,00
WORKBENCH KIT

With steel top and lockable drawer


€ 238,00

Dimensions	1000 x 640 x 865h mm
Legs thickness	2 mm
Plate thickness	2 mm
Capacity	600 kg
Drawer dimensions	433 x 347 x 122h mm
Drawer capacity	30 kg
Net weight	55 kg

B022/10
€358,00
WORKBENCH KIT

With wood press top and a lockable drawer


€ 280,00

Dimensions	1000 x 640 x 865h mm
Legs thickness	2 mm
Plate thickness	38 mm
Capacity	350 kg
Drawer dimensions	400 x 344 x 125h mm
Drawer capacity	50 kg
Net weight	47 kg

B022/15
€516,00
WORKBENCH KIT

With wood press top and 2 lockable drawers


€ 403,00

Dimensions	1500 x 640 x 865h mm
Legs thickness	2 mm
Plate thickness	38 mm
Capacity	350 kg
Drawer dimensions	400 x 344 x 125h mm
Drawer capacity	50 kg
Net weight	75 kg

B009/A1
€516,00
WORKBENCH KIT

With wood press top, 3 lockable drawers, 1 shelf and adjustable feet


€ 414,00

Dimensions	1200 x 600 x 865h mm
Legs thickness	2 mm
Plate thickness	36 mm
Capacity	350 kg
Net weight	62 kg

B009/B1
€601,00
WORKBENCH KIT

With wood press top, 3 lockable drawers, 1 shelf with door and adjustable feet


€ 460,00

Dimensions	1200 x 600 x 865h mm
Legs thickness	2 mm
Plate thickness	36 mm
Capacity	350 kg
Net weight	64,5 kg

B009/A2
€813,00
WORKBENCH KIT

With wood press top, 3 lockable drawers, 1 door and shelf and adjustable feet


€ 612,00

Dimensions	1690 x 600 x 865 mm
Legs thickness	2 mm
Plate thickness	36 mm
Capacity	350 kg
Net weight	84 kg

B009/B2
€854,00
WORKBENCH KIT

With wood press top, 3 lockable drawers, 2 shelves with door and adjustable feet


€ 643,00

Dimensions	1690 x 600 x 865 mm
Legs thickness	2 mm
Plate thickness	36 mm
Capacity	350 kg
Net weight	90 kg

P009**€191,00****WALLCABINET KIT****€152,00**

Cabinet dimensions	1200 x 200 x 600h mm
Steel thickness	0,8 mm
Internal shelves	4
Hooks	18 (6 + 6 + 6)
Slot distance	30 mm
Net weight	17 kg

A100**€275,00****CABINET**

With 1 drawer, slide on bearing with locking device

**€226,00**

Cabinet dimensions	500 x 460 x 1000h mm
Steel thickness	1 mm
Internal shelves	2
Maximum capacity	100 kg
Shelf capacity	25 kg
Net weight	35 kg

A300**€440,00****CABINET**

With 2 drawers, slide on ball bearing with locking device

**€365,00**

Cabinet dimensions	1000 x 460 x 1000h mm
Steel thickness	1 mm
Internal shelves	2
Maximum capacity	150 kg
Shelf capacity	25 kg
Net weight	62 kg

C800**PRO €947,00****TOOL CABINET**

With 8 drawers, slide on bearing with locking device, without internal dividers.

**€781,00**

Drawer capacity	50 kg
External Dimensions	630 x 550 x 930h mm
Drawer dimensions	517 x 440 mm
Drawers height	8 x 73 mm
Net weight	58 kg

0849**€239,00****ALLUMINUM CASE SET**

Ergonomic handles and lock with key.

**Alu**

3 Pcs Aluminum

**€185,00**

Cases dimensions	730 x 380 x 360h mm - 680 x 310 x 320h mm - 475 x 260 x 210h mm
Net weight	14 kg

C087**€228,00****TOOL ROLLING CABINET**

Separable into 3 pieces.

**€175,00****ABS**

Steel

Dimensions	560 x 350 x 770h mm
Capacity	40 kg
Net weight	14 kg

0363-**3 PCS STEEL CASE SET**

Padlockable.

starting from
€143,00



External Dimensions	Net weight	Art.	€	Promo
770 x 420 x 305h mm, 915 x 440 x 565h mm, 1220 x 620 x 700h mm	107 kg	0363	€1040,00	€783,00
770x420x305h mm	14,5 kg	0363/30	€190,00	€143,00
915 x 440 x 565h mm	35 kg	0363/36	€243,00	€198,00
1220 x 620 x 700h mm	57 kg	0363/48	€686,00	€516,00

Promotion valid until 31/07/2023, while stocks last - VAT not included


MODULAR DRAWER UNIT WITH PULL-OUT TRAYS

Connectable with other drawers through guides to create infinite combinations. Equipped with trays locking to prevent the contents from accidentally falling and rear fixing holes for wall mounting. Made of resistant plastic, it is suitable for use in the construction site, at home and in the workshop.

C086/01T
€16,80
MODULAR DRAWER UNIT WITH PULL-OUT DRAWERS

€12,70

Dimensions	295 x 165 x 200h mm
Drawers number	1
Drawer dimensions	250 x 160 x 150 mm

C086/01C
€16,80
MODULAR DRAWER UNIT WITH PULL-OUT DRAWERS

€12,70

Dimensions	295 x 165 x 200h mm
Drawers number	1
Drawer dimensions	250 x 150 x 150 mm

C086/02C
€19,00
MODULAR DRAWER UNIT WITH PULL-OUT DRAWERS

€14,30

Dimensions	295 x 165 x 200h mm
Drawers number	2
Drawer dimensions	250 x 160 x 70 mm

C086/02T
€19,50
MODULAR DRAWER UNIT WITH PULL-OUT TRAYS

€14,70

Dimensions	295 x 165 x 200h mm
Drawers number	2
Drawer dimensions	250 x 160 x 70 mm

C086/04C
€20,00
MODULAR DRAWER UNIT WITH PULL-OUT DRAWERS

€15,10

Dimensions	300 x 200 x 165 mm
Drawers number	4
Drawer dimensions	120 x 160 x 70 mm

C086/04T
€22,20
MODULAR DRAWER UNIT WITH PULL-OUT TRAYS

€16,70

Dimensions	295 x 165 x 200h mm
Drawers number	4
Drawer dimensions	120 x 160 x 70 mm

C086/12C
€23,20
MODULAR DRAWER UNIT WITH PULL-OUT DRAWERS

€17,50

Dimensions	295 x 165 x 200h mm
Drawers number	12
Drawer dimensions	60 x 160 x 50 mm

0323/45

€ 49,10

TOOL CHEST

With 5 trays.



Steel

Dimensions 450 x 200 x 205 h mm
Net weight 4 kg

€ 39,90

0323/55

€ 55,70

TOOL CHEST

With 5 trays.



Steel

Dimensions 550 x 200 x 205h mm
Net weight 4,5 kg

€ 44,50

M430/B

PRO € 121,00

WATERPROOF TOOL CASE

Built in pressure valve with cubed-foam interior to protect the object stored. The superior protection from the elements, water, dust and impacts, make it suitable for a wide array of sectors and applications.



Box



Polyprop.



made in Italy



€ 97,10

External Dimensions 464 x 366 x 176 mm
Internal dimensions 426 x 290 x 159 mm
Internal volume 19.64 l

Working temperature -30 / 90°C (-22 / 194°F)
Net weight 2,8 kg

M540/BT

PRO € 301,00

WATERPROOF TOOL CASE WITH TROLLEY

Built in pressure valve with cubed-foam interior to protect the object stored. The superior protection from the elements, water, dust and impacts, make it suitable for a wide array of sectors and applications.



Box



Polyprop.



made in Italy



€ 235,00

External Dimensions 594 x 473 x 270 mm
Internal dimensions 538 x 405 x 245 mm
Internal volume 53.38 l

Working temperature -30 / 90°C (-22 / 194°F)
Net weight 5,2 kg

0683

€ 168,00

TROLLEY ABS TOOL CASE

Tools not included



Box



ABS



€ 120,00

A 460 mm
B 330 mm
C 190 mm
D 98 mm

E 92 mm
Capacity 25 kg
Net weight 4,5 kg

068X

ALUMINIUM TOOL CASE

Tools not included



Box



Aluminum

starting from
€ 92,90

A	B	C	D	E	Capacity	Net weight	Art.	€	Promo
510 mm	375 mm	185 mm	110 mm	75 mm	30 kg	5 kg	0680	€ 137,00	€ 102,00
440 mm	390 mm	185 mm	110 mm	75 mm	30 kg	4,8 kg	0681	€ 118,00	€ 92,90

0390

€ 45,70

TOOL BAG

With shoulder belt made of 1680 denier polyester, big and rugged pockets to accommodate a great number of tools.



Polyester



€ 38,40

Pockets 14
Dimensions 400 x 225 x 250h mm

0395

€ 56,20

TOOL BAG

With shoulder belt made of 1680 denier polyester, big and rugged pockets to accommodate a great number of tools.



Polyester



€ 47,10

Pockets 19
Dimensions 480 x 250 x 225h mm

0036-
STEEL VICE

Attaches directly to the work base to ensure high stability. Lateral sliding adjustment.




starting from
€ 87,00

Jaws	Opening	Working height	Net weight	Art.	€	Promo
100 mm	105 mm	60 mm	4,9 kg	0036/100	€ 114,00	€ 87,00
125 mm	138 mm	75 mm	9,5 kg	0036/125	€ 169,00	€ 131,00
150 mm	180 mm	90 mm	19 kg	0036/150	€ 285,00	€ 227,00

0140-
STEEL VICE

Attaches directly to the work base to ensure high stability. Lateral sliding adjustment. Equipped with hose clamp. Recommended for heavy use.



starting from
€ 36,10

Jaws	Opening	Working height	Slot distance	Net weight	Art.	€	Promo
80 mm	80 mm	60 mm	81 mm	4 kg	0140/080	€ 45,80	€ 36,10
100 mm	100 mm	65 mm	81 mm	5,5 kg	0140/100	€ 53,50	€ 41,60
125 mm	125 mm	90 mm	103 mm	10 kg	0140/125	€ 79,00	€ 62,20
150 mm	150 mm	95 mm	123 mm	14 kg	0140/150	€ 99,40	€ 78,30

0145-
STEEL VICE

Equipped with hose clamp.



starting from
€ 28,80

Jaws	Opening	Working height	Net weight	Art.	€	Promo
80 x 20 mm	80 mm	58 mm	3,7 kg	0145/80	€ 38,70	€ 28,80
100 x 20 mm	100 mm	70 mm	5,2 kg	0145/100	€ 43,00	€ 33,80
125 x 20 mm	125 mm	75 mm	7,4 kg	0145/125	€ 57,20	€ 41,30
150 x 27 mm	150 mm	95 mm	12 kg	0145/150	€ 93,10	€ 76,20

0146/60
STEEL VICE WITH SWIVEL BASE
€ 25,20


Cast Iron

Jaws	60 mm
Opening	65 mm
Clamp capacity	51 mm
Net weight	1,5 kg



€ 19,00

0036-XG
TABLE VICE WITH SWIVEL BASE

Attaches directly to the work base to ensure high stability. Lateral sliding adjustment. Equipped with swivel mechanism.




starting from
€ 106,00

Jaws	Opening	Net weight	Art.	€	Promo
100 mm	105 mm	5,5 kg	0036/100G	€ 134,00	€ 106,00
125 mm	124 mm	11 kg	0036/125G	€ 184,00	€ 145,00
150 mm	180 mm	22 kg	0036/150G	€ 316,00	€ 250,00

0591-
PRO
STEEL VICE

Attaches directly to the work base to ensure high stability. Lateral sliding adjustment. Equipped with bearing on the screw, hose clamp and interchangeable jaws.



starting from
€ 118,00

Jaws	Opening	Net weight	Art.	€	Promo
100 mm	95 mm	5,3 kg	0591/100	€ 151,00	€ 118,00
125 mm	130 mm	11 kg	0591/125	€ 213,00	€ 169,00


0174-
SG IRON BENCH VICE

Equipped with interchangeable jaws.



starting from
€ 47,30

Jaws	Opening	Net weight	Art.	€	Promo
100 x 20 mm	100 mm	4,8 kg	0174/100	€ 61,10	€ 47,30
125 x 22 mm	130 mm	7,7 kg	0174/125	€ 76,20	€ 60,50
150 x 22 mm	150 mm	10 kg	0174/150	€ 95,30	€ 75,80

M006-
GENERAL USE STEEL CLAMP WITH T-SPINDLE


Steel

Tempered





starting from
€ 22,10

Span x Depth	Spindle	Art.	€	Promo
200 x 120 mm	22 x 10,5 mm	M006/200	€ 27,20	€ 22,10
300 x 140 mm	25 x 12 mm	M006/300	€ 38,10	€ 27,80
420 x 120 mm	25 x 12 mm	M006/400	€ 38,60	€ 30,60
500 x 120 mm	25 x 12 mm	M006/500	€ 42,90	€ 30,70
600 x 120 mm	25 x 12 mm	M006/600	€ 61,60	€ 38,60
800 x 120 mm	25 x 12 mm	M006/800	€ 74,00	€ 42,40
1000 x 120 mm	25 x 12 mm	M006/1000	€ 87,90	€ 57,70

M007-**GENERAL USE STEEL CLAMP RATCHET**

Quick clamping.



starting from
€ 37,70

Span x Depth	Spindle	Art.	€	Promo
250 x 120 mm	22 x 10,5 mm	M007/250	€ 53,30	€ 37,70
300 x 140 mm	25 x 12 mm	M007/300	€ 61,60	€ 45,80
400 x 120 mm	25 x 12 mm	M007/400	€ 67,20	€ 47,10
500 x 120 mm	25 x 12 mm	M007/500	€ 72,40	€ 52,00
600 x 120 mm	25 x 12 mm	M007/600	€ 80,60	€ 61,80

0615**€ 4310,00****PRESSURE SANDBLAST CABINET**

With cyclone vacuum cleaner, HEPA filter, front opening and ceiling light with 3 fluorescent lamps.

Internal dimensions	1180 x 850 x 890 h mm
Maximum capacity	150 kg
Working pressure	6 ÷ 8 Bar
Air consumption	31 SCFM 880 l / min
Gun nozzle	ø 6 - 7 mm
Electric vacuum	230 V 50 Hz 0.7 kW
Filtration rate	8 micron
With light	Yes
Overall dimensions	1330 x 1515 x 2070 h mm
Net weight	300 kg



€ 3300,00

0687**€ 2220,00****VERTICAL SANDBLAST CABINET WITH VACUUM**

With paper filter

Working area	1200 x 600 x 600 h mm
Maximum capacity	120 kg
Working pressure	6.5 ÷ 7.5 Bar
Air consumption	21 SCFM 630 l / min
Gun nozzle	ø 6 - 7 mm
Electric vacuum	230 V 50 Hz 1.2 kW
Filtration rate	5 micron
Overall dimensions	1220 x 910 x 1740 h mm
Net weight	149 kg



€ 1710,00

0157-**C50 HARDENED STEEL ANVIL**

Sturdy construction, round hole and square hole for punching and bending.

**C50**

starting from
€ 84,30

Tolerance	Net weight	Art.	€	Promo
±5%	10 kg	0157/10	€ 112,00	€ 84,30
±5%	30 kg	0157/30	€ 269,00	€ 210,00
±5%	50 kg	0157/50	€ 392,00	€ 312,00
±5%	100 kg	0157/100	€ 819,00	€ 662,00

KIT0231**€ 4011,00****VERTICAL SANDBLAST CABINET + CORUNDUM + COMPOSITE NOZZLE****€ 2960,00****U003****0582/36****0605****SANDBLAST CABINET WITH 2 DUST COLLECTORS**

Working area	1180 x 850 x 890 h mm
Maximum capacity	150 kg
Working pressure	6 ÷ 8 Bar
Air consumption	31 SCFM 880 l / min
Gun nozzle	ø 6 - 7 mm
Electric vacuum	2 x 230 V 50 Hz 1,2 kW
Filtration rate	5 micron
With light	Yes
Overall dimensions	1800 x 1515 x 2070 h mm
Net weight	245 kg
Internal volume	827 L
Opening size	1000 x 480 + 1000 x 330 mm
Tank capacity	22 L

KIT0233**€ 1866,00****VERTICAL SANDBLAST CABINET WITH VACUUM + SANDBLAST CORUNDUM****€ 1290,00****0878****VERTICAL SANDBLAST CABINET WITH VACUUM**

Working area	960 x 480 x 250 ÷ 470 h mm
Working pressure	6.5 ÷ 7.5 bar
Air consumption	18 SCFM 540 l / min
Gun nozzle	ø 4 - 5 - 6 - 7 mm
Electric vacuum	230 V 50 Hz 1,2 kW
Filtration rate	5 micron
Overall dimensions	1030 x 850 x 1640 h mm
Net weight	100 kg
Internal volume	295 L
Opening size	945 x 380 + 945 x 380 mm

**0582/36**

0575
€ 744,00
VERTICAL SANDBLAST CABINET

Working area	850 x 480 x 340 ÷ 540 h mm
Working pressure	6.5 ÷ 7.5 Bar
Air consumption	8 ÷ 10 SCFM (240 ÷ 300 l / min)
Gun nozzle	ø 4 - 5 - 6 - 7 mm
Overall dimensions	890 x 560 x 1385 h mm
Net weight	46 kg
Internal volume	217 L
Opening size	860 x 595 mm


€ 614,00
KIT0123
€ 467,70
BENCH SANDBLAST CABINET + MICRO GLASS BEADS + SANDBLAST GUN + 4-PC CERAMIC NOZZLE SET + PAIR OF GLOVES
€ 298,00

0580
BENCH SANDBLAST CABINET

Overall dimensions	630 x 510 x 490 h mm
Working area	590 x 480 x 290 h mm
Working pressure	6.5 ÷ 7.5 Bar
Air consumption	8 ÷ 10 SCFM (240 ÷ 300 l / min)
Gun nozzle	ø 4 - 5 - 6 - 7 mm
Net weight	13 kg
Internal volume	95 L
Opening size	534 x 436 mm

0582-
SANDBLAST CORUNDUM

It stands out for being edgy and extremely stable by combining the properties of hardness and density. Its longevity and reusability make it the most used material for sandblasting. Being composed for the most part of aluminum oxide it is practically free of iron. Particularly suitable for cleaning metal surfaces, removing rust and oxide layers and removing temper colors


€ 78,60

Grit	Hardness	Net weight	Art.	€	Promo
36	9 Mohs	25 kg	0582/36	€ 96,00	€ 78,60
80	9 Mohs	25 kg	0582/80	€ 96,00	€ 78,60

0487
€ 304,00
BENCH SANDBLAST

With provision for the connection of a vacuum cleaner, lighting with low consumption lamp, gun and gloves


€ 240,00

Working area	685 x 455 x 420 mm
Working pressure	6.5 ÷ 7.5 Bar
Air consumption	8 ÷ 10 SCFM (240 ÷ 300 l / min)
Gun nozzle	ø 4 - 5 - 6 - 7 mm
With light	230 V 50 Hz; 6 W 12 V
Overall dimensions	755 x 495 x 720 h mm
Net weight	26.5 kg

0462
€ 792,00
SANDBLAST MACHINE WITH VACUUM

For rusted metallic objects that can't be put in traditional sandblast machine. If the object to be considered is flat, the vacuum cleaner allows the operator to not lose the most part of the abrasive material that is being used. The four wheels, two of which swivel, allow the operator that the machine is close to the object to be sandblasted

Tubes length	2.5 m
Motor	230 V 50 Hz 1.2 kW
Max vacuum capacity	13 ÷ 15 kPa
Working pressure	8 Bar
Air consumption	420 l / min
Dimensions	404 x 612 x 1046 h mm
Net weight	30 kg


€ 631,00
KIT0226
€ 275,00
SODA BLASTER + SODA BLASTING MEDIA
€ 208,00

0310B

0310
SODA BLASTER

Overall dimensions	350 x 400 x 788 h mm
Capacity	18 l
Working pressure	2.5 ÷ 6.2 bar
Air consumption	8 ÷ 10 SCFM (240 ÷ 300 l / min)
Gun nozzle	ø 2 - 3 mm
Net weight	13 kg

0578-

SILICON CARBIDE

Black Silicon Carbide is the hardest material used for sandblasting, making it the ideal solution for all the most demanding jobs. Virtually iron-free, its abrasive properties make it very aggressive and fast in removing impurities. Its conformation allows the grains to break continuously creating new sharp and cutting edges, increasing the fineness of the grain size. Very durable it allows a high reusability. It tends to be incorporated into the material



€ 99,70

Grit	Hardness	Net weight	Art.	€	Promo
36	9.1 Mohs	25 kg	0578/36	€ 132,00	€ 99,70
80	9.1 Mohs	25 kg	0578/80	€ 132,00	€ 99,70

0579-

GARNET

Garnet is one of the last natural abrasives still in use. It is a natural stone, and therefore ecological, with excellent abrasive properties that allows you to create profiles without abrasive incorporation, produce little dust and have a relatively low consumption. It is excellent for removing hard coatings, paint, rust and laminate scales. It can be used for both dry and water sandblasting. Its low cost makes it an alternative to corundum.



€ 39,80

Grit	Hardness	Net weight	Art.	€	Promo
36 ÷ 60	7.5 Mohs	25 kg	0579/30	€ 52,00	€ 39,80
80	7.5 Mohs	25 kg	0579/80	€ 52,00	€ 39,80

0569

€ 82,50

STEEL SHOT

Thanks to their spherical surface and hardness they allow to obtain shiny surfaces. Excellent for removing paint, blemishes, burrs and rust. Their low crushing does not create dust inside the sandblasting cabin and allows a long life of the abrasive. They can be used both as a means for shot peening and for both dry and water sandblasting.



€ 62,60

Grit	S390
Hardness	40 ÷ 50 HRC
Net weight	25 kg

0581

€ 84,80

MICRO GLASS BEADS

Thanks to their spherical shape they are perfect for surface finishing. They create smooth and bright surfaces, leaving an incomparable satin effect. As they do not contain iron, they are very suitable for working on stainless steel for food use and aluminum. The microspheres will not damage the substrate of the material being processed but will leave an anchoring profile for subsequent painting, especially on soft materials such as brass, aluminum, plastics, etc...



€ 67,90

Grit	50 ÷ 70 (0,3 ÷ 0,2 mm)
Hardness	5-7 Mohs
Net weight	25 kg

0310B

€ 74,00

SODA BLASTING MEDIA

Salt composed basic bicarbonate synthetic, suitable for treating steel, aluminum, fiberglass, plastic, bricks etc ...



€ 57,60

Grit	36 ÷ 80 (0,5 ÷ 0,3 mm)
Hardness	2,5 - 3 Mohs
Decomposition temperature	> 50°C
Net weight	25 kg

0203

€ 582,00

BENCH PART WASHER

For washing with water/solvent, with a venturium pneumatic gun



€ 438,00

Dimensions	770 x 595 x 700h mm
Tank capacity	4 ÷ 9 l
Avg air cons.	5 SCFM 145 l / min
Working area	765 x 560 x 380 mm
Power	30 W
Washing pressure	5 ÷ 8 Bar
Power	230 V 50 Hz
Net weight	32 kg

KIT0234

€ 866,00

DEGREASER CLEANING TANK + DETERGENT LIQUID

€ 633,00



0632/DCF



0305

PART WASHER WITH HEATING SYSTEM

Tank capacity	8 ÷ 14 l
Avg air cons.	5 SCFM 145 l / min
Working area	760 x 560 x 380 mm
Washing pressure	5 ÷ 8 Bar
Power	1350 W
Dimensions	790 x 610 x 1260 h mm
Net weight	49 kg

KIT0194
€ 879,00
**PARTS WASHER WITH DUAL PUMP
+ DETERGENT LIQUIDS**
€ 687,00
0632/D

0486
PARTS WASHER WITH DUAL PUMP

Left tank internal dimensions	470 x 520 x 270 mm
Right tank internal dimensions	590 x 520 x 270 mm
Tub capacity	150 l
Pump	230V 50Hz 26 + 26 W
Pump capacity	10 ÷ 12 l/min
Size	1140 x 550 x 880 h mm
Net weight	43 kg

0632
€ 805,00
**DEGREASER CLEANING PNEUMATIC
TANK**

Internal tank dimensions	710 x 480 x 200 h mm
Height	1015 mm
Tank capacity	50 l
Tub capacity	65 l
Power pressure	6 Bar
Maximum tank pressure	0.5 Bar
Net weight	38 kg


€ 648,00
0632-
DETERGENT LIQUID

**starting from
€ 78,10**

Contents	Specification	Art.	€	Promo
25 l	Solvent base	0632/D	€ 143,00	€ 113,00
25 l	Water dilutable max. 50%	0632/DA	€ 191,00	€ 151,00
25 l	Water dilutable max. 20%, hot usage	0632/DCF	€ 105,00	€ 78,10

0038
€ 283,00
DEGREASER CLEANING TANK

75L capacity, with 26w pump, cleaning brush and hose, workpiece tray.

Internal tank dimensions	710 x 480 x 260h mm
Tub capacity	75 l
Pump	230 V 50 Hz 26 W
Pump capacity	10-12 l / min
Dimensions	775 x 540 x 880 h mm
Net weight	25 kg


€ 226,00
0232
€ 357,00
**DEGREASER CLEANING TANK WITH
WHEEL**

Internal tank dimensions	710 x 480 x 200 h mm
Tub capacity	60 l
Pump	230 V 50 Hz 26 W
Pump capacity	10 ÷ 12 l / min
Dimensions	970 x 540 x 930 h mm
Net weight	35 kg


€ 284,00
0211
€ 508,00
**TEAR-DOWN WORKBENCH WITH
FLUID RECOVERY**

Provided in assembly kit, with one drawer equipped with lock, removable bowl and pivoting wheels, 2 with safety brake.

Dimensions	1200 x 640 x 872h mm
Working table dimensions	1190 x 635 x 15h mm
Drawer dimensions	420 x 340 x 120h mm
Internal tank dimensions	360 x 260 x 115h mm
Internal shelf height	445 mm
Maximum capacity with wheels	280 kg
Maximum capacity without wheels	350 kg
Net weight	64 kg


€ 374,00
A024/10
€ 69,90
WET AND DRY VACUUM CLEANER

With ABS tank, blower function, equipped with accessories.

Power	1,2 kW
Capacity	10 l
Motor	230 V 50 Hz
Air flow	30 ± 2 l/s
Net weight	3,7 kg


**SUPER
PROMO**
€ 39,90

A025/30**€104,00****WET AND DRY VACUUM CLEANER**

With stainless steel tank, blower function, equipped with accessories

Power	1,2 kW
Capacity	30 l
Motor	230 V 50 Hz
Air flow	28 l / s
Net weight	6 kg

**€78,40****A040/30A****€182,00****INDUSTRIAL WET AND DRY VACUUM CLEANER EQUIPPED OF ACCESSORIES**

For industrial use, with socket for electronic devices

Power	1,4 kW
Capacity	30 l
Motors	1 (230 V 50 Hz)
Air flow	35 l / s
Power socket	1600 W
Net weight	7,5 kg

**€149,00****A040/60A****€296,00****INDUSTRIAL WET AND DRY VACUUM CLEANER EQUIPPED OF ACCESSORIES**

For industrial use, with socket for electronic devices

Power	1,4 kW
Capacity	60 l
Motors	1 (230 V 50 Hz)
Air flow	46 l / s
Power socket	1600 W
Net weight	13 kg

**€235,00****A024/602****€287,00****60L 2 MOTORS WET AND DRY VACUUM CLEANER**

With ABS tank, equipped with accessories.

Power	2,8 kW
Capacity	60 l
Motors	2 (230 V 50 Hz)
Air flow	30 ±2 l/s
Net weight	12,5 kg

**€217,00****A040/802****€519,00****80L 2 MOTORS INDUSTRIAL WET AND DRY VACUUM CLEANER**

For industrial use, equipped with accessories

Power	2 kW
Capacity	80 l
Motors	2 (230 V 50 Hz)
Air flow	75 l / s
Dimensions	600 x 580 x 950 mm
Net weight	25 kg

**€409,00****A040/803****€642,00****80L 3 MOTORS INDUSTRIAL WET AND DRY VACUUM CLEANER**

For industrial use, equipped of accessories

Power	3 kW
Capacity	80 l
Motors	3 (230 V 50 Hz)
Air flow	96 l / s
Dimensions	600 x 580 x 950 mm
Net weight	28 kg

**€524,00****P001/45****€2860,00****HYDRAULIC SHOP PRESS WITH MANUAL PNEUMATIC CONTROL**

Equipped with mobile piston with trolley, with winch for bench movement, manual control and pneumatic servo pump with hand control

Capacity	45000 kg
Working area	830 x 360 x 1000 h mm
Cylinder ø	90 mm
Ram ø	58 mm
Ram stroke	190 mm
Working pressure	7÷ 8 Bar
Max. pressure	63,5 MPa
Dimensions	1400 x 800 x 1700 h mm
Net weight	330 kg

**€2250,00****P001/30****€1130,00****HYDRAULIC SHOP PRESS**

With two speed pump and movable piston

Capacity	30000 kg
Working area	525 x 290 x 980h mm
Cylinder ø	92 mm
Ram ø	56 mm
Ram stroke	160 mm
Max. pressure	69 MPa
Dimensions	875 x 700 x 1780 h mm
Net weight	145 kg

**€871,00**

P001/20
€ 924,00
HYDRAULIC SHOP PRESS

With moveable piston

Capacity	20000 kg
Working area	495 x 200 x 1125 h mm
Cylinder ø	75 mm
Ram ø	48 mm
Ram stroke	140 mm
Max. pressure	69.3 MPa
Dimensions	690 x 600 x 1830 h mm
Net weight	94 kg

€ 732,00

P001/12
€ 559,00
HYDRAULIC SHOP PRESS

With movable piston

Capacity	12000 kg
Working area	480 x 190 x 900 h mm
Cylinder ø	56 mm
Ram ø	38 mm
Ram stroke	135 mm
Max. pressure	69 MPa
Dimensions	730 x 550 x 1600 h mm
Net weight	60 kg

€ 431,00

P001/10
€ 457,00
HYDRAULIC SHOP PRESS

With bench and movable piston

Capacity	10000 kg
Working area	340 x 140 x 370 h mm
Cylinder ø	56 mm
Ram ø	38 mm
Ram stroke	130 mm
Max. pressure	69 MPa
Dimensions	565 x 500 x 1040 h mm
Net weight	52 kg

€ 353,00

P028-
HAND PUNCH

With spring loaded return

**starting from
€ 107,00**

Max height piece	Max ø piece	Net weight	Art.	€	Promo
170 mm	150 mm	8,5 kg	P028/07	€ 137,00	€ 107,00
275 mm	180 mm	18 kg	P028/14	€ 232,00	€ 185,00


0054/10
€ 385,00
HYDRAULIC BODY FRAME REPAIR KIT

€ 279,00

Capacity	10 ton	Ram stroke	130 mm
Ram length	330 mm	Net weight	30 kg

0054/4
€ 310,00
HYDRAULIC BODY FRAME REPAIR KIT

€ 237,00

Capacity	4 ton	Ram stroke	120 mm
Ram length	270 mm	Net weight	19 kg

0664
€ 349,00
**HYDRAULIC PUMP WITH
PNEUMATIC PEDAL CONTROL**

Useful for shop press, trolley jacks and rams.


€ 279,00

Rated pressure	70 MPa
Working pressure	7 ÷ 8 bar
Usable oil capacity	690 c.c.
Air consumption	10 SCFM
Net weight	8 kg

0271
€ 142,00
HYDRAULIC PUMP

With pump activation pedal.


€ 106,00

Rated pressure	63,7 MPa
Usable oil capacity	790 ml
Hose length	1500mm
Net weight	7 kg

P. 074

Promotion valid until 31/07/2023, while stocks last - VAT not included

0567

€ 103,00

LOW PROFILE HYDRAULIC TROLLEY JACK

2 tons, made of steel



Capacity	2 ton
Lifting	90 ÷ 385 mm
Dimensions	580 x 165 x 235 h mm
Net weight	13 kg

€ 81,40

0375A

€ 295,00

LOW PROFILE HYDRAULIC TROLLEY JACK

2,5 ton, double pump quick lift, with load limiter.



Capacity	2.5 ton
Lifting	75 ÷ 500 mm
Dimensions	680 x 345 x 220 h mm
Net weight	32,5 kg

€ 224,00

0060

€ 76,10

HYDRAULIC TROLLEY JACK

Metal body frame. Handle for hand carrying. Extendable lever.



Capacity	2 ton
Dimensions	535 x 225 x 145 mm
Lifting	135 ÷ 385 mm
Net weight	11 kg

€ 60,10

C039/15

€ 228,00

HYDRAULIC TROLLEY JACK

Aluminium and steel hydraulic trolley jack with double pump



Capacity	1,5 ton
Dimensions	490 x 270 x 130 h mm
Lifting	90 ÷ 358 mm
Net weight	15 kg

€ 173,00

0369

€ 358,00

HYDRAULIC TROLLEY JACK

Dual pump, with removeable saddle and rubber pad



Capacity	3,5 ton
Dimensions	745 x 335 x 180 mm
Lifting	110 ÷ 560 mm
Net weight	46 kg

€ 289,00

0065A

€ 249,00

HYDRAULIC TROLLEY JACK

With removable saddle.



Capacity	3 ton
Dimensions	660 x 345 x 260 mm
Lifting	140 ÷ 515 mm
Net weight	33 kg

€ 199,00

C039/25

€ 315,00

HYDRAULIC TROLLEY JACK

Aluminium and steel hydraulic trolley jack with double pump



Capacity	2.5 ton
Dimensions	659 x 289 x 165 h mm
Lifting	110 ÷ 460 mm
Net weight	27 kg

€ 240,00

0658

€ 858,00

HYDRAULIC JACK

Capacity	10 ton
Lifting range of foot	30 ÷ 260 mm
Lifting range of head	420 ÷ 665 mm
Net weight	30 kg

€ 679,00

0067
€ 29,20
COUPLE JACK STAND

Height adjustable with fixing pin.


€ 24,20

Capacity	2 ton
Heighths	240 - 270 - 320 - 365 mm
Net weight	3 kg

0069-
COUPLE JACK STAND

**starting from
€ 39,90**

Capacity	Height min - max	Base dimensions	Art.	€	Promo
3 ton	298 ÷ 428 mm	190 x 210 mm	0069/3	€ 48,20	€ 39,90
6 ton	400 ÷ 610 mm	260 x 285 mm	0069/6	€ 89,60	€ 74,40
10 ton	468 ÷ 718 mm	290 x 328 mm	0069/10	€ 197,00	€ 155,00

0021/1
€ 554,00
HYDRAULIC FOLDING CRANE

With two pivoting wheels with brakes, cast iron wheels. Lowering system and pumping lever arranged laterally. The ability to fold the legs when not in use allows it to be stored in confined spaces.


€ 418,00

Capacity	1000 kg
Dimensions	1540 x 1020 x 1550h mm
Fold dimensions	490 x 510 x 1520h mm
Min/max boom extension	810 ÷ 1090 mm
Hook heights with raised arm	1900 mm @ 1000 kg 2080 mm @ 250 kg
Hook heights with lowered arm	0 mm @ 250 kg 240 mm @ 1000 kg
Front opening	1030 mm
Net weight	64,5 kg

0021/2
€ 678,00
HYDRAULIC FOLDING CRANE

With two pivoting wheels with brakes, cast iron wheels. Lowering system and pumping lever arranged laterally. The ability to fold the legs when not in use allows it to be stored in confined spaces.


€ 512,00

Capacity	2000 kg
Dimensions	1760 x 1031 x 1600h mm
Fold dimensions	855 x 720 x 1610h mm
Min/max boom extension	750 ÷ 1280 mm
Hook heights with raised arm	1980 mm @ 2000 kg 2450 mm @ 500 kg
Hook heights with lowered arm	0 mm @ 500 kg 300 mm @ 2000 kg
Front opening	1050 mm
Net weight	90,5 kg

0063
€ 695,00
HYDRAULIC FOLDING CRANE

With two pivoting wheels and rear pad brake, lowering system and pumping lever placed in the rear, cast iron wheels. The ability to fold the legs when not in use allows it to be stored in confined spaces.


€ 558,00

Capacity	1000 kg
Dimensions	1800 x 1000 x 1500h mm
Fold dimensions	800 x 860 x 1600h mm
Min/max boom extension	680 ÷ 1220 mm
Hook heights with raised arm	2100 mm @ 1000 kg 2550 mm @ 250 kg
Hook heights with lowered arm	0 mm @ 250 kg 480 mm @ 1000 kg
Front opening	800 mm
Net weight	90 kg

0094
€ 348,00
TRANSMISSION JACK

With load limiter, cross support and tilt support to better align and position gearboxes and differentials.


€ 284,00

Capacity	500 kg
Dimensions	1190 x 700 x 660 mm
Min - Max height	1190 ÷ 2000 mm
Net weight	32,5 kg

S033
€ 164,00
ENGINE STAND

2 swivel wheels with brake and 2 fixed cast iron wheels, possibility to tilt the engine. Equipped with rotating small parts shelf


€ 128,00

Capacity	600 kg
Dimensions	1230 x 850 x 930 mm
Net weight	27,5 kg

S068
€ 209,00
ENGINE STAND

2 swivel wheels with brake and 2 fixed cast iron wheels, possibility to tilt the engine. The ability to fold it when not in use allows it to be stored in confined spaces.


€ 164,00

Capacity	680 kg
Dimensions	860 x 830 x 870 mm
Net weight	31 kg

S019**€ 149,00****ENGINE STAND**

2 wheels with breaks and 2 fix wheels,
possibility to tilt the motor

**€ 120,00**

Capacity	450 kg
Dimensions	865 x 810 x 870 mm
Net weight	21 kg

R015**€ 168,00****CAR RAMPS SET**

2 Pcs

**€ 135,00**

Dimensions	905 x 330 x 218 mm
Capacity	2,5 ton
Max tire width	240 mm
Min - Max height	170 mm
Tilting	15°
Net weight	8 kg

0594**€ 147,00****OIL DRAINER WITHOUT TANK**

With wheels, to use under lifts, for waste oil

**€ 116,00**

Base dimensions	390 x 390 mm
Height max	1700 mm
Net weight	13 kg

0596**€ 473,00****PNEUMATIC OIL DRAINER**

With wheels and different size of suction probes, for
waste oil, for use under lifts too

**€ 379,00**

Tank capacity	70 l
Measuring tank capacity	10 l
Height max	1500 mm
Metal probe	2 x ø6 mm x 695 mm
Nylon probe	2 x ø6 mm x 680 mm 2 x ø8 mm x 700 mm
Suction	ø6 x 4,5 mm - 0,4 ÷ 0,8 l/min ø8 x 6,5 mm - 1 ÷ 1,6 l/min
Rubber hose length	Suction 1500 mm Drain 2050 mm
Power pressure	8 ÷ 10 bar
Maximum tank pressure	0.45 bar
Net weight	25 kg

S024**€ 143,00****ENGINE SUPPORT**

Engine support holds your engine or transmission in place during heavy automotive repairs, used to support the engine while removing gear box, transmission, replacing clutch and all motor mounts. rubber feet for safe hold of motor, easy regulation for hold engine in its place in the car. swivel and tilting holders.

**€ 113,00**

Capacity	500 kg
Adjusting height	205 mm
Bed length	730 ÷ 1480 mm
Net weight	13 kg

0649-**ALUMINUM RAMPS**

In aluminum with non-slip floors. Load 170kg.



starting from
€ 302,00

Dimensions	Capacity	Max Working angle	Max Working height	Art.	€	Promo
1520 x 735 mm	170 kg	12,5 % (7°)	180 mm	0649/1500	€ 380,00	€ 302,00
1800 x 735 mm	150 kg	12,5 % (7°)	220 mm	0649/1800	€ 472,00	€ 368,00

0595**€ 295,00****OIL DRAINER**

With tank and wheels, to use under lifts, for
waste oil

**€ 233,00**

Tank capacity	70 l
Height min - max	1170 ÷ 1860 mm
Maximum tank pressure	0.45 bar
Net weight	23 kg

0630/2720**€ 1050,00****12V ELECTRIC WINCH - DIRECT CURRENT**

Permanent magnet motor, metal frame, strong cable, with anti unwinding device and cable guide. To be used only for horizontal pulling, not suitable for lifting.

SUPER PROMO**IP55****€ 495,00**

Rated line pull	2720 kg
Speed	1,3 - 4,5 m / min
Motor	12 V 1,3 kW 1,8 hp
Gear Reduction ratio	294:1
Cable size	ø 7,2 mm x 32 m
Drum dimensions	ø 63 x 228 mm
Overall dimensions	520 x 180 x 175h mm
Net weight	29 kg

0630/2200
€ 776,00
12V ELECTRIC WINCH - DIRECT CURRENT

Permanent magnet motor, metal frame, strong cable, with anti unwinding device and cable guide. To be used only for horizontal pulling, not suitable for lifting

SUPER PROMO


Rated line pull	2000 kg
Speed	1,5 - 3,6 m / min
Motor	12 V 1,0 kW 1,3 hp
Gear reduction ratio	172:1
Cable size	ø 6,4 mm x 14,5 m
Drum dimensions	ø 45 x 97 mm
Overall dimensions	364 x 126 x 141 mm
Net weight	13 kg

€ 395,00

0630/0900
€ 314,00
12V ELECTRIC WINCH - DIRECT CURRENT

Permanent magnet motor, metal frame, hook with pulley for double pull, resistant cable, with anti unwinding device and cable guide. To be used only for horizontal pulling, not suitable for lifting.



Rated line pull	450 / 900 kg
Speed	1,3 - 3,2 m / min
Motor	12 V 0,7 kW 0,9 hp
Gear reduction ratio	153:1
Cable size	ø 4 mm x 15 m
Drum dimensions	ø 31,5 x 73 mm
Overall dimensions	285 x 105 x 105 mm
Net weight	6,7 kg

€ 234,00

S029
€ 2630,00
ELECTRO-HYDRAULIC MOTORCYCLE LIFT

€ 1990,00

Max lifting capacity	600 kg
Platform dimensions	2200 x 750 mm
Total length	2995 mm
Service hole dimensions	550 x 340 mm

Min - Max height	260 - 520 - 625 - 710 - 780 - 840 mm
Vice	330 x 320 mm
Vice opening	40 ÷ 180 mm
Motor	230 V 50 Hz 550 W
Net weight	225 kg

S029P
€ 2850,00
ELECTRO-HYDRAULIC MOTORCYCLE LIFT

With pump and separate control system that give the possibility to position it at floor level.


€ 2120,00

Max lifting capacity	600 kg
Platform dimensions	2200 x 750 mm
Total length	2995 mm
Service hole dimensions	550 x 340 mm

Min - Max height	215 - 520 - 625 - 710 - 780 - 840 mm
Vice	330 x 320 mm
Vice opening	40 ÷ 180 mm
Motor	230 V 50 Hz 550 W
Net weight	240 kg

S027
€ 2400,00
ELECTRO-HYDRAULIC MOTORCYCLE LIFT

€ 1810,00

Max lifting capacity	600 kg
Platform dimensions	1800 x 600 mm
Total length	2600 mm
Service hole dimensions	550 x 340 mm

Min - Max height	260 ÷ 880 mm
Vice	330 x 320 mm
Vice opening	40 ÷ 200 mm
Motor	230 V 50 Hz 550 W
Net weight	150 kg

S013
€ 1900,00
HYDRAULIC LIFT TABLE

With foot pump and pneumatic control


€ 1490,00

Max lifting capacity	600 kg
Platform dimensions	2000 x 1220 mm
Total length	2575 mm

Min - Max height	185 ÷ 825 mm
Net weight	230 kg

KIT0240
€ 1177,00
HYDRAULIC MOTORCYCLE LIFT TABLE + TOOL BOX WITH TOOLS AND ACCESSORIES + HYGIENIZING DETERGENT WIPES
€ 713,00
SUPER PROMO
S008/M
HYDRAULIC MOTORCYCLE LIFT TABLE

Max lifting capacity	400 kg
Platform dimensions	1825 x 660 mm
Total length	2500 mm
Min - Max height	195 ÷ 750 mm
Vice	410 x 100 mm
Vice opening	210 x 50 mm
Net weight	133 kg


0399
HC001


0430

€ 266,00

MOTORCYCLE DOLLY

Powder coated steel. It is suitable for motorcycles and scooters that have the side stand. It allows you to move and to park your bike in tight spaces



Maximum capacity	300 kg
Length	1929 mm
Net weight	33 kg

€ 221,00

S017

€ 230,00

UNIVERSAL TELESCOPIC CART

Adjustable in height and length, made of square steel pipes, after use it can be stored in small space, upper sides with rubber to prevent scratches and give more stability to the leaned object, 4 swivel casters of which 2 with brake, ideal for the car body repair, for repairing and spraying area



Height min - max	840 ÷ 1320 mm
Length	225 ÷ 1380 mm
Width	860 mm
Capacity	100 kg
Net weight	26 kg

€ 185,00

0645/CC

€ 95,60

THREE-DRAWER CAR SEAT

Equipped with 3 drawers with bearings, 3 can trays and a small frontal tray, 4 pivoting wheels



Box

Dimensions	370 x 400 x 367h mm
Drawer dimensions	3 - 150 x 300 x 40 h mm
Net weight	8 kg



€ 70,60

0645/C

€ 63,30

6 WHEELS CAR CREEPER

Box

Dimensions	1030 x 420 x 110h mm
Net weight	6,5 kg

€ 50,80

0217

€ 206,00

VEHICLE POSITIONING JACK

With wheel positioning brakes.



Capacity	680 kg
Lateral stroke	370 mm
Working range	710 - 340 mm
Max tire width	325 mm
Overall dimensions	730 x 468 x 440h mm
Net weight	15 kg

€ 157,00

0645/S

€ 56,70

SHOP SEAT

With pivoting wheels, tool holder base, seat with padding



Box

Dimensions	368 x 360 x 365 mm
Net weight	3,8 kg

€ 41,70

0645/CP

€ 70,50

PLASTIC CREEPER

Shockproof, with 6 wheels.



Box

Dimensions	1000 x 470 x 120h mm
Net weight	4,8 kg

€ 54,70

0645/SS

€ 69,60

6 WHEELS CAR CREEPER

Dimensions	1030 x 420 x 110h mm
Net weight	6,5 kg

€ 55,50

0256-
BOTTLE JACK

Hydraulic jack. it provides an excellent stability thanks to its small size. easy to carry and use



starting from
€ 43,50

Max. load	Min. height	Stem	Piston stroke	Art.	€	Promo
5 ton	33 ÷ 39 mm	ø 24 mm	6 mm	0256/05	€ 58,00	€ 43,50
10 ton	44 ÷ 55 mm	ø 38 mm	11 mm	0256/10	€ 98,60	€ 78,90
20 ton	52 ÷ 63 mm	ø 50 mm	11 mm	0256/20	€ 121,00	€ 99,40
30 ton	60 ÷ 72 mm	ø 63 mm	12 mm	0256/30	€ 133,00	€ 111,00
50 ton	66 ÷ 78 mm	ø 70 mm	12 mm	0256/50	€ 190,00	€ 146,00

0062-
BOTTLE JACK

Hydraulic jack. it provides an excellent stability thanks to its small size. easy to carry and use



starting from
€ 21,50

Capacity	Min. height	Lifting	Art.	€	Promo
2 ton	181 mm	116 mm	0062/2	€ 26,30	€ 21,50
5 ton	220 mm	127 mm	0062/5	€ 41,00	€ 33,00
10 ton	230 mm	150 mm	0062/10	€ 55,10	€ 46,40
15 ton	230 mm	150 mm	0062/15	€ 81,30	€ 66,70
20 ton	242 mm	150 mm	0062/20	€ 92,80	€ 75,00
32 ton	285 mm	180 mm	0062/32	€ 178,00	€ 112,00
50 ton	295 mm	180 mm	0062/50	€ 306,00	€ 236,00

0010
€ 853,00
LIFT TROLLEY

With foldable handle, mechanical blocking system of the platform, swivel wheels with brakes



€ 666,00

Capacity	500 kg
Table dimensions	850 x 500 x 50 mm
Lifting	290 ÷ 880 mm
Net weight	86 kg

0075
€ 780,00
LIFT TROLLEY

With foldable handle with mechanical blocking system, swivel wheels with brakes



€ 621,00

Capacity	300 kg
Table dimensions	850 x 500 x 50 mm
Lifting	290 ÷ 880 mm
Net weight	78 kg

0467
€ 1010,00
HIGH LIFT TROLLEY

With double scissor action, mechanical blocking system of the platform, swivel wheels with brakes



€ 800,00

Capacity	350 kg
Table dimensions	910 x 500 x 53 mm
Lifting	335 ÷ 1300 mm
Net weight	92 kg

C650
€ 180,00
THREE SHELVES TROLLEY

Strong and easy to assemble, 2 swivel and 2 fixed casters



€ 141,00

Dimensions	800 x 450 x 800h mm
Steel thickness	2 mm
Wheels	ø 80 mm
Capacity	100 kg
Net weight	23 kg

C750
€ 296,00
THREE SHELVES TROLLEY

Strong and easy to assemble, 2 swivel and 2 fixed casters



€ 253,00

Dimensions	940 x 600 x 870h mm
Steel thickness	2,3 mm
Wheels	ø 150 mm
Capacity	200 kg
Net weight	52 kg

C065/2
€ 190,00
PP TWO SHELVES TOOL CART

Light weight, strong and easy to assemble, 2 swivel and 2 fixed casters



€ 153,00

Dimensions	1010 x 440 x 840h mm
Wheels	ø 125 mm
Capacity	250 kg
Working temperature	-20 °C a +50 °C
Net weight	15,5 kg

C075/2**€ 249,00****PP TWO SHELVES TOOL CART**

Light weight, strong and easy to assemble , 2 swivel and 2 fixed casters

**€ 201,00**

Dimensions	1170 x 652 x 840h mm
Wheels	ø 125 mm
Capacity	250 kg
Net weight	22,5 kg

C009**€ 400,00****CART WITH WOODEN SHELF**

Cart made of steel, with 2 fixed wheels and 2 swivel wheels with brake

**€ 317,00**

Overall dimensions	1000 x 800 x 810 h mm
Steel thickness	2 mm
Plate thickness	36 mm
Wheels	ø 150 mm
Capacity	150 kg
Net weight	52 kg

CX**PVC PLATFORM TROLLEY**

With foldable handle, 2 fixed casters and 2 swivel casters

starting from
€ 55,10



Capacity	Platform dimensions	Art.	€	Promo
150 kg	700 x 450 mm	C150	€ 70,50	€ 55,10
300 kg	900 x 600 mm	C300	€ 187,00	€ 149,00

C1102**€ 92,80****HAND TRUCK WITH PNEUMATIC WHEELS**

For flower pots and boxes, safety handles, epoxy painting

**€ 60,50**

Pneumatic wheels	Ø 260 x 85 mm
Capacity	200 kg
Toe plate dimensions	450 x 215 mm
Net weight	8,5 kg

C182**€ 190,00****ALUMINUM HAND TRUCK WITH PNEUMATIC WHEELS**

Aluminium

**€ 152,00**

Pneumatic wheels	Ø 260 x 85 mm
Capacity	200 kg
Toe plate dimensions	300 x 205 mm
Net weight	6 kg

C189**€ 94,40****MULTIFUNCTION HAND TRUCK**

With pneumatic wheels for firewood, pots, boxes and other objects. strong, easy to handle and versatile. plastic handles

**€ 75,50**

Pneumatic wheels	Ø 260 x 85 mm
Capacity	150 kg
Toe plate dimensions	400 x 250 mm
Movable grid	340 x 390 mm
Net weight	11,5 kg

0056-**CHAIN HOIST**

starting from
€ 107,00

Capacity	Lifting	Net weight	Art.	€	Promo
1000 kg	3000 mm	11 kg	0056/1	€ 157,00	€ 107,00
2000 kg	3000 mm	20 kg	0056/2	€ 233,00	€ 186,00

0237-**LEVER CHAIN HOIST**

starting from
€ 151,00

Capacity	Lifting	Net weight	Art.	€	Promo
500 kg	1500 mm	5 kg	0237/05	€ 190,00	€ 151,00
1500 kg	1500 mm	10 kg	0237/15	€ 282,00	€ 226,00

0236
€ 92,40
HOIST ARM

€ 75,30

Capacity	300 kg
Arm length	750 mm
Slot distance	380 mm
Stem	45 X 45 mm ²
Net weight	6 kg

0600
€ 320,00
CABLE HOIST

€ 252,00

Capacity	200 / 400 kg
Cable length	18 m
Speed	8 m / min
Motor	230 V 50 Hz 0,75 kW
Net weight	16,7 kg

0602
€ 287,00
ELECTRIC CABLE HOIST

€ 228,00

Capacity	200 / 400 kg
Cable length	18 m
Speed	8 m/min
Motor	230 V 50 Hz 1 kW
Net weight	16,7 kg

SX
MAGNETIC LIFTER

Neodymium.


**starting from
€ 420,00**

Maximum capacity	Round bar lifting cap.	Art.	€	Promo
300 kg	100 kg	S0300	€ 580,00	€ 420,00
600 kg	200 kg	S0600	€ 987,00	€ 600,00
1000 kg	330 kg	S1000	€ 1370,00	€ 936,00

0791-
WIRE ROPE PULLING HOIST

For pulling and lifting


**starting from
€ 255,00**

Max load	Cable	Net weight	Art.	€	Promo
800 kg	ø 8,3mm x 20m	11 kg	0791/08	€ 373,00	€ 255,00
1600 kg	ø 11mm x 20m	24 kg	0791/16	€ 504,00	€ 376,00
3200 kg	ø 16mm x 20m	50 kg	0791/32	€ 986,00	€ 666,00

0066
€ 34,90
DOUBLE RATCHET HAND PULLER

€ 28,60

Max load	800 kg
Cable diameter	ø 5 mm
Max length	2 m
Net weight	2,7 kg

0070/C
€ 45,80
GEARED HAND WINCH

Zinc-plated


€ 38,10

Max load	500 kg
Throat width	50 mm
Max ø wheel	133 mm
Min. ø wheel	40 mm
Cable size	ø 4,5 mm x 10 m
Base dimensions	140 x 90 mm

0070
€ 35,30
GEARED HAND WINCH

 Frame in galvanized steel.
Ergonomic handle

€ 26,70

Max load	500 kg
Throat width	50 mm
Max ø wheel	133 mm
Min. ø wheel	40 mm
Base dimensions	140 x 90 mm

0590**€ 74,00****HAND OPERATED WINCH WITH BRAKE****€ 60,80**

Max load	450 kg
Throat width	49 mm
Max ø wheel	110 mm
Min. ø wheel	45 mm
Overall dimensions without handle	170 x 150 x 125h mm

0028R**€ 686,00****LOWERED MANUAL PALLET TRUCK**

With polyurethane wheels.

**€ 527,00**

Capacity	2500 kg
Fork height	63 ÷ 165 mm
Fork dimensions	1150 x 540 mm
Armor plate thickness	3 mm
Front wheel	Double
Net weight	68,5 kg

0028**€ 597,00****MANUAL TRUCK -PALLET**

Polyurethane

**€ 484,00**

Capacity	2500 kg
Fork height	85 ÷ 200 mm
Fork dimensions	1150 x 540 mm
Armor plate thickness	3 mm
Front wheel	Double
Net weight	71,5 kg

0064**€ 690,00****MANUAL TRUCK -PALLET**

Polyurethane

**€ 549,00**

Capacity	2500 kg
Fork height	85 ÷ 200 mm
Fork dimensions	900 x 540 mm
Armor plate thickness	3 mm
Front wheel	Single
Net weight	68,5 kg

S2/800**€ 1190,00****HIGH LIFT TRUCK-PALLET**

Scissors

**€ 957,00**

Capacity	1000 kg
Fork height	85 ÷ 800 mm
Fork dimensions	1170 x 540 mm
Tire	Polyurethane
Front wheel	Single
Net weight	117 kg

0782**€ 1130,00****PLATFORM STACKER WITH FORKS****€ 900,00**

Capacity	400 kg
Fork height	85 ÷ 1500 mm
Fork dimensions	545 x 650 mm
Platform	576 x 650 mm
Mobile wheels	Ø 127 x 40 mm
Fix wheels	Ø 75 x 40 mm
Tire	Polyurethane
Dimensions	1100 x 600 x 1725h mm
Net weight	95 kg

0143A**€ 1910,00****MANUAL STACKER**

With brake and lifting foot pedal

**€ 1510,00**

Capacity	1000 kg
Fork height	90 ÷ 1600 mm
Fork dimensions	1150 x 550 mm
Fork section	160 x 55 mm
Upright height	2100 mm
Tire	Polyurethane
Front wheel	Double
Dimensions	920 x 1670 x 2100h mm
Net weight	250 kg

0143/25**€ 2110,00****MANUAL STACKER**

With double telescopic mast, brake and lifting pedal

**€ 1700,00**

Capacity	1000 / 800 kg
Fork height	75 ÷ 1600 ÷ 2500 mm
Fork dimensions	1150 x 550 mm
Fork section	160 x 55 mm
Upright height	1840 mm
Tire	Polyurethane
Front wheel	Double
Dimensions	1670 x 920 x 1840h mm
Net weight	310 kg

Art.	Pag.	Promo	Art.	Pag.	Promo	Art.	Pag.	Promo	Art.	Pag.	Promo
0010	80	666,00 €	0140/100	68	41,60 €	0310B	71	57,60 €	0518/30	39	896,00 €
0011	39	375,00 €	0140/125	68	62,20 €	0313	22	79,90 €	0518/38M	39	965,00 €
0021/1	76	418,00 €	0140/150	68	78,30 €	0315	19	138,00 €	0518/50	39	1.220,00 €
0021/2	76	512,00 €	0143/25	83	1.700,00 €	0316	44	142,00 €	0518/80	39	1.550,00 €
0023	43	82,60 €	0143A	83	1.510,00 €	0321	25	37,10 €	0521	18	7,40 €
0024	25	24,20 €	0145/100	68	33,80 €	0323/45	67	39,90 €	0530A	8	74,70 €
0027/30W	24	10,10 €	0145/125	68	41,30 €	0323/55	67	44,50 €	0532A	55	142,00 €
0027/40W	24	11,30 €	0145/150	68	76,20 €	0325	17	10,10 €	0532A/230V	55	153,00 €
0028	83	484,00 €	0145/80	68	28,80 €	0333	25	86,30 €	0536A	55	107,00 €
0028/1500	8	599,00 €	0146/60	68	19,00 €	0341	14	28,60 €	0537A	55	85,70 €
0028/1800	8	613,00 €	0157/10	69	84,30 €	0343	27	17,30 €	0538A	55	104,00 €
0028/2000	8	631,00 €	0157/100	69	662,00 €	0356	26	52,10 €	0544	9	109,00 €
0028R	83	527,00 €	0157/30	69	210,00 €	0360	13	65,90 €	0545/EF	11	25,50 €
0031	24	25,90 €	0157/50	69	312,00 €	0362	42	625,00 €	0545/TF	12	27,90 €
0033A	24	88,10 €	0160	17	13,60 €	0363	65	783,00 €	0555	43	97,80 €
0036/100	68	87,00 €	0165	19	201,00 €	0363/30	65	143,00 €	0558/EM	11	13,80 €
0036/100G	68	106,00 €	0174/100	68	47,30 €	0363/36	65	198,00 €	0558/EP	11	13,80 €
0036/125	68	131,00 €	0174/125	68	60,50 €	0363/48	65	516,00 €	0558/GE	11	10,90 €
0036/125G	68	145,00 €	0174/150	68	75,80 €	0366	27	92,60 €	0558/TX	12	13,80 €
0036/150	68	227,00 €	0181	14	122,00 €	0369	75	289,00 €	0560	45	560,00 €
0036/150G	68	250,00 €	0188/100	52	66,70 €	0375A	75	224,00 €	0564	49	220,00 €
0038	72	226,00 €	0188/100G	52	112,00 €	0378/1510	24	122,00 €	0567	75	81,40 €
0046	22	72,60 €	0188/125	52	94,00 €	0385	26	44,90 €	0569	71	62,60 €
0051	22	23,90 €	0188/125G	52	126,00 €	0386	26	32,70 €	0571	20	115,00 €
0054/10	74	279,00 €	0188/150	52	122,00 €	0387A	35	50,90 €	0574	22	80,30 €
0054/4	74	237,00 €	0188/150G	52	143,00 €	0390	67	38,40 €	0575	70	614,00 €
0056/1	81	107,00 €	0189/05C	25	29,20 €	0395	67	47,10 €	0578/36	71	99,70 €
0056/2	81	186,00 €	0189/10C	25	32,20 €	0399	19	129,00 €	0578/80	71	99,70 €
0059	22	26,30 €	0189/20C	25	32,80 €	0400	11	55,10 €	0579/30	71	39,80 €
0060	75	60,10 €	0190	12	59,40 €	0401	28	57,60 €	0579/80	71	39,80 €
0062/10	80	46,40 €	0195	13	37,40 €	0413	20	25,80 €	0581	71	67,90 €
0062/15	80	66,70 €	0199	9	35,30 €	0414	21	25,70 €	0582/36	70	78,60 €
0062/2	80	21,50 €	0199P	10	50,00 €	0416	21	45,00 €	0582/80	70	78,60 €
0062/20	80	75,00 €	0200	9	21,90 €	0417	21	49,80 €	0585	19	80,00 €
0062/32	80	112,00 €	0201	9	42,00 €	0418	21	44,10 €	0586	19	66,10 €
0062/5	80	33,00 €	0203	71	438,00 €	0419	21	76,50 €	0587	19	53,50 €
0062/50	80	236,00 €	0204	10	122,00 €	0421	21	81,80 €	0588/6	19	59,20 €
0063	76	558,00 €	0208	10	90,90 €	0430	79	221,00 €	0590	83	60,80 €
0064	83	549,00 €	0211	72	374,00 €	0433	35	65,80 €	0591/100	68	118,00 €
0065A	75	199,00 €	0215	11	9,00 €	0434	19	73,40 €	0591/125	68	169,00 €
0066	82	28,60 €	0215P	11	9,00 €	0441	25	57,10 €	0594	77	116,00 €
0067	76	24,20 €	0217	79	157,00 €	0443	24	44,70 €	0595	77	233,00 €
0069/10	76	155,00 €	0218/50T	26	72,30 €	0444	25	68,90 €	0596	77	379,00 €
0069/3	76	39,90 €	0220	12	9,60 €	0445/20	28	114,00 €	0597	27	23,70 €
0069/6	76	74,40 €	0220/C	12	6,50 €	0453	16	33,30 €	0600	82	252,00 €
0070	82	26,70 €	0221	10	13,00 €	0455	16	78,20 €	0602	82	228,00 €
0070/C	82	38,10 €	0222	10	27,90 €	0458	21	76,50 €	0603	17	81,50 €
0073	10	14,40 €	0223	10	57,90 €	0460	21	88,70 €	0607	22	5,40 €
0075	80	621,00 €	0232	72	284,00 €	0462	70	631,00 €	0608	23	12,60 €
0085	18	9,80 €	0235	45	187,00 €	0467	80	800,00 €	0609	23	34,70 €
0094	76	284,00 €	0236	82	75,30 €	0469	16	43,10 €	0610	23	11,70 €
0102	46	266,00 €	0237/05	81	151,00 €	0474/PA	26	58,20 €	0615	69	3.300,00 €
0105	18	210,00 €	0237/15	81	226,00 €	0476	11	52,10 €	0618	14	148,00 €
0105T	18	231,00 €	0242	39	725,00 €	0477	10	23,20 €	0620	13	73,10 €
0106	43	76,70 €	0255	42	1.240,00 €	0481/15	24	103,00 €	0621/A3	28	88,70 €
0107	27	6,40 €	0256/05	80	43,50 €	0482/3	27	43,90 €	0624	13	55,50 €
0109	33	39,70 €	0256/10	80	78,90 €	0483	46	185,00 €	0630/0900	78	234,00 €
0110	18	170,00 €	0256/20	80	99,40 €	0487	70	240,00 €	0630/2200	78	395,00 €
0110T	18	194,00 €	0256/30	80	111,00 €	0495	51	328,00 €	0630/2720	77	495,00 €
0112	33	85,40 €	0256/50	80	146,00 €	0496	50	604,00 €	0632	72	648,00 €
0113	46	268,00 €	0260	39	633,00 €	0497/250	47	497,00 €	0632/D	72	113,00 €
0123	28	50,30 €	0268A	12	73,60 €	0497/300	47	551,00 €	0632/DA	72	151,00 €
0125	23	28,20 €	0271	74	106,00 €	0502	44	69,70 €	0632/DCF	72	78,10 €
0126	17	10,90 €	0272	26	11,30 €	0503	43	93,20 €	0632/DCF05	8	21,00 €
0132	42	397,00 €	0274	26	6,50 €	0505	49	218,00 €	0634	15	9,20 €
0133	42	118,00 €	0302/200	49	260,00 €	0506	37	1.640,00 €	0641	22	39,30 €
0137	13	44,20 €	0302/245	49	407,00 €	0510	43	90,30 €	0642	42	271,00 €
0138	50	477,00 €	0302/305	49	619,00 €	0516	27	118,00 €	0645/C	79	50,80 €
0140/080	68	36,10 €	0306	17	49,10 €	0517A	48	668,00 €	0645/CC	79	70,60 €

Art.	Pag.	Promo	Art.	Pag.	Promo	Art.	Pag.	Promo	Art.	Pag.	Promo
0645/CP	79	54,70 €	0831/175	17	5,30 €	A040/60A	73	235,00 €	C075/2	81	201,00 €
0645/S	79	41,70 €	0831/250	17	5,90 €	A040/802	73	409,00 €	C076/30	46	3.250,00 €
0645/SS	79	55,50 €	0831/300	17	9,30 €	A040/803	73	524,00 €	C086/01C	66	12,70 €
0648	47	762,00 €	0841	16	18,10 €	A059	44	89,20 €	C086/01T	66	12,70 €
0649/1500	77	302,00 €	0847	16	55,70 €	A100	65	226,00 €	C086/02C	66	14,30 €
0649/1800	77	368,00 €	0849	65	185,00 €	A300	65	365,00 €	C086/02T	66	14,70 €
0656/254	48	2.060,00 €	0855	48	819,00 €	A481/10	23	55,40 €	C086/04C	66	15,10 €
0656/310	48	2.420,00 €	0857	38	695,00 €	A481/15	23	85,60 €	C086/04T	66	16,70 €
0657	37	2.290,00 €	0861	18	14,30 €	A481/15H	23	101,00 €	C086/12C	66	17,50 €
0658	75	679,00 €	0870/250	48	299,00 €	A481/30H	23	151,00 €	C087	65	175,00 €
0659	27	25,30 €	0871	48	491,00 €	AP01	20	184,00 €	C1102	81	60,50 €
0662	45	559,00 €	0880/307	15	12,70 €	AP02	20	198,00 €	C150	81	55,10 €
0664	74	279,00 €	0888	16	16,30 €	AP03	20	206,00 €	C182	81	152,00 €
0665	48	2.550,00 €	0889	27	48,90 €	AP04	20	213,00 €	C189	81	75,50 €
0666	33	140,00 €	0891A	8	105,00 €	AP05	20	477,00 €	C300	81	149,00 €
0672/B	17	6,20 €	0893	46	440,00 €	AP06	20	191,00 €	C650	80	141,00 €
0677	25	33,30 €	0900	28	63,40 €	B003/5/1	36	19,10 €	C750	80	253,00 €
0677/500	25	14,80 €	0900/BL	28	178,00 €	B004/150	36	567,00 €	C800	65	781,00 €
0678	18	14,30 €	A003/13A	44	651,00 €	B004/30	36	298,00 €	C880/006	15	13,40 €
0680	67	102,00 €	A003/32	44	2.000,00 €	B004/7	36	298,00 €	C900/A	3	179,00 €
0681	67	92,90 €	A004/14	44	1.150,00 €	B005	56	17,90 €	C900/B	3	299,00 €
0683	67	120,00 €	A004/20	44	1.690,00 €	B005/16	56	30,10 €	C900/CC03	7	619,00 €
0686/200	48	465,00 €	A007A	62	2.940,00 €	B005/20	56	38,60 €	C900/CC04	7	849,00 €
0687	69	1.710,00 €	A007B	62	2.890,00 €	B007/10	55	85,20 €	C900C	7	670,00 €
0688	54	154,00 €	A007C	62	1.410,00 €	B007/12	55	87,00 €	C960/AM01	6	839,00 €
0690/07P	9	71,10 €	A007D	62	1.940,00 €	B007/16	55	111,00 €	C960/CC03	6	779,00 €
0690/12P	9	101,00 €	A007E	62	1.970,00 €	B009/A1	64	414,00 €	C960/CC04	6	969,00 €
0691/400V	45	2.020,00 €	A007F	62	797,00 €	B009/A2	64	612,00 €	C960/F6	5	389,00 €
0693A	28	63,40 €	A007G	62	1.910,00 €	B009/B1	64	460,00 €	C960/F7	5	419,00 €
0700/07P	9	52,50 €	A007H	62	3.670,00 €	B009/B2	64	643,00 €	C960/F8	5	449,00 €
0700/12P	9	97,40 €	A007I	62	1.550,00 €	B015	64	451,00 €	C960/MP	4	22,70 €
0708	37	1.840,00 €	A007L	62	3.780,00 €	B015/10	64	238,00 €	C960/PC	4	12,00 €
0712/009	59	61,90 €	A007M	63	1.110,00 €	B018	36	95,70 €	C960/PD	4	23,50 €
0712/010	59	144,00 €	A007N	63	1.680,00 €	B022/10	64	280,00 €	C960/PF	4	62,60 €
0714	11	89,70 €	A007P	63	3.040,00 €	B022/15	64	403,00 €	C960/PG	4	8,30 €
0716	37	1.200,00 €	A007Q	63	1.630,00 €	C002	30	42,10 €	C960/PL	4	43,80 €
0716S	37	1.380,00 €	A007R	63	692,00 €	C002/42	30	26,50 €	C960C	6	790,00 €
0717A	49	199,00 €	A007S	63	2.050,00 €	C006/150	29	34,00 €	CF08	30	6,30 €
0719	47	822,00 €	A007T	63	1.570,00 €	C006/200	29	51,10 €	CI80/006	15	17,90 €
0721	46	249,00 €	A007U	63	2.100,00 €	C006/300	29	80,40 €	CN450N1/2A	13	23,60 €
0722	47	996,00 €	A007UF	63	2.200,00 €	C007/200	30	30,30 €	CN450N1/4A	13	19,40 €
0723	47	291,00 €	A007V	63	3.040,00 €	C007/300	30	37,70 €	CN450N3/8A	13	21,40 €
0749	47	1.620,00 €	A008A	62	2.990,00 €	C009	81	317,00 €	D001	36	1.940,00 €
0750	39	690,00 €	A008B	62	2.940,00 €	C019/150	29	13,50 €	D010/0100	36	428,00 €
0751	47	676,00 €	A008C	62	1.490,00 €	C020/1000	29	282,00 €	D010/0300	36	515,00 €
0752	38	729,00 €	A008D	62	1.990,00 €	C020/1500	29	724,00 €	D010/0500	36	602,00 €
0752CM3	38	814,00 €	A008E	62	2.040,00 €	C020/2000	29	1.250,00 €	D010/1000	36	753,00 €
0754/230V	38	1.210,00 €	A008F	62	839,00 €	C020/500	29	80,80 €	D012/0100	36	688,00 €
0754/400V	38	1.210,00 €	A008G	62	1.950,00 €	C021/1000	29	400,00 €	D012/0300	36	808,00 €
0755	26	82,90 €	A008H	62	3.780,00 €	C021/300	29	92,50 €	D012/0500	36	935,00 €
0757	38	557,00 €	A008I	62	1.590,00 €	C022/100	45	1.860,00 €	D012/1000	36	1.120,00 €
0758	47	1.010,00 €	A008L	62	3.880,00 €	C023	30	15,90 €	D018	36	3.710,00 €
0765	50	202,00 €	A008M	63	1.150,00 €	C033/150	29	44,90 €	D880/006	15	18,70 €
0773/05	46	130,00 €	A008N	63	1.730,00 €	C033/200	29	68,50 €	E010	61	100,00 €
0773/10	46	197,00 €	A008P	63	3.150,00 €	C033/300	29	105,00 €	E190/080	15	24,30 €
0775	45	1.280,00 €	A008Q	63	1.670,00 €	C035/150	29	52,20 €	E190/130	15	27,90 €
0776	45	961,00 €	A008R	63	734,00 €	C035/200	29	71,80 €	E190/160	15	35,10 €
0776/610	45	382,00 €	A008S	63	2.100,00 €	C035/300	29	126,00 €	E190/200	15	38,20 €
0782	83	900,00 €	A008T	63	1.680,00 €	C039/15	75	173,00 €	E191/120	15	48,50 €
0784	22	58,30 €	A008U	63	2.200,00 €	C039/25	75	240,00 €	E191/200	15	86,50 €
0791/08	82	255,00 €	A008UF	63	2.310,00 €	C041/150	29	22,30 €	F001/10	60	166,00 €
0791/16	82	376,00 €	A008V	63	3.150,00 €	C048	31	54,00 €	F001/20	60	157,00 €
0791/32	82	666,00 €	A0132A	44	929,00 €	C057/150	29	16,50 €	F002/6	59	227,00 €
0793	24	13,60 €	A020	31	107,00 €	C061	31	187,00 €	F008/3	60	45,50 €
0806/020	12	87,70 €	A021	31	93,30 €	C064	30	66,50 €	F008/6	60	81,80 €
0809/030	12	86,60 €	A024/10	72	39,90 €	C065/2	80	153,00 €	F008DC	60	50,00 €
0809/080	12	92,80 €	A024/602	73	217,00 €	C067	35	67,30 €	F008SC	60	50,00 €
0809/100	12	97,30 €	A025/30	73	78,40 €	C069	35	72,00 €	F011/6	58	148,00 €
0818/250	17	8,00 €	A040/30A	73	149,00 €	C070	35	119,00 €	F015/0085	59	110,00 €

Art.	Pag.	Promo	Art.	Pag.	Promo	Art.	Pag.	Promo	Art.	Pag.	Promo
F019/008	59	110,00 €	M020	61	24,90 €	P017	53	97,70 €	S328	13	107,00 €
F232	60	53,30 €	M021/00/25	31	72,60 €	P023/19	57	29,60 €	S383	43	134,00 €
F238	60	56,80 €	M021/25/50	31	91,10 €	P023/25	57	59,90 €	S503	43	121,00 €
F430	59	42,20 €	M021/50/75	31	109,00 €	P028/07	74	107,00 €	S510	42	116,00 €
F639	59	59,50 €	M021/75/100	31	127,00 €	P028/14	74	185,00 €	SI413M006	14	39,80 €
FC94/245	49	496,00 €	M023/100	51	142,00 €	P045	57	11,80 €	SI4E3N013	14	41,40 €
FC94/350	49	1.010,00 €	M023/125	51	178,00 €	P046	57	19,70 €	SKT10B	41	46,40 €
G008	34	40,50 €	M023/160	51	257,00 €	P056/10S	58	26,90 €	SKT10F	41	92,90 €
G090/1/2	13	24,90 €	M023/200	51	338,00 €	P057	58	82,10 €	SKT12B	41	126,00 €
G090/1/4	13	16,90 €	M024/136	52	145,00 €	P058/170	57	136,00 €	SKT12F	41	212,00 €
G090/3/8	13	21,50 €	M024/160	52	189,00 €	P061	58	18,50 €	SKTEB	41	41,90 €
G900	28	11,00 €	M024/200	52	282,00 €	P062	57	49,60 €	SKTEF	41	66,50 €
I217	15	255,00 €	M024/250	52	403,00 €	P064/19A	58	64,30 €	SKTF3B	41	89,80 €
I340	14	193,00 €	M027/100	52	120,00 €	P064/25A	58	133,00 €	SKTF3F	41	180,00 €
K001/12	54	87,00 €	M027/140	52	168,00 €	P067	58	54,30 €	T004/250	53	290,00 €
K001/14	54	94,10 €	M027/200	52	273,00 €	P069	58	103,00 €	T004/380	53	465,00 €
K001/16	54	114,00 €	M028/100/100	51	614,00 €	P075	34	108,00 €	T004/600	53	834,00 €
K001/18	54	144,00 €	M028/125/150	51	668,00 €	P077/1525	54	523,00 €	T007	31	55,60 €
KICAN	56	179,00 €	M028/150/200	51	791,00 €	P077/1530	54	623,00 €	T007G	31	48,20 €
KISCLCR	56	149,00 €	M028/150/300	51	853,00 €	P077/2040	54	1.100,00 €	T008	53	246,00 €
KISER	56	142,00 €	M028/150/400	51	988,00 €	P077/3050	54	2.080,00 €	T013	53	946,00 €
KISER25	56	171,00 €	M028/175/200	51	988,00 €	P077/3060	54	2.490,00 €	T014G	53	810,00 €
KISNR	56	159,00 €	M028/175/300	51	1.000,00 €	P078/1525	54	340,00 €	T015/E	53	209,00 €
KISNR25	56	199,00 €	M028/175/400	51	1.100,00 €	P078/1530	54	403,00 €	T018/330	53	66,30 €
KISTCMT	56	205,00 €	M028/175/500	51	1.280,00 €	P078/1535	54	453,00 €	T018/350	53	122,00 €
KISTFCR	56	162,00 €	M028/200/300	51	1.510,00 €	P078/1540	54	507,00 €	T034/105	46	1.910,00 €
KIT0123	70	298,00 €	M028/200/400	51	1.570,00 €	P078/1545	54	590,00 €	T050	34	28,10 €
KIT0128	50	349,00 €	M028/200/500	51	1.780,00 €	P078/2045	54	830,00 €	T051	34	13,40 €
KIT0129	50	569,00 €	M028/200/600	51	2.060,00 €	P078/2050	54	966,00 €	T053	34	75,30 €
KIT0194	72	687,00 €	M032	61	82,30 €	P078/2060	54	1.130,00 €	T058	38	1.400,00 €
KIT0226	70	208,00 €	M033	31	151,00 €	P080	34	65,00 €	T059/16V	38	1.610,00 €
KIT0229	51	260,00 €	M036	61	48,40 €	P100/250	55	94,10 €	T059/28V	37	3.080,00 €
KIT0231	69	2.960,00 €	M042/08	54	35,20 €	P1063	16	19,40 €	T061A	37	2.230,00 €
KIT0233	69	1.290,00 €	M042/10	54	36,00 €	R001/04	42	266,00 €	T064	35	74,60 €
KIT0234	71	633,00 €	M042/13	54	41,20 €	R001/07	42	374,00 €	T068	35	77,50 €
KIT0240	78	713,00 €	M042/16	54	49,60 €	R003/09	42	368,00 €	T088	56	77,00 €
KITCKJ20	55	97,90 €	M042/20	54	66,00 €	R015	77	135,00 €	T092/300	30	417,00 €
KITCKJ25	55	111,00 €	M051/08	54	42,80 €	R060	30	57,10 €	T092/600	30	650,00 €
L080	33	43,10 €	M051/10	54	43,90 €	R100	30	80,80 €	T660	37	3.350,00 €
L085	33	68,60 €	M051/13	54	51,20 €	S001	59	76,80 €	UC01/100	8	332,00 €
L090A	33	90,20 €	M051/16	54	61,10 €	S009	50	1.080,00 €	UC01/150	8	438,00 €
L200	33	151,00 €	M051/20	54	71,60 €	S013	78	1.490,00 €	UC01/20	8	121,00 €
M001/100	52	49,10 €	M052/10	54	11,10 €	S017	79	185,00 €	UC01/32	8	166,00 €
M001/120	52	59,00 €	M052/13	54	14,60 €	S018	16	71,50 €	UC01/65	8	264,00 €
M001/150	52	73,90 €	M052/16	54	17,40 €	S019	77	120,00 €			
M006/1000	68	57,70 €	M052/20	54	26,40 €	S023	43	108,00 €			
M006/200	68	22,10 €	M059/07	54	369,00 €	S024	77	113,00 €			
M006/300	68	27,80 €	M059/12	54	445,00 €	S027	78	1.810,00 €			
M006/400	68	30,60 €	M059/20	54	496,00 €	S029	78	1.990,00 €			
M006/500	68	30,70 €	M100	61	113,00 €	S029P	78	2.120,00 €			
M006/600	68	38,60 €	M101	61	84,00 €	S0300	82	420,00 €			
M006/800	68	42,40 €	M218	61	189,00 €	S033	76	128,00 €			
M007/250	69	37,70 €	M312/C	61	48,50 €	S042/1	32	42,00 €			
M007/300	69	45,80 €	M312/P	60	45,40 €	S042/2	32	56,40 €			
M007/400	69	47,10 €	M430/B	67	97,10 €	S042/3	32	72,70 €			
M007/500	69	52,00 €	M540/BT	67	235,00 €	S045	32	46,20 €			
M007/600	69	61,80 €	MD01	35	94,50 €	S047	32	49,40 €			
M011/125/150	51	843,00 €	ML40	34	47,40 €	S049	31	21,30 €			
M011/150/210	51	961,00 €	ML80A	34	63,70 €	S054	32	20,00 €			
M011/150/300	51	1.220,00 €	P001/10	74	353,00 €	S055	32	36,60 €			
M012/038	51	69,40 €	P001/12	74	431,00 €	S056/150	32	67,10 €			
M012/050	51	72,50 €	P001/20	74	732,00 €	S056/200	32	84,20 €			
M012/080	51	159,00 €	P001/30	73	871,00 €	S057/125	33	14,40 €			
M012/100	51	219,00 €	P001/45	73	2.250,00 €	S0600	82	600,00 €			
M014/080	52	76,00 €	P009	65	152,00 €	S068	76	164,00 €			
M014/125	52	138,00 €	P010/41	57	102,00 €	S1000	82	936,00 €			
M014/160	52	191,00 €	P010/51	57	38,80 €	S108	14	148,00 €			
M014/200	52	280,00 €	P014	52	224,00 €	S179	14	253,00 €			
M015S	60	43,70 €	P015	52	132,00 €	S2/800	83	957,00 €			

DIGITAL FERVI

Quality for sharing

Fervi focuses more and more on digital and social platforms to showcase its products at their best and meet the needs of the community promptly, at any time of day.



The fervi.com website – speedy, dynamic, with new graphics and constantly updated with all the technical information you need to get to know more about each product.

Where to buy it – It's really easy to find a dealer where you can buy the products on the Fervi website. Just enter your location and there you go.

Virtual Show Room. – The perfect place to go on a virtual tour of the display shelves, and to see all the tools in the Fervi range.



Scan the QR Code with your smartphone or visit fervi.com and enter the Fervi

Social – A page that is extremely active thanks to our community, but also Instagram and YouTube, to keep you constantly up-to-date and let you swap opinions on hobbies and the professional world.



FERVI IS CERTIFIED QUALITY

A quality that stems from responsibility.

A sense of Fervi's social and business responsibility is at the root of each initiative and activities undertaken by those in the Fervi Group and those involved.

FERVI IS CERTIFIED

ISO 9001 for Quality

ISO 14001 for Environment

ISO 45001 for Health and Safety Management System

FERVI IS SUSTAINABLE

Our concern for environmental sustainability has prompted us to produce an eco-sustainable promotional offer, using lighter and less treated PEFC paper, with a single goal in mind: to care for our planet by saving, in our own small way, as much CO2 as we possibly can.



info@fervi.com



FerviProSmartEquipment



FerviTools