



*Choose the
SUPERBIKE world
champion products*

OFFICIAL SPONSOR



In this promo

New products

03

Tool rolling cabinet	p.003
Ultrasonic cleaner	p.008
Manual truck-pallet long forks	p.009
Low consumption lamp	p.009
Articulated modular hose set for refrigerant liquids	p.009
Hard metal tap crusher tool	p.009
Ratchet tap holder	p.009
Superpromo	p.010
Limited edition Aruba Racing	p.011

Hardware

12

Wrenches	p.012
Socket wrenches and screw extractors	p.015
Screwdrivers and hand riveters	p.017
Pliers, hammers, files and chisels	p.019
Utility knives, Deburring and cutting tools	p.020
Construction and packaging	p.020
Tool kits	p.021

General Tools

22

Pneumatics	p.022
Soldering irons, paint strippers and heat glue guns	p.026
Equipment for liquids and fluids	p.027
Heaters, lighting and lenses	p.029

Measure

31

Calipers, Height gauge and Rulers	p.031
Dial indicators	p.032
Micrometers	p.033
Measuring tools	p.033
Precision tapes, Levels and Goniometers	p.034
Analogic and digital meters	p.035
Scales and dynamometers	p.037

Machinery

38

Lathes	p.038
Milling machines	p.038
Drill presses	p.039
Starter Kit	p.042
Metal working machinery	p.043
Sheet metal, iron and tube processing	p.046
Wood working machinery	p.048
Machine vices	p.052
Tables and dividers	p.054
Chucks	p.055
Live centers and tool posts	p.055
Machinery accessories	p.056

Cutting tools

56

Tools for turning and milling	p.056
Inserts, lathe tools and tool bits	p.057
Twist drills and cutters for metal	p.058
Taps and dies	p.061
Thread repair	p.062

Workshop equipment

63

Workshop furniture	p.063
Bench vices, clamps and anvils	p.068
Machinery for finishing	p.070
Presses and hydraulic pumps	p.074
Car and motorcycle workshop	p.076
Lifting and handling	p.080

NEW PRODUCTS

First of all, the FERVI novelties that cannot be missing in your workshop or garage!

Don't miss the chance to try them out, thanks the promotional price!


C900/A
€ 299,25
TOOL CHEST

Can be combined with trolley carts. Retractable side handles, 6 drawers, mounted on telescopic ball-bearing slides, removable tray, and front central locking with 2 foldable keys.


€ 179,00

Dimensions	661 x 309 x 363h mm
Drawer dimensions	3: 174 x 267 x 45h mm 2: 578 x 267 x 45h mm 1: 578 x 267 x 60h mm
Compartment dimensions	655 x 250 x 80h mm
Drawer capacity	25 kg
Net weight	20 kg

C900/B
€ 459,90
TOOL ROLLING CABINET

Side handle, polypropylene foam worktop, 6 drawers with internal oil-resistant mat, mounted on telescopic ball-bearing slides, front central locking supplied with 2 foldable keys, 2 fixed and 2 swivel casters with foot-operated brake, made of shockproof and non-slip thermoplastic rubber.


€ 299,00

Dimensions	744 x 461 x 964h mm
Drawer dimensions	585 x 405 mm
Drawers height	4 x 45 mm - 1 x 145 mm - 1 x 225 mm
Drawer capacity	25 kg
Net weight	44 kg

DETAILS MAKE THE DIFFERENCE

We thought about meeting your needs. How? By taking care of the details and the choice of optionals, making the tool rolling cabinet your personal product to work easily and smoothly every day. So, the new FERVI rolling cabinets were born. Simple and easy to set up, thanks to the compliant list of accessories for all different models.

Set it up according to your needs. Our goal is to get you the tool rolling cabinet you dream, not just any rolling cabinet!

C960/PF € 84,00
PERFORATED HANGING



C960/PL € 58,80
LAMINATED WORK TOP



C960/MP € 30,45
FOLDING SHELF



C960/PC € 15,75
PAPER ROLL HOLDER



C960/PD € 31,50
DOCUMENT HOLDER



C960/PG € 11,03
SCREWDRIVER HOLDER



C960/F6

€ 564,90

TOOL ROLLING CABINET WITH 6 DRAWERS

Side handle, polypropylene foam worktop, steel sheet body with impact protection bumpers and perforated side panels, 6 full-extension drawers with oil-resistant mats, mounted on telescopic ball bearing slides, anti-tip device, front central locking supplied with 2 folding keys, 2 fixed and 2 swivel casters with brakes. Optional accessories: screwdriver holder, document holder, shelf, paper roll holder, rear pegboard and laminated top.

Dimensions	770 x 460 x 985h mm
Drawer dimensions	566 x 405 mm
Drawers height	4 x 68 mm - 1 x 147 mm - 1 x 199 mm
Drawer capacity	5 x 25 kg - 1 x 40 kg
Slot distance	15 mm
Hole diameter	Ø 5 mm
Net weight	55 kg



€ 389,00

C960/F7

€ 620,55

TOOL ROLLING CABINET WITH 7 DRAWERS

Side handle, polypropylene foam worktop, steel sheet body with impact protection bumpers and perforated side panels, 7 full-extension drawers with oil-resistant mats, mounted on telescopic ball bearing slides, anti-tip device, front central locking supplied with 2 folding keys, 2 fixed and 2 swivel casters with brakes. Optional accessories: screwdriver holder, document holder, shelf, paper roll holder, rear pegboard and laminated top.

Dimensions	770 x 460 x 985h mm
Drawer dimensions	566 x 405 mm
Drawers height	6 x 68 mm - 1 x 199 mm
Drawer capacity	6 x 25 kg - 1 x 40 kg
Slot distance	15 mm
Hole diameter	Ø 5 mm
Net weight	58 kg



€ 419,00

C960/F8

€ 675,15

TOOL ROLLING CABINET WITH 8 DRAWERS

Side handle, polypropylene foam worktop, steel sheet body with impact protection bumpers and perforated side panels, 8 full-extension drawers with oil-resistant mats, mounted on telescopic ball bearing slides, anti-tip device, front central locking supplied with 2 folding keys, 2 fixed and 2 swivel casters with brakes. Optional accessories: screwdriver holder, document holder, shelf, paper roll holder, rear pegboard and laminated top.

Dimensions	770 x 460 x 985h mm
Drawer dimensions	566 x 405 mm
Drawers height	7 x 68 mm - 1 x 120 mm
Drawer capacity	25 kg
Slot distance	15 mm
Hole diameter	Ø 5 mm
Net weight	60 kg



€ 449,00

C960C3B

€ 759,00

TOOL ROLLING CABINET WITH TOOLS


Dimensions	770 x 460 x 985h mm
Drawer dimensions	566 x 405 mm
Drawers height	6 x 68 mm - 1 x 199 mm
Drawer capacity	6 x 23 kg - 1 x 39 kg



215 Pcs



€ 629,00

C960C6

€ 924,00

TOOL ROLLING CABINET WITH TOOLS


Dimensions	770 x 460 x 985h mm
Drawer dimensions	566 x 405 mm
Drawers height	6 x 68 mm - 1 x 199 mm
Drawer capacity	6 x 23 kg - 1 x 39 kg



250 Pcs



€ 749,00

C960/AM01

€ 1186,50

TOOL ROLLING CABINET WITH AUTOMOTIVE TOOLS


Dimensions	770 x 460 x 985h mm
Drawer dimensions	566 x 405 mm
Drawers height	6 x 68 mm - 1 x 199 mm
Drawer capacity	6 x 25 kg - 1 x 40 kg



142 Pcs



€ 839,00

C960/CC03

€ 1081,50

TOOL ROLLING CABINET WITH TOOLS


Dimensions	770 x 460 x 985h mm
Drawer dimensions	566 x 405 mm
Drawers height	6 x 68 mm - 1 x 199 mm
Drawer capacity	6 x 25 kg - 1 x 40 kg




253 Pcs



€ 779,00

C960/CC04

€ 1344,00

TOOL ROLLING CABINET WITH TOOLS


Dimensions	770 x 460 x 985h mm
Drawer dimensions	566 x 405 mm
Drawers height	6 x 68 mm - 1 x 199 mm
Drawer capacity	6 x 25 kg - 1 x 40 kg



219 Pcs



€ 969,00

C900C3B

€ 604,00

TOOL ROLLING CABINET WITH TOOLS

Dimensions	744 x 461 x 964h mm
Drawer dimensions	585 x 405 mm
Drawers height	4 x 45 mm - 1 x 145 mm - 1 x 225 mm
Drawer capacity	25 kg



€ 499,00

C900C6

€ 765,00

TOOL ROLLING CABINET WITH TOOLS

Dimensions	744 x 461 x 964h mm
Drawer dimensions	585 x 405 mm
Drawers height	4 x 45 mm - 1 x 145 mm - 1 x 225 mm
Drawer capacity	25 kg



€ 629,00

C900/CC03

€ 882,00

TOOL ROLLING CABINET WITH TOOLS

Dimensions	744 x 461 x 964h mm
Drawer dimensions	585 x 405 mm
Drawers height	4 x 45 mm - 1 x 145 mm - 1 x 225 mm
Drawer capacity	25 kg



€ 619,00

C900/CC04

€ 1155,00

TOOL ROLLING CABINET WITH TOOLS

Dimensions	744 x 461 x 964h mm
Drawer dimensions	585 x 405 mm
Drawers height	4 x 45 mm - 1 x 145 mm - 1 x 225 mm
Drawer capacity	25 kg



€ 849,00

**DIDN'T FOUND THE ASSORTMENT THAT'S RIGHT FOR YOU?**

Visit fervi.com or read the QRcode to consult our catalog of series of thermoformed tools



WASH TANKS

A complete, versatile and perfect range for industrial and automotive workshops.

From the removal of grease and corrosion from injectors and EGR valves, for professionals, to the maintenance of metal or plastic parts, tools and electronic components, through to private use for the sanitisation and deep cleaning of jewellery, watches, glass and ceramic objects.

- Different sizes and powers in 304 stainless steel
- Additional basket and drainage system with tap
- Can be used with water or cleaning liquid
- Easy to use and set up
- Reduced consumption compared to conventional tubs



UC01-

ULTRASONIC CLEANER

The ultrasonic cleaning tank is ideal for deep cleaning of spare parts, metal spare parts in general, mechanical / electronic components and tools. Thanks to the LCD controls it is easy to adjust time and temperature. For general cleaning, the use of water is sufficient; for a deeper cleaning use specific detergents. The tank, entirely made of stainless steel, is hygienic and easy to clean.



0632/DCF05 DETERGENT LIQUID

€ 29,93



€ 21,00

starting from
€ 121,00

Power	Ultrasonic power	Heating power	Capacity Liters	Emptying mode	Washing time adjustment	Temperature	External Dimensions	Compartment dimensions	Net weight	Art.	€	Promo
230V 50Hz	60 W	100 W	2 L	Manual	0 - 99 min	0C° - 80C°	190 x 170 x 195 mm	150 x 140 x 100 mm	2,1 Kg	UC01/20	€ 148,00	€ 121,00
230V 50Hz	120 W	100 W	3,2 L	Manual	0 - 99 min	0C° - 80C°	270 x 170 x 220 mm	240 x 140 x 100 mm	3,2 Kg	UC01/32	€ 231,00	€ 166,00
230V 50Hz	180 W	300 W	6,5 L	Drain Tap	0 - 99 min	0C° - 80C°	330 x 180 x 280 mm	300 x 155 x 150 mm	5,2 Kg	UC01/65	€ 367,50	€ 264,00
230V 50Hz	240 W	300 W	10 L	Drain Tap	0 - 99 min	0C° - 80C°	330 x 270 x 280 mm	300 x 240 x 150 mm	6,55 Kg	UC01/100	€ 462,00	€ 332,00
230V 50Hz	360 W	400 W	15 L	Drain Tap	0 - 99 min	0C° - 80C°	360 x 330 x 280 mm	330 x 300 x 150 mm	8,3 Kg	UC01/150	€ 609,00	€ 438,00

0028-XL

MANUAL TRUCK-PALLET LONG FORKS



starting from
€ 599,00

Capacity	Fork height	Fork dimensions	Armor plate thickness	Front wheel	Net weight	Art.	€	Promo
2000 kg	85 ÷ 200 mm	1500 x 540 mm	3 mm	Double	86 kg	0028/1500	€ 827,40	€ 599,00
2000 kg	85 ÷ 200 mm	1800 x 540 mm	3 mm	Double	96 kg	0028/1800	€ 848,40	€ 613,00
2000 kg	85 ÷ 200 mm	2000 x 540 mm	3 mm	Double	102 kg	0028/2000	€ 871,50	€ 631,00

0530A

€ 103,95

LOW CONSUMPTION LAMP



Box

Power	250V 50 Hz 11W
Magnification	3x
Lens	127 mm
Clamp capacity	75 mm
Luminous flux	1000 lm
Color temperature	6000 K



€ 74,70

0891A

€ 145,95

LOW CONSUMPTION LAMP

Led lamp with two lenses, dimmable touch buttons, 6 UV Led lights and a super bright and adjustable light point. Lifetime up to 25,000 hours.



€ 105,00

Power	250V 50 Hz 11W
Magnification	2x + 6x
Lens	138 mm
Clamp capacity	75 mm
Luminous flux	1000 lm
Color temperature	6000 K

0897-

HARD METAL TAP CRUSHER TOOL

For removing broken taps inside holes. Cylindrical shank with hexagon for housing in the spindle, and self-centering cutting edge.



Box

HM



starting from
€ 15,50

Taps	Stem	Art.	€	Promo
M4	4 mm	0897/M4	€ 20,50	€ 15,50
M12	12 mm	0897/M12	€ 83,00	€ 62,70
M10	9 mm	0897/M10	€ 73,00	€ 55,10
M6	6 mm	0897/M6	€ 35,00	€ 26,40
M3	3 mm	0897/M3	€ 13,60	€ 10,30
M8	7 mm	0897/M8	€ 50,00	€ 37,70
M5	5 mm	0897/M5	€ 27,00	€ 20,40

T202

€ 60,00

ARTICULATED MODULAR HOSE SET FOR REFRIGERANT LIQUIDS

Suitable for liquid and air mounting and unalterable to normal chemical agents, internal diameter of 6mm and 1/4" connection. Consisting of: 1 hose clamp, 1 Y fitting, 2 fittings: 1/8", n.2 fittings: 1/4", n.1 tap with 1/4" fitting, n.1 tap with hose connection, n.6 nozzles (2pcs 1/16", 2pcs 1/8" and 2pcs 1/4"), 3 spatula nozzles, 2 spatula nozzles with holes, 3 90° nozzles, 1 90° nozzle with holes, 6 pipes l=150mm consisting of 10 segments the one.



29 Pcs



Carrying case



Lathe



Mill



Drill press



€ 46,00

Hose diameter 6 mm - 1/4"

T203

€ 86,00

ARTICULATED MODULAR HOSE SET FOR REFRIGERANT LIQUIDS

Suitable for liquids and air and unalterable to normal chemical agents, internal diameter of 12mm and 1/2" connection. Composed of: no.1 hose assembly pliers, no.1 Y-connector, no.2 fittings: 1/2", no.2 fittings: 3/8", no.1 tap with hose connection, no.1 tap with 1/2" connection, no.1 1/2" articulated connection, no.6 nozzles (2pcs with Ø6mm hole, 2pcs with Ø9.5mm hole and 2pcs with Ø12.5mm hole), no.3 90° nozzles, no.3 90° nozzles with holes, no.6 pipes l=160mm composed of 7 segments each.



25 Pcs



Carrying case



Lathe



Mill



Drill press



€ 65,90

Hose diameter 12 mm - 1/2"

G003-


RATCHET TAP HOLDER

In right-hand, left-hand or fixed position. Equipped with a level on the head to facilitate correct alignment of the tap with the bore.



Blister

HSS-G



starting from
€ 9,10

Taps	Square	Art.	€	Promo
M3 ÷ M8	1,75 ÷ 5,5 mm	G003/1	€ 12,50	€ 9,10
M5 ÷ M12	4 ÷ 8 mm	G003/2	€ 15,23	€ 10,00
M3 ÷ M8	2,7 ÷ 5 mm	G003/3	€ 18,50	€ 14,00
M5 ÷ M12	4,9 ÷ 8 mm	G003/4	€ 21,00	€ 15,90

SUPER PROMO

0399

€ 201,60

€ 129,00

PAG. 021



0630/2720

€ 1102,50

€ 495,00

PAG. 079



0630/2200

€ 814,80

€ 395,00

PAG. 079



0870/250

€ 456,75

€ 299,00

PAG. 049



0717A

€ 350,70

€ 199,00

PAG. 050



A024/10

€ 73,40

€ 39,90

PAG. 073

ARUBA

LIMITED EDITION

Bring the SBK tools to your workshop!

C900/BAR**€ 479,00****TOOL ROLLING CABINET**

Side handle, polypropylene foam worktop, 6 drawers with internal oil-resistant mat, mounted on telescopic ball-bearing slides, front central locking supplied with 2 foldable keys, 2 fixed and 2 swivel casters with foot-operated brake, made of shockproof and non-slip thermoplastic rubber.

**€ 319,00**

Dimensions	744 x 461 x 964h mm
Drawer dimensions	585 x 405 mm
Drawers height	4 x 45 mm - 1 x 145 mm - 1 x 225 mm
Drawer capacity	25 kg
Net weight	44 kg

0199AR**€ 58,50****MIRROR POLISH LONG PATTERN COMBINATION SPANNER SET**

DIN 3113.



Sizes 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 17 - 19 - 22 mm

**€ 40,80****0201AR****€ 84,00****DOUBLE OPEN END MIRROR POLISH LONG PATTERN WRENCH SET**

DIN 3110.



Sizes 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x27 - 25x28 - 30x32 mm

**€ 50,90****0545/EFAR****€ 36,50****BALL POINT COLORED HEX KEY SERIES**

DIN 911.



Sizes 1.5 - 2 - 2.5 - 3 - 4 - 5 - 6 - 8 - 10 mm

**€ 28,60****0190AR****€ 86,00****3-WAY SPEEDY HEX KEY WRENCH SET**

With practical "speedy" rotating handle for increased working velocity

**€ 68,30****D880/006AR****€ 30,40****DIAMOND TIP SCREWDRIVER SET**

With black blade and tricomponent handle made of highly elastic TPR resin and oil-resistant polypropylene material. The diamond tip allows a perfect grip, avoiding to ruin the head of the screw. This type of tip is also very effective with already ruined screws.



Sizes Slot (-) 4 x 100 mm, (-) 5 x 125 mm, (-) 6 x 150 mm
Cross (+) PH 1 x 75 mm, (+) PH 2 x 100 mm, (+) PH 3 x 150 mm


**€ 23,70****0164AR****€ 89,00****FABRIC TOOL CASE WITH TOOLS AND ACCESSORIES**

Water pump pliers	250mm
Ball point hex key	1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10mm
Combination plier	180mm
Scissors	200mm
Utility knife	18mm
Magnetic bit holder	1
Bits	30 - 1/4"
Ratchet bit handle	1
German hammer	300g
Screwdrivers	(-) 3x75 - 5x100mm - (+) 0x75 - 1x100 - 2x100mm
Precision tape	5m
Combination spanner	7 - 8 - 10 - 13 - 17 - 19mm

**€ 64,90**


0690/07P
PRO €103,95
**RATCHET FLEXIBLE HEAD
COMBINATION SPANNER SET**


DIN 3113.



Sizes 8 - 10 - 11 - 13 - 15 - 17 - 19 mm

€ 73,60
0690/12P
PRO €165,90
**RATCHET FLEXIBLE HEAD
COMBINATION SPANNER SET**

DIN 3113.


Sizes 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm

€ 105,00
0700/07P
€72,77
**RATCHET COMBINATION SPANNER
SET**

Sizes 8 - 10 - 11 - 13 - 15 - 17 - 19 mm

€ 54,30
0700/12P
€131,25
**RATCHET COMBINATION SPANNER
SET**

Sizes 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm

€ 101,00
0544
€144,90
COMBINATION SPANNER SET

Sizes 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-30-32 mm

€ 113,00
0200
€33,50
**DOUBLE OPEN END MIRROR POLISH
LONG PATTERN WRENCH SET**

DIN 3110.


Sizes 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm

€ 22,70
0208
€132,30
**MIRROR POLISH LONG PATTERN
COMBINATION SPANNER SET**

DIN 3113.


Sizes 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-30-32 mm

€ 94,10
0204
€169,05
**MIRROR POLISH LONG PATTERN
COMBINATION SPANNER SET**

DIN 3113.


Sizes 34 - 36 - 38 - 41 - 46 - 50 mm

€ 126,00

0199P**€65,31****MIRROR POLISH LONG PATTERN
COMBINATION SPANNER SET**

DIN 3113 Inches



13 Pcs



Hangable



Cr-V



Chromed

€51,80

Size 1/4" - 5/16" - 3/8" - 7/16" - 1/2" - 9/16" - 5/8" - 11/16" - 3/4" - 13/16" - 7/8" - 15/16" - 1"

0222**€42,42****DOUBLE OPEN END WRENCH SET**

DIN 3110.



12 Pcs



Hangable



Cr-V



Chromed

€28,90

Sizes 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x27 - 25x28 - 30x32 mm

0221**€17,54****DOUBLE OPEN END WRENCH SET**

DIN 3110.



8 Pcs



Hangable



Cr-V



Chromed

€13,50

Sizes 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm

0073**€19,01****COMBINATION SPANNER**

DIN 3113.



12 Pcs



Hangable



Cr-V



Chromed

€14,90

Sizes 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 17 - 19 - 22 mm

0223**€75,18****COMBINATION SPANNER**

DIN 3113.



25 Pcs



Box



Cr-V



Chromed

€59,90

Sizes 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-30-32 mm

0477**€29,51****MIRROR POLISH RING SPANNER
SET**

DIN 838.



8 Pcs



Hangable



Cr-V



Chromed

€24,00

Sizes 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm

0476**€67,62****MIRROR POLISH RING SPANNER
SET**

DIN 838.



12 Pcs



Hangable



Cr-V



Chromed

€53,90

Sizes 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x27 - 25x28 - 30x32 mm

0714**€124,95****HOOK WRENCHES SET**

8 Pcs



Box



Cr-Mo



Chromed

€92,80Model 35 ÷ 120
Sizes 35÷60 60÷90 90÷120

0558/GE
€ 14,60
HEX KEY SET

With ph and slot screwdriver head, with multipurpose handle that can be used as a t-handle or as a key extension.


Cr-V

€ 11,30

Sizes	2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
Cross screwdriver	PH0 (3mm) - PH1 (4mm) - PH2 (5mm)
Slotted screwdriver	6mm

0545/EF
PRO € 34,44
BALL POINT COLORED HEX KEY SERIES

DIN 911.



Mo-V

€ 26,40

Sizes	1.5 - 2 - 2.5 - 3 - 4 - 5 - 6 - 8 - 10 mm
-------	---

0400
€ 69,83
MALE "T" HANDLE HEX WRENCH SET

DIN ISO 2936, with sliding bar making them versatile for use in difficult situations and under extreme conditions.


Cr-V

€ 57,00

Sizes	2 - 3 - 4 - 5 - 6 - 8 - 10 mm
-------	-------------------------------

0220/C
€ 9,03
TORX KEY SET SHORT TYPE

With tamper resistant head (Hole)


Cr-V

Chromed

€ 6,70

Sizes	T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50
-------	---

0215X
BALL POINT HEX KEY SET , LONG TYPE

Cr-V

€ 9,30

Size	Art.	€	Promo
1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10	0215	€ 12,50	€ 9,30
1/16" - 5/64" - 3/32" - 1/8" - 5/32" - 3/16" - 1/4" - 5/16" - 3/8"	0215P	€ 12,50	€ 9,30

0558/EM
PRO € 18,38
HEX KEY SET WITH DIAMOND TIP

DIN ISO 2936, the diamond tip allows a perfect grip, avoiding to ruin the head of the screw. This type of tip is also very effective with already ruined screws.


Cr-V

Diamond coated

€ 14,30

Sizes	1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 mm
-------	--------------------------------------

0220
€ 14,70
TORX KEY SET LONG TYPE

DIN 911, with tamper resistant head (hole).


Cr-V

€ 9,90

Sizes	T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50
-------	---

0545/TF
PRO € 37,07
COLORED TORX KEY SERIES

DIN 911.


Mo-V

€ 28,90

Sizes	T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50
-------	---

0558/TX

PRO €18,38

TORX KEY SET WITH DIAMOND TIP

DIN ISO 2936, the diamond tip allows a perfect grip, avoiding to ruin the head of the screw. This type of tip is also very effective with already ruined screws.



8 Pcs



Blister



Cr-V



Diamond coated



€14,30

Sizes

T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40

0806/020

€114,45

DIGITAL TORQUE SCREWDRIVER

ISO 6789-2017, Clockwise and anticlockwise tightening, sound and vibration diagnostics of the preset torque reached.



Carrying case



1/4"

MEASURE UNITS: Nm / lbft / lbin

Capacity 0 ÷ 20 Nm

Reading 0,01 Nm

Accuracy ±2%



€90,80

0137

€64,05

TORQUE WRENCH



3 Pcs



Carrying case



Chromed



3/8" | 1/2"

Capacity 28 ÷ 210 Nm

Extension 120 mm

€45,70

G090-

PRO

ERGONOMIC RATCHET HANDLE



Hangable



Cr-Mo



Chromed



90 teeth

starting from
€17,50

Length	Dr.	Art.	€	Promo
145 mm	1/4"	G090/1/4	€22,58	€17,50
195 mm	3/8"	G090/3/8	€27,41	€22,30
265 mm	1/2"	G090/1/2	€31,29	€25,80

0809-

PRO

ELECTRONIC DIGITAL TORQUE WRENCH

It allows cw and ccw operation and a led and buzzer diagnostic of torque status.



Carrying case



Chromed

starting from
€89,60

Capacity	Dr.	Length	Art.	€	Promo
6 ÷ 30 Nm	1/4"	200 mm	0809/030	€111,30	€89,60
16 ÷ 80 Nm	3/8"	230 mm	0809/080	€118,65	€96,00
20 ÷ 100 Nm	1/2"	275 mm	0809/100	€124,95	€101,00

0268A

€102,38

DIGITAL TORQUE METER

Twist monitoring tool. Applied to a ratchet wrench it can be used as a torque wrench. Backlit LCD screen, Peak and Trace operating mode. Auto power off function.

Operation mode	Peak/track
MEASURE UNITS:	Nm/kgm/kgcm/lbft/lbin
Capacity	40 ÷ 200 Nm
Reading	0,1 Nm
Memory	50
Accuracy	±2%
Dimensions	75 x 44mm
Battery	2 x AAA
Working temperature	-10°C - 60 °C (14°F - 139.9 °F)
Storage temperature	-20°C - 70°C (-4 °F - 157.9°F)



€76,20

0360

€81,59

TORQUE MULTIPLIER

DIN 3113, labor saving wheel wrench, supplied in plastic case.



7 Pcs



Carrying case



1"

1" Dr. sockets	32 - 33 mm
Ratio	1 : 56
Maximum torque	3000 Nm
Operating torque	1000 Nm
Net weight	7 kg



€68,20

CN450NX

ERGONOMIC RATCHET HANDLE



Hangable



Cr-Mo



Chromed



72 teeth

starting from
€20,10

Length	Dr.	Art.	€	Promo
150 mm	1/4"	CN450N1/4A	€27,30	€20,10
205 mm	3/8"	CN450N3/8A	€31,61	€22,10
250 mm	1/2"	CN450N1/2A	€32,66	€24,40

0195
€ 48,93
E SOCKET SET

Suitable for torx bolt.

28 Pcs

Carrying case

Cr-V

Chromed

Torx size

1/4": E4 - E5 - E6 - E7 - E8 - E10 - E11
3/8": E4 - E5 - E6 - E7 - E8 - E10 - E11
- E12 - E14 - E16 - E18 - E20 1/2":
E10 - E11 - E12 - E14 - E16 - E18 -
E20 - E22 - E24


€ 38,70
S328
PRO € 140,70
1/2" DR. SOCKET SET

28 Pcs

Carrying case

Cr-V

Chromed

1/2" Dr. sockets

8 - 9 - 10 - 11 - 12 - 13 -
14 - 15 - 16 - 17 - 18 - 19
- 20 - 21 - 22 - 23 - 24 - 27
- 30 - 32 mm

Spark plug sockets sizes

1/2" : 16 - 21 mm

1/2" Dr. socket-bars

75 - 150 - 250 mm

Universal joint

1/2"

Adapter

F. 3/8" - M. 1/2"

Ratchet handle

1/2"


€ 111,00
0181
€ 166,95
3/4" DR. SOCKET SET

20 Pcs

Carrying case

40 Cr

Satin

Sizes

19 - 21 - 22 - 23 - 24 - 26
- 27 - 30 - 32 - 34 - 36 - 38
- 41 - 46 - 48 - 50 mm

Ratchet handle

3/4"

Sliding T-bar

3/4"

Extension bars

3/4" : 100 - 200 mm


€ 126,00
0618
€ 207,90
DR. SOCKET SET

94 TOOLS MADE OF CHROME VANADIUM, WITH REVERSIBLE 1/4", 3/8" AND 1/2" RATCHET WRENCHES, EXTENSIONS, INSERTS AND HEX KEYS.

179 Pcs

Carrying case


€ 153,00
0624
€ 70,67
1/4" DR. SOCKET SET

46 Pcs

Carrying case

1/4" Dr. sockets

4 - 4.5 - 5 - 5.5 - 6 - 7 -
8 - 9 - 10 - 11 - 12 - 13
- 14 mm

Sockets with bits

1/4" : T8 - T10 - T15 -
T20 - T25 - T30 - T40
- H3 - H4 - H5 - H6 - H7
- H8 - SL4 - SL5.5 - SL7
- PH1 - PH2 - PH3 - PZ1 -
PZ2 - PZ3

Ratchet handle

1/4"

Flexible bar

1/4" - 150 mm

1/4" Dr. socket-bars

50 - 100 mm


€ 57,50
0620
€ 124,95
1/2" DR. SOCKET SET

24 Pcs

Carrying case

Cr-V

Chromed

1/2"

1/2" Dr. sockets

10 - 11 - 12 - 13 - 14 - 15
- 16 - 17 - 18 - 19 - 20 -
21 - 22 - 23 - 24 - 27 - 30
- 32 mm

Spark plug sockets sizes

1/2" : 21 mm

1/2" Dr. socket-bars

125 - 250 mm

Universal joint

1/2"

Sliding T-bar

1/2"

Ratchet handle

1/2"


€ 76,80
S108
€ 187,95
1/4" & 1/2" DR. SOCKET SET

108 Pcs


Carrying case


€ 153,00
S179
€ 322,35
DR. SOCKET SET

179 Pcs

Carrying case


€ 262,00

I340**€246,75****STANDARD & DEEP IMPACT SOCKET SET**

1/2" Dr. sockets	9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 26 - 27 - 30 mm
1/2" Dr. deep sockets	9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 26 - 27 - 30 mm
Universal joint	1/2"
1/2" Dr. socket-bars	125 mm

**€200,00****SI413M006****€54,39****IMPACT HEX BIT SOCKET SET**

DIN 3129.



Socket Length	8, 10, 12, 14, 17, 19 mm 60 mm
---------------	-----------------------------------

**€41,20****I217****€325,50****METRIC STANDARD IMPACT SOCKET SET**


Sizes	19 - 21 - 22 - 24 - 27 - 30 - 32 - 33 - 34 - 35 - 36 - 38 - 40 - 41 - 46 - 50 - 55 mm
-------	---

**€264,00****E190-****2 JAW GEAR PULLER**

Dimensions	Art.	€	Promo
Max Ø 80 mm - h 100 mm	E190/080	€34,50	€25,20
Max Ø 130 mm - h 100 mm	E190/130	€41,16	€28,90
Max Ø 160 mm - h 150 mm	E190/160	€50,61	€36,30
Max Ø 200 mm - h 150 mm	E190/200	€54,60	€39,50

**starting from €25,20****SI4E3N013****€62,27****STANDARD IMPACT SOCKET SET**


DIN 3129



Socket	10, 11, 12, 13, 14, 16, 17, 19, 21, 22, 24, 27, 30 mm
--------	---

**€42,80****0341****€38,75****DEEP IMPACT HEX SOCKET SET WITH PLASTIC SLEEVE**

Sizes Length	17 - 19 - 21 mm 87 mm
--------------	--------------------------

**€29,60****E191-****3 JAW GEAR PULLER**

Dimensions	Art.	€	Promo
Max Ø 120 mm - h 101 mm	E191/120	€60,48	€50,20
Max Ø 200 mm - h 150 mm	E191/200	€113,40	€89,50

**starting from €50,20****C880/006****€17,01****SCREWDRIVER SET**

With black phosphatized magnetic tip, handle made of high elastic resin TPR and polypropylene material oil resistant.



Sizes Slot	(-) 4 x 100 mm, (-) 5 x 125 mm, (-) 6 x 150 mm
Cross	(+) PH 1 x 75 mm, (+) PH 2 x 100 mm, (+) PH 3 x 150 mm

**€13,90**

0634
€ 12,50
SCREWDRIVER SET


Sizes Slot	(-) 4x0,8x75 mm, (-) 5,5x1,0x100 mm, (-) 6,5x1,2x150 mm
Cross	(+) PH 0x3x75 mm, (+) PH 1x5x100 mm, (+) PH 2x6x125 mm


€ 9,50
CI80/006
PRO € 22,79
INSULATED SCREWDRIVER SET

1000V IEC 60900, with black phosphatized magnetic tip and polypropylene material oil resistant bi-color handle.



Sizes Slot	(-) 0,6 x 3 x 100 mm, (-) 0,8 x 4 x 100 mm, (-) 1 x 5,5 x 125 mm
Cross	(+) PH 0 x 3 x 60 mm, (+) PH 1 x 4,5 x 80 mm, (+) PH 2 x 6 x 100 mm


€ 18,50
PI063
€ 27,09
MULTIFUNCTION REPAIR TOOL KIT

62 pieces kit with magnetic revolving handle for precision repair of your tools, including smartphones, watches and appliances. The magnetic tray and the click-clack function allow to keep the bits organized without losing them.



Magnetic bit holder	1
Phillips	PH00000-PH0000-PH000-PH00-PH0-PH1-PH2
Slotted	1.0 - 1.3 - 1.5 - 2.0 - 2.5 - 3.0 - 4.0
Hexagonal	0.7 - 0.9 - 1.3 - 1.5 - 2.0 - 2.5 - 3.0 - 3.5 - 4.0
Pozi-driv	PZ000 - PZ00 - PZ0 - PZ1


€ 20,10
0455
PRO € 99,96
DOUBLE HAND NUT RIVETER

With 7 nosepieces



Nosepieces	M3 - M4 - M5 - M6 - M8 - M10 - M12
Length	400 mm


€ 80,90
P. 018

Promotion valid until 31/12/2023, while stocks last - VAT not included

0880/307
€ 20,37
SCREWDRIVER SET


Slotted	(-) 3,0x0,5x75 mm, (-) 4,0x0,8x100 mm, (-) 5,5x1,0x125 mm, (-) 6,5x1,2x150 mm, (-) 8,0x1,2x150 mm
Cross	(+) PH 1x80 mm, (+) PH 2x100 mm


€ 13,10
0888
€ 22,68
L-SHAPED DRIVER

Bits inside the handle.


S018
€ 90,83
HAND RIVETER SET

€ 74,10

Rivets	50 x ø2,4 mm - 50 x ø3,2 mm - 50 x ø4,0 mm - 50 x ø4,8 mm
Nut rivets	50 x M3 - 50 x M4 - 25 x M5 - 25 x M6 - 20 x M8

0469
PRO € 55,44
HAND NUT RIVETER

With 4 nosepieces. Ergonomic handles.



Nosepieces	M3 - M4 - M5 - M6
Length	200 mm



€ 44,60

0453

PRO €44,84

DOUBLE HAND RIVETER

Long levers for effortless working, even with 6.4mm rivets. Plastic container, under the riveting tool, to collect the pins of the used rivets to be recycled.



€34,50


Rivets	Ø 3,2 - 4,0 - 4,8 - 6,4 mm
Length	400 mm

0847

PRO €74,34

CRIMPING PLIERS FOR END SLEEVES TERMINALS

With release lever



€57,60

Terminals	0,25 ÷ 6 mm2 AWG 23-10
Length	175 mm
Thickness	12 mm

0831-

PRO

WATER PUMP PLIERS

DIN ISO 8976/C, 7 positions.

starting from
€5,50

Length	Art.	€	Promo
175 mm	0831/175	€8,09	€5,50
250 mm	0831/250	€9,56	€6,10
300 mm	0831/300	€11,76	€9,60

0126

€14,60

DRIFT PIN SET WITH PLASTIC HOLDER

€11,30

Dimensions	Ø 3-4-5-6-8-10 mm
Length	150 mm

0841

PRO €22,79

RATCHET CRIMPING TOOL

With release lever



For insulated terminals	Ø 0,8 ÷ 3,5 mm / 0,25 ÷ 6 mm ² AWG 22-10
Length	230 mm
Thickness	12 mm

€18,70

0603

PRO €101,85

AUTO REPAIRING PLIERS SET FOR CARS ZIP TIES

€84,40

0834-

TOWER PINCERS

DIN ISO 9242.

starting from
€3,50

Length	Art.	€	Promo
220 mm	0834	€5,78	€4,10
200 mm	0834/200	€4,89	€3,50
250 mm	0834/250	€6,09	€4,30
280 mm	0834/280	€7,67	€5,40

0306

€62,79

CARVING CHISEL SET

€50,80

Hardness	HRC 58-60
Length	215 mm

0160
€ 17,43
FILE SET FOR METAL WITH ANATOMIC HANDLE

Dimensions

200 mm - 8" mm

€ 14,10

0818/250
€ 11,03
TINMAN'S SNIPS

Length

265 mm

€ 8,30

0672/B
PRO € 10,71
ELECTRICIAN SCISSORS

With serrated blade and, bicolor non-slip ergonomic handle.


Length

140 mm

€ 6,40

0325
€ 13,86
MULTIPURPOSE SCISSORS

With serrated blade and ergonomic bicolor non-slip handle.


Length

210 mm / 8" mm

€ 10,50


0678
€ 21,11
POLYURETHANE FOAM GUN

Mount and foam adjustment.


Length


290 mm

€ 14,80

0085
PRO € 12,92
9" HEAVY DUTY CAULKING GUN



Nickel plated

€ 10,10

0521
PRO € 10,40
9" HEAVY DUTY CAULKING GUN


Nickel plated

€ 7,70

0861
€ 21,11
9" EPOXY SEAL CAULKING GUN


Nickel plated

€ 14,80


0105T

€ 318,15

TOOL TROLLEY WITH ACCESSORIES



Cr-V

€ 239,00

Case size
Net weight470 x 350 x 135 mm
12 kg

0110T

€ 268,80

TOOL BOX WITH TROLLEY, TOOLS
AND ACCESSORIES

Cr-V

€ 201,00

Case size
Net weight470 x 350 x 135 mm
10 kg

0105

€ 271,95

TOOL BOX WITH ACCESSORIES



Cr-V

€ 217,00

Case size
Net weight470 x 350 x 135 mm
11,5 kg

0110

€ 221,55

TOOL BOX WITH ACCESSORIES



Cr-V

€ 176,00

Case size
Net weight470 x 350 x 135 mm
9,5 kg

0399

€ 201,60

TOOL BOX WITH TOOLS AND ACCESSORIES

Durable case with ergonomic handle.



Cr-V

€ 129,00

Case size
Net weight450 x 360 x 120 mm
7 kg

0434

€ 97,76

TOOL BOX WITH TOOLS AND ACCESSORIES



Cr-V

€ 76,00

Case size
Net weight400 x 270 x 120 mm
3 kg

0165

€ 267,75

TOOL BOX WITH ACCESSORIES

175 tools and accessories made of light
chrome vanadium metal. Suitcase with wheels
and extendable handle.

Cr-V

€ 208,00

Trolley
Net weight1
15 kg

0315

€ 183,75

TOOL BOX WITH ACCESSORIES

Ergonomic suitcase handle.



Cr-V

€ 143,00

Plastic case size
Net weight500 x 440 x 150 mm
9 kg

0587
€ 99,54
AIR STAPLER


Carrying case

Loader capacity	100
Working pressure	5 - 7 bar
Dimensions	225 x 165 x 45 mm
Staples	80 - 6 / 16 mm
Air inlet	1/4"
Net weight	0,9 kg


€ 55,40
0585
€ 120,75
2 IN 1 AIR STAPLER AND BRAD NAILER


Carrying case

Loader capacity	80
Working pressure	5 - 7 bar
Dimensions	245 x 230 x 55 mm
Nails	F - 10 / 50 mm
Staples	90 - 10 / 40 mm
Air inlet	1/4"
Net weight	1,4 kg


€ 82,80
0586
€ 110,25
AIR BRAD NAILER


Carrying case

Loader capacity	110
Working pressure	5 - 7 bar
Dimensions	245 x 225 x 55 mm
Nails	F - 10 / 50 mm
Air inlet	1/4"
Net weight	1,5 kg


€ 68,40
0588/6
€ 93,98
AIR BRADDER FOR MINI PINS


Carrying case

Loader capacity	130
Working pressure	5 - 7 bar
Dimensions	225 x 170 x 45 mm
Staples	0,60 - 12 / 30 mm
Air inlet	1/4"
Net weight	1 kg


€ 61,30
AP01
PRO
€ 249,90
AIR IMPACT WRENCH

Professional series. In composite material, handle and head in shockproof rubber. Operating lever, change of rotation and speed adjustment operated with one hand. High power and great reliability



Box



3/8"

Speed	8500 rpm
Torque	542 Nm 400 lb-ft
Avg air cons.	108 l/min 3.8 SCFM
Working pressure	6 bar 90 psi
Air inlet	1/4"
Net weight	1,2 kg


€ 192,00
AP02
PRO
€ 259,35
AIR IMPACT WRENCH

Professional series. In composite material, handle and head in shockproof rubber. Operating lever, change of rotation and speed adjustment operated with one hand. High power and great reliability



Box



1/2"

Speed	7800 rpm
Torque	678 Nm 500 lb-ft
Avg air cons.	136 l/min 4.8 SCFM
Working pressure	6 bar 90 psi
Air inlet	1/4"
Net weight	1,2 kg


€ 205,00
AP03
PRO
€ 267,75
AIR IMPACT WRENCH

Professional series. In composite material, handle and head in shockproof rubber. Operating lever, change of rotation and speed adjustment operated with one hand. High power and great reliability



Box



1/2"

Speed	7300 rpm
Torque	1085 Nm 800 lb-ft
Avg air cons.	153 l/min 5.4 SCFM
Working pressure	6 bar 90 psi
Air inlet	1/4"
Net weight	2 kg


€ 213,00
AP04
PRO
€ 278,25
AIR IMPACT WRENCH

Professional series. In composite material, handle and head in shockproof rubber. Operating lever, change of rotation and speed adjustment operated with one hand. High power and great reliability



Box



3/4"

Speed	7300 rpm
Torque	1085 Nm 800 lb-ft
Avg air cons.	153 l/min 5.4 SCFM
Working pressure	6 bar 90 psi
Air inlet	1/4"
Net weight	2,1 kg


€ 220,00

AP05

PRO € 647,85

AIR IMPACT WRENCH

Professional series. In composite material, handle and head in shockproof rubber. Operating lever, change of rotation and speed adjustment operated with one hand. High power and great reliability



Speed	5300 rpm
Torque	1900 Nm 1400 lb-ft
Avg air cons.	224 l/min 8.1 SCFM
Working pressure	6 bar 90 psi
Air inlet	3/8"
Net weight	3,3 kg



€ 494,00

0571

€ 170,10

AIR IMPACT WRENCH



Speed	7000 rpm
Torque	610 Nm
Avg air cons.	5 SCFM (150 l/min)
Working pressure	6 bar 90 psi
Air inlet	1/4"
Net weight	2,6 kg



€ 119,00

0414

€ 36,96

AIR DIE GRINDER

3mm and 6mm, with rear exhaust 360°, exclusive composite body design.



Pliers	ø 3 mm - ø 6 mm
Speed	22000 rpm
Avg air cons.	7 SCFM (198 l/min)



€ 27,00

Working pressure	6 bar / 90 psi
Air inlet	1/4"
Net weight	0,6 kg

0417

€ 63,53

LONG TYPE AIR DIE GRINDER

3 and 6mm pincers, with rear exhaust 360°, exclusive composite body design.



Pliers	ø 3 mm - ø 6 mm
Length	295 mm
Speed	20000 rpm
Avg air cons.	4 SCFM (113 l/min)



€ 51,50

Working pressure	6 bar / 90 psi
Air inlet	1/4"
Net weight	0,6 kg

AP06

PRO € 249,90

AIR IMPACT WRENCH

Professional series. In composite material, handle and head in shockproof rubber. Operating lever, change of rotation and speed adjustment operated with one hand. High power and great reliability



Speed	9000 rpm
Torque	312 Nm 230 lb-ft
Avg air cons.	113 l/min 4 SCFM



€ 198,00

Working pressure	6 bar 90 psi
Air inlet	1/4"
Net weight	1,1 kg

0413

€ 32,34

MINI AIR DIE GRINDER

Collet 3mm and 6mm. Revolving rear air outlet. Body frame made from composite material.



Pliers	ø 3 mm - ø 6 mm
Speed	25000 rpm
Avg air cons.	4 SCFM (113 l/min)



€ 26,70

Working pressure	6 bar / 90 psi
Air inlet	1/4"
Net weight	0,4 kg

0416

€ 57,54

90° AIR DIE GRINDER

Collet ø 3mm - ø 6mm. Revolving rear air outlet.



Pliers	ø 3 mm - ø 6 mm
Speed	20000 rpm
Avg air cons.	4 SCFM (113 l/min)



€ 46,60

Working pressure	6 bar / 90 psi
Air inlet	1/4"
Net weight	0,5 kg

0418

€ 56,39

REVERSIBLE AIR DRILL

Chuck 10 Ø mm, with rear exhaust 360°, composite body design



Chuck sizes	Ø 10 mm
Speed	1800 rpm
Avg air cons.	4 SCFM (113 l/min)



€ 45,60

Working pressure	6 bar / 90 psi
Air inlet	1/4"
Net weight	0,9 kg

0419
€ 95,13
6" AIR ORBIT SANDER WITH SUCTION

And speed control, hook & loop pad, 360° rear exhaust, die cast aluminum body with soft handle grip in lightweight and ergonomic design



Box

Disc diameter	150 mm - 6"
Orbit	5 mm, 3/16"
Speed	10500 rpm MAX.
Avg air cons.	3 SCFM (85 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Length	200 mm


€ 79,00
0421
€ 103,53
6" AIR ORBIT SANDER WITH SELF-INTEGRATED SUCTION

Speed control, hook & loop pad, 360° rear exhaust, die cast aluminum body with soft handle grip in lightweight and ergonomic design, corrugated hose and dust bag



Box

Disc diameter	150 mm - 6"
Orbit	5 mm, 3/16"
Speed	10500 rpm
Avg air cons.	3 SCFM (85 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Length	200 mm


€ 84,70
0458
€ 95,13
6" AIR ORBIT SANDER WITH SUCTION

Speed control, 2.5mm orbit, hook & loop pad, 360° rear exhaust, die cast aluminum body with soft handle grip in lightweight and ergonomic design.



Box

Disc diameter	150 mm - 6"
Orbit	2,5 mm - 3 / 32"
Max speed	10500 rpm
Avg air cons.	3 SCFM (85 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Length	200 mm


€ 79,00
0460
€ 112,35
6" AIR ORBIT SANDER WITH SELF-INTEGRATED SUCTION

Speed adjustable, revolving rear air outlet, aluminum body, soft and ergonomic handle, Suction tube and dust collection bag.



Box

Disc diameter	150 mm - 6"
Orbit	2,5 mm - 3 / 32"
Max speed	10500 rpm
Avg air cons.	3 SCFM (85 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Length	200 mm


€ 91,80
0046
€ 93,98
AIR RATCHET WRENCH SET

With 7 sockets, a fixed 75 mm extension for sockets, a 75 mm extension with joint for sockets, 1/4" nozzle, three screwdriver bits and a fixed 75 mm extension for screwdriver bits.



16 Pcs



Carrying case



1/2"



Speed	160 rpm
Torque	65 Nm
Socket	9-10-11-13-14-17-19 mm

€ 75,10
0574
€ 103,11
REVERSIBLE AIR DRILL


Chuck sizes	Ø 10 mm
Speed	1800 rpm
Avg air cons.	5 SCFM (150 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Net weight	1 kg

€ 83,10
0313
€ 106,05
5" AIR ANGLE DIE GRINDER


Box

Saw blade	Ø 125 mm
Speed	10000 rpm
Avg air cons.	5 SCFM (150 l/min)

Working pressure	6 bar / 90 psi
Air inlet	1/4"
Net weight	2 kg


€ 82,70
0051
€ 30,98
AIR DIE GRINDER


Box

Pliers	Ø 3 mm - Ø 6 mm
Speed	22000 rpm
Avg air cons.	4 SCFM (120 l/min.)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Net weight	0,8 kg


€ 24,70

0641

€ 66,47

**FLEXIBLE PNEUMATIC
MICROGRINDING WHEEL**

For grinding and chamfering



15 Pcs

Carrying case

Collet capacity	3 mm
Speed	56000 rpm
Avg air cons.	2 SCFM (60 l/min.)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Net weight	0,7 kg



€ 41,50

0059

€ 36,33

**HEAVY DUTY AIR HAMMER WITH 4
HEXAGONAL CHISELS**

5 Pcs

Box

Speed	BPM 3500
Bore-stroke	19 x 66 mm / 3/4" x 2 5/8"
Avg air cons.	4,5 SCFM (135 l/min)
Working pressure	6 bar / 90 psi
Air inlet	1/4"
Net weight	1,5 kg



€ 27,20

0125

€ 39,27

DIGITAL TYRE GAUGE

With backlight and various measurement units. equipped with tyre valve screwdriver



Blister

Max. pressure	8 bar (110 psi)
Working pressure	2 - 4 bar (30 - 60 psi)
Reading	0,05 bar 0,7 psi
Not included batteries	2 x 1.5V AAA
Air inlet	1/4"



€ 29,20

0610

€ 15,75

WASHING GUN

Box

Capacity	1000 cc
Air inlet	1/4"



€ 12,10

0784

€ 78,02

AIR BELT SANDER

With spare belts. Light metal body



Box

Speed	16000 rpm
Avg air cons.	6 SCFM (180 l/min.)
Working pressure	6 bar / 90 psi

Belt	10 x 330 mm
Air inlet	1/4"
Net weight	0,9 kg



€ 60,30

0607

€ 6,83

BLOW GUN

Blister

Alu

Aluminum

Nozzle	2.0 mm
Working pressure	4-6 bar
Air inlet	1/4"



€ 5,60

0608

€ 19,22

TYRE INFLATING GUN

Blister

Manometer	ø 63 mm
Reading	0÷12 bar 0÷174 psi
Air inlet	1/4"



€ 13,00

0609

PRO € 47,04

TYRE INFLATING GUN

Blister

Manometer	ø 70 mm
Reading	0÷12 bar 0÷174 psi
Rubber hose length	1000 mm
Air inlet	1/4"



€ 35,90

A481/10
PRO €77,07
AUTO REWIND AIR HOSE REEL

Made of polypropylene shell, with polyurethane mesh hose and regulation for distributing evenly the tube in the internal part, tools free adjustable stop ball and 180° swivel mount bracket



Max. pressure	16 bar / 250 psi
Hose length	10 + 1 m
Male Fitting	1/4" BSPT
Hose diameter	ø 12 x 8 mm
Working temperature	0 ÷ 45° C
Net weight	2,9 kg


€ 57,30
A481/15
PRO €118,65
AUTO REWIND AIR HOSE REEL

Made of polypropylene shell, with polyurethane mesh hose and regulation for distributing evenly the tube in the internal part, tools free adjustable stop ball and 180° swivel mount bracket



Max. pressure	16 bar / 250 psi
Hose length	15 + 1 m
Male Fitting	1/4" BSPT
Hose diameter	ø 12 x 8 mm
Working temperature	0 ÷ 45° C
Net weight	4,4 kg


€ 88,60
A481/15H
PRO €140,70
AUTO REWIND AIR HOSE REEL

Made of polypropylene shell, with polyurethane mesh hose and regulation for distributing evenly the tube in the internal part, tools free adjustable stop ball and 180° swivel mount bracket



Max. pressure	18 bar / 260 psi
Hose length	15 + 1 m
Male Fitting	3/8" BSPT
Hose diameter	ø 13,5 x 9,5 mm
Working temperature	0 ÷ 45° C
Net weight	4,5 kg


€ 105,00
A481/30H
PRO €210,00
AUTO REWIND AIR HOSE REEL

Made of polypropylene shell, with polyurethane mesh hose and regulation for distributing evenly the tube in the internal part, tools free adjustable stop ball, low speed retraction system and 180° swivel mount bracket



Max. pressure	18 bar / 260 psi
Hose length	30 + 2 m
Male Fitting	3/8" BSPT
Hose diameter	ø 13,5 x 9,5 mm
Working temperature	0 ÷ 45° C
Net weight	9 kg


€ 156,00
0378/1510
PRO €174,30
AUTO REWIND AIR HOSE REEL

With pu mesh hose and regulation for distributing evenly the tube in the internal part



Max. pressure	18 bar / 260 psi
Hose length	15 + 1 m
Male Fitting	3/8" BSPT
Hose diameter	ø 13,5 x 9,5 mm
Working temperature	0 ÷ 45° C
Net weight	5 kg


€ 126,00
0481/15
€133,35
AUTO REWIND AIR HOSE REEL

With pu mesh hose, german type female quick coupler, german type female plug and regulation for distributing evenly the tube in the internal part



Max. pressure	16 bar / 250 psi
Hose length	15 + 1 m
Male Fitting	1/4" BSPT
Hose diameter	ø 12 x 8 mm
Working temperature	0 ÷ 45° C
Net weight	4,5 kg


€ 107,00
0033A
PRO €117,60
WOOD-BURNING PEN SET WITH 6 PINS OF DIFFERENT SHAPE


Melting point	215°
Working temperature	215 ÷ 300°C
Max temperature	420°C
Power station supply	230 V, 50 Hz
Soldering power supply	24 V, 48 W


€ 91,20
0031
€34,55
HIGH PRECISION TEMPERATURE -CONTROLLED SOLDERING IRON STATION

Adjustable temperature 150-420°C, iron tip with hole ø 6 mm



Working temperature	450°C ± 10%
Power	230 V, 50 Hz, 40 W


€ 26,80

0027/40W

€ 15,12

SOLDERING IRON



Blister

Power	230 V 50 Hz 30 W
Working temperature	450°C ± 10%



€ 11,70

0024

€ 31,61

HOT AIR GUN



Box

Temperature	300 °C - 500 °C
Air stream	280 l/min - 480 l/min
Power	230 V 50Hz 1,5 kW



€ 25,00

0441

€ 73,40

HOT KNIFE FOR POLYSTYRENE WITH ADJUSTABLE TEMPERATURE

For polystyrene, plastic, foam and sponge, adjustable cutting length, metal stand



Box

Power	230 V, 50 Hz, 220 W
Temperature	120 - 220 - 330 - 400 - 450 °C
Cutting capacity with adjustment	20 ÷ 90 mm
Max cut	150 mm



€ 59,10

0333

PRO € 116,55

HOT KNIFE FOR POLYSTYRENE WITH ADJUSTABLE TEMPERATURE

For polystyrene, plastic, foam and sponge, adjustable cutting length, metal stand



Carrying case

Power	230 V, 50 Hz, 150 W
Temperature	Max 500 °C
Max cut	150 mm



€ 89,30

0443

PRO € 59,12

FAST HEATING SOLDERING GUN

With adjustable temperature



Carrying case

Power	230V 50Hz 200W
Temperature	70 °C ÷ 500 °C



€ 46,30

0444

PRO € 88,20

DIGITAL HOT AIR GUN SET

With electronic temperature control, lcd display to show the temperature, 2 levels of air flow, ideal for heating, folding, bending, removing paint



6 Pcs



Box



ABS

Power	230 V, 50 Hz, 2000 W
Temperature	I 70°C - II 70°C ÷ 600°C - III 70°C ÷ 600°C
Air stream	I 300L/min - II 300L/min - III 500L/min



€ 71,30

0321

€ 49,98

HOT KNIFE FOR POLYSTYRENE WITH ADJUSTABLE TEMPERATURE

For polystyrene, plastic, foam and sponge, adjustable cutting length.



Box

Power	230 V, 50 Hz, 130 W
Temperature	Max 450 °C
Cutting capacity with adjustment	14 ÷ 97 mm
Max cut	120 mm



€ 38,40

0677/500

€ 18,90

500CC HAND OPERATED LEVER GREASE GUN

Composed of metal tank and pump, coupler and 300mm PVC flexible hose, for using with loose grease or ø 53mm grease cartridges.



Box

Capacity	500 cc
Flexible hose sizes	ø 8 x 300 mm
Working pressure	6000-8000 psi



€ 15,40

0677 €43,05

HAND OPERATED LEVER GREASE GUN

Composed of metal tank and pump, coupler and 450mm PVC flexible hose for using ø 55mm grease cartridges or loose grease (adaptor already mounted).



Box

Capacity 1000 cc
Flexible hose sizes Ø 9 x 450 mm


€ 34,50
0356 €66,47

TROLLEY PRESSURE SPRAYER WITH BRASS LANCE PIPE

With FPM gaskets.



Box

Capacity 16 l

€ 53,90

0385 €57,33

ROTARY HAND PUMP

For transferring lubricating oil, diesel, kerosene and antifreeze drums with telescopic suction pipe



Box

Alu
Aluminum

Capacity 20 l/min
Pump thread 2"

€ 46,50

0474/PA €78,65

AUTOMATIC DIESEL GUN

With swivel connector.



Box

Capacity 90 l/min
Nozzle ø25 mm
Inlet thread 1" BSP

€ 60,20

0189-
METAL FUEL TANK

With flexible filler, "un" certified according to european directives



starting from
€ 30,20

Capacity Liters	Net weight	Art.	€	Promo
5	1,5 kg	0189/05C	€44,42	€ 30,20
10	2,5 kg	0189/10C	€45,05	€ 33,30
20	3,7 kg	0189/20C	€51,35	€ 33,90

0274 **PRO** €8,82

PRESSURE SPRAYER WITH BRASS NOZZLE

With FPM gaskets.


€ 6,70

Capacity 2 l

0386 €40,95

LEVER ACTION HAND OIL PUMP

For transferring lubricating oil, diesel, kerosene and antifreeze drums with telescopic pipe



Box

Capacity 18 l/min
Pump thread 2" / 1-1/2"

€ 33,80

0755 €103,11

12VDC DIESEL PUMP

For mineral oil and diesel.



Box

Motor	DC 12 V, 175 W
Motor speed	4500 rpm
Pump capacity	40 l/min
Hydraulic head	2 m
Suction	4 m
Inlet thread	25 mm
Size	200 x 120 x 155 mm
Usage time	Max 30 min


€ 85,80

0272

€15,44

DRILL PUMP

For no flammable, explosive, corrosive and oily liquid. Suitable use for rack spindles.



Plastic

Hydraulic head	30 mm
Pump capacity	2.4 m ³ /h
Max. pressure	0.3 MPa
Max speed	3400 rpm
Max temperature	40°C
Hose diameter	19 mm 3/4"



€11,70

0343

€27,51

FLEXIBLE ARM LAMP

Power	110 / 230 V 50 / 60 Hz
Bulb	Max 40 W, E27 not included
Range	800 mm
Clamp capacity	35 mm



€17,90

0516

€172,20

LOW CONSUMPTION LAMP

With lens.



Power	230V 50Hz 2 x 9W
Magnification	2x
Lens	190 x 157 mm
Range	810 mm
Clamp capacity	70 mm
Luminous flux	1000 lm



€122,00

0482/3

PRO €59,33

HEAD LAMP WITH SENSOR

Switch on and off function by passing the hand in front of the lamp.



LED	3 W COB
Luminous flux	Max 300 lm
Color temperature	6500 K
Battery	3.7 V 1500 mAh Li-ion
Autonomy	4h
Recharging time	3h



€45,40

0218/50T

€97,76

50W LED FLOODLIGHT WITH TRIPOD

Aluminium super slim die-cast housing, tempered glass.



Power	220 - 240 V, 50 Hz, 50W
Luminous flux	4000 lm
Color temperature	4000 K
Cable	2 m, 3x1 mm ² H05VV-F



€74,80

0366

€121,80

56 LED MAGNIFIER LAMP

With lens



Power	230 V 50 Hz 8 W
Magnification	2x
Luminous flux	600 lm
Color temperature	6500 K
Lens	Ø 120 mm
Range	810 mm
Clamp capacity	70 mm



€95,80

0659

€40,53

CRYSTAL LENS SET

12 Pcs	Expositor
Contents	Magnifications
3 Pcs ø 50	3x - 10x mm
3 Pcs ø 60	3x - 8x mm
3 Pcs ø 75	3x - 8x mm
3 Pcs ø 90	3x - 8x mm



€26,20

0209

€39,48

10 + 1 LED MAGNETIC WORK LIGHT

With rotating head, Led on the top and front with 2 brightness levels.



Luminous flux	50 - 300 lm
Color temperature	6500 K
Not included batteries	3 AAA
Tilting head	180°
Revolution	180°
Dimensions	35 x 330 mm



€30,30

0107
€ 8,38
30 + 7 LED MAGNETIC LIGHT

With magnet and hook on the back side


ABS

Single LED life	100000 hours
Intensity	50 lm
Not included batteries	3 AA
Dimensions	40 x 35 x 203 mm


€ 6,60
0597
€ 30,56
RECHARGEABLE LED LIGHT WITH MAGNET

With battery charger 12Vdc and 230Vac, foldable, hanging and magnetic.


ABS


Battery	3.7 V 1800 mAh
LED	8 SMD + 5 LED
Recharging time	8 ÷ 10 h
Autonomy	7 ÷ 8 h


€ 24,50
0889
€ 63,11
RECHARGEABLE LED LIGHT WITH MAGNET

With battery charger 12Vdc and 230Vac, foldable, hanging and magnetic.


ABS

Battery	3,7 V - 1100 mAh - Lithium
LED	21 + 5 - 9000 mcd
Recharging time	4 ÷ 5 h
Autonomy	4 ÷ 6 h


€ 50,60
0693A
PRO
€ 88,20
RECHARGEABLE LED LAMP

With charging station, foldable, hanging and magnetic


ABS

Battery	3,7V - 2600mAh - Li-ion
LED	6W COB LED - 1W SMD 6500K
Luminous flux	600 lm
Recharging time	4h
Autonomy	4.5h Eco mode
Working temperature	-10°C ÷ 40°C


€ 65,60
0401
PRO
€ 76,76
COB LED TECHNOLOGY RECHARGEABLE LAMP

High capacity lithium battery for long time operation, magnetic back for hand-free application, flexible standing arm for multi-angle lighting purposes, strong light output 180 lumens.


ABS

Power	100 ÷ 240 V, 50 ÷ 60 Hz
Battery	3,7 V - 2600 mAh - Li-ion
Recharging time	6 h
Autonomy	3,5 h
Intensity	180 lm


€ 59,60
0123
€ 64,68
MULTIFUNCTION USB RECHARGEABLE LED LIGHT

With front torch with various steps of brightness, lateral white and red Leds with flashing function. Usb recharging cable and transformer. Charge and recharge status Led . It can be charged directly from a computer.


ABS

Battery	3.7V - 1800 mAh - Li-ion
LED	24 Cree XPG R5
Intensity	30 - 300 lm
Dimensions	191 x 99 x 148 mm
Battery charger	USB 110 - 230 V 50 - 60 Hz
Autonomy	2.5 h


€ 52,10
G900
€ 15,33
CAMPING LANTERN

ABS

Dimensions	Ø 60 x 160 mm
Intensity	150 lm
Not included batteries	3 x AAA


€ 11,40
0445/20
PRO
€ 163,80
RECHARGEABLE LED FLOODLIGHT

With switch, adapters to recharge batteries with car dc lighter and home ac 230V.


Alu


Power	DC 12 - 24 V, 20 W; AC 230 V 20W
Luminous flux	600 - 1450 lm
Battery	7.4V 5400mAh Li-ion
Autonomy	1,5 h


€ 114,00

0900

PRO

€ 88,20

MULTI PORTABLE MAGNETIC LED LIGHT

COB Led portable lamp made in impact-resistant ABS. Adjustable in four different light intensities from 350 to 1400 Lumen. The strong magnet at the base and the rotatable body through 180°, makes it perfect to be used in any circumstance.

Alu
Aluminum

LED	COB
Power	USB Type C 5 V 2 A
Battery	3.7 V 5200 mAh Li-ion
Luminous flux	350 ÷ 1400 lm
Recharging time	4 h
Autonomy	3 h ÷ 14 h
Dimensions	116 x 101 x 41.5 mm



€ 65,60

C033-

STAINLESS STEEL ELECTRONIC DIGITAL CALIPER

With 3 functions and a big screen



INOX



862

starting from
€ 46,50

Range	Reading	Art.	€	Promo
0÷150 mm 0÷6"	0,01 mm 0,0005"	C033/150	€ 64,05	€ 46,50
0÷200 mm 0÷8"	0,01 mm 0,0005"	C033/200	€ 93,24	€ 70,90
0÷300 mm 0÷12"	0,01 mm 0,0005"	C033/300	€ 138,60	€ 109,00

C006-

STAINLESS STEEL DIAL CALIPER



INOX



862

starting from
€ 35,20

Range	Reading	Jaws	Beam	Art.	€	Promo
0 ÷ 150 mm	0,02 mm	40 mm	16 x 3 mm	C006/150	€ 50,51	€ 35,20
0 ÷ 200 mm	0,02 mm	50 mm	16 x 3 mm	C006/200	€ 76,97	€ 52,90
0 ÷ 300 mm	0,02 mm	60 mm	20 x 4 mm	C006/300	€ 124,95	€ 83,20

C019/150

€ 17,33

CHROMED VERNIER CALIPER



862



€ 14,00

Range	0÷150 mm 0÷6"
Reading	1/20 0,05 mm 1/128"
Jaws	40 mm
Beam	16 x 3 mm

0621/A3

€ 112,35

AUTO RE-ENTERING CABLE REEL



Box



€ 92,00

Cable length	10 m	Power	12 V ÷ 240 V
Cable type	3 x 1,50 mm ² H05VV-F	Max power for rolled cable	1200 W
		Max power for unrolled cable	1800 W

C041/150

€ 35,91

MONOBLOCK STAINLESS STEEL ELECTRONIC DIGITAL CALIPER

3 functions with big lcd



INOX



€ 23,10

Range	0÷150 mm 0÷6"
Reading	0,01 mm 0,0005"
Jaws	40 mm
Beam	16 x 3 mm

C057/150

€ 21,84

CHROMED VERNIER CALIPER



862



€ 17,10

Range	0÷150 mm 0÷6"
Reading	1/20 0,05 mm 1/128"
Jaws	40 mm
Beam	16 x 3 mm

C021-

PRO

MONOBLOCK STAINLESS STEEL CHROMED VERNIER CALIPER

Fine adjustment



INOX



862

starting from
€ 95,70

Range	Reading	Art.	€	Promo
0÷300 mm 0÷12"	1/50 0,02 mm 1/1000"	C021/300	€ 179,55	€ 95,70
0÷500 mm 0÷20"	1/50 0,02 mm 1/1000"	C021/500	€ 246,75	€ 162,00
0÷1000 mm 0÷40"	1/50 0,02 mm 1/1000"	C021/1000	€ 551,25	€ 414,00

C020-
CHROMED VERNIER CALIPER

Fine adjustment


 starting from
€ 83,60

Range	Reading	Art.	€	Promo
0 ÷ 500 mm	1/50 0,02 mm	C020/500	€ 155,40	€ 83,60
0 ÷ 1000 mm	1/50 0,02 mm	C020/1000	€ 383,25	€ 292,00
0 ÷ 1500 mm	1/50 0,02 mm	C020/1500	€ 1.071,00	€ 749,00
0 ÷ 2000 mm	1/50 0,02 mm	C020/2000	€ 1.732,50	€ 1290,00

RX
SCALE WITH MULTIFUNCTION DIGITAL READOUT

The scale can be cut to reach the desired length functions: on/off - mm/inch - zero - abs/inc - auto power off.


 starting from
€ 59,10

Total length	Range	Art.	€	Promo
630 mm - 24.8" inch	500 mm - 19.7"	R060	€ 86,10	€ 59,10
1000 mm - 40" inch	900 mm - 35"	R100	€ 112,35	€ 83,60

CF08
€ 8,82
GAUGE TO MEASURE WHEEL NUT HOLES CENTER DISTANCE

Handy tool for measuring the hole circle on steel and aluminium rims. Suitable for 4 -, 5 -, 6 - and 8-hole rims


€ 6,50

Range 4-8 LUG 100 ÷ 210 mm

C002
€ 54,60
DIAL INDICATOR

€ 43,60

Dial size	60 mm
Range	10 mm
Reading	0,01 mm
Accuracy	0,015 mm

C023
€ 32,03
DIAL INDICATOR

€ 16,50

Dial size	60 mm
Range	10 mm
Reading	0,01 mm
Accuracy	0,015 mm


€ 27,40

Dial size	42 mm
Range	5 mm
Reading	0,01 mm
Accuracy	0,015 mm

C048
€ 77,07
DIAL INDICATOR

With back lug


€ 55,90

Dial size	60 mm
Range	30 mm
Reading	0,01 mm
Accuracy	0,015 mm


 starting from
€ 49,90

Dial size	Range	Reading	Contact point	Art.	€	Promo
40 mm	0,8 mm	0,01 mm	Ø 2 mm	T007	€ 97,86	€ 57,50
40 mm	0,8 mm	0,01 mm	Ø 2 mm	T007G	€ 62,37	€ 49,90

A020**€ 140,70****ZERO SETTING WITH DIAL
INDICATOR WITH MAGNETIC BASE**

Box

Zero setting height	50 mm
Reading	0,01 mm
Range	0 ÷ 8 mm

**€ 111,00****M021-****ELECTRONIC DIGITAL MICROMETER**

Friction thimble with carbide faces, functions: abs/inc, set, on/off and mm/inch.



Box



863

**starting from
€ 75,10**

Size	Reading	Precision	Art.	€	Promo
0 ÷ 25 mm - 0 ÷ 1"	0,001 mm - 0,00005"	0,003 mm - 0,00015"	M021/00/25	€ 96,92	€ 75,10
25 ÷ 50 mm - 1" ÷ 2"	0,001 mm - 0,00005"	0,003 mm - 0,00015"	M021/25/50	€ 120,75	€ 94,30
50 ÷ 75 mm - 2" ÷ 3"	0,001 mm - 0,00005"	0,004 mm - 0,0002"	M021/50/75	€ 145,95	€ 113,00
75 ÷ 100 mm - 3" ÷ 4"	0,001 mm - 0,00005"	0,004 mm - 0,0002"	M021/75/100	€ 170,10	€ 131,00

S049**€ 36,96****MAGNETIC STAND**

With microadjustment



Carrying case

Main stem	Ø 12 x 170 mm
Assistant stem	Ø 10 x 150 mm
Magnetic force	600 N
Base dimensions	63 x 50 x 55h mm

**€ 22,00****S042/1****€ 60,38****UNIVERSAL MECHANICAL ARM STAND**

With 3d central lock



Carrying case

Base dimensions	36 x 30 x 35 mm
Magnetic force	300 N
Arm length	145 mm

**€ 43,50****C061****€ 238,35****CO-AX INDICATOR**

With positioning rod



Box

Dial indicator	Ø 40 mm
Swing	4,9 mm
Reading	0,01 mm
Max speed	800 rpm
Cylindric shank	Ø 10 mm
Straight feelers	3
Bent feelers	3
Feeler length	50 - 100 - 150 mm
Contact point	Ø 3 mm
Scriber point	50 mm

**€ 194,00****M033****€ 206,85****OUTSIDE MICROMETER SET**

With carbide faces and painted frame



Carrying case



863

Size	0÷25 - 25÷50 - 50÷75 - 75÷100 - 100÷125 - 125÷150 mm
Reading	0,01 mm
Accuracy	0,004 - 0,004 - 0,005 - 0,005 - 0,006 - 0,006 mm
Spindle	Ø 6,3 mm

**€ 156,00****S054****€ 33,50****MAGNETIC STAND**

Carrying case

Main stem	Ø 12 x 170 mm
Assistant stem	Ø 10 x 165 mm
Magnetic force	600 N
Base dimensions	63 x 50 x 55h mm

**€ 20,70****S042/2****€ 76,34****UNIVERSAL MECHANICAL ARM STAND**

With micrometric adjustment and 3d central lock



Carrying case

Base dimensions	60 x 50 x 55 mm
Magnetic force	800 N
Arm length	290 mm

**€ 58,40**

S042/3
€ 98,18
UNIVERSAL MECHANICAL ARM STAND

With micrometric adjustment and 3d central lock.



Carrying case

Base dimensions	75 x 50 x 55 mm
Magnetic force	1000 N
Arm length	365 mm


€ 75,20
S045
€ 77,49
UNIVERSAL MECHANICAL ARM STAND


Carrying case

Main stem	Ø 12 x 160 mm
Assistant stem	Ø 10 x 180 mm
Magnetic force	600 N
Base dimensions	63 x 50 x 55h mm


€ 47,80
S056-
90° MAGNETIC SQUARE


Box



Starting from
€ 69,40

Dimensions	Max. magnetic force	Art.	€	Promo
150 x 150 x 50 mm	500 N	S056/150	€ 86,42	€ 69,40
200 x 200 x 50 mm	1000 N	S056/200	€ 108,15	€ 87,10

S057/125
€ 20,06
WELDING HOLDER


Box


€ 14,90

Dimensions	135 x 135 x 25 mm
Magnetic force	340 N
Hold working angle	45° - 90° - 135°

0109
€ 50,40
DIGITAL LEVEL

Magnetic with aluminum body, automatic power off, backlight, 2 vials, inc, abs and hold functions



Box


€ 41,10

Length	400 mm	Reading	0° - 90°: 0,1°
Auto power off	5 min	Accuracy	0° - 90°: ±0,2°
Measuring range	0 - 90° x 4	Battery	2 x AAA 1,5 V

0112
€ 110,25
DIGITAL LEVEL

Magnetic with milled aluminum base, automatic power off, backlight, 2 vials, "hold" function, 0° and 90° with sound, reading: absolute, ref, percent, mm/m and in/ft, carrying bag.



Box


€ 88,40

Length	600 mm	Reading	0° & 90°: 0,05°; 0° - 89°: 0,1°
Auto power off	5 min	Accuracy	0° & 90°: ±0,05°; 0,1° - 89,9°: ±0,2°
Measuring range	0 - 90° x 4	Battery	2 x AAA 1,5 V

L090A
€ 114,45
DIGITAL LEVEL - INCLINOMETER AND GONIOMETER WITH MAGNET

0° ÷ 90° magnetic digital level on all the 4 directions, inclinometer and goniometer, function: inclination mm/m and in/ft, % of inclination, backlight, automatic power off, ABS and relative measurements and automatic digit inversion for overhead measurements, with beeper.



Box


€ 93,40

Accuracy	± 0.15°
Measuring range	0 ÷ 90° x 4
Reading	0.05°
Dimensions	151 x 31 x 60 mm
Battery	2 x 1.5 V AAA

L080
€ 55,65
DIGITAL LEVEL BOX

0° ÷ 90° magnetic on all the 4 directions, backlight, automatic power off, ABS and relative measurements and automatic digit inversion for overhead measurements.



Blister


€ 44,60

Accuracy	0° ± 0.1°; 90° ± 0.1°; 0.1° ÷ 89.9° ± 0.2°
Measuring range	0 ÷ 90° x 4
Reading	0.1°
Dimensions	59 x 27 x 59 mm
Battery	1 x 1.5 V AAA

L085**€87,78****DIGITAL LEVEL BOX**

±0 ÷ 180° magnetic, automatic power off, ABS and relative measurements and automatic digit inversion for overhead measurements, hold function.



Blister

Accuracy	± 0.1°
Measuring range	0° ÷ 180°
Reading	0.1°
Dimensions	51 x 51 x 33 mm
Battery	1 x 3 V CR2032

**€ 71,00****L200****€197,40****LINEAR LEVEL**

Master precision, with v-slot s ground



Dimensions	200 x 45 x 45 mm
Accuracy	0,02 mm / m

€ 156,00**G008****€53,45****DIGITAL ANGLE FINDER AND LEVEL WITH 2 VIALS**

Automatic calculation of angles and inclinations



Length	400 mm	Accuracy	± 0,5°
Range	0 ÷ 225°	Battery	9 V - 6F22
Reading	0,1°		

€ 41,90**P080****€82,64****DIGITAL CLAMP METER**

With LCD display. 7 operating modes: AC current, AC voltage, DC voltage, resistance, continuity, frequency, diode control. High reliability



Box

ACV	4 / 40 / 400 / 600 V ±1,5 % + 4
ACA	4 / 40 / 400 / 600 A ±1,5 % + 4
DCV	4 / 40 / 400 / 600 V ±1,0 % + 2
RES	400 Ω / 4 kΩ / 40 kΩ / 400 kΩ / 4 MΩ / 40 MΩ ±1,0 % + 2
Frequency	10 MHz ±0,8 % + 2
Battery	2 x 1,5 V x AA
Dimensions	250 x 71 x 38,8 mm

**€ 67,30****P075****PRO €138,60****DIGITAL CLAMP METER**

With LCD display. 9 operating modes: AC current, AC voltage, DC voltage, resistance, continuity, frequency, diode control, temperature measurement. High reliability



Box

ACV	750 V ±1,2 %
ACA	200 - 1000 A ±2,0 %
DCV	1000 V ±1,0 %
DCA	200 - 1000 A ±2,0 %
RES	200 Ω ±1,0 %
Frequency	2k Hz ±2,5 %
Temperature	-40°C - 400°C ±1,5 %
Battery	9 V

**€ 112,00****T051****€19,74****POCKET DIGITAL MULTIMETER**

Audible continuity and diode test



Box

DCV	2-20-200-500V ±0,5%
ACV	200-500V ±1,2%
DCA	200mA ±1,5%
RES	2K-20K-200K-2M Ω ±1%
Battery	12V

**€ 13,90****T050****€39,17****DIGITAL MULTIMETER**

High accuracy temperature meter, audible continuity and diode test



Box

DCV	200 mV - 1000 V
ACV	2mV - 750 V
DCA	2 mA - 20 A
ACA	200 mA - 20 A
RES	200 Ω - 200 MΩ
CAP	2000 pF - 20 nF - 200 nF - 2 μF - 20 μF ±4%
Temperature	-40 °C ÷ 400 °C ±1,0%
Temperature	400 °C ÷ 1000 °C ±1,5%
Battery	9 V

**€ 29,10****T053****PRO €93,98****DIGITAL MULTIMETER**

High accuracy temperature meter, audible continuity and diode test



Box

DCV	200 mV - 2 V - 20 V - 200 V - 1000 V ±0,8%
ACV	200 mV - 2 V - 20 V - 750 V ±1,2%
DCA / ACA	200 μA - 2 mA - 20 mA - 200 mA - 20 A ±2,0%
RES	200Ω - 2kΩ - 20kΩ - 200kΩ - 2MΩ - 20MΩ - 200MΩ ±1%

**€ 77,90**

ML80A
€ 85,05
LASER METER

Handy and lightweight, ideal for the measurements in construction and carpentry, functions: addition, subtraction, area and volume calculation, auto power off



Blister

Range	0,05 ÷ 80 m
Accuracy	±2 mm
Battery	3 AAA x 1,5 V


€ 65,90
ML40
€ 63,21
LASER DISTANCE METER

Ideal for the measurements in construction and carpentry, functions: addition, subtraction, area and volume calculation, auto power off



Blister

Range	0,05 ÷ 40 m
Accuracy	± 2 mm
Battery	2 AAA x 1,5 V


€ 49,10
T068
€ 137,55
LASER POINTER INFRARED TEMPERATURE METER

Not suitable for body temperature measurement



Blister

Range	-30°C÷550 °C -22 F÷1022 F
Accuracy	-30 °C ÷ 0 °C -22 F ÷ 32 F ±3 % or ±3 °C
Accuracy	0 °C ÷ 100 °C 32 F ÷ 212 F ±2 % or ±2 °C
Accuracy	> 100 °C > 212 F ±3 % or ±3 °C
Reading	0,1 °C 0,1 F
Emissivity	0,1 ÷ 1,0
Battery	9 V


€ 80,20
T064
€ 106,05
LASER POINTER INFRARED TEMPERATURE METER

High precision. Non-contact temperature measurement. Not suitable for human beings



Blister

Range	-25°C÷400 °C -13 F÷752 F
Accuracy	-25 °C ÷ 400 °C ±(2 % + 1 °C)
Accuracy	-13 F ÷ 752 F ±(2 % + 1 F)
Reading	1 °C 2 F
Battery	9 V
Distance/Spot size	1 : 10
Sampling time	0.5 s


€ 77,20
0387A
€ 70,77
DIGITAL MULTI-FUNCTION DETECTOR

For measuring ferrous and non-ferrous metals, wood and live cables in walls, ceilings and floors.



Blister

Max depth of detecting	
Ferrous metal	100 ± 5 mm
No ferrous metal	70 ± 5 mm
Wood	20 ± 5 mm
Depth of AC	50 ± 5 mm
Battery	9 V
Dimensions	150 x 75 x 24 mm


€ 52,70
MD01
€ 123,90
METAL DETECTOR

Analogue consisting of 2 color Leds for metal recognition. Audio sensor.



Box

Coil diameter	170 mm
Jack connector	1/4"
Sensitivity	> 15 cm per una moneta di ø 25 mm
Battery	9 V


€ 97,80
C070
€ 141,70
CONTACT AND OPTICAL TYPE DIGITAL TACHOMETER

With reflective stripes



Carrying case

Rotation laser speed	2,5 ÷ 9999,9 rpm
Rotation contact speed	0,05 ÷ 999,9 rpm
Surface speed	0,1 ÷ 999,99 m / min
Reading	0,1 (2,5 ÷ 999,9) rpm
Reading	1 (1000 ÷ 9999,9) rpm
Use distance	da 50 ÷ 60 mm a 50 ÷ 250 mm (con ottico)
Accuracy	± 0,05 % + 1 digit
Working temperature	0°C ÷ 40°C
Sampling time	0.8 s


€ 123,00
C069
€ 115,50
CONTACT TYPE DIGITAL TACHOMETER


Carrying case

Round speed	2,5 - 9999,9 rpm
Surface speed	0,05 - 999,99 m/min
Reading	0,1 (7,5 - 999,9) rpm
Reading	1 (1000-9999,9) rpm
Accuracy	± 0,05 % + 1 digit
Dimensions	190 x 72 x 37 mm
Battery	4 x 1,5 V AA


€ 74,50

C067

€ 115,50

PHOTO TYPE DIGITAL TACHOMETER

With reflective stripes



Carrying case

Range	2,5 ÷ 9999,9 rpm
Reading	0,1 (2,5 ÷ 999,9) rpm
Reading	1 (1000 ÷ 9999,9) rpm
Use distance	da 50 ÷ 60 mm a 50 ÷ 250 mm
Accuracy	±0.05 % of reading + 1 digit
Dimensions	170 x 72 x 37 mm
Battery	4 x 1,5V AA



€ 69,70

B003/5/1

€ 35,28

ELECTRONIC DIGITAL SCALE

Not legal for trade, auto power off, tare function



Box

Capacity	5 kg - 176,4 oz	Battery	2 x 1,5V AA
Reading	1 g 0,1 oz	Dimensions	170 x 240 x 35 mm



€ 19,80

B004-**RECHARGEABLE ELECTRONIC DIGITAL COUNTER SCALES**

Not legal for trade with 6V 4A and transformer.



Box

Capacity	Reading	Scale dimensions	Art.	€	Promo
7,5 kg	0,2 g	350 x 340 x 105 mm	B004/7	€ 392,70	€ 308,00
30 kg	1 g	350 x 340 x 105 mm	B004/30	€ 392,70	€ 308,00



€ 308,00

D010-**DIGITAL CRANE SCALES**

With cast aluminum structure, equipped with battery, charger, infrared remote control and sound signal Double unit of measurement kg / lb. With Peak, Hold, Tare, Zero and addition functions. Large fonts for easy reading. Not suitable for relations with third parties.



Box

Digits sizes	Capacity	Reading	Art.	€	Promo
40 x 20 mm	1000 kg	0.500 kg	D010/0100	€ 595,35	€ 443,00
40 x 20 mm	3000 kg	1 kg	D010/0300	€ 717,15	€ 533,00
40 x 20 mm	5000 kg	2 kg	D010/0500	€ 837,90	€ 623,00
40 x 20 mm	10000 kg	5 kg	D010/1000	€ 1.047,90	€ 779,00

starting from
€ 443,00**D018****PRO** € 4.893,00**HARDNESS TESTING MACHINE**

Motorized, rockwell, brinell and vickers



Wooden Box

Test force	294,2 N / 306,5 N / 588,4 N / 612,9 N / 980,7 N / 1471 N / 1839 N; 30 kgf / 31,25 kgf / 60 kgf / 62,5 kgf / 100 kgf / 150 kgf / 187,5 kgf
------------	---

MEASURE UNITS:

HBS	4 - 450
HRB	20 - 100
HRA	20 - 88
HRC	20 - 70
HV	200 - 1000



€ 3800,00

B018

€ 128,10

ELECTRONIC DIGITAL SCALE WITH DOUBLE DISPLAY

Not suitable for dealings with third parties. Equipped with 4 V 4AH battery and charger. Memory for unit values. Calculate total values.



Box

Capacity	30 kg	Dimensions	350 x 330 x 120 mm
Reading	10 g	Power	230V 50 Hz
Platform size	340 x 230 mm	Rechargeable battery	4 V 4 Ah



€ 99,00

B004/150

€ 765,45

RECHARGEABLE ELECTRONIC DIGITAL COUNTER SCALE

Not legal for trade with 6V 4A battery and transformer.



Box

Capacity	150 kg
Reading	10 g
Rechargeable battery	6 V 4 Ah
Net weight	17 kg



€ 587,00

D012-**PRO****DIGITAL CRANE SCALES**

Equipped with battery, charger, remote control, back light and sound signal Double unit of measurement kg/lb. With Peak, Hold, Tare and Zero functions. Large fonts for easy reading. Not suitable for relations with third parties.



Box

Digits sizes	Capacity	Reading	Art.	€	Promo
40 x 20 mm	1001 kg	0,200 kg	D012/0100	€ 897,75	€ 712,00
40 x 20 mm	3001 kg	0,500 kg	D012/0300	€ 1.060,50	€ 836,00
40 x 20 mm	5001 kg	1 kg	D012/0500	€ 1.228,50	€ 968,00
40 x 20 mm	10001 kg	2 kg	D012/1000	€ 1.459,50	€ 1160,00

starting from
€ 712,00

T660 € 4357,50
BENCH LATHE

Semi norton gear box and belt speed change, partially assembled bench

**COMPATIBLE WITH STARTER KITS
SKT12F E SKT12B**

Centers height	140 mm
Max swing over the bed	280 mm
Max swing over the cross slide	165 mm
Distance between centers	660 mm
Spindle bore	26 mm
Motor	230 V 50 Hz 0,75 kW
Dimensions	1325 x 550 x 1230 mm
Net weight	216 kg


€ 3.470,00
0708 € 2446,50
GEAR BENCH LATHE

With speed change by gears, morse tapered spindle bearings, adjustable signs, leadscrew hood, chuck guard with microswitch

**COMPATIBLE WITH STARTER KITS
SKT12F E SKT12B**

Centers height	110 mm
Max swing over the bed	200 mm
Max swing over the cross slide	122 mm
Distance between centers	520 mm
Spindle bore	20 mm
Motor	230 V 50 Hz 0,55 kW
Dimensions	1080 x 440 x 400h mm
Net weight	130 kg


€ 1900,00
0716S € 1963,50
MINI LATHE

Mini lathe with automatic longitudinal feeds and variable speed shown on digital display

**COMPATIBLE WITH STARTER KITS
SKT10F E SKT10B**

Centers height	100 mm
Max swing over the bed	170 mm
Max swing over the cross slide	125 mm
Distance between centers	350 mm
Spindle bore	20 mm
Motor	230 V 50 Hz 0,6 kW
Dimensions	750 x 245 x 290 h mm
Net weight	46 kg


€ 1430,00
T059/28V € 4252,50
**GEARED DRILLING MILLING
MACHINE**

Variable speed, with digital display of spindle speed and digital display of depth.

**COMPATIBLE WITH STARTER KITS
SKTF3F E SKTF3B**

Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 28 mm
Face milling cutter max	Ø 63 mm
End milling capacity	Ø 28 mm
Spindle taper	CM 3
Chuck sizes	3 - 16 mm B16
Spindle speed	100 ÷ 2500 rpm ±10%
Motor	230 V 50 Hz 1,1 kW
Net weight	270 kg


€ 3190,00
0657 € 2992,50
BENCH LATHE

With mill table device, belt speed change

**COMPATIBLE WITH STARTER KITS
SKT12F E SKT12B**

Centers height	125 mm
Max swing over the bed	250 mm
Max swing over the cross slide	150 mm
Distance between centers	550 mm
Spindle bore	20 mm
Motor	230 V 50 Hz 0,55 kW
Dimensions	1120 x 480 x 460h mm
Net weight	145 kg


€ 2370,00
0506 € 2226,00
BENCH LATHE

Mini lathe with automatic longitudinal feeds and variable speed shown on digital display. With metal gears.

**COMPATIBLE WITH STARTER KITS
SKT10F E SKT10B**

Centers height	105 mm
Max swing over the bed	210 mm
Max swing over the cross slide	140 mm
Distance between centers	400 mm
Spindle bore	21 mm
Motor	230 V 50 Hz 0,6 kW
Dimensions	780 x 300 x 340 h mm
Net weight	49 kg


€ 1700,00
0716 € 1764,00
MINI LATHE

With automatic longitudinal feeds and variable speed shown on digital display

**COMPATIBLE WITH STARTER KITS
SKT10F E SKT10B**

Centers height	90 mm
Max swing over the bed	170 mm
Max swing over the cross slide	110 mm
Distance between centers	300 mm
Spindle bore	22 mm
Motor	230 V 50 Hz 0,5 kW
Dimensions	730 x 290 x 280 h mm
Net weight	40 kg


€ 1240,00
T061A € 3307,50
**GEARED DRILLING MILLING
MACHINE**

Variable speed, equipped with light system, chuck speed digital display, depth's digital display

**COMPATIBLE WITH STARTER KITS
SKTF3F E SKTF3B**

Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 16 mm
Face milling cutter max	Ø 63 mm
End milling capacity	Ø 20 mm
Spindle taper	CM 3
Chuck sizes	1 - 16 mm B16
Motor	230 V 50 Hz 1,1 kW
Net weight	120 kg


€ 2290,00

T059/16V**€ 2215,50****GEARED DRILLING MILLING MACHINE**

With variable speed

COMPATIBLE WITH STARTER KITS SKTF3B

Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 16 mm
Face milling cutter max	Ø 50 mm
End milling capacity	Ø 16 mm
Spindle taper	CM 2
Chuck sizes	1 - 13 mm B16
Motor	230 V 50 Hz 500 W
Net weight	72 kg

**€ 1670,00****T058****€ 1785,00****GEARED DRILLING MILLING MACHINE**

With variable speed

COMPATIBLE WITH STARTER KITS SKTF3F

Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 13 mm
Face milling cutter max	Ø 30 mm
End milling capacity	Ø 16 mm
Spindle taper	CM 3
Motor	230 V 50 Hz 0,55 kW
Net weight	70 kg

**€ 1449,00****0857****€ 961,80****RADIAL FLOOR DRILL PRESS WITH DRIVE BELT**

Rotating and tilting table with double arm, tilting head, electrical system with separate 24V circuit for on-board machine controls.

COMPATIBLE WITH STARTER KITS SKTEF E SKTEB

Max drilling capacity on cast iron with pre-drilling hole	Ø 20 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 16 mm
Continuous drilling capacity	Ø 12 mm
Chuck sizes	1 - 16 mm B16
Motor	230 V 50 Hz 0,375 kW
Dimensions	950 x 300 x 1600 mm

**€ 719,00****0757****€ 735,00****RADIAL DRILL PRESS WITH DRIVE BELT**

Rotating and tilting table with double arm, tilting head, electrical system with separate 24V circuit for on-board machine controls.

COMPATIBLE WITH STARTER KITS SKTEF E SKTEB

Max drilling capacity on cast iron with pre-drilling hole	Ø 20 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 16 mm
Continuous drilling capacity	Ø 12 mm
Chuck sizes	2 - Ø 16 mm
Motor	230 V 50 Hz 0,375 kW
Dimensions	950 x 300 x 810 mm

**€ 576,00****0754/230V****€ 1701,00****FLOOR DRILL PRESS WITH DRIVE BELT**

Inclinable table. Electrical system with separate 24V circuit for on-board machine controls.

COMPATIBLE WITH STARTER KITS SKTEF E SKTEB

Max drilling capacity on cast iron with pre-drilling hole	Ø 32 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 28 mm
Continuous drilling capacity	Ø 20 mm
Spindle taper	CM 4
Motor	230 V 50 Hz 1,5 kW
Net weight	125 kg

**€ 1280,00****0754/400V****€ 1701,00****FLOOR DRILL PRESS WITH DRIVE BELT**

Inclinable table. Electrical system with separate 24V circuit for on-board machine controls.

COMPATIBLE WITH STARTER KITS SKTEF E SKTEB

Max drilling capacity on cast iron with pre-drilling hole	Ø 32 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 28 mm
Continuous drilling capacity	Ø 20 mm
Spindle taper	CM 4
Motor	400 V 50 Hz 1,5 kW
Net weight	125 kg

**€ 1280,00****0752CM3****€ 1060,50****FLOOR DRILL PRESS WITH DRIVE BELT**

Rotating and inclinable table. Electrical system with separate 24V circuit for on-board machine controls.

COMPATIBLE WITH STARTER KITS SKTEF E SKTEB

Max drilling capacity on cast iron with pre-drilling hole	Ø 25 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 20 mm
Continuous drilling capacity	Ø 16 mm
Motor	230 V 50 Hz 0,75 kW

**€ 842,00****0752****€ 994,35****FLOOR DRILL PRESS WITH DRIVE BELT**

Rotating and inclinable table. Electrical system with separate 24V circuit for on-board machine controls.

COMPATIBLE WITH STARTER KITS SKTEF E SKTEB

Max drilling capacity on cast iron with pre-drilling hole	Ø 25 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 20 mm
Continuous drilling capacity	Ø 16 mm
Spindle taper	CM 2
Motor	230 V 50 Hz 0,75 kW
Net weight	62 kg

**€ 769,00**

0242
€ 949,20
DRILL PRESS WITH DRIVE BELT

New belt tension device, drilling depth readout, Led light included, rotating and inclinable table. Electrical system with separate 24V circuit for on-board machine controls.

COMPATIBLE WITH STARTER KITS SKTEF E SKTEB

Max drilling capacity on cast iron with pre-drilling hole	Ø 25 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 20 mm
Continuous drilling capacity	Ø 16 mm
Spindle taper	CM 2
Motor	230 V 50 Hz 0,75 kW
Net weight	60 kg


€ 750,00
0260
€ 836,85
DRILL PRESS WITH DRIVE BELT

New belt tension device, drilling depth readout, Led light included, rotating and inclinable table. Electrical system with separate 24V circuit for on-board machine controls.

COMPATIBLE WITH STARTER KITS SKTEF E SKTEB

Max drilling capacity on cast iron with pre-drilling hole	Ø 20 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 16 mm
Continuous drilling capacity	Ø 12 mm
Spindle taper	CM 2
Motor	230 V 50 Hz 0,55 kW
Net weight	50 kg


€ 655,00
0518/30
€ 1165,50
MAGNETIC DRILL

With coolant system for core drills until 30mm with weldon shank Ø 19.05mm and straight shank drills until Ø 20mm with reduced shank Ø 13 - 16mm.

Continuous drilling capacity	Ø 20 mm
Key chuck	Ø 16 mm
Arbor	Weldon Ø 19,05 mm
Motor	230 V 50 Hz 1.1 kW
Dimensions	360 x 280 x 490 mm
BMC	527 x 472 x 242 mm
Net weight	23 kg


€ 927,00
0518/38M
€ 1312,50
MAGNETIC TAPPING/DRILL

With coolant system for core drills until 38mm with weldon shank Ø 19.05mm and straight shank drills until Ø 20mm with reduced shank Ø 13 - 16mm, tapping capacity M4 - M16.

Continuous drilling capacity	Ø 20 mm
Spindle taper MT	2
Arbor	Weldon Ø 19,05 mm
Motor	230 V 50 Hz 1.05 kW
Base dimensions	205 x 105 mm
Dimensions	280 x 320 x 510h mm
Net weight	20 kg


€ 999,00
P. 040

Promotion valid until 31/12/2023, while stocks last - VAT not included

0750
€ 889,35
DRILL PRESS WITH DRIVE BELT

Rotating and inclinable table. Electrical system with separate 24V circuit for on-board machine controls.

COMPATIBLE WITH STARTER KITS SKTEF E SKTEB

Max drilling capacity on cast iron with pre-drilling hole	Ø 25 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 20 mm
Continuous drilling capacity	Ø 16 mm
Spindle taper	CM 2
Motor	230 V 50 Hz 0,75 kW
Net weight	57 kg


€ 714,00
0011
€ 483,00
DRILL PRESS WITH DRIVE BELT

Vertical movement of the table with rack, tilting table. Electrical system with separate 24V circuit for on-board machine controls.

COMPATIBLE WITH STARTER KITS SKTEF E SKTEB

Max drilling capacity on cast iron with pre-drilling hole	Ø 13 mm
Max drilling capacity on steel with pre-drilling hole(s235jr)	Ø 10 mm
Chuck	1 - 13 mm B16
Tilting table	± 45°
Motor	230 V 50 Hz 0,375 kW
Dimensions	315 x 530 x 690h mm
Net weight	25 kg


€ 388,00
0518/50
€ 1596,00
MAGNETIC DRILL

With coolant system for core drills until 50mm with weldon shank Ø 19.05mm, morse taper shank drills mt 3 and straight shank drills until Ø 20mm with reduced shank Ø 13 - 16mm.

Continuous drilling capacity	Ø 20 mm
Key chuck	Ø 16 mm
Spindle taper MT	3
Motor	230 V 50 Hz 1.5 kW
Dimensions	400 x 310 x 475 mm
BMC	587 x 489 x 265 mm
Net weight	35 kg


€ 1260,00
0518/80
€ 2058,00
MAGNETIC DRILL

With coolant system for core drills until 80 mm with weldon shank Ø 19.05 mm, morse taper shank drills mt 3 and straight shank drills until Ø 20 mm with reduced shank Ø 13 - 16 mm.

Continuous drilling capacity	Ø 20 mm
Spindle taper MT	3
Arbor	Weldon Ø 19,05 mm
Spindle travel	280 mm
Max. magnetic force	20000 N
Spindle speed	230 ÷ 770 rpm
Motor	230 V 50 Hz 1.8 kW
Base dimensions	215 x 110 mm
Dimensions	290 x 410 x 550h mm
Net weight	35 kg


€ 1600,00

DID YOU NOT FIND THE RIGHT MACHINE FOR YOU?

***FERVI is able to offer
a complete range of
lathes, cutters, drills and
miter saws to meet
your professional need.***



***Discover the complete range
and contact your dealer!***



Visit fervi.com or read the QRcode
to consult our Catalogue of Machine Tools
and Accessories

FERVI is



LATHES



DRILLS



**MILLING
MACHINES**



**MECHANICAL
WORKINGS**

 FERVI

Pro Smart Equipment



STARTER KIT

SKT12F		€ 306,18
STARTER KIT LATHES 12 MM FULL		€ 219,00
ART.		PCS
B007/12	INDEXABLE CARBIDE TOOL HOLDER SET	1
TCMT110204N	TURNING INSERTS	10
TCMT11020420A	TURNING INSERTS	10
BRFE12RP	CARBIDE TIPPED TOOL FOR EXTERNAL THREAD	1
BRFI12RP	CARBIDE TIPPED TOOL FOR INTERNAL THREAD	1
BRAS410912RP	CARBIDE TIPPED TOOL FOR CUTTING OFF	1
C041/150	MONOBLOCK STAINLESS STEEL ELECTRONIC DIGITAL CALIPER	1

SKT12B		€ 176,72
STARTER KIT LATHES 12 MM BASE		€ 130,00
ART.		PCS
B007/12	INDEXABLE CARBIDE TOOL HOLDER SET	1
TCMT110204N	TURNING INSERTS	10

SKT10F		€ 137,21
STARTER KIT LATHES 10 MM FULL		€ 96,20
ART.		PCS
BRAS411108RP	CARBIDE TIPPED TOOL FOR BLIND HOLES	1
BRAS411110RP	CARBIDE TIPPED TOOL FOR BLIND HOLES	1
BRAS410410RP	CARBIDE TIPPED TOOL FOR FACING	1
BRAS410310RP	CARBIDE TIPPED TOOL FOR OUTSIDE ROUGHING	1
BRC110RP	CARBIDE TIPPED TOOL FOR INTERNAL SLOTS	1
A001/2/16	PRECISION DRILL CHUCK SHANK	1
M052/13	KEY TYPE TAPER HOLE DRILL CHUCKS	1
E002/12	DRIFT SLEEVES	1
P023/19	STRAIGHT SHANK TWIST DRILL SET	1
C041/150	MONOBLOCK STAINLESS STEEL ELECTRONIC DIGITAL CALIPER	1

SKT10B		€ 70,69
STARTER KIT LATHES 10 MM BASE		€ 48,00
ART.		PCS
BRAS411108RP	CARBIDE TIPPED TOOL FOR BLIND HOLES	1
BRAS411110RP	CARBIDE TIPPED TOOL FOR BLIND HOLES	1
BRAS410410RP	CARBIDE TIPPED TOOL FOR FACING	1
BRAS410310RP	CARBIDE TIPPED TOOL FOR OUTSIDE ROUGHING	1
BRC110RP	CARBIDE TIPPED TOOL FOR INTERNAL SLOTS	1
A001/2/16	PRECISION DRILL CHUCK SHANK	1
M052/13	KEY TYPE TAPER HOLE DRILL CHUCKS	1
E002/12	DRIFT SLEEVES	1

SKTF3F		€ 235,87
STARTER KIT MILLING DRILLING MACHINES 3 FULL		€ 186,00
ART.		PCS
M001/100	DRILL PRESS VICE	1
P062	TWIST DRILL SET	1
F401/40	FACE MILLING CUTTER	1
ADLT1503ZZR234	MILLING INSERTS	4

SKTF3B		€ 119,64
STARTER KIT MILLING DRILLING MACHINES 3 BASE		€ 92,90
ART.		PCS
M001/100	DRILL PRESS VICE	1
P062	TWIST DRILL SET	1

SKTEF		€ 92,23
STARTER KIT DRILLING MACHINES 2 FULL		€ 68,80
ART.		PCS
0142/75	DRILL PRESS VICE	1
P023/19	STRAIGHT SHANK TWIST DRILL SET	1
S401/10	CUTTING OIL	1
C041/150	MONOBLOCK STAINLESS STEEL ELECTRONIC DIGITAL CALIPER	1

SKTEB		€ 53,58
STARTER KIT MILLING DRILLING MACHINES 3 BASE		€ 43,40
ART.		PCS
M001/100	DRILL PRESS VICE	1
P062	STRAIGHT SHANK TWIST DRILL SET	1

FIND OUT MORE



0255

€ 1711,50

METAL BAND SAW

With coolant system, quick vice, base with cabinet tools

Blade dimensions	1735 x 13 x 0,65 mm
Motor	230 V 50 Hz 0,5 kW
Cut range	0 ÷ 60°
Cutting speed	34 m / min
Cutting depth at 90°	— 150 x 140 mm • 140 mm
Cutting depth at 45°	— 140 x 105 mm • 105 mm
Base dimensions	470 x 700 mm
Dimensions	530 x 1000 x 1260h mm
Net weight	95 kg



€ 1280,00

0132

€ 520,80

CUTTING BAND SAW

Bench type, easy to carry, with two cutting speed

Blade dimensions	1335 x 12,7 x 0,65 mm
Speed	(2) 60 80 m / min
Cut range	0° ÷ 45°
Motor	230 V 50 Hz 0,850 kW
Cutting depth at 90°	• 105 mm — 105 x 93 mm
Cutting depth at 45°	• 72 mm — 70 x 60 mm
Net weight	17 kg



€ 411,00

R003/09

€ 486,15

PANTOGRAPH ROLLER CONVEYOR

€ 381,00

Capacity	130 kg	Height	610 ÷ 950 mm
Roller diameter	50 mm	Size	1460 x 660 x 950 h mm
Length	485 ÷ 1400 mm	Net weight	31 kg

0362

€ 826,35

ELECTRONIC CUTTING BAND SAW FOR BENCH

With inverter motor

Blade dimensions	1435 x 12,7 x 0,65 mm
Motor	230 V 50 Hz 0,4 kW
Cutting speed	35 m / min
Cut range	0° ÷ 60°
Cutting depth at 90°	• 125 mm ■ 125 mm
Cutting depth at 45°	• 76 mm ■ 76 mm
Dimensions	700 x 360 x 450h mm
Net weight	22 kg



€ 647,00

0133

€ 154,35

ROLLER STAND

Roller shaft diameter	Ø 52 x 350 mm
Height	690 / 1200 mm
Maximum capacity	50 ÷ 60 kg
Net weight	15 kg



€ 122,00

R001-

ADJUSTABLE HEIGHT ROLLER STAND

With independent height adjustment feet

starting from
€ 275,00

Dimensions	Height	Maximum capacity	Art.	€	Promo
1000 x 460 mm	580 / 1030 mm	400 kg	R001/04	€ 365,40	€ 275,00
2000 x 450 mm	590 / 1050 mm	400 kg	R001/07	€ 513,45	€ 387,00

0642

€ 359,10

CUT-OFF MACHINE

For dry cutting of metals, with disc protection guard.

Motor	230 V 50 Hz 2 kW
Disc dimensions	355 x 3.0 x 25.4 mm
Disc speed	3800 rpm
Cut range	± 45°
Cutting capacity	■ 100 x 100 mm - ■ 200 x 40 mm - o 100 mm
Vice opening	155 mm - 190 mm - 230 mm
Net weight	19 kg



€ 280,00

S510

€ 159,60

BENCH GRINDER WITH BRUSH

With brush and grinding wheel

Brush	2950 rpm - Ø 150 x 20 x 16 mm
Dry grinding wheel	2950 rpm - Ø 150 x 20 x 16 mm GR36



€ 120,00

Motor	230 V 50 Hz 0,40 kW
Usage type	S2 - 10 min
Net weight	9 kg

S503
€164,85
WET DRY BENCH GRINDER

With wet grinding wheel and dry grinding wheel


€125,00

Dry grinding wheel	2950 rpm - Ø 150 x 20 x 16 mm GR80
Wet grinding wheel	130 rpm - Ø 200 x 40 x 20 mm GR80

Motor	230 V 50 Hz 0,40 kW
Usage type	S2 - 10 min
Net weight	10 kg

S023
€143,85
BENCH GRINDER

With two grinding wheels of different grain


€112,00

Dry grinding wheel	2950 rpm - Ø 150 x 20 x 16 mm GR36 - GR80
Motor	2950 rpm - 230 V 50 Hz 0,40 kW

Usage type	S2 - 10 min
Net weight	8 kg

S383
€181,65
BENCH GRINDER WITH BELT

€139,00

Dry grinding wheel	2950 rpm Ø 150 x 20 x 16 mm GR36
Belt	50 x 686 mm GR100

Motor	230 V 50 Hz 0,40 kW
Usage type	S2 - 10 min
Net weight	8 kg

0510
€116,55
BENCH GRINDER WITH BRUSH

With grinding wheel and brush. Bracket for supporting pieces. Holes for fixing on the bench.


€93,50

Brush	2950 rpm - Ø 150 x 20 x 12,7 mm
Dry grinding wheel	2950 rpm - Ø 150 x 20 x 12,7 mm GR36

Motor	230 V 50 Hz 0,35 kW
Usage type	S2 - 10 min
Net weight	7 kg

0023
€105,00
BENCH GRINDER

Grinding wheel protection screens. Bracket for piece support.


€85,50

Dry grinding wheel	2950 rpm - Ø 150 x 20 x 12,7 mm GR36 - GR80
--------------------	---

Motor	2950 rpm - 230 V 50 Hz 0,35 kW
Usage type	S2 - 10 min
Net weight	7 kg

0503
€119,70
WET DRY BENCH GRINDER

With water grinding wheel and dry grinding wheel.


€96,50

Dry grinding wheel	2950 rpm - Ø 150 x 20 x 12,7 mm GR80
Wet grinding wheel	130 rpm - Ø 200 x 40 x 20 mm GR80

Motor	230 V 50 Hz 0,35 kW
Usage type	S2 - 10 min
Net weight	9 kg

0555
€133,35
GRINDING WHEEL STAND

€101,00

Height	760 mm
Column	Ø 75 mm
Table dimensions	320 x 210 mm
Net weight	13,5 kg

0106
€102,69
GRINDING WHEEL STAND

Light duty.


€79,40

Height	760 mm
Column	Ø 75 mm
Table dimensions	320 x 210 mm
Net weight	11 kg

0316

€ 189,00

ELECTRIC CHAINSAW SHARPENER

Pink grinding wheel	Ø 145 x 4,7 x 22,3 mm Ø 145 x 3,2 x 22,3 mm
Sharpening	+30° / -35°
For chains	1/4" - 3/8" - 3/8" - 404" - 3/4"
Motor	230 V 50 Hz 0,23 kW
Net weight	5 kg

€ 147,00

0502

€ 88,62

POWER CHAINSAW SHARPENER

With chain feed lever. Grinding wheel protection screen



Pink grinding wheel	Ø 100 x 4,5 x 10 mm
Sharpening	+35° / -35°
For chains	1/4" - 0,325" / 3/8" - 0,404"
Motor	230 V 50 Hz 0,25 kW
Speed	7500 rpm
Usage type	intermittent S2

€ 72,10

A003/32

€ 3087,00

TWIST DRILLS GRINDING MACHINE

With ER collets for the twist drills and inclination device of the cutting edges, thinning of the core for greater precision. Possibility of sharpening carbide twist drills with optional grinding wheel.



€ 2100,00

Grinding capacity	3 ÷ 32 mm
Tilting tip	95° ÷ 135° / 85° ÷ 140°
Speed	4400 rpm

Motor	230 V 50 Hz 250 W
Dimensions	400 x 260 x 300 mm
Net weight	36 kg

A003/13A

€ 855,75

TWIST DRILL GRINDING MACHINE

With ER collets for the twist drills and inclination device of the cutting edges, thinning of the core for greater precision. Possibility of sharpening carbide twist drills with optional grinding wheel.



€ 674,00

Grinding capacity	3 ÷ 13 mm
Tilting tip	95° ÷ 135°
Speed	4400 rpm

Motor	230 V 50 Hz 120 W
Dimensions	320 x 180 x 190 mm
Net weight	8,5 kg

A0132A

€ 1207,50

TWIST DRILL GRINDING MACHINE

€ 962,00

Grinding capacity	3 ÷ 20 mm
Tilting tip	90° ÷ 140°
Speed	7000 rpm

Motor	230 V 50 Hz 0,6 kW
Dimensions	500 x 230 x 250 mm
Net weight	21 kg

A004/14

€ 1606,50

END MILL GRINDING MACHINE

With ER collets, suitable for sharpening mills with 2, 3 and 4 cutting edges. Possibility to sharpen hard metal mills with optional grinding wheel.



€ 1190,00

Grinding capacity	4 ÷ 14 mm
Speed	4400 rpm
Motor	230 V 50 Hz 200 W

Dimensions	350 x 230 x 240 mm
Net weight	12,6 kg

A004/20

€ 2352,00

END MILL GRINDING MACHINE

With ER collets, suitable for sharpening mills with 2, 3 and 4 cutting edges. Possibility to sharpen hard metal mills with optional grinding wheel.



€ 1750,00

Grinding capacity	4 ÷ 20 mm
Speed	4400 rpm
Motor	230 V 50 Hz 200 W

Dimensions	350 x 230 x 240 mm
Net weight	16 kg

A059

€ 122,85

MULTIPURPOSE SHARPENER

Ideal for sharpening knives, scissors and blades.



€ 92,30

Grinding capacity	3 - 13 mm
Speed	3000 rpm
Motor	230 V 50 Hz 0,15 kW
Dimensions	232 x 160 x 110 mm

Vibrations	3.9 m/s²
Sound pressure level	86 ±3 db(A)
Acoustic power level	95 ±3 db(A)

0691/400V
€ 2698,50
TILTING BELT SANDER


Belt dimensions	2000 x 150 mm
Speed	(2) 18 / 37 mm/sec
Three-phase motor	400 V 50 Hz 4 kW
Net weight	110 kg

€ 2090,00
0560
€ 738,15
BENCH CHAMFERING MACHINE


Chamfer	45° 0 - 5 mm
Speed	2800 rpm
Motor	230 V 50 Hz 0,25 kW
Table dimensions	2 - 400 x 50 mm
Mill size	Ø 80 mm - Z 8
Insert	SPUN13P
Net weight	21 kg

€ 580,00
0776
€ 1218,00
ROLL FORMING MACHINE

With 3 rollers, with bench equipped with a shelf, removable central roller to create complete tubes.



Max length	1000 mm
Max thickness	0,8 mm
Roller diameter	50 mm
Net weight	105 kg

€ 995,00
0235
€ 253,05
MINI HAND ROLL FORMING MACHINE

With 3 rollers, vice not included



Max length	300 mm
Max thickness	2,5 mm
Roller diameter	30 mm
Net weight	10 kg

€ 194,00
0662
€ 741,30
TILTING BELT SANDER WITH BENCH

Bench to be assembled



Belt dimensions	1219 x 152 mm
Disc diameter	Ø 230 mm
Working table dimensions	330 x 152 mm
Belt speed	330 m/min
Disc speed	1400 m/min
Dimensions	710 x 510 x 1000 mm
Motor	230 V 50 Hz 0,75 kW
Net weight	54 kg

€ 579,00
C022/100
€ 2667,00
ROLL FORMING MACHINE

With 3 rollers, removable central roller to create complete tubes.



Max length	1000 mm
Max thickness	2 mm
Roller diameter	60 mm
Net weight	200 kg

€ 1930,00
0776/610
€ 531,30
ROLL FORMING MACHINE

3-roller, bench-top, removable central roller to create complete tubes.



Max length	610 mm
Max thickness	0.8 mm
Roller diameter	38 mm
Net weight	37 kg

€ 395,00
0775
€ 1680,00
BENDING MACHINE


Max length	1000 mm
Max shearing thickness	1,2 mm
Max bending angle	140°
Net weight	130 kg

€ 1320,00

0483

€ 261,45

MINI HAND BRAKE

Interchangeable blade, max bending width on handle side 50mm, vice not included.



€ 191,00

Working length	270 mm
Max. shearing thickness	2,5 mm
Net weight	10 kg

0773-

HAND SHEARstarting from
€ 135,00

Dimensions	Plate thick- ness	Round	Net weight	Art.	€	Promo
290 x 120 x 240 mm	0,5 ÷ 3 mm	Ø 6 mm	10 kg	0773/05	€ 178,50	€ 135,00
420 x 120 x 390 mm	0,5 ÷ 3 mm	Ø 6 mm	19 kg	0773/10	€ 260,40	€ 204,00

0721

€ 346,50

MANUAL SPIRAL IRON BENDER

For cold bending, with blocks to speed up and standardize operations. Length-adjustable lever, with rollers for rods and plates already included to make different radii of curvature. Possibility of creating both dry folds and curves and use with pipes.



€ 258,00

Roller diameter	2x Ø 24, 30, 37, 43, 49, 62, 75 mm
Round bar	Steel, Aluminum, Copper Ø16 mm Stainless Steel Ø14 mm
Flat bar	10 x 50 mm Sharp edge 6 x 50 mm
Square	14 x 14 mm
Round pipe	G 3/4"
Handle length	1000 mm Max
Net weight	30 kg

0113

€ 346,50

SPIRAL BENDER

For cold bending with piece stop and ergonomic handle



€ 277,00

Iron	Cold	Square	10 mm
Round bar	10 mm	Dies	80 mm 125 mm 200 mm
Flat bar	10 x 30 mm	Net weight	25 kg

T034/105

€ 2614,50

SHEAR MACHINE WITH STAND

With integrated goniometer, adjustable cutting end stop and bench in assembly kit



€ 1980,00

Bed length	1050 mm
Max. bending thickness	1,25 mm
Cutting capacity with adjustment	0 ÷ 500 mm
Dimensions	1290 x 1300 x 1080 mm
Net weight	220 kg

C076/30

€ 4252,50

MOTORIZED 3 ROLL PIPE & PROFILE BENDING MACHINES

Horizontal and vertical operation for pipes, profiles and bars.



€ 3360,00

Shaft diameter	30 mm
Upper roller diameter	148 mm
Lower rollers diameter	148 mm
Round speed	4,8 ÷ 7,2 m/min
Three-phase motor	400 V 50 Hz 1,1 kW
Dimensions	620 x 1100 x 1360 mm
Net weight	230 kg

0102

€ 357,00

IRON BENDER

For cold and hot bending. with blocks to speed up and standardize operations and ergonomic handle



€ 275,00

Round bar	Cold 22 mm Heated 27 mm
Square	Cold 20 mm Heated 25 mm
Flat bar	Steel 100 x 8 mm Copper 100 x 15 mm
Net weight	30 kg

0893

€ 575,40

HYDRAULIC TUBE BENDER 1 1/2" - 2"

With 2 speeds pump



€ 455,00

Dies	1/2" 3/4" 1" 1-1/4" 1-1/2" 2" gas
Capacity	10 tons N
Ram stroke	250 mm
Net weight	48 kg

0722
€ 1386,00
MANUAL PIPE BENDER

For cold bending, for large pipes, with a system that avoids the collapse of the pipe, for the creation of simple or complex curves, with indication of the bend angle, lever included. Ratchet operation to exert maximum force.


€ 1030,00

Dies	25.4 - 38.1 - 44.5 mm
Min. bending radius	75 - 125 - 150 mm
Max thickness	3 mm
Round pipe	Ø20 ÷ 50 mm
Max bending angle	120°
Handle length	1000 mm
Net weight	65 kg

0723
€ 404,25
PORTABLE MANUAL PIPE BENDER

For cold bending, with a system that avoids the collapse of the pipe, for the creation of simple or complex curves.


€ 301,00

Dies	8
Round pipe	3/8" - 1/2" - 9/16" - 5/8" - 3/4" - 7/8"
Square pipe	3/4" - 1"
Thickness	0.8 ÷ 1.2 mm
Max bending angle	180°
Handle length	420 ÷ 600 mm
Net weight	25 kg

0751
€ 892,50
WOOD LATHE

With rotating head, variable speed drive belt and steel sheet bench


€ 700,00

Distance between centers	900 mm
Centers height	155 mm
Maximum turning diameter	310 mm
Thread	1" - 8 TPI
Tailstock	MT 2
Motor	230 V 50 Hz 0,37 kW
Spindle speed	500 ÷ 2000 rpm
Net weight	75 kg

0497-
12" WOOD LATHE

With belt speed change


**starting from
€ 514,00**

Motor	Spindle speed	Art.	€	Promo
230 V 50 Hz 0,37 kW	(5) 700 - 3000 rpm	0497/250	€ 651,00	€ 514,00
230 V 50 Hz 0,55 kW	(5) 700 - 3000 rpm	0497/300	€ 723,45	€ 570,00

P. 048

Promotion valid until 31/12/2023, while stocks last - VAT not included

0719
€ 1144,50
MANUAL PIPE BENDER

For cold bending, with a system that avoids the collapse of the pipe, for the creation of simple or complex curves, with blocks to speed up and standardize operations.


€ 851,00

Dies	14 - 16 - 18 - 20 - 22 - 25 mm
Min. bending radius	4x pipe Ø, 56-100 mm
Max thickness	2 mm
Round pipe	Steel, Aluminum, Copper Ø25 mm Stainless Steel Ø22 mm
Square	20 x 20 mm
Net weight	46 kg

0758
€ 1344,00
WOOD LATHE

With rotating head, variable speed drive belt and cast iron bench


€ 1050,00

Distance between centers	1100 mm
Centers height	185 mm
Maximum turning diameter	370 mm
Thread	1" - 8 TPI
Tailstock	MT 2
Motor	230 V 50 Hz 0,75 kW
Spindle speed	500 ÷ 2000 rpm
Net weight	120 kg

0648
€ 1050,00
WOOD LATHE WITH COPY DEVICE

with lever to adjust the speed and processing area protected with interlocked mobile plexiglass guard


€ 789,00

Distance between centers	1000 mm
Centers height	175 mm
Maximum turning diameter	350 mm
Thread	1" - 8 TPI
Tailstock	2
Motor	230 V 50 Hz 0,75 kW
Spindle speed	500 ÷ 2000 rpm
Dimensions	1400 x 500 x 1300h mm
Net weight	68 kg

0749
€ 2184,00
COMBINED PLANER AND THICKNESSER

With cast iron tables.


€ 1680,00

Dimensions	1050 x 485 x 800h mm
Tables height	810 mm
Table dimensions	1050 x 250 mm
Arbor	Ø 75 mm
Blade	N° 3
Planer capacity	250 x 2 mm
Thickness capacity	250 x 1,2 180h mm
Spindle speed	4000 rpm
Motor	230 V - 50 Hz - 1,5 kW
Net weight	155 kg

0517A

€ 911,40

THICKNESSER

With working plate made of granite

Dimensions	710 x 640 x 400 mm
Working table dimensions	330 x 238 mm
Arbor	ø 51.5 mm
Blade	2
Thickness capacity	330 x 2.4 x 152 mm
Spindle speed	8500 rpm
Motor	230 V 50 Hz 1.5 kW
Net weight	35 kg



€ 691,00

0686/200

€ 621,60

COMBINED PLANER AND THICKNESSER

With aluminum working tables

Dimensions	770 x 430 x 450h mm
Tables height	360 mm
Table dimensions	737 x 210 mm
Arbor	ø 50 mm
Blade	N° 2
Planer capacity	204 x 2 mm
Thickness capacity	204 x 2 x 120h mm
Spindle speed	8000 rpm
Motor	230 V 50 Hz 1,25 kW
Net weight	25 kg



€ 481,00

0665

€ 3402,00

PARTIALLY ASSEMBLED PANEL SAW

Blade	250 x 3 x 30 mm Z 40
Blade speed	2800 rpm
Main table dimensions	800 x 560 mm
Extension table dimensions	800 x 305 mm
Working height	860 mm
Max cut depth at 45°	60 mm
Max cut depth at 90°	75 mm
Sliding table	500 x 600 mm
Overall dimensions	1860 x 2030 x 1070h mm
Motor	230 V 50 Hz 2,2 kW
Max cutting length with saw bench	1460 mm
Net weight	230 kg



€ 2640,00

0656/254

€ 2835,00

PANEL SAW

Capacity 254mm, partially assembled.

Blade dimensions	254 x 30 x 3,2 mm 40 T
Blade speed	4000 rpm
Main table dimensions	790 x 350 mm
Extension table dimensions	350 x 350 mm
Working height	850 mm
Cutting depth at 90°	80 mm
Cutting depth at 45°	56 mm
Sliding table	1320 x 238 mm
Motor	230 V 50 Hz 2,2 kW
Max cutting length with saw bench	1250 mm
Net weight	150 kg



€ 2130,00

0656/310

€ 3265,50

PANEL SAW

Capacity 315mm, partially assembled.

Blade dimensions	315 x 30 x 3,2 mm 40 T
Blade speed	4000 rpm
Main table dimensions	790 x 350 mm
Extension table dimensions	350 x 350 mm
Working height	850 mm
Cutting depth at 90°	100 mm
Cutting depth at 45°	70 mm
Sliding table	1320 x 238 mm
Motor	230 V 50 Hz 2,2 kW
Max cutting length with saw bench	1400 mm
Net weight	175 kg



€ 2500,00

0871

€ 647,85

SLIDE COMPOUND MITRE SAW

With laser beam indicator of the cutting line.

Saw blade	ø 305 x 30 x 3,2 mm Z 40
Max cutting capacity 0° - 90°	340 x 100 mm
Max cutting capacity 45° - 90°	240 x 100 mm
Sliding travel	215 mm
Motor	230 V 50 Hz 2 kW
Motor speed	4500 rpm
Net weight	25 kg



€ 508,00

0870/250

PRO € 456,75

MITRE SAW

With upper table for usage as saw bench

Saw blade	ø 250 x 30 x 2,5 mm Z 36
Max cutting capacity 0° - 90°	75 x 130 mm
Max cutting capacity 45° - 45°	75 x 50 mm
Max cutting capacity 45° - 90°	75 x 90 mm
Max cutting capacity 0° - 45°	50 x 130 mm
Max cutting capacity, upper table	40 mm
Motor	230 V 50 Hz 1,8 kW
Motor speed	4500 rpm
Peripheral speed disc	59 m/s
Net weight	15,5 kg



€ 299,00

0855

€ 1081,50

WOOD BAND SAW

Saw wheel	ø 315 mm
Blade	2240 x 16 x 0,52 mm T4
Cutting capacity	300 x 155 mm
Table dimensions	400 x 500 mm
Cutting speed	6 - 12 m/s 370 - 800 rpm
Tilting table	0 ÷ 20°
Working height	1010 mm
Motor	230 V 50 Hz 0,75 kW
Dimensions	650 x 650 x 1610 h mm
Net weight	75 kg



€ 848,00

FC94/350
€ 1312,50
14" WOOD BAND SAW

Saw wheel	ø 350 mm
Cutting capacity	335 x 160 mm
Blade	2400 x 13 x 0.52 mm T4
Table dimensions	500 x 400 mm
Cutting speed	10 ÷ 12 m/s
Tilting table	0 ÷ 45°
Working height	1015 mm
Motor	230 V 50 Hz 0.75 kW
Dimensions	730 x 620 x 1540 h mm
Net weight	79 kg


€ 1050,00
FC94/245
€ 661,50
10" WOOD BAND SAW

Saw wheel	ø 255 mm
Cutting capacity	245 x 120 mm
Blade	1790 x 8.4 x 0.35 mm T6
Table dimensions	340 x 340 mm
Cutting speed	11 ÷ 16 m/s
Tilting table	0 ÷ 45°
Working height	1000 mm
Motor	230 V 50 Hz 0.37 kW
Dimensions	420 x 250 x 800 h mm
Net weight	29 kg


€ 513,00
0302/305
€ 819,00
WOOD BAND SAW

With aluminium table

Saw wheel	ø 315 mm
Cutting capacity	300 x 170 mm
Blade	2240 x 11 x 0.8 mm T6
Table dimensions	500 x 400 mm
Cutting speed	6 ÷ 12 m/s
Tilting table	0° ÷ 45°
Working height	960 mm
Motor	230 V 50 Hz 0.75 kW
Dimensions	80 x 500 x 1580 h mm
Net weight	58 kg


€ 641,00
0302/245
€ 537,60
WOOD BAND SAW

With aluminium table

Saw wheel	ø 255 mm
Cutting capacity	245 x 120 mm
Blade	1790 x 9 x 0.5 mm T6
Table dimensions	290 x 290 mm
Cutting speed	11 ÷ 16 m/s
Tilting table	0° ÷ 45°
Working height	1000 mm
Motor	230 V 50 Hz 0.42 kW
Dimensions	600 x 400 x 1480 h mm
Net weight	28 kg


€ 421,00
0302/200
€ 367,50
WOOD BAND SAW

With steel table

Saw wheel	ø 210 mm
Cutting capacity	200 x 80h mm
Blade	1400 x 6 x 0,36 mm T6
Table dimensions	300 x 300 mm
Cutting speed	15 m/s
Tilting table	0 ÷ 45°
Dimensions	450 x 390 x 680 h mm
Motor	230 V 50 Hz 0,25 kW
Net weight	17 kg


€ 269,00
0717A
€ 350,70
WOOD BAND SAW

With adjustable work table and protractor for high precision. Blade protection device.

Saw wheel	ø 200 mm
Blade	1430 x 6 x 0,36 mm T6
Cutting capacity	190 x 80h mm
Table dimensions	290 x 290 mm
Cutting speed	13,7 m/s
Tilting table	0 ÷ 45°
Motor	230 V 50 Hz 0,35 kW
Dimensions	430 x 355 x 665 h mm
Net weight	17 kg


€ 199,00
0505
€ 299,25
TILTING BENCH BELT SANDER

Can be used with sanding belt horizontally or vertically. With workpiece holder, abrasive belt and disc. Tilting work table in cast aluminum. Trained aluminum roller on bearings. To be used exclusively for working with wood and plastic materials.

Dimensions	460 x 380 x 270h mm
Motor	230V 50 Hz 500 W
Belt	914 x 100 mm
Belt speed	420 m/min
Grit belt	80
Disc diameter	ø 150 mm
Grit Disc	80
Round speed	2850 rpm
Tilting table	0 ÷ 45°
Table dimensions	225 x 155 mm
Net weight	18 kg


€ 226,00
0564
€ 305,55
TILTING BENCH BELT SANDER

Can be used with sanding belt horizontally or vertically. With workpiece holder, abrasive belt and disc. Tilting work table in extruded aluminum. Quick belt change system. Trained plastic roller on bearings. To be used exclusively for working with wood and plastic materials.

Dimensions	470 x 360 x 290 mm
Motor	230V 50 Hz 370 W
Belt	914 x 100 mm
Belt speed	450 m/min
Grit belt	80
Disc diameter	ø 150 mm
Grit Disc	80
Round speed	2980 rpm
Tilting table	0 ÷ 45°
Table dimensions	226 x 160 mm
Net weight	16,5 kg


€ 228,00

0138

€ 621,60

BELT AND DISC SANDER

With tilting tables

Dimensions	630 x 370 x 495h mm
Belt	25 x 1075 mm
Belt speed	8,5 m/s
Disc diameter	200 mm
Motor	230 V 50 Hz 0,45 kW 1450 rpm
Table dimensions band	180 x 150 mm
Table dimensions disc	250 x 120 mm
Net weight	26 kg



€ 494,00

0765

€ 274,05

SCROLL SAW VARIABLE SPEED

Strong body, tilting table, suitable to cut balsa and plywood

Cutting capacity	400 x 50h mm
Blade length	127 mm
Oscillations	800 ÷ 1400 rpm
Plate Dimensions	410 x 250 mm
Tilting table	0 ÷ 45° sx
Base dimensions	230 x 390 mm
Motor	230 V 50 Hz 0,12 kW
Working temperature	from -50 to +500
Net weight	14 kg



€ 209,00

S009

€ 1543,50

VERTICAL HEAVY DUTY LOG SPLITTER

7 ton, with cross log splitter.

Height working capacity	120 ÷ 540 mm
Log capacity	ø 50 ÷ 320 mm
Max splitting force	7 ton
Motor	230 V 50 Hz 3 kW
No-load speed	2950 rpm
Net weight	120 kg



€ 1120,00

0496

€ 813,75

DUST COLLECTOR

Inlet size	3 x ø 100 mm
Air flow	3900 m3 / h
Motor	230 V 50 Hz 2.2 kW
Cloth bag	ø 510 mm
Dimensions	1450 x 800 x 2000 mm
Net weight	48 kg



€ 625,00

KIT0129

€ 751,70

DUST COLLECTOR + FILTER BAG + 10 PC PLASTIC BAG SET

€ 589,00



0759/F



0759/S



10 Pcs

0759

PARTIALLY ASSEMBLED DUST COLLECTOR

Inlet size	2 x ø 100 mm
Air flow	2500 m3 / h
Filtration rate	5 micron
Cloth bag	ø 510 mm
Motor speed	2950 rpm
Vacuum suction	1.95 kPa
Motor	230 V 50 Hz 1.5 kW
Dimensions	840 x 560 x 1800 h mm
Net weight	40 kg

KIT0128

€ 467,70

DUST COLLECTOR + FILTER BAG + 10 PC PLASTIC BAG SET

€ 361,00



0756/F



0756/S



10 Pcs

0756

DUST COLLECTOR

Partially assembled.

Inlet size	100 mm
Air flow	850 m3 / h
Filtration rate	5 micron
Cloth bag	ø 370 mm
Motor speed	2950 rpm
Vacuum suction	1.08 kPa
Motor	230 V 50 Hz 0.75 kW
Dimensions	500 x 600 x 1700 h mm
Net weight	23 kg

KIT0229
€363,60
DUST COLLECTOR + FILTER BAG + 10 PC PLASTIC BAG SET

€ 269,00
0507/15
0507/14



0507
DUST COLLECTOR

Partially assembled.

Inlet size	100 mm
Air flow	900 m ³ / h
Filtration rate	5 micron
Cloth bag	ø 320 mm
Motor speed	2840 rpm
Vacuum suction	0.70 kPa
Motor	230 V 50 Hz 0.55 kW
Dimensions	500 x 600 x 1700 h mm
Net weight	18 kg

M028-
PRO
HIGH PRECISION MODULAR VICE

Suitable for jobs where precision, reliability, availability and secure locking are required. Suitable for precision milling and grinding work on both manual machines and CNC machining centers. Ground sliding surfaces. Equipped with prismatic descending jaws when tightening. With fasteners and adjustment keys. Accuracy 0.02mm and hardness 57-62 HRC


**starting from
€ 635,00**

Jaw dimensions	Net weight	Art.	€	Promo
100 x 30h mm	7 kg	M028/100/100	€-799,05	€ 635,00
125 x 40h mm	13 kg	M028/125/150	€-868,35	€ 691,00
150 x 50h mm	26 kg	M028/150/200	€-1036,35	€ 819,00
150 x 50h mm	30 kg	M028/150/300	€-1113,00	€ 883,00
150 x 50h mm	34 kg	M028/150/400	€-1281,00	€ 1020,00
175 x 60h mm	40 kg	M028/175/200	€-1281,00	€ 1020,00
175 x 60h mm	43 kg	M028/175/300	€-1323,00	€ 1040,00
175 x 60h mm	50 kg	M028/175/400	€-1480,50	€ 1140,00
175 x 60h mm	50 kg	M028/175/500	€-1659,00	€ 1320,00
200 x 65h mm	69 kg	M028/200/300	€-1995,00	€ 1560,00
200 x 65h mm	74 kg	M028/200/400	€-2047,50	€ 1620,00
200 x 65h mm	79 kg	M028/200/500	€-2467,50	€ 1840,00
200 x 65h mm	84 kg	M028/200/600	€-2719,50	€ 2130,00

P. 052

Promotion valid until 31/12/2023, while stocks last - VAT not included

0495
€418,95
PORTABLE DUST COLLECTOR


With wheels for wood band saw and mitre saw.


€ 339,00

Inlet size	100 mm
Air flow	830 m ³ / h
Cloth bag	ø 380 mm
Motor	230 V 50 Hz 0.75 kW
Dimensions	395 x 325 x 350 mm
Net weight	14 kg

M011-
PRO
HIGH PRECISION MODULAR VICE


Suitable for jobs where precision, reliability, availability and secure locking are required. Suitable for precision milling and grinding work on both manual machines and CNC machining centers. Ground sliding surfaces. Equipped with prismatic descending jaws when tightening. With fasteners and adjustment keys. Accuracy 0.02mm and hardness 57-62 HRC


**starting from
€ 873,00**

Jaw dimensions	Net weight	Art.	€	Promo
125 x 50h mm	19 kg	M011/125/150	€-1113,00	€ 873,00
150 x 60h mm	35 kg	M011/150/210	€-1281,00	€ 995,00
150 x 60h mm	35 kg	M011/150/300	€-1596,00	€ 1260,00

M012-
PRO
PRECISION MEASURING MILLING VICE


Quick-release. Couplings ground with high precision. Accuracy indicated on parallelism and quadrature. Ideal for grinding, EDM, milling and measuring systems


**starting from
€ 71,80**


Dimensions	Accuracy	Art.	€	Promo
38 x 105 x 45h mm	0,005 mm	M012/038	€-90,09	€ 71,80
50 x 140 x 50h mm	0,005 mm	M012/050	€-94,08	€ 75,00
73 x 190 x 67h mm	0,005 mm	M012/080	€-227,85	€ 165,00
100 x 245 x 90h mm	0,005 mm	M012/100	€-318,15	€ 227,00

M023-
PRO
MILLING MACHINE VICE WITH 360° SWIVEL BASE


With interchangeable jaws in hardened and ground steel. Sliding parts ground. Fully covered screw. With crank.


**starting from
€ 147,00**


Jaws	Opening	Slot	Art.	€	Promo
100 x 35 mm	80 mm	14 mm	M023/100	€-223,65	€ 147,00
125 x 40 mm	100 mm	14 mm	M023/125	€-266,70	€ 184,00
160 x 50 mm	125 mm	18 mm	M023/160	€-361,20	€ 266,00
200 x 61 mm	160 mm	18 mm	M023/200	€-454,65	€ 350,00

M014-**MILLING MACHINE VICE WITH 360° SWIVEL BASE**

With interchangeable jaws in hardened and ground steel.
Sliding parts ground. Fully covered screw. With crank




starting from
€ 78,90

Jaws	Opening	Slot	Art.	€	Promo
80 x 30 mm	60 mm	14 mm	M014/080	€110,25	€ 78,90
100 x 35 mm	75 mm	14 mm	M014/100	€143,85	€ 107,00
125 x 40 mm	95 mm	14 mm	M014/125	€199,50	€ 143,00
160 x 52 mm	120 mm	18 mm	M014/160	€277,20	€ 198,00
200 x 63 mm	150 mm	18 mm	M014/200	€376,95	€ 290,00

M027-**DRILL PRESS VICE**

Equipped with scraped guides
for greater precision and better
sliding.



starting from
€ 124,00

Jaws	Opening	Base dimensions	Net weight	Art.	€	Promo
100 x 40 mm	100 mm	290 x 170 mm	8 kg	M027/100	€165,90	€ 124,00
140 x 50 mm	140 mm	375 x 230 mm	12 kg	M027/140	€233,10	€ 174,00
200 x 60 mm	200 mm	485 x 295 mm	25 kg	M027/200	€378,00	€ 283,00

0188-**2 - WAY CROSS VICE**

Useful for performing precision drilling or
tapping operations thanks to the longitudinal
and lateral movement without removing the
piece from the vice



€ 69,00

Jaws	Opening	Art.	€	Promo
100 x 25 mm	90 mm	0188/100	€90,62	€ 69,00
125 x 40 mm	110 mm	0188/125	€128,10	€ 97,30
150 x 40 mm	145 mm	0188/150	€161,70	€ 126,00

P014**PARALLEL COUPLE SET**

Ground in pairs. Used as part shims in wide
variety of machining operations, ensuring
parallel clamping.




€ 232,00

Dimensions	150 x 10 x (14-16-18-20-22-24-26-28-30-32-35-40-45-50) mm
Hardness	HRC 60
Accuracy	± 0,005 mm

M024-**MILLING MACHINE VICE WITH 360° SWIVEL BASE**

With interchangeable jaws in hardened and
ground steel. Sliding parts ground. Uncovered
vine. With crank and fixing screws



starting from
€ 150,00

Jaws	Opening	Slot	Art.	€	Promo
136 x 32 mm	170 mm	14 mm	M024/136	€193,20	€ 150,00
160 x 50 mm	180 mm	14 mm	M024/160	€278,25	€ 196,00
200 x 63 mm	220 mm	18 mm	M024/200	€366,45	€ 292,00
250 x 45 mm	320 mm	18 mm	M024/250	€532,35	€ 417,00

M001-**DRILL PRESS VICE**

Equipped with a prismatic jaw and a smooth
jaw. Constant overall length thanks to the
screw inserted in the handle




starting from
€ 50,80

Jaws	Opening	Art.	€	Promo
100 mm	80 mm	M001/100	€62,37	€ 50,80
120 mm	110 mm	M001/120	€76,55	€ 61,10
150 mm	135 mm	M001/150	€95,97	€ 76,50

0188-XG**2 - WAY CROSS VICE WITH SWIVEL BASE**

Useful for performing precision drilling or
tapping operations thanks to the longitudinal
and lateral movement without removing the
piece from the vice. Equipped with a swivel
base




starting from
€ 116,00

Jaws	Opening	Slot	Art.	€	Promo
100 X 25 mm	90 mm	18mm	0188/100G	€153,30	€ 116,00
125 X 40 mm	120 mm	20mm	0188/125G	€173,25	€ 130,00
150 X 45 mm	150 mm	20mm	0188/150G	€197,40	€ 148,00

P015**PARALLEL COUPLE SET**

Ground in pairs. Used as part shims in wide
variety of machining operations, ensuring
parallel clamping.




Dimensions	160 x 4 x (10-14-18-22-26-30-34-38-42) mm
Hardness	HRC 60
Accuracy	± 0,005 mm

€ 137,00

P017
€128,10
PARALLEL COUPLE SET


Ground in pairs. Used as part shims in wide variety of machining operations, ensuring parallel clamping.



Dimensions	150 x 8 x (14-16-20-24-30-32-36-40-44) mm
Hardness	HRC 45
Accuracy	± 0,005 mm


€101,00
T014G
€1071,00
SWIVELING CROSS WORKING TABLE

Equipped with a swivel base. With coolant channels. Adjustable handwheel graduation



Slot	12 mm
Height	160 mm
Travels	155 x 370 mm
Reading	0,02 mm
Net weight	60 kg


€ 838,00
T008
€349,65
CROSS WORKING TABLE


Slot	16 mm
Slot distance	75 mm
Height	130 mm
Travels	120 x 325 mm
Base locating slot	162 mm
Net weight	23 kg


€ 255,00
T018/330
€ 88,41
CROSS WORKING TABLE


With fixed millimeter scale for longitudinal table movements



Height	82 mm
Slot	8 mm
Slot distance	36 mm
Travels	190 x 65 mm
Reading	0,05 mm
Overall dimensions	395 x 210 mm
Net weight	2,5 kg


€ 68,60
T013
€1260,00
CROSS WORKING TABLE


With coolant channels. Adjustable handwheel graduation.



Slot	14 mm
Height	155 mm
Travels	160 x 360 mm
Reading	0,05 mm
Net weight	70 kg


€ 979,00
T015/E
€300,30
CROSS WORKING TABLE


With adjustable graduation of the handwheel



Slot	10 mm
Height	104 mm
Travels	50 x 80 mm
Reading	0,01 mm
Net weight	10 kg


€ 216,00
T018/350
€165,90
CROSS WORKING TABLE


With fixed millimeter scale for longitudinal table movements




Height	120 mm
Slot	8 mm
Slot distance	36 mm
Travels	177 x 50 mm
Reading	0,05 mm
Overall dimensions	415 x 255 mm
Net weight	6 kg


€ 126,00
T004-
ADJUSTABLE ANGLE PLATE

With tilting regulation on both sides.


**starting from
€ 300,00**

Dimensions	Slot	Tilting	Art.	€	Promo
255 x 180 x 135h mm	12 mm	± 36°	T004/250	€411,60	€ 300,00
380 x 250 x 180h mm	16 mm	± 36°	T004/380	€624,75	€ 481,00
610 x 305 x 253h mm	16 mm	± 36°	T004/600	€1060,50	€ 863,00

P077-**PERMANENT MAGNETIC CHUCK**

starting from
€ 541,00



Dimensions	Magnetic force	Pole pitch	Art.	€	Promo
250 x 150 x 60 mm	180 N/cm2	3 + 12 mm	P077/1525	€727,65	€541,00
300 x 150 x 60 mm	180 N/cm2	3 + 12 mm	P077/1530	€866,25	€645,00
400 x 200 x 60 mm	180 N/cm2	3 + 12 mm	P077/2040	€1533,90	€1140,00
500 x 300 x 60 mm	180 N/cm2	3 + 12 mm	P077/3050	€2887,50	€2150,00
600 x 300 x 60 mm	180 N/cm2	3 + 12 mm	P077/3060	€3465,90	€2580,00

K001-**CLAMPING KIT**

Consisting of: 24 tie rods, 6 T-nuts, 6 low nuts, 4 joint sleeves, 6 simple brackets, 12 stair supports, practical wall support



starting from
€ 90,00



Slot	Thread	Art.	€	Promo
12 mm	M10	K001/12	€119,70	€90,00
14 mm	M12	K001/14	€133,35	€97,40
16 mm	M14	K001/16	€155,40	€118,00
18 mm	M16	K001/18	€194,25	€149,00

M042-**LIGHT DUTY PROFESSIONAL SELF-TIGHTENING KEYLESS DRILL CHUCKS**


starting from
€ 36,40



Capacity	Taper DIN	Art.	€	Promo
0.5 ÷ 8 mm	B12	M042/08	€48,93	€36,40
1 ÷ 10 mm	B12	M042/10	€50,09	€37,30
1 ÷ 13 mm	B16	M042/13	€57,33	€42,60
3 ÷ 16 mm	B18	M042/16	€68,99	€51,30
5 ÷ 20 mm	B22	M042/20	€91,88	€68,30

M059-**REVERSIBLE TAPPING CHUCK WITH ADJUSTABLE CLUTCH**

The adjustable safety device with friction reduces the possibility of breaking the male during the execution of the thread. Built-in rotation inverter, immediately active when the feed device is changed. Adjustable clutch in 4 positions. Equipped with 2 flexible pliers and keys for use.




starting from
€ 382,00



Tapping range	Taper DIN	Art.	€	Promo
M 2 - 7	B16	M059/07	€505,05	€382,00
M 5 - 12	B16	M059/12	€578,55	€461,00
M 8 - 20	B22	M059/20	€707,70	€513,00

P078-**PERMANENT MAGNETIC CHUCK**

With fixed polarity. It allows the machining of small and low thickness pieces due to fine pitch.



starting from
€ 352,00



Dimensions	Magnetic force	Pole pitch	Art.	€	Promo
250 x 150 x 48 mm	120 N/cm2	0,5 + 1,5 mm	P078/1525	€473,55	€352,00
300 x 150 x 48 mm	120 N/cm2	0,5 + 1,5 mm	P078/1530	€560,70	€417,00
350 x 150 x 48 mm	120 N/cm2	0,5 + 1,5 mm	P078/1535	€630,90	€469,00
400 x 150 x 51 mm	120 N/cm2	0,5 + 1,5 mm	P078/1540	€704,55	€525,00
450 x 150 x 51 mm	120 N/cm2	0,5 + 1,5 mm	P078/1545	€820,90	€611,00
450 x 200 x 51 mm	120 N/cm2	0,5 + 1,5 mm	P078/2045	€1155,00	€859,00
500 x 200 x 58 mm	120 N/cm2	0,5 + 1,5 mm	P078/2050	€1270,50	€1000,00
600 x 200 x 58 mm	120 N/cm2	0,5 + 1,5 mm	P078/2060	€1501,50	€1170,00

M051-**HIGH PRECISION 3 JAWS KEYLESS DRILL CHUCK**

For industrial use, even in the most severe conditions of use. Sliding parts entirely hardened and ground. Spindle jaw hardness HRC58.



starting from
€ 44,30



Capacity	Taper DIN	Dimensions	Art.	€	Promo
0,5 ÷ 8 mm	B 12	Ø 39 x 80 mm	M051/08	€58,17	€44,30
1 ÷ 10 mm	B 12	Ø 44,5 x 82 mm	M051/10	€58,17	€45,40
1 ÷ 13 mm	B 16	Ø 49,5 x 91 mm	M051/13	€68,36	€53,00
1 ÷ 16 mm	B 18	Ø 54 x 102,5 mm	M051/16	€82,43	€63,20
1 ÷ 20 mm	B 22	Ø 59 x 119 mm	M051/20	€106,05	€74,10

M052-**KEY TYPE TAPER HOLE DRILL CHUCKS**

starting from
€ 11,50



Capacity	Taper DIN	Dimensions	Art.	€	Promo
1 ÷ 10 mm	B12	Ø 39 x 80 mm	M052/10	€15,44	€11,50
1 ÷ 13 mm	B16	Ø 41,5 x 95,4 mm	M052/13	€20,27	€15,10
3 ÷ 16 mm	B 18	Ø 49 x 108,2 mm	M052/16	€24,26	€18,00
5 ÷ 20 mm	B22	Ø 54 x 114,1 mm	M052/20	€36,75	€27,30

0688**€ 205,80****LATHE MILL TABLE UNIVERSAL DEVICE**

It allows you to perform a surface machining on the clamped piece with the use of the lathe spindle as a tool holder. Fixing by mechanical adaptation to the machine in which it is to be applied.



€ 159,00

T00A1
€ 268,80
QUICK CHANGE TOOL POST

For quick tool changes thanks to the locking / unlocking pin. Composition of the set: - 1 tool holder turret - 3 tool holders with flat seat.



Length	57 mm
Width	57 mm
Height	37 mm
Hole	16 mm
Tool height	14 mm


€ 199,00
0532A/230V
€ 213,15
LED LIGHT MACHINE OPERATION LAMP

Articulated, with transformer.



Power	230 V 50 Hz 13 W
Luminous flux	1800 lm
Color temperature	6500 K
LED number	9
Height	900 mm
Diameter	125 mm
Joints	3


€ 158,00
0538A
€ 145,95
LED LIGHT MACHINE OPERATION LAMP

Articulated, without transformer.



Power	12 - 24 V 7 W AC
Luminous flux	700 lm
Color temperature	6500 K
LED number	7
Height	650 mm
Diameter	90 mm
Joints	3


€ 108,00
B007-
INDEXABLE CARBIDE TOOL HOLDER SET

Insert included, useful for having a set that allows you to perform most turning operations with small lathes



Ext. shank / Insert	Int. shank / Insert	Art.	€	Promo
10 mm / TCMT110204N	8 mm / TCMT090204N	B007/10	€ 113,40	€ 88,20
12 mm / TCMT110204N	10 mm / TCMT110204N	B007/12	€ 119,70	€ 90,00
16 mm / TCMT16T304N	12 mm / TCMT110204N	B007/16	€ 148,05	€ 115,00


**starting from
€ 88,20**
0532A
€ 195,30
LED LIGHT MACHINE OPERATION LAMP

Articulated, without transformer.



Power	24 V 13 W AC/DC
Luminous flux	1800 lm
Color temperature	6500 K
LED number	9
Height	890 mm
Diameter	125 mm
Joints	3


€ 147,00
0537A
€ 117,60
LED LIGHT MACHINE OPERATION LAMP

Articulated, without transformer.




Power	12 - 24 V 7 W AC
Luminous flux	700 lm
Color temperature	6500 K
LED number	7
Height	100 mm
Diameter	90 mm
Joints	1


€ 88,70
0536A
€ 149,10
LED LIGHT MACHINE OPERATION LAMP

Flexible, with transformer and magnetic base



Power	230V / 5W
Height	600 mm
Diameter	60 mm
Joints	1
Intensity	500 lm - 6400 K



€ 111,00
KITCKJ
EXTERNAL TOOL HOLDER WITH INSERTS


b	h	l	Art.	€	Promo
20mm	20mm	125mm	KITCKJ20	€ 178,50	€ 101,00
25mm	25mm	150mm	KITCKJ25	€ 188,60	€ 115,00


**starting from
€ 101,00**

KISCLCR

€ 238,35

SOLID BORING BAR SET 95°

Int. tool holder	SCLCR08; SCLCR10; SCLCR12; SCLCR16
Bits	CCMT060204N x 10 Pcs
Torx key	T7 x 2 Pcs
Screw	T7 x 2,5 mm x 4 Pcs



€ 154,00

KISTCMT

€ 281,40

SOLID BORING BAR SET 90°


Int. tool holder	STFCR08; STFCR10; STFCR12; STFCR16; STFCR20
Bits	TCMT110204N x 10 Pcs
Torx key	T8 x 2 Pcs
Screw	T8 x 2,5 mm x 2 Pcs



€ 212,00

KISTFCR

€ 221,55

SOLID BORING BAR SET 90°


Int. tool holder	STFCR08, STFCR10, STFCR12, STFCR16, STFCR20
Insert (not included)	TCMT110204...
Torx key	T8 x 2 Pcs
Screw	T8 x 2,5 mm x 5 Pcs



€ 168,00

KISER**EXTERNAL THREAD TOOL HOLDER**

Consisting of external threading tool (1 Pc), M3.5 X 12mm spare screw (1 Pc), 2.5mm hex wrench (1 Pc), T15 torx wrench (1 Pc) and assorted inserts: AG55 - AG60; - ISO 0.8 - 1.00 - 1.25 - 1.50 - 1.75 - 2.00 - 2.50 - 3.00mm (1 Pc each).

starting from
€ 147,00

b	l	h	Art.	€	Promo
20 mm	20 mm	125 mm	KISER	€ 187,95	€ 147,00
25 mm	25 mm	150 mm	KISER25	€ 246,75	€ 177,00

KISNR**INTERNAL THREAD TOOL HOLDER**

Consisting of internal threading tool (1 Pc), spare M3.5 X 12mm screw (1 Pc), 2.5mm hex wrench (1 Pc), T15 torx wrench (1 Pc) and assorted inserts: AG55 - AG60; - ISO 0.8 - 1.00 - 1.25 - 1.50 - 1.75 - 2.00 - 2.50 - 3.00mm (1 Pc each).

starting from
€ 165,00


D	h	l	Art.	€	Promo
20 mm	18 mm	170 mm	KISNR	€ 216,30	€ 165,00
25 mm	23 mm	200 mm	KISNR25	€ 258,30	€ 206,00

KICAN

€ 241,50

INTERNAL AND EXTERNAL GROOVING TOOL HOLDER SET


Consisting of the tool for external grooves: 20 x 20 mm (1 Pc), the tool for internal grooves: ø 20mm (1 Pc), spare screw M4 x 12mm (2 Pcs), torx wrench: T15 (1 Pc) and inserts for 16mm groove TIN coated: 165110134 (2 Pcs), 165130134 (2 Pcs), 165160134 (2 Pcs), 165185134 (1 Pc), 165215134 (1 Pc), 165265134 (1 Pc), 165315134 (1 Pc).



€ 185,00

T088

€ 103,95

TOOL CUTTING SET

Set composition	1 Pcs SGTBK16 - 1 Pcs SGH26/2 - 1 Pcs SGH26/3
S	2 - 3 mm
h	25.75 mm
l	109 mm
Insert (not included)	GCMX2N - GCMX3N



€ 79,70

B005-**CARBIDE TIPPED LATH E TOOL SET**

Kit	Art.	€	Promo
1BRAS411108RP - 1BRAS411110RP - 1BRAS-410312RP - 1BRAS410412RP - 1BRAS410912RP	B005	€ 26,47	€ 18,50
1BRAS411110RP - 1BRAS411112RP - 1BRAS-410316RP - 1BRAS410416RP - 1BRAS410916RP	B005/16	€ 40,04	€ 31,20
1BRAS411112RP - 1BRAS411116RP - 1BRAS-410320RP - 1BRAS410420RP - 1BRAS410920RP	B005/20	€ 50,09	€ 40,00

starting from
€ 18,50

P046
€ 32,87
TWIST DRILL SET

DIN 338/N, right hand, black finish.



Size (step 0,5 mm) 1 ÷ 13 mm


P045
€ 16,59
TWIST DRILL SET

DIN 338/N, right hand, black finish.



Size (step 0,5 mm) 1 ÷ 10 mm


P023/19
€ 38,01
STRAIGHT SHANK TWIST DRILL SET

DIN 338/N, Right hand, rectified



Size (step 0,5 mm) 1 ÷ 10 mm


P023/25
€ 77,07
STRAIGHT SHANK TWIST DRILL SET

DIN 338/N, Right hand, rectified



Size (step 0,5 mm) 1 ÷ 13 mm


P058/170
€ 185,85
TWIST DRILL SET

DIN 338/N, right hand, long durability thanks to the titanium coating.


 150 (10x) Pcs (step 0,5 mm) Ø 1 ÷ 8 mm
 20 (5x) Pcs (step 0,5 mm) Ø 8,5 ÷ 10 mm

P010/51
€ 64,05
SERIES OF CYLINDRICAL TIPS TO THE TENTH

DIN 338/N, right hand, long durability thanks to the titanium coating.



Size (step 0,1 mm) 1 ÷ 6 mm


P010/41
€ 149,10
SERIES OF CYLINDRICAL TIPS TO THE TENTH

DIN 338/N, right hand, long durability thanks to the titanium coating.



Size (step 0,1 mm) 6 ÷ 10 mm


P062
€ 70,56
TWIST DRILL SET

DIN 338/N, Right hand, Long durability thanks to the titanium coating



Size (step 0,5 mm) 1 ÷ 13 mm




P061

€39,48

STRAIGHT SHANK TWIST DRILL SET

DIN 338/N, right hand, long durability thanks to the titanium coating.



Size (step 0,5 mm) 1 ÷ 10 mm




€19,10

P067

€70,56

COBALT TWIST DRILL SET

DIN 338/N, self-centering, right, with great thermal resistance



Size (step 0,5 mm) 1 ÷ 10 mm




€56,20

P069

€138,60

COBALT TWIST DRILL SET

DIN 338/N, self-centering, right, with great thermal resistance



Size (step 0,5 mm) 1 ÷ 13 mm




€107,00

P064/19A

€85,37

COBALT TWIST DRILL SET

DIN 338/N, self-centering, right, with great thermal resistance.



Size (step 0,5 mm) 1 ÷ 10 mm




€66,60

P064/25A

€181,65

COBALT TWIST DRILL SET

DIN 338/N, self-centering, right, with great thermal resistance



Size (step 0,5 mm) 1 ÷ 13 mm



€138,00

P057

€107,10

SET OF TWIST DRILLS WITH CONICAL SHANK

DIN 345/N, right hand



MT 14 mm
MT 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 mm



€85,00

P056/10S

€36,44

CENTER DRILL SET

DIN 333, ground, with vaporized grooves. Taper angle 60°



Sizes 0.75 - 1.00 - 1.5 - 1.6 - 2.0 - 2.5 - 3.0 - 3.15 - 4.0 - 5.0 mm

Type A
Tolerance K12




€27,80

F011/6

€194,25

WELDON SHANK CORE DRILL SET

Allows a very fast cut, does not require pre-drilling and does not create any burr formation thanks to the lower effort of the cutting edge during processing.



Sizes 12 x 62 - 14 x 62 - 16 x 62 - 18 x 62 - 20 x 62 - 22 x 62 mm
Cutting capacity 30 mm
Shank Weldon 19,05 mm



€153,00

F002/6
PRO
€297,15
WELDON SHANK CORE DRILL SET

Allows a very fast cut, does not require pre-drilling and does not create any burr formation thanks to the lower effort of the cutting edge during processing.



Sizes 12 x 62 - 14 x 62 - 16 x 62 - 18 x 62 - 20 x 62 - 22 x 62 mm
Shank Weldon 19,05 mm


€235,00
F015/008S
€148,05
DRILL BIT HOLE SAW SET

With lateral chip and center drill.



Sizes 16 mm, 18 mm, 20 mm, 22 mm, 25 mm, 30 mm, 32 mm, 35 mm


€114,00
0712/010
€195,30
HOLE SAW SET

Industry kit.



Hole saw 19 - 22 - 29 mm
Corresponding arbors, adapter, bits 0712/600
Hole saw 35 - 38 - 44 - 51 - 57 - 64 - 76 - 83 - 92 - 95 - 105 - 114 mm
Corresponding arbors, adapter, bits 0712/600 - 0712/900 - 0712/300
Extension 300 mm


€149,00
F639
€82,53
STEP DRILL BITS


For creating and enlarging holes in sheet metal



Stem 10 mm
Ø 6 ÷ 39 (6-9-12-15-18-21-24-27-30-33-36-39) mm


€61,60
F019/008
€148,05
TCT CORE DRILL SET


With lateral chip and center drill.



Sizes 16 mm, 18 mm, 20 mm, 22 mm, 25 mm, 30 mm, 32 mm, 35 mm
Cutting Depth 5 mm


€114,00
0712/009
€103,64
HOLE SAW SET

Installer set.



Hole saw 19 - 22 - 29 mm
Corresponding arbors, adapter, bits 0712/600 - 0712/900 - 0712/300
Hole saw 35 - 38 - 44 - 51 - 57 - 64 mm
Corresponding arbors, adapter, bits 0712/800


€64,10
S001
€97,76
90° THREE FLUTES COUNTERSINK SET

DIN 335C, with ground edges and grooves machined from solid, to perform conical countersinks without vibrations.



Ø max 8 - 10 - 12,4 - 16,5 - 20,5 mm


€79,50
F430
€78,12
STEP DRILL BITS SET

For creating and enlarging holes in sheet metal



Stem 6 - 8 - 10 mm
Ø 4 ÷ 12 - 6 ÷ 20 - 6 ÷ 30 mm


€43,70

F23X**STEP DRILL BITS**

For creating and enlarging holes in sheet metal, with interchangeable point.



starting from
€ 55,20

Stem	Ø	Art.	€	Promo
10 mm	2,5 ÷ 32 (2,5-6,3-11,2-14,5-18,2-22,3-27,9-32) mm	F232	€ 76,02	€ 55,20
10 mm	2,5 ÷ 38 (2,5-6,3-13-16-19-21-23-26-29-32-35-38) mm	F238	€ 81,38	€ 58,80

F001/20**€ 239,40****SET END MILLS**

DIN 844/B and DIN 327/D, two and four flute, regular length, weldon shank, center cutting.



€ 162,00

2 Flute mill	Ø 3 - 4 - 5 - 6 - 8 - 10 - 12 - 14 - 18 - 20 mm
Stem	Ø 6 - 6 - 6 - 6 - 10 - 10 - 12 - 12 - 16 - 20 mm
4 Flute mill	Ø 3 - 4 - 5 - 6 - 8 - 10 - 12 - 14 - 18 - 20 mm
Stem	Ø 6 - 6 - 6 - 6 - 10 - 10 - 12 - 12 - 16 - 20 mm

F001/10**€ 239,40****SET FRONTAL ROUGHING END MILLS**

DIN 844/B, regular length, center cutting, weldon shank.



€ 172,00

Mill	Ø 6 8 10 12 14 16 18 20 22 25 mm
Stem	Ø 6 10 10 12 12 16 16 20 20 25 mm

F008DC**€ 67,52****HARD METAL ROTARY BURR SET**

With diamond cut.



€ 51,80

Sizes	10 x 20 mm
Type	B, C, D, G, M
Stem	6 mm

F008SC**€ 67,52****HARD METAL ROTARY BURR SET**

With single cut.



€ 51,80

Sizes	10 x 20 mm
Type	B, C, D, G, M
Stem	6 mm

F008-**CARBIDE ROTARY FILE SET**

Cross cut



starting from
€ 47,10

Stem	Art.	€	Promo
Ø 3 mm	F008/3	€ 63,00	€ 47,10
Ø 6 mm	F008/6	€ 107,10	€ 84,70

M015S**€ 58,17****SPIRAL POINT TAP AND DRILL SET**

With adjustable tap holder



€ 45,20

Taps	M3 x 0,50 mm, M4 x 0,70 mm, M5 x 0,80 mm, M6 x 1,00 mm, M8 x 1,2
Drills	Ø2,5 mm, Ø3,3 mm, Ø4,2 mm, Ø5,0 mm, Ø6,8 mm, Ø8,5 mm, Ø10

M312/P**€ 63,63****MACHINE TAP SET FOR THROUGH HOLES WITH REINFORCED SHANK**

With adjustable tap holder.



€ 47,00

Size	M3 x 0,50 - M4 x 0,70 - M5 x 0,80 - M6 x 1 - M8 x 1,25 - M10 x 1,50 - M12 x 1,75
------	--

M312/C
€ 69,20
MACHINE TAP SET FOR BLIND HOLES 35° WITH REINFORCED SHANK

With adjustable tap holder.




Size M3 x 0,50 - M4 x 0,70 - M5 x 0,80 - M6 x 1 - M8 x 1,25 - M10 x 1,50 - M12 x 1,75


€ 50,20
M020
€ 32,13
TAP AND DIE SET


Tap holder	M3 - M12
Round die-stock	25 x 9 mm
Taps	M3x0,5 - M4x0,7 - M5x0,8 - M6x1 - M7x1 - M8x1,25 - M10x1,5 - M12x1,75 - 1/8" NPT27
Dies	M3x0,5 - M4x0,7 - M5x0,8 - M6x1 - M7x1 - M8x1,25 - M10x1,5 - M12x1,75 - 1/8" NPT27


€ 25,80
M036
€ 62,37
TAP AND DIE SET

With twist drills and screw pitch gauge



Tap holder	M3 - M12
Round die-stock	25 x 9 mm
Taps	M3x0,5 - M4x0,7 - M5x0,8 - M6x1 - M7x1 - M8x1,25 - M10x1,5 - M12
Dies	M3x0,5 - M4x0,7 - M5x0,8 - M6x1 - M7x1 - M8x1,25 - M10x1,5 - M12
Drills	2,5 - 3,3 - 4,2 - 5 - 6 - 6,8 - 8,5 - 10,3 mm
Screwdriver	6,5 x 50 mm


€ 50,10
M032
€ 115,50
TAP AND DIE METRIC SET

With round die-stock, adjustable tap holder and screw pitch gauge.



Taps	M3x0,5 M4x0,7 M5x0,8 M6x1 M8x1,25 M10x1,5 M12x1,75
Dies	M3x0,5 M4x0,7 M5x0,8 M6x1 M8x1,25 M10x1,5 M12x1,75
Screwdriver	3,5 x 50 mm


€ 85,20
M101
€ 114,45
TAPS AND DIE METRIC SET

Hand tap and die: M3x0,5 - UNC 1/4 20 - UNF 4 40 - Metric M4x0,7 - UNC 1/4 28 - UNF 6 32 - Metric M5x0,8 - UNC 5/16 18 - UNF 8 32 - Metric M6x1 - UNC 5/16 24 - UNF 10 32 - Metric M7x1 - UNC 3/8 16 - UNF 10 24 - Metric M8x1,25 - UNC 3/8 24 - UNF 12 24 - Metric M9x1,25 - UNC 7/16 14 - Metric M10x1,5 - UNC 7/16 20 - Metric M10x1 - UNC 1/2 13 - Metric M12x1,75 - UNC 1/2 20 - NPT 1/8 27. Complete with round die-stock and adjustable tap holder.


€ 86,90
M100
€ 153,30
TAP AND DIE METRIC SET

With round die-stock and adjustable tap holder: M6x0,75 - M6x1 - M8x1 - M8x1,25 - M10x1,25 - M10x1,5 - M12x1,5 - M12x1,75 - M14x1,5 - M14x2 - M16x1,5 - M16x2 - M18x1,5 - M18x2,5 - M20x1,5 - M20x2,5 - M22x1,5 - M22x2,5 - M24x1,5 - M24x3


€ 117,00
M218
€ 246,75
TAP AND DIE METRIC SET

2 pcs hand tap set and die: M2 x 0,40 - M3 x 0,50 - M4 x 0,70 - M5 x 0,80 - M6 x 0,75 - M6 x 1 - M7 x 0,75 - M7 x 1 - M8 x 0,75 - M8 x 1 - M8 x 1,25 - M9 x 0,75 - M9 x 1 - M9 x 1,25 - M10 x 0,75 - M10 x 1 - M10 x 1,25 - M10 x 1,5 - M11 x 0,75 - M11 x 1 - M11 x 1,25 - M11 x 1,5 - M12 x 0,75 - M12 x 1 - M12 x 1,25 - M12 x 1,5 - M12 x 1,75 - M14 x 1 - M14 x 1,25 - M14 x 1,5 - M14 x 2 - M16 x 1 - M16 x 1,5 - M16 x 2 - M18 x 1,5. Complete with 2 tap holders and 2 round die-stocks.


€ 196,00
E010
€ 129,15
METRIC THREAD REPAIR F-COIL SET

Suitable for thread regeneration or to obtain very resistant tapping in soft materials



Sizes	M5 - M12
STI Taps	M5 x 0,8 - M6 x 1,0 - M8 x 1,25 - M10 x 1,5 - M12 x 1,75
Drills	5,2 mm - 6,3 mm - 8,3 mm - 10,4 mm - 12,4 mm
Wire-thread inserts	M5=25 M6=25 M8=25 M10=25 M12=10
Inserting tool	5 Pcs
Tang break tool	5 Pcs


€ 104,00

B015**€ 575,40****STEEL WORKBENCH KIT**

With steel top and two lockable drawers

**€ 467,00**

Bench dimensions	1500 x 645 x 865h mm
Legs thickness	1 mm
Plate thickness	2 mm
Capacity	800 kg
Drawer dimensions	433 x 347 x 122h mm
Drawer capacity	30 kg
Net weight	62 kg

B015/10**€ 321,30****WORKBENCH KIT**

With steel top and lockable drawer

**€ 246,00**

Dimensions	1000 x 640 x 865h mm
Legs thickness	2 mm
Plate thickness	2 mm
Capacity	600 kg
Drawer dimensions	433 x 347 x 122h mm
Drawer capacity	30 kg
Net weight	55 kg

B022/10**€ 375,90****WORKBENCH KIT**

With wood press top and a lockable drawer

**€ 290,00**

Dimensions	1000 x 640 x 865h mm
Legs thickness	2 mm
Plate thickness	38 mm
Capacity	350 kg
Drawer dimensions	400 x 344 x 125h mm
Drawer capacity	50 kg
Net weight	47 kg

B022/15**€ 541,80****WORKBENCH KIT**

With wood press top and 2 lockable drawers

**€ 417,00**

Dimensions	1500 x 640 x 865h mm
Legs thickness	2 mm
Plate thickness	38 mm
Capacity	350 kg
Drawer dimensions	400 x 344 x 125h mm
Drawer capacity	50 kg
Net weight	75 kg

B009/A1**€ 541,80****WORKBENCH KIT**

With wood press top, 3 lockable drawers, 1 shelf and adjustable feet

**€ 428,00**

Dimensions	1200 x 600 x 865h mm
Legs thickness	2 mm
Plate thickness	36 mm
Capacity	350 kg
Net weight	62 kg

B009/B1**€ 631,05****WORKBENCH KIT**

With wood press top, 3 lockable drawers, 1 shelf with door and adjustable feet

**€ 476,00**

Dimensions	1200 x 600 x 865h mm
Legs thickness	2 mm
Plate thickness	36 mm
Capacity	350 kg
Net weight	64,5 kg

B009/A2**€ 853,65****WORKBENCH KIT**

With wood press top, 3 lockable drawers, 1 door and shelf and adjustable feet

**€ 633,00**

Dimensions	1690 x 600 x 865 mm
Legs thickness	2 mm
Plate thickness	36 mm
Capacity	350 kg
Net weight	84 kg

B009/B2**€ 896,70****WORKBENCH KIT**

With wood press top, 3 lockable drawers, 2 shelves with door and adjustable feet

**€ 666,00**

Dimensions	1690 x 600 x 865 mm
Legs thickness	2 mm
Plate thickness	36 mm
Capacity	350 kg
Net weight	90 kg

WORKSHOP FURNITURE

The right solution for your needs










Wooden top (all codes A007-)

**DISCOVER THE RIGHT CONFIGURATION
FOR YOU in 3 simple steps**

1. Consult the Catalogue
2. Choose from the ready-to-use configurations or compose your own furniture
3. Contact your dealer for a personalized and advantageous quote



 A007A € 4480,00 € 2940,00  3920 x 498 x 2000h mm	 A007B € 4390,00 € 2890,00  3920 x 498 x 2000h mm	 A007C € 2160,00 € 1410,00  1960 x 498 x 2000h mm	 A007D € 3010,00 € 1940,00  2640 x 498 x 2000h mm	 A007E € 2480,00 € 1970,00  2640 x 498 x 2000h mm
 A008A € 4710,00 € 2990,00  3920 x 498 x 2000h mm	 A008B € 4590,00 € 2940,00  3920 x 498 x 2000h mm	 A008C € 2270,00 € 1490,00  1960 x 498 x 2000h mm	 A008D € 3150,00 € 1990,00  2640 x 498 x 2000h mm	 A008E € 2580,00 € 2040,00  2640 x 498 x 2000h mm
 A007F € 1160,00 € 797,00  864 x 864 x 2000h mm	 A007G € 2560,00 € 1910,00  2640 x 498 x 2000h mm	 A007H € 4850,00 € 3670,00  3500 x 2250 x 2000h mm Depth 498 mm	 A007I € 2320,00 € 1550,00  1960 x 498 x 2000h mm	 A007L € 5110,00 € 3780,00  2800 x 2800 x 2000h mm Depth 498 mm
 A008F € 1220,00 € 839,00  864 x 864 x 2000h mm	 A008G € 2.700,00 € 1950,00  2640 x 498 x 2000h mm	 A008H € 5100,00 € 3780,00  3500 x 2250 x 2000h mm Depth 498 mm	 A008I € 2430,00 € 1590,00  1960 x 498 x 2000h mm	 A008L € 5380,00 € 3880,00  2800 x 2800 x 2000h mm Depth 498 mm



Read the QR Code
you will be able to
access immediately
Datasheet




Steel top (all codes A008-)



A007M

€ 1560,00

€ 1110,00




1360 x 498 x 2000h mm



A007N

€ 2510,00

€ 1680,00



2040 x 498 x 2000h mm



A007P

€ 4700,00

€ 3040,00




3920 x 498 x 2000h mm



A007Q

€ 2430,00

€ 1630,00



1960 x 498 x 2000h mm



A007R

€ 1040,00

€ 692,00



680 x 498 x 2000h mm



A008M

€ 1650,00

€ 1150,00



2640 x 498 x 2000h mm



A008N

€ 2630,00

€ 1730,00



2640 x 498 x 2000h mm



A008P

€ 4910,00

€ 3150,00



2640 x 498 x 2000h mm



A008Q

€ 2530,00

€ 1670,00




2640 x 498 x 2000h mm



A008R

€ 1100,00

€ 734,00




3920 x 498 x 2000h mm



A007S

€ 2820,00

€ 2050,00



2640 x 498 x 2000h mm



A007T

€ 2250,00

€ 1570,00




2640 x 498 x 2000h mm



A007U

€ 2960,00

€ 2100,00




2640 x 498 x 2000h mm



A007UF

€ 3240,00

€ 2200,00



2640 x 498 x 2000h mm



A007V

€ 4700,00

€ 3040,00




3920 x 498 x 2000h mm



A008S

€ 2920,00


€ 2100,00



A008T

€ 2350,00


€ 1680,00



A008U

€ 3080,00


€ 2200,00



A008UF

€ 3340,00


€ 2310,00



A008V

€ 4890,00

€ 3150,00




MODULAR DRAWER UNIT WITH PULL-OUT TRAYS

Connectable with other drawers through guides to create infinite combinations. Equipped with trays locking to prevent the contents from accidentally falling and rear fixing holes for wall mounting. Made of resistant plastic, it is suitable for use in the construction site, at home and in the workshop.

C086/01T €17,64

MODULAR DRAWER UNIT WITH PULL-OUT DRAWERS


Dimensions	295 x 165 x 200h mm
Drawers number	1
Drawer dimensions	250 x 160 x 150 mm

€ 13,10
C086/01C €17,64

MODULAR DRAWER UNIT WITH PULL-OUT DRAWERS

€ 13,10

Dimensions	295 x 165 x 200h mm
Drawers number	1
Drawer dimensions	250 x 150 x 150 mm

C086/02C €19,95

MODULAR DRAWER UNIT WITH PULL-OUT DRAWERS

€ 14,80

Dimensions	295 x 165 x 200h mm
Drawers number	2
Drawer dimensions	250 x 160 x 70 mm

C086/02T €20,48

MODULAR DRAWER UNIT WITH PULL-OUT TRAYS


Dimensions	295 x 165 x 200h mm
Drawers number	2
Drawer dimensions	250 x 160 x 70 mm

€ 15,20
C086/04C €21,00

MODULAR DRAWER UNIT WITH PULL-OUT DRAWERS

€ 15,60

Dimensions	300 x 200 x 165 mm
Drawers number	4
Drawer dimensions	120 x 160 x 70 mm

C086/04T €23,31

MODULAR DRAWER UNIT WITH PULL-OUT TRAYS


Dimensions	295 x 165 x 200h mm
Drawers number	4
Drawer dimensions	120 x 160 x 70 mm

€ 17,30
C086/12C €24,36

MODULAR DRAWER UNIT WITH PULL-OUT DRAWERS

€ 18,10

Dimensions	295 x 165 x 200h mm
Drawers number	12
Drawer dimensions	60 x 160 x 50 mm

0323/45

€51,56

TOOL CHEST

With 5 trays.



Steel

Dimensions 450 x 200 x 205 h mm
Net weight 4 kg

€41,30

0323/55

€58,49

TOOL CHEST

With 5 trays.



Steel

Dimensions 550 x 200 x 205h mm
Net weight 4,5 kg

€46,10

M430/B

PRO €127,05

WATERPROOF TOOL CASE

Built in pressure valve with cubed-foam interior to protect the object stored. The superior protection from the elements, water, dust and impacts, make it suitable for a wide array of sectors and applications.



Box



Polyprop.



made in Italy



€100,00

External Dimensions 464 x 366 x 176 mm
Internal dimensions 426 x 290 x 159 mm
Internal volume 19.64 l

Working temperature -30 / 90°C (-22 / 194°F)
Net weight 2,8 kg

M540/BT

PRO €316,05

WATERPROOF TOOL CASE WITH TROLLEY

Built in pressure valve with cubed-foam interior to protect the object stored. The superior protection from the elements, water, dust and impacts, make it suitable for a wide array of sectors and applications.



Box



Polyprop.



made in Italy



€243,00

External Dimensions 594 x 473 x 270 mm
Internal dimensions 538 x 405 x 245 mm
Internal volume 53.38 l

Working temperature -30 / 90°C (-22 / 194°F)
Net weight 5,2 kg

0683

€176,40

TROLLEY ABS TOOL CASE

Tools not included



Box



ABS



€124,00

A 460 mm
B 330 mm
C 190 mm
D 98 mm

E 92 mm
Capacity 25 kg
Net weight 4,5 kg

068X

ALUMINIUM TOOL CASE

Tools not included



Box



Aluminum

starting from
€96,20

A	B	C	D	E	Capacity	Net weight	Art.	€	Promo
510 mm	375 mm	185 mm	110 mm	75 mm	30 kg	5 kg	0680	€143,85	€106,00
440 mm	390 mm	185 mm	110 mm	75 mm	30 kg	4,8 kg	0681	€123,90	€96,20

0390

€47,99

TOOL BAG

With shoulder belt made of 1680 denier polyester, big and rugged pockets to accommodate a great number of tools.



Polyester



€39,70

Pockets 14
Dimensions 400 x 225 x 250h mm

0395

€59,01

TOOL BAG

With shoulder belt made of 1680 denier polyester, big and rugged pockets to accommodate a great number of tools.



Polyester



€48,70

Pockets 19
Dimensions 480 x 250 x 225h mm

P009
€ 200,55
WALLCABINET KIT

€ 157,00

Cabinet dimensions	1200 x 200 x 600h mm
Steel thickness	0,8 mm
Internal shelves	4
Hooks	18 (6 + 6 + 6)
Slot distance	30 mm
Net weight	17 kg

A100
€ 288,75
CABINET

With 1 drawer, slide on bearing with locking device


€ 234,00

Cabinet dimensions	500 x 460 x 1000h mm
Steel thickness	1 mm
Internal shelves	2
Maximum capacity	100 kg
Shelf capacity	25 kg
Net weight	35 kg

A300
€ 462,00
CABINET

With 2 drawers, slide on ball bearing with locking device


€ 378,00

Cabinet dimensions	1000 x 460 x 1000h mm
Steel thickness	1 mm
Internal shelves	2
Maximum capacity	150 kg
Shelf capacity	25 kg
Net weight	62 kg

C800
PRO € 994,35
TOOL CABINET

With 8 drawers, slide on bearing with locking device, without internal dividers.


€ 808,00

Drawer capacity	50 kg
External Dimensions	630 x 550 x 930h mm
Drawer dimensions	517 x 440 mm
Drawers height	8 x 73 mm
Net weight	58 kg

C087
€ 239,40
TOOL ROLLING CABINET


Separable into 3 pieces.


€ 181,00


Dimensions	560 x 350 x 770h mm
Capacity	40 kg
Net weight	14 kg

0849
€ 250,95
ALLUMINUM CASE SET

Ergonomic handles and lock with key.


€ 191,00


Cases dimensions	730 x 380 x 360h mm - 680 x 310 x 320h mm - 475 x 260 x 210h mm
Net weight	14 kg

0363-
3 PCS STEEL CASE SET


Padlockable.


starting from € 148,00

External Dimensions	Art.	€	Promo
770 x 420 x 305h mm, 915 x 440 x 565h mm, 1220 x 620 x 700h mm	0363	€ 1.092,00	€ 810,00
770x420x305h mm	0363/30	€ 199,50	€ 148,00
915 x 440 x 565h mm	0363/36	€ 255,15	€ 205,00
1220 x 620 x 700h mm	0363/48	€ 720,30	€ 534,00

0135-
FORGED STEEL VICE

Lateral sliding adjustment.



starting from € 96,10


Jaws	Opening	Working height	Slot distance	Net weight	Art.	€	Promo
100 mm	125 mm	60 mm	98 mm	5,8 kg	0135/100	€ 128,10	€ 96,10
125 mm	160 mm	70 mm	111 mm	9,8 kg	0135/125	€ 181,65	€ 136,00
150 mm	190 mm	85 mm	136 mm	17,8 kg	0135/150	€ 288,75	€ 217,00

0036-

STEEL VICE

Attaches directly to the work base to ensure high stability. Lateral sliding adjustment.



starting from
€ 90,00

Jaws	Opening	Working height	Net weight	Art.	€	Promo
100 mm	105 mm	60 mm	4,9 kg	0036/100	€ 119,70	€ 90,00
125 mm	138 mm	75 mm	9,5 kg	0036/125	€ 177,45	€ 136,00
150 mm	180 mm	90 mm	19 kg	0036/150	€ 299,25	€ 235,00

0036-XG

TABLE VICE WITH SWIVEL BASE

Attaches directly to the work base to ensure high stability. Lateral sliding adjustment. Equipped with swivel mechanism.



starting from
€ 110,00

Jaws	Opening	Net weight	Art.	€	Promo
100 mm	105 mm	5,5 kg	0036/100G	€ 140,70	€ 110,00
125 mm	124 mm	11 kg	0036/125G	€ 193,20	€ 150,00
150 mm	180 mm	22 kg	0036/150G	€ 331,80	€ 259,00

0140-

STEEL VICE

Attaches directly to the work base to ensure high stability. Lateral sliding adjustment. Equipped with hose clamp. Recommended for heavy use.



starting from
€ 37,40

Jaws	Opening	Working height	Slot distance	Net weight	Art.	€	Promo
80 mm	80 mm	60 mm	81 mm	4 kg	0140/080	€ 48,09	€ 37,40
100 mm	100 mm	65 mm	81 mm	5,5 kg	0140/100	€ 56,18	€ 43,10
125 mm	125 mm	90 mm	103 mm	10 kg	0140/125	€ 82,95	€ 64,40
150 mm	150 mm	95 mm	123 mm	14 kg	0140/150	€ 104,37	€ 81,00

0591-

STEEL VICE

Attaches directly to the work base to ensure high stability. Lateral sliding adjustment. Equipped with bearing on the screw, hose clamp and interchangeable jaws.



starting from
€ 122,00

Jaws	Opening	Net weight	Art.	€	Promo
100 mm	95 mm	5,3 kg	0591/100	€ 158,55	€ 122,00
125 mm	130 mm	11 kg	0591/125	€ 223,65	€ 175,00

0145-

STEEL VICE

Equipped with hose clamp.



starting from
€ 29,80

Jaws	Opening	Working height	Net weight	Art.	€	Promo
80 x 20 mm	80 mm	58 mm	3,7 kg	0145/80	€ 48,64	€ 29,80
100 x 20 mm	100 mm	70 mm	5,2 kg	0145/100	€ 45,15	€ 35,00
125 x 20 mm	125 mm	75 mm	7,4 kg	0145/125	€ 68,06	€ 42,70
150 x 27 mm	150 mm	95 mm	12 kg	0145/150	€ 97,76	€ 78,90

0174-

SG IRON BENCH VICE

Equipped with interchangeable jaws.



starting from
€ 49,00

Jaws	Opening	Net weight	Art.	€	Promo
100 x 20 mm	100 mm	4,8 kg	0174/100	€ 64,16	€ 49,00
125 x 22 mm	130 mm	7,7 kg	0174/125	€ 88,01	€ 62,60
150 x 22 mm	150 mm	10 kg	0174/150	€ 108,07	€ 78,50

0146/60

STEEL VICE WITH SWIVEL BASE

€ 26,46



Cast Iron

Jaws	60 mm
Opening	65 mm
Clamp capacity	51 mm
Net weight	1,5 kg



€ 19,70

M006-

GENERAL USE STEEL CLAMP WITH T-SPINDLE




starting from
€ 22,90

Span x Depth	Spindle	Art.	€	Promo
200 x 120 mm	22 x 10,5 mm	M006/200	€ 28,56	€ 22,90
300 x 140 mm	25 x 12 mm	M006/300	€ 40,01	€ 28,80
420 x 120 mm	25 x 12 mm	M006/400	€ 40,53	€ 31,70
500 x 120 mm	25 x 12 mm	M006/500	€ 45,05	€ 31,80
600 x 120 mm	25 x 12 mm	M006/600	€ 64,68	€ 40,00
800 x 120 mm	25 x 12 mm	M006/800	€ 77,70	€ 43,90
1000 x 120 mm	25 x 12 mm	M006/1000	€ 92,30	€ 59,70

M007-
GENERAL USE STEEL CLAMP RATCHET

Quick clamping.



starting from
€ 39,00

Span x Depth	Spindle	Art.	€	Promo
250 x 120 mm	22 x 10,5 mm	M007/250	€55,97	€ 39,00
300 x 140 mm	25 x 12 mm	M007/300	€64,68	€ 47,40
400 x 120 mm	25 x 12 mm	M007/400	€70,56	€ 48,70
500 x 120 mm	25 x 12 mm	M007/500	€76,02	€ 53,80
600 x 120 mm	25 x 12 mm	M007/600	€84,63	€ 64,00

0157-
C50 HARDENED STEEL ANVIL

Sturdy construction, round hole and square hole for punching and bending.

starting from
€ 87,30



C50



Tolerance	Net weight	Art.	€	Promo
±5%	10 kg	0157/10	€117,60	€ 87,30
±5%	30 kg	0157/30	€282,45	€ 217,00
±5%	50 kg	0157/50	€411,60	€ 323,00
±5%	100 kg	0157/100	€859,95	€ 685,00

0615

€4525,50

PRESSURE SANDBLAST CABINET

With cyclone vacuum cleaner, HEPA filter, front opening and ceiling light with 3 fluorescent lamps.

Internal dimensions	1180 x 850 x 890 h mm
Maximum capacity	150 kg
Working pressure	6 ÷ 8 Bar
Air consumption	31 SCFM 880 l / min
Gun nozzle	ø 6 - 7 mm
Electric vacuum	230 V 50 Hz 0.7 kW
Filtration rate	8 micron
With light	Yes
Overall dimensions	1330 x 1515 x 2070 h mm
Net weight	300 kg



€ 3420,00

KIT0231

€4011,00

VERTICAL SANDBLAST CABINET + CORUNDUM + COMPOSITE NOZZLE

€ 3060,00



U003

0582/36

0687

€2331,00

VERTICAL SANDBLAST CABINET WITH VACUUM

With paper filter

Working area	1200 x 600 x 600 h mm
Maximum capacity	120 kg
Working pressure	6.5 ÷ 7.5 Bar
Air consumption	21 SCFM 630 l / min
Gun nozzle	ø 6 - 7 mm
Electric vacuum	230 V 50 Hz 1.2 kW
Filtration rate	5 micron
Overall dimensions	1220 x 910 x 1740 h mm
Net weight	149 kg



€ 1784,00

0605
SANDBLAST CABINET WITH 2 DUST COLLECTORS

Working area	1180 x 850 x 890 h mm
Maximum capacity	150 kg
Working pressure	6 ÷ 8 Bar
Air consumption	31 SCFM 880 l / min
Gun nozzle	ø 6 - 7 mm
Electric vacuum	2 x 230 V 50 Hz 1,2 kW
Filtration rate	5 micron
With light	Yes
Overall dimensions	1800 x 1515 x 2070 h mm
Net weight	245 kg
Internal volume	827 L
Opening size	1000 x 480 + 1000 x 330 mm
Tank capacity	22 L

KIT0233

€1866,00

VERTICAL SANDBLAST CABINET WITH VACUUM + SANDBLAST CORUNDUM

€ 1290,00

0878
VERTICAL SANDBLAST CABINET WITH VACUUM

Working area	960 x 480 x 250 ÷ 470 h mm
Working pressure	6.5 ÷ 7.5 bar
Air consumption	18 SCFM 540 l / min
Gun nozzle	ø 4 - 5 - 6 - 7 mm
Electric vacuum	230 V 50 Hz 1,2 kW
Filtration rate	5 micron
Overall dimensions	1030 x 850 x 1640 h mm
Net weight	100 kg
Internal volume	295 L
Opening size	945 x 380 + 945 x 380 mm



0582/36



P. 070

Promotion valid until 31/12/2023, while stocks last - VAT not included

0575

€ 781,20

VERTICAL SANDBLAST CABINET

Working area	850 x 480 x 340 ÷ 540 h mm
Working pressure	6.5 ÷ 7.5 Bar
Air consumption	8 ÷ 10 SCFM (240 ÷ 300 l / min)
Gun nozzle	ø 4 - 5 - 6 - 7 mm
Overall dimensions	890 x 560 x 1385 h mm
Net weight	46 kg
Internal volume	217 L
Opening size	860 x 595 mm



€ 635,00

KIT0123

€ 467,70

BENCH SANDBLAST CABINET + MICRO GLASS BEADS + SANDBLAST GUN + 4-PC CERAMIC NOZZLE SET + PAIR OF GLOVES

€ 308,00



0580

BENCH SANDBLAST CABINET

Overall dimensions	630 x 510 x 490 h mm
Working area	590 x 480 x 290 h mm
Working pressure	6.5 ÷ 7.5 Bar
Air consumption	8 ÷ 10 SCFM (240 ÷ 300 l / min)
Gun nozzle	ø 4 - 5 - 6 - 7 mm
Net weight	13 kg
Internal volume	95 L
Opening size	534 x 436 mm

0582-

SANDBLAST CORUNDUM

It stands out for being edgy and extremely stable by combining the properties of hardness and density. Its longevity and reusability make it the most used material for sandblasting. Being composed for the most part of aluminum oxide it is practically free of iron. Particularly suitable for cleaning metal surfaces, removing rust and oxide layers and removing temper colors



€ 81,40

Grit	Hardness	Net weight	Art.	€	Promo
36	9 Mohs	25 kg	0582/36	€ 100,00	€ 81,40
80	9 Mohs	25 kg	0582/80	€ 100,00	€ 81,40

0487

€ 319,20

BENCH SANDBLAST

With provision for the connection of a vacuum cleaner, lighting with low consumption lamp, gun and gloves

Working area	685 x 455 x 420 mm
Working pressure	6.5 ÷ 7.5 Bar
Air consumption	8 ÷ 10 SCFM (240 ÷ 300 l / min)
Gun nozzle	ø 4 - 5 - 6 - 7 mm
With light	230 V 50 Hz; 6 W 12 V
Overall dimensions	755 x 495 x 720 h mm
Net weight	26.5 kg



€ 248,00

0462

€ 831,60

SANDBLAST MACHINE WITH VACUUM

For rusted metallic objects that can't be put in traditional sandblast machine. If the object to be considered is flat, the vacuum cleaner allows the operator to not lose the most part of the abrasive material that is being used. The four wheels, two of which swivel, allow the operator that the machine is close to the object to be sandblasted

Tubes length	2.5 m
Motor	230 V 50 Hz 1.2 kW
Max vacuum capacity	13 ÷ 15 kPa
Working pressure	8 Bar
Air consumption	420 l / min
Dimensions	404 x 612 x 1046 h mm
Net weight	30 kg



€ 653,00

KIT0226

€ 275,00

SODA BLASTER + SODA BLASTING MEDIA

€ 216,00



0310B

0310

SODA BLASTER

Overall dimensions	350 x 400 x 788 h mm
Capacity	18 l
Working pressure	2.5 ÷ 6.2 bar
Air consumption	8 ÷ 10 SCFM (240 ÷ 300 l / min)
Gun nozzle	ø 2 - 3 mm
Net weight	13 kg



0578-
SILICON CARBIDE


Black Silicon Carbide is the hardest material used for sandblasting, making it the ideal solution for all the most demanding jobs. Virtually iron-free, its abrasive properties make it very aggressive and fast in removing impurities. Its conformation allows the grains to break continuously creating new sharp and cutting edges, increasing the fineness of the grain size. Very durable it allows a high reusability. It tends to be incorporated into the material


€ 103,00

Grit	Hardness	Net weight	Art.	€	Promo
36	9.1 Mohs	25 kg	0578/36	€ 138,60	€ 103,00
80	9.1 Mohs	25 kg	0578/80	€ 138,60	€ 103,00

0579-
GARNET

Garnet is one of the last natural abrasives still in use. It is a natural stone, and therefore ecological, with excellent abrasive properties that allows you to create profiles without abrasive incorporation, produce little dust and have a relatively low consumption. It is excellent for removing hard coatings, paint, rust and laminate scales. It can be used for both dry and water sandblasting. Its low cost makes it an alternative to corundum.


€ 41,20

Grit	Hardness	Net weight	Art.	€	Promo
36 ÷ 60	7.5 Mohs	25 kg	0579/30	€ 55,44	€ 41,20
80	7.5 Mohs	25 kg	0579/80	€ 55,44	€ 41,20

0569
€ 86,63
STEEL SHOT

Thanks to their spherical surface and hardness they allow to obtain shiny surfaces. Excellent for removing paint, blemishes, burrs and rust. Their low crushing does not create dust inside the sandblasting cabin and allows a long life of the abrasive. They can be used both as a means for shot peening and for both dry and water sandblasting.


€ 64,80

Grit	S390
Hardness	40 ÷ 50 HRC
Net weight	25 kg

0581
€ 89,04
MICRO GLASS BEADS

Thanks to their spherical shape they are perfect for surface finishing. They create smooth and bright surfaces, leaving an incomparable satin effect. As they do not contain iron, they are very suitable for working on stainless steel for food use and aluminum. The microspheres will not damage the substrate of the material being processed but will leave an anchoring profile for subsequent painting, especially on soft materials such as brass, aluminum, plastics, etc...


€ 70,30

Grit	50 ÷ 70 (0,3 ÷ 0,2 mm)
Hardness	5-7 Mohs
Net weight	25 kg

0310B
€ 77,70
SODA BLASTING MEDIA

Salt composed basic bicarbonate synthetic, suitable for treating steel, aluminum, fiberglass, plastic, bricks etc ...


€ 59,60

Grit	36 ÷ 80 (0,5 ÷ 0,3 mm)
Hardness	2,5 - 3 Mohs
Decomposition temperature	> 50°C
Net weight	25 kg

0203
€ 611,10
BENCH PART WASHER

For washing with water/solvent, with a venturium pneumatic gun


€ 453,00

Dimensions	770 x 595 x 700h mm
Tank capacity	4 ÷ 9 l
Avg air cons.	5 SCFM 145 l / min
Working area	765 x 560 x 380 mm
Power	30 W
Washing pressure	5 ÷ 8 Bar
Power	230 V 50 Hz
Net weight	32 kg

KIT0234
€ 866,00
DEGREASER CLEANING TANK + DETERGENT LIQUID
€ 656,00

0632/DCF

0305
PART WASHER WITH HEATING SYSTEM

Tank capacity	8 ÷ 14 l
Avg air cons.	5 SCFM 145 l / min
Working area	760 x 560 x 380 mm
Washing pressure	5 ÷ 8 Bar
Power	1350 W
Dimensions	790 x 610 x 1260 h mm
Net weight	49 kg

KIT0194

€ 879,00

PARTS WASHER WITH DUAL PUMP
+ DETERGENT LIQUIDS

€ 711,00



0486

PARTS WASHER WITH DUAL PUMP

Left tank internal dimensions	470 x 520 x 270 mm
Right tank internal dimensions	590 x 520 x 270 mm
Tub capacity	150 l
Pump	230V 50Hz 26 + 26 W
Pump capacity	10 ÷ 12 l/min
Size	1140 x 550 x 880 h mm
Net weight	43 kg

0632

€ 845,25

DEGREASER CLEANING PNEUMATIC
TANK

Internal tank dimensions	710 x 480 x 200 h mm
Height	1015 mm
Tank capacity	50 l
Tub capacity	65 l
Power pressure	6 Bar
Maximum tank pressure	0.5 Bar
Net weight	38 kg



0632-

DETERGENT LIQUID

starting from
€ 80,80

Contents	Specification	Art.	€	Promo
25 l	Solvent base	0632/D	€ 150,15	€ 117,00
25 l	Water dilutable max. 50%	0632/DA	€ 200,55	€ 156,00
25 l	Water dilutable max. 20%, hot usage	0632/DCF	€ 110,25	€ 80,80

0038

€ 297,15

DEGREASER CLEANING TANK

75L capacity, with 26w pump, cleaning brush
and hose, workpiece tray.

Internal tank dimensions	710 x 480 x 260h mm
Tub capacity	75 l
Pump	230 V 50 Hz 26 W
Pump capacity	10-12 l / min
Dimensions	775 x 540 x 880 h mm
Net weight	25 kg



0232

€ 374,85

DEGREASER CLEANING TANK WITH
WHEEL

Internal tank dimensions	710 x 480 x 200 h mm
Tub capacity	60 l
Pump	230 V 50 Hz 26 W
Pump capacity	10 ÷ 12 l / min
Dimensions	970 x 540 x 930 h mm
Net weight	35 kg



0211

€ 533,40

TEAR-DOWN WORKBENCH WITH
FLUID RECOVERYProvided in assembly kit, with one drawer
equipped with lock, removable bowl and
pivoting wheels, 2 with safety brake.

Dimensions	1200 x 640 x 872h mm
Working table dimensions	1190 x 635 x 15h mm
Drawer dimensions	420 x 340 x 120h mm
Internal tank dimensions	360 x 260 x 115h mm
Internal shelf height	445 mm
Maximum capacity with wheels	280 kg
Maximum capacity without wheels	350 kg
Net weight	64 kg



A024/10

€ 73,40

WET AND DRY VACUUM CLEANER

With ABS tank, blower function, equipped with
accessories.

Power	1,2 kW
Capacity	10 l
Motor	230 V 50 Hz
Air flow	30 ± 2 l/s
Net weight	3,7 kg

A025/30
€109,20
WET AND DRY VACUUM CLEANER

With stainless steel tank, blower function, equipped with accessories

Power	1,2 kW
Capacity	30 l
Motor	230 V 50 Hz
Air flow	28 l / s
Net weight	6 kg


€ 81,10
A040/30A
€191,10
INDUSTRIAL WET AND DRY VACUUM CLEANER EQUIPPED OF ACCESSORIES

For industrial use, with socket for electronic devices

Power	1,4 kW
Capacity	30 l
Motors	1 (230 V 50 Hz)
Air flow	35 l / s
Power socket	1600 W
Net weight	7,5 kg


€ 154,00
A040/60A
€310,80
INDUSTRIAL WET AND DRY VACUUM CLEANER EQUIPPED OF ACCESSORIES

For industrial use, with socket for electronic devices

Power	1,4 kW
Capacity	60 l
Motors	1 (230 V 50 Hz)
Air flow	46 l / s
Power socket	1600 W
Net weight	13 kg


€ 243,00
A024/602
€301,35
60L 2 MOTORS WET AND DRY VACUUM CLEANER

With ABS tank, equipped with accessories.

Power	2,8 kW
Capacity	60 l
Motors	2 (230 V 50 Hz)
Air flow	30 ±2 l/s
Net weight	12,5 kg


€ 225,00
A040/802
€544,95
80L 2 MOTORS INDUSTRIAL WET AND DRY VACUUM CLEANER

For industrial use, equipped with accessories

Power	2 kW
Capacity	80 l
Motors	2 (230 V 50 Hz)
Air flow	75 l / s
Dimensions	600 x 580 x 950 mm
Net weight	25 kg


€ 423,00
A040/803
€674,10
80L 3 MOTORS INDUSTRIAL WET AND DRY VACUUM CLEANER

For industrial use, equipped of accessories

Power	3 kW
Capacity	80 l
Motors	3 (230 V 50 Hz)
Air flow	96 l / s
Dimensions	600 x 580 x 950 mm
Net weight	28 kg


€ 542,00
P001/45
€3003,00
HYDRAULIC SHOP PRESS WITH MANUAL PNEUMATIC CONTROL

Equipped with mobile piston with trolley, with winch for bench movement, manual control and pneumatic servo pump with hand control

Capacity	45000 kg
Working area	830 x 360 x 1000 h mm
Cylinder ø	90 mm
Ram ø	58 mm
Ram stroke	190 mm
Working pressure	7÷ 8 Bar
Max. pressure	63,5 MPa
Dimensions	1400 x 800 x 1700 h mm
Net weight	330 kg


€ 2330,00
P001/30
€1186,50
HYDRAULIC SHOP PRESS

With two speed pump and movable piston

Capacity	30000 kg
Working area	525 x 290 x 980h mm
Cylinder ø	92 mm
Ram ø	56 mm
Ram stroke	160 mm
Max. pressure	69 MPa
Dimensions	875 x 700 x 1780 h mm
Net weight	145 kg


€ 901,00

P001/20**€ 970,20****HYDRAULIC SHOP PRESS**

With moveable piston

Capacity	20000 kg
Working area	495 x 200 x 1125 h mm
Cylinder ø	75 mm
Ram ø	48 mm
Ram stroke	140 mm
Max. pressure	69.3 MPa
Dimensions	690 x 600 x 1830 h mm
Net weight	94 kg

€758,00**P001/12****€ 586,95****HYDRAULIC SHOP PRESS**

With movable piston

Capacity	12000 kg
Working area	480 x 190 x 900 h mm
Cylinder ø	56 mm
Ram ø	38 mm
Ram stroke	135 mm
Max. pressure	69 MPa
Dimensions	730 x 550 x 1600 h mm
Net weight	60 kg

€446,00**P001/10****€ 479,85****HYDRAULIC SHOP PRESS**

With bench and movable piston

Capacity	10000 kg
Working area	340 x 140 x 370 h mm
Cylinder ø	56 mm
Ram ø	38 mm
Ram stroke	130 mm
Max. pressure	69 MPa
Dimensions	565 x 500 x 1040 h mm
Net weight	52 kg

€365,00**P001/04****€ 320,25****HYDRAULIC SHOP PRESS**

Counter top, 4 ton, for brearings.

Capacity	4000 kg
Working area	350 x 115 x 325 h mm
Cylinder ø	40 mm
Ram ø	25 mm
Ram stroke	125 mm
Max. pressure	51 MPa
Dimensions	450 x 400 x 655 h mm
Net weight	30 kg

€252,00**P028-****HAND PUNCH**

With spring loaded return

**starting from
€ 111,00**

Max height piece	Max ø piece	Net weight	Art.	€	Promo
170 mm	150 mm	8,5 kg	P028/07	€ 143,85	€ 111,00
275 mm	180 mm	18 kg	P028/14	€ 243,60	€ 191,00

**0054/10****€ 404,25****HYDRAULIC BODY FRAME REPAIR KIT****€ 293,00**

Capacity	10 ton	Ram stroke	130 mm
Ram length	330 mm	Net weight	30 kg

0054/4**€ 325,50****HYDRAULIC BODY FRAME REPAIR KIT****€ 245,00**

Capacity	4 ton	Ram stroke	120 mm
Ram length	270 mm	Net weight	19 kg

0664**€ 366,45****HYDRAULIC PUMP WITH
PNEUMATIC PEDAL CONTROL**

Useful for shop press, trolley jacks and rams.



Rated pressure	70 MPa
Working pressure	7 ÷ 8 bar
Usable oil capacity	690 c.c.
Air consumption	10 SCFM
Net weight	8 kg

€ 289,00

0271
€149,10
HYDRAULIC PUMP

With pump activation pedal.



Rated pressure	63,7 MPa
Usable oil capacity	790 ml
Hose length	1500mm
Net weight	7 kg

€ 110,00
0369
€375,90
HYDRAULIC TROLLEY JACK

Dual pump, with removeable saddle and rubber pad



Capacity	3,5 ton
Dimensions	745 x 335 x 180 mm
Lifting	110 ÷ 560 mm
Net weight	46 kg

€ 299,00
0065A
€261,45
HYDRAULIC TROLLEY JACK

With removable saddle.



Capacity	3 ton
Dimensions	660 x 345 x 260 mm
Lifting	140 ÷ 515 mm
Net weight	33 kg

€ 206,00
C039/25
€330,75
HYDRAULIC TROLLEY JACK

Aluminium and steel hydraulic trolley jack with double pump



Capacity	2,5 ton
Dimensions	659 x 289 x 165 h mm
Lifting	110 ÷ 460 mm
Net weight	27 kg

€ 248,00
0567
€108,15
LOW PROFILE HYDRAULIC TROLLEY JACK

2 tons, made of steel



Capacity	2 ton
Lifting	90 ÷ 385 mm
Dimensions	580 x 165 x 235 h mm
Net weight	13 kg

€ 84,20
0375A
€309,75
LOW PROFILE HYDRAULIC TROLLEY JACK

2,5 ton, double pump quick lift, with load limiter.



Capacity	2,5 ton
Lifting	75 ÷ 500 mm
Dimensions	680 x 345 x 220 h mm
Net weight	32,5 kg

€ 232,00
0060
€79,91
HYDRAULIC TROLLEY JACK

Metal body frame. Handle for hand carrying. Extendable lever.



Capacity	2 ton
Dimensions	535 x 225 x 145 mm
Lifting	135 ÷ 385 mm
Net weight	11 kg

€ 62,20
C039/15
€239,40
HYDRAULIC TROLLEY JACK

Aluminium and steel hydraulic trolley jack with double pump



Capacity	1,5 ton
Dimensions	490 x 270 x 130 h mm
Lifting	90 ÷ 358 mm
Net weight	15 kg

€ 179,00

0658

€ 900,90

HYDRAULIC JACK

Capacity	10 ton
Lifting range of foot	30 ÷ 260 mm
Lifting range of head	420 ÷ 665 mm
Net weight	30 kg



0067

€ 30,66

COUPLE JACK STAND

Height adjustable with fixing pin.

Capacity	2 ton
Heights	240 - 270 - 320 - 365 mm
Net weight	3 kg



0069-

COUPLE JACK STAND



starting from
€ 41,30

Capacity	Height min - max	Base dimensions	Art.	€	Promo
3 ton	298 ÷ 428 mm	190 x 210 mm	0069/3	€ 50,61	€ 41,30
6 ton	400 ÷ 610 mm	260 x 285 mm	0069/6	€ 94,98	€ 77,00
10 ton	468 ÷ 718 mm	290 x 328 mm	0069/10	€ 206,85	€ 160,00

0021/1

€ 581,70

HYDRAULIC FOLDING CRANE

With two pivoting wheels with brakes, cast iron wheels. Lowering system and pumping lever arranged laterally. The ability to fold the legs when not in use allows it to be stored in confined spaces.

Capacity	1000 kg
Dimensions	1540 x 1020 x 1550h mm
Fold dimensions	490 x 510 x 1520h mm
Min/max boom extension	810 ÷ 1090 mm
Hook heights with raised arm	1900 mm @ 1000 kg 2080 mm @ 250 kg
Hook heights with lowered arm	0 mm @ 250 kg 240 mm @ 1000 kg
Front opening	1030 mm
Net weight	64,5 kg



€ 433,00

0021/2

€ 711,90

HYDRAULIC FOLDING CRANE

With two pivoting wheels with brakes, cast iron wheels. Lowering system and pumping lever arranged laterally. The ability to fold the legs when not in use allows it to be stored in confined spaces.

Capacity	2000 kg
Dimensions	1760 x 1031 x 1600h mm
Fold dimensions	855 x 720 x 1610h mm
Min/max boom extension	750 ÷ 1280 mm
Hook heights with raised arm	1980 mm @ 2000 kg 2450 mm @ 500 kg
Hook heights with lowered arm	0 mm @ 500 kg 300 mm @ 2000 kg
Front opening	1050 mm
Net weight	90,5 kg



€ 530,00

0063

€ 729,75

HYDRAULIC FOLDING CRANE

With two pivoting wheels and rear pad brake, lowering system and pumping lever placed in the rear, cast iron wheels. The ability to fold the legs when not in use allows it to be stored in confined spaces.

Capacity	1000 kg
Dimensions	1800 x 1000 x 1500h mm
Fold dimensions	800 x 860 x 1600h mm
Min/max boom extension	680 ÷ 1220 mm
Hook heights with raised arm	2100 mm @ 1000 kg 2550 mm @ 250 kg
Hook heights with lowered arm	0 mm @ 250 kg 480 mm @ 1000 kg
Front opening	800 mm
Net weight	90 kg



€ 578,00

0094

€ 365,40

TRANSMISSION JACK

With load limiter, cross support and tilt support to better align and position gearboxes and differentials.

Capacity	500 kg
Dimensions	1190 x 700 x 660 mm
Min - Max height	1190 ÷ 2000 mm
Net weight	32,5 kg



S033

€ 172,20

ENGINE STAND

2 swivel wheels with brake and 2 fixed cast iron wheels, possibility to tilt the engine. Equipped with rotating small parts shelf

Capacity	600 kg
Dimensions	1230 x 850 x 930 mm
Net weight	27,5 kg



€ 133,20

S068
€ 219,45
ENGINE STAND

2 swivel wheels with brake and 2 fixed cast iron wheels, possibility to tilt the engine. The ability to fold it when not in use allows it to be stored in confined spaces.


€ 169,90

Capacity	680 kg
Dimensions	860 x 830 x 870 mm
Net weight	31 kg

S019
€ 156,45
ENGINE STAND

2 wheels with breaks and 2 fix wheels, possibility to tilt the motor


€ 124,00

Capacity	450 kg
Dimensions	865 x 810 x 870 mm
Net weight	21 kg

S024
€ 150,15
ENGINE SUPPORT

Engine support holds your engine or transmission in place during heavy automotive repairs, used to support the engine while removing gear box, transmission, replacing clutch and all motor mounts. rubber feet for safe hold of motor, easy regulation for hold engine in its place in the car. swivel and tilting holders.


€ 117,00

Capacity	500 kg
Adjusting height	205 mm
Bed length	730 ÷ 1480 mm
Net weight	13 kg

R015
€ 176,40
CAR RAMPS SET


2 Pcs



Dimensions	905 x 330 x 218 mm
Capacity	2,5 ton
Max tire width	240 mm
Min - Max height	170 mm
Tilting	15°
Net weight	8 kg

€ 140,00
0649-
ALUMINUM RAMPS

In aluminum with non-slip floors. Load 170kg.


**starting from
€ 313,00**

Dimensions	Capacity	Max Working angle	Max Working height	Art.	€	Promo
1520 x 735 mm	170 kg	12,5 % (7°)	180 mm	0649/1500	€ 399,00	€ 313,00
1800 x 735 mm	150 kg	12,5 % (7°)	220 mm	0649/1800	€ 495,60	€ 381,00

0594
€ 154,35
OIL DRAINER WITHOUT TANK

With wheels, to use under lifts, for waste oil


€ 120,00

Base dimensions	390 x 390 mm
Height max	1700 mm
Net weight	13 kg

0595
€ 309,75
OIL DRAINER

With tank and wheels, to use under lifts, for waste oil


€ 241,00

Tank capacity	70 l
Height min - max	1170 ÷ 1860 mm
Maximum tank pressure	0.45 bar
Net weight	23 kg

0596
€ 496,65
PNEUMATIC OIL DRAINER

With wheels and different size of suction probes, for waste oil, for use under lifts too


€ 392,00

Tank capacity	70 l
Measuring tank capacity	10 l
Height max	1500 mm
Metal probe	2 x ø6 mm x 695 mm
Nylon probe	2 x ø6 mm x 680 mm 2 x ø8 mm x 700 mm
Suction	ø6 x 4,5 mm - 0,4 ÷ 0,8 l/min ø8 x 6,5 mm - 1 ÷ 1,6 l/min
Rubber hose length	Suction 1500 mm Drain 2050 mm
Power pressure	8 ÷ 10 bar
Maximum tank pressure	0.45 bar
Net weight	25 kg

0630/2720**€1102,50****12V ELECTRIC WINCH - DIRECT CURRENT**

Permanent magnet motor, metal frame, strong cable, with anti unwinding device and cable guide. To be used only for horizontal pulling, not suitable for lifting.

SUPER PROMO


Rated line pull	2720 kg
Speed	1,3 - 4,5 m / min
Motor	12 V 1,3 kW 1,8 hp
Gear Reduction ratio	294:1
Cable size	ø 7,2 mm x 32 m
Drum dimensions	ø 63 x 228 mm
Overall dimensions	520 x 180 x 175h mm
Net weight	29 kg

**€ 495,00****0630/2200****€814,80****12V ELECTRIC WINCH - DIRECT CURRENT**

Permanent magnet motor, metal frame, strong cable, with anti unwinding device and cable guide. To be used only for horizontal pulling, not suitable for lifting

SUPER PROMO

Rated line pull	2000 kg
Speed	1,5 - 3,6 m / min
Motor	12 V 1,0 kW 1,3 hp
Gear reduction ratio	172:1
Cable size	ø 6,4 mm x 14,5 m
Drum dimensions	ø 45 x 97 mm
Overall dimensions	364 x 126 x 141h mm
Net weight	13 kg

**€ 395,00****0630/0900****€329,70****12V ELECTRIC WINCH - DIRECT CURRENT**

Permanent magnet motor, metal frame, hook with pulley for double pull, resistant cable, with anti unwinding device and cable guide. To be used only for horizontal pulling, not suitable for lifting.



Rated line pull	450 / 900 kg
Speed	1,3 - 3,2 m / min
Motor	12 V 0,7 kW 0,9 hp
Gear reduction ratio	153:1
Cable size	ø 4 mm x 15 m
Drum dimensions	ø 31,5 x 73 mm
Overall dimensions	285 x 105 x 105h mm
Net weight	6,7 kg

**€ 242,00****S029****€2761,50****ELECTRO-HYDRAULIC MOTORCYCLE LIFT****€ 2060,00**

Max lifting capacity	600 kg
Platform dimensions	2200 x 750 mm
Total length	2995 mm
Service hole dimensions	550 x 340 mm

Min - Max height	260 - 520 - 625 - 710 - 780 - 840 mm
Vice	330 x 320 mm
Vice opening	40 ÷ 180 mm
Motor	230 V 50 Hz 550 W
Net weight	225 kg

S029P**€2992,50****ELECTRO-HYDRAULIC MOTORCYCLE LIFT**

With pump and separate control system that give the possibility to position it at floor level.

**€ 2190,00**

Max lifting capacity	600 kg
Platform dimensions	2200 x 750 mm
Total length	2995 mm
Service hole dimensions	550 x 340 mm

Min - Max height	215 - 520 - 625 - 710 - 780 - 840 mm
Vice	330 x 320 mm
Vice opening	40 ÷ 180 mm
Motor	230 V 50 Hz 550 W
Net weight	240 kg

S008/M**€1017,45****HYDRAULIC MOTORCYCLE LIFT TABLE**

With foot pump

**€ 786,00**

Max lifting capacity	400 kg
Platform dimensions	1825 x 660 mm
Total length	2500 mm
Min - Max height	195 ÷ 750 mm

Vice	270 x 100 mm
Vice opening	210 x 50 mm
Net weight	133 kg

S013**€1995,00****HYDRAULIC LIFT TABLE**

With foot pump and pneumatic control

**€ 1540,00**

Max lifting capacity	600 kg
Platform dimensions	2000 x 1220 mm
Total length	2575 mm

Min - Max height	185 ÷ 825 mm
Net weight	230 kg

0430**€279,30****MOTORCYCLE DOLLY**

Powder coated steel. it is suitable for motorcycles and scooters that have the side stand. it allows you to move and to park your bike in tight spaces

**€ 229,00**

Maximum capacity	300 kg
Length	1929 mm
Net weight	33 kg

0217
€ 216,30
VEHICLE POSITIONING JACK

With wheel positioning brakes.


€ 162,00

Capacity	680 kg
Lateral stroke	370 mm
Working range	710 - 340 mm
Max tire width	325 mm
Overall dimensions	730 x 468 x 440h mm
Net weight	15 kg

0645/S
€ 59,54
SHOP SEAT

With pivoting wheels, tool holder base, seat with padding


€ 43,20


Box

Dimensions	368 x 360 x 365 mm
Net weight	3,8 kg

0645/CP
€ 74,03
PLASTIC CREEPER

Shockproof, with 6 wheels.


€ 56,60


Box

Dimensions	1000 x 470 x 120h mm
Net weight	4,8 kg

0645/SS
€ 73,08
6 WHEELS CAR CREEPER

€ 57,40


Dimensions	1030 x 420 x 110h mm
Net weight	6,5 kg

S017
€ 241,50
UNIVERSAL TELESCOPIC CART

Adjustable in height and length, made of square steel pipes, after use it can be stored in small space, upper sides with rubber to prevent scratches and give more stability to the leaned object, 4 swivel casters of which 2 with brake, ideal for the car body repair, for repairing and spraying area


€ 191,00

Height min - max	840 ÷ 1320 mm
Length	225 ÷ 1380 mm
Width	860 mm
Capacity	100 kg
Net weight	26 kg

0645/CC
€ 100,38
THREE-DRAWER CAR SEAT

Equipped with 3 drawers with bearings, 3 can trays and a small frontal tray, 4 pivoting wheels


€ 73,10


Box

Dimensions	370 x 400 x 367h mm
Drawer dimensions	3 - 150 x 300 x 40 h mm
Net weight	8 kg

0645/C
€ 66,47
6 WHEELS CAR CREEPER

€ 52,60


Box

Dimensions	1030 x 420 x 110h mm
Net weight	6,5 kg

0256-
BOTTLE JACK

Hydraulic jack. it provides an excellent stability thanks to its small size. easy to carry and use


**starting from
€ 45,00**

Max. load	Min. height	Stem	Piston stroke	Art.	€	Promo
5 ton	33 ÷ 39 mm	ø 24 mm	6 mm	0256/05	€ 60,90	€ 45,00
10 ton	44 ÷ 55 mm	ø 38 mm	11 mm	0256/10	€ 103,53	€ 81,70
20 ton	52 ÷ 63 mm	ø 50 mm	11 mm	0256/20	€ 127,05	€ 103,00
30 ton	60 ÷ 72 mm	ø 63 mm	12 mm	0256/30	€ 139,65	€ 115,00
50 ton	66 ÷ 78 mm	ø 70 mm	12 mm	0256/50	€ 199,50	€ 151,00

0062-**BOTTLE JACK**

Hydraulic jack. it provides an excellent stability thanks to its small size. easy to carry and use



starting from
€ 22,30

Capacity	Min. height	Lifting	Art.	€	Promo
2 ton	181 mm	116 mm	0062/2	€ 27,62	€ 22,30
5 ton	220 mm	127 mm	0062/5	€ 43,05	€ 34,20
10 ton	230 mm	150 mm	0062/10	€ 57,86	€ 48,00
15 ton	230 mm	150 mm	0062/15	€ 85,37	€ 69,00
20 ton	242 mm	150 mm	0062/20	€ 97,44	€ 77,60
32 ton	285 mm	180 mm	0062/32	€ 186,99	€ 116,00
50 ton	295 mm	180 mm	0062/50	€ 321,39	€ 244,00

0075**€ 819,00****LIFT TROLLEY**

With foldable handle with mechanical blocking system, swivel wheels with brakes



€ 643,00

Capacity	300 kg
Table dimensions	850 x 500 x 50 mm
Lifting	290 ÷ 880 mm
Net weight	78 kg

0010**€ 895,65****LIFT TROLLEY**

With foldable handle, mechanical blocking system of the platform, swivel wheels with brakes



€ 689,00

Capacity	500 kg
Table dimensions	850 x 500 x 50 mm
Lifting	290 ÷ 880 mm
Net weight	86 kg

0467**€ 1060,50****HIGH LIFT TROLLEY**

With double scissor action, mechanical blocking system of the platform, swivel wheels with brakes



€ 828,00

Capacity	350 kg
Table dimensions	910 x 500 x 53 mm
Lifting	335 ÷ 1300 mm
Net weight	92 kg

C650**€ 189,00****THREE SHELVES TROLLEY**

Strong and easy to assemble, 2 swivel and 2 fixed casters



€ 146,00

Dimensions	800 x 450 x 800h mm
Steel thickness	2 mm
Wheels	ø 80 mm
Capacity	100 kg
Net weight	23 kg

C750**€ 310,80****THREE SHELVES TROLLEY**

Strong and easy to assemble, 2 swivel and 2 fixed casters



€ 262,00

Dimensions	940 x 600 x 870h mm
Steel thickness	2,3 mm
Wheels	ø 150 mm
Capacity	200 kg
Net weight	52 kg

C065/2**€ 199,50****PP TWO SHELVES TOOL CART**

Light weight, strong and easy to assemble, 2 swivel and 2 fixed casters



€ 158,00

Dimensions	1010 x 440 x 840h mm
Wheels	ø 125 mm
Capacity	250 kg
Working temperature	-20 ° a +50 °
Net weight	15,5 kg

C075/2**€ 261,45****PP TWO SHELVES TOOL CART**

Light weight, strong and easy to assemble, 2 swivel and 2 fixed casters



€ 208,00

Dimensions	1170 x 652 x 840h mm
Wheels	ø 125 mm
Capacity	250 kg
Net weight	22,5 kg

C009
€ 420,00
CART WITH WOODEN SHELF

Cart made of steel, with 2 fixed wheels and 2 swivel wheels with brake


€ 328,00

Overall dimensions	1000 x 800 x 810 h mm
Steel thickness	2 mm
Plate thickness	36 mm
Wheels	Ø 150 mm
Capacity	150 kg
Net weight	52 kg

CX
PVC PLATFORM TROLLEY

With foldable handle, 2 fixed casters and 2 swivel casters


**starting from
€ 57,00**

Capacity	Platform dimensions	Art.	€	Promo
150 kg	700 x 450 mm	C150	€ 74,03	€ 57,00
300 kg	900 x 600 mm	C300	€ 196,35	€ 154,00

C1102
€ 97,44
HAND TRUCK WITH PNEUMATIC WHEELS

For flower pots and boxes, safety handles, epoxy painting


€ 62,60

Pneumatic wheels	Ø 260 x 85 mm
Capacity	200 kg
Toe plate dimensions	450 x 215 mm
Net weight	8,5 kg

C182
€ 199,50
ALUMINUM HAND TRUCK WITH PNEUMATIC WHEELS

Aluminium


€ 157,00

Pneumatic wheels	Ø 260 x 85 mm
Capacity	200 kg
Toe plate dimensions	300 x 205 mm
Net weight	6 kg

C189
€ 99,12
MULTIFUNCTION HAND TRUCK

With pneumatic wheels for firewood, pots, boxes and other objects. strong, easy to handle and versatile. plastic handles


€ 78,10

Pneumatic wheels	Ø 260 x 85 mm
Capacity	150 kg
Toe plate dimensions	400 x 250 mm
Movable grid	340 x 390 mm
Net weight	11,5 kg

0056-
CHAIN HOIST

**starting from
€ 112,40**

Capacity	Lifting	Net weight	Art.	€	Promo
1000 kg	3000 mm	11 kg	0056/1	€ 164,85	€ 112,40
2000 kg	3000 mm	20 kg	0056/2	€ 244,65	€ 193,00

0237-
LEVER CHAIN HOIST

**starting from
€ 156,00**

Capacity	Lifting	Net weight	Art.	€	Promo
500 kg	1500 mm	5 kg	0237/05	€ 199,50	€ 156,00
1500 kg	1500 mm	10 kg	0237/15	€ 296,10	€ 234,00

0236
€ 97,02
HOIST ARM

€ 77,90

Capacity	300 kg
Arm length	750 mm
Slot distance	380 mm
Stem	45 X 45 mm ²
Net weight	6 kg

0602

€ 301,35

ELECTRIC CABLE HOIST



Capacity	200 / 400 kg
Cable length	18 m
Speed	8 m/min
Motor	230 V 50 Hz 1 kW
Net weight	16,7 kg

SX

MAGNETIC LIFTER

Neodymium.



Maximum capacity	Round bar lifting cap.	Art.	€	Promo
300 kg	100 kg	S0300	€ 609,00	€ 435,00
600 kg	200 kg	S0600	€ 952,35	€ 621,00
1000 kg	330 kg	S1000	€ 1.438,50	€ 969,00

0600

€ 336,00

CABLE HOIST



Capacity	200 / 400 kg
Cable length	18 m
Speed	8 m / min
Motor	230 V 50 Hz 0,75 kW
Net weight	16,7 kg

06X

LASHING SYSTEM WITH POLYESTER RIBBON DRAFT

EN 12195-2.



Strap ribbon with turnbuckle	Ribbon width	Art.	€	Promo
5,50 + 0,50 m	35 mm	0635	€ 30,87	€ 21,30
8,00 + 0,50 m	50 mm	0650	€ 43,85	€ 29,80
10,00 + 1,00 m	75 mm	0675	€ 216,30	€ 174,00

0791-

WIRE ROPE PULLING HOIST

For pulling and lifting



Max load	Cable	Net weight	Art.	€	Promo
800 kg	ø 8,3mm x 20m	11 kg	0791/08	€ 391,65	€ 264,00
1600 kg	ø 11mm x 20m	24 kg	0791/16	€ 529,20	€ 389,00
3200 kg	ø 16mm x 20m	50 kg	0791/32	€ 1.035,30	€ 689,00

0066

€ 36,65

DOUBLE RATCHET HAND PULLER



Max load	800 kg
Cable diameter	ø 5 mm
Max length	2 m
Net weight	2,7 kg

0070/C

€ 48,09

GEARED HAND WINCH

Zinc-plated



Max load	500 kg
Throat width	50 mm
Max ø wheel	133 mm
Min. ø wheel	40 mm
Cable size	ø 4,5 mm x 10 m
Base dimensions	140 x 90 mm

0070

€ 37,07

GEARED HAND WINCH

Frame in galvanized steel.
Ergonomic handle

Max load	500 kg
Throat width	50 mm
Max ø wheel	133 mm
Min. ø wheel	40 mm
Base dimensions	140 x 90 mm

0590
€ 77,70
HAND OPERATED WINCH WITH BRAKE

€ 62,90

Max load	450 kg
Throat width	49 mm
Max ø wheel	110 mm
Min. ø wheel	45 mm
Overall dimensions without handle	170 x 150 x 125h mm

0028R
€ 720,30
LOWERED MANUAL PALLET TRUCK

With polyurethane wheels.


€ 545,00

Capacity	2500 kg
Fork height	63 ÷ 165 mm
Fork dimensions	1150 x 540 mm
Armor plate thickness	3 mm
Front wheel	Double
Net weight	68,5 kg

0028
€ 626,85
MANUAL TRUCK -PALLET

Polyurethane


€ 501,00

Capacity	2500 kg
Fork height	85 ÷ 200 mm
Fork dimensions	1150 x 540 mm
Armor plate thickness	3 mm
Front wheel	Double
Net weight	71,5 kg

0064
€ 724,50
MANUAL TRUCK -PALLET

Polyurethane


€ 568,00

Capacity	2500 kg
Fork height	85 ÷ 200 mm
Fork dimensions	900 x 540 mm
Armor plate thickness	3 mm
Front wheel	Single
Net weight	68,5 kg

S2/800
€ 1249,50
HIGH LIFT TRUCK-PALLET

Scissors


€ 990,00

Capacity	1000 kg
Fork height	85 ÷ 800 mm
Fork dimensions	1170 x 540 mm
Tire	Polyurethane
Front wheel	Single
Net weight	117 kg

0782
€ 1186,50
PLATFORM STACKER WITH FORKS

€ 932,00

Capacity	400 kg
Fork height	85 ÷ 1500 mm
Fork dimensions	545 x 650 mm
Platform	576 x 650 mm
Mobile wheels	Ø 127 x 40 mm
Fix wheels	Ø 75 x 40 mm
Tire	Polyurethane
Dimensions	1100 x 600 x 1725h mm
Net weight	95 kg

0143A
€ 2005,50
MANUAL STACKER

With brake and lifting foot pedal


€ 1560,00

Capacity	1000 kg
Fork height	90 ÷ 1600 mm
Fork dimensions	1150 x 550 mm
Fork section	160 x 55 mm
Upright height	2100 mm
Tire	Polyurethane
Front wheel	Double
Dimensions	920 x 1670 x 2100h mm
Net weight	250 kg

0143/25
€ 2215,50
MANUAL STACKER

With double telescopic mast, brake and lifting pedal


€ 1760,00

Capacity	1000 / 800 kg
Fork height	75 ÷ 1600 ÷ 2500 mm
Fork dimensions	1150 x 550 mm
Fork section	160 x 55 mm
Upright height	1840 mm
Tire	Polyurethane
Front wheel	Double
Dimensions	1670 x 920 x 1840h mm
Net weight	310 kg

Art.	Pag.	Promo	Art.	Pag.	Promo	Art.	Pag.	Promo	Art.	Pag.	Promo
0010	81	689,00 €	0137	15	45,70 €	0272	29	11,70 €	0503	44	96,50 €
0011	40	388,00 €	0138	51	494,00 €	0274	28	6,70 €	0505	50	226,00 €
0021/1	77	433,00 €	0140/080	69	37,40 €	0302/200	50	269,00 €	0506	38	1.700,00 €
0021/2	77	530,00 €	0140/100	69	43,10 €	0302/245	50	421,00 €	0510	44	93,50 €
0023	44	85,50 €	0140/125	69	64,40 €	0302/305	50	641,00 €	0516	29	122,00 €
0024	27	25,00 €	0140/150	69	81,00 €	0306	19	50,80 €	0517A	49	691,00 €
0027/40W	27	11,70 €	0143/25	84	1.760,00 €	0310B	72	59,60 €	0518/30	40	927,00 €
0028	84	501,00 €	0143A	84	1.560,00 €	0313	24	82,70 €	0518/38M	40	999,00 €
0028/1500	9	599,00 €	0145/100	69	35,00 €	0315	21	143,00 €	0518/50	40	1.260,00 €
0028/1800	9	613,00 €	0145/125	69	42,70 €	0316	45	147,00 €	0518/80	40	1.600,00 €
0028/2000	9	631,00 €	0145/150	69	78,90 €	0321	27	38,40 €	0521	20	7,70 €
0028R	84	545,00 €	0145/80	69	29,80 €	0323/45	67	41,30 €	0530A	9	74,70 €
0031	26	26,80 €	0146/60	69	19,70 €	0323/55	67	46,10 €	0532A	56	147,00 €
0033A	26	91,20 €	0157/10	70	87,30 €	0325	20	10,50 €	0532A/230V	56	158,00 €
0036/100	69	90,00 €	0157/100	70	685,00 €	0333	27	89,30 €	0536A	56	111,00 €
0036/100G	69	110,00 €	0157/30	70	217,00 €	0341	17	29,60 €	0537A	56	88,70 €
0036/125	69	136,00 €	0157/50	70	323,00 €	0343	29	17,90 €	0538A	56	108,00 €
0036/125G	69	150,00 €	0160	20	14,10 €	0356	28	53,90 €	0544	12	113,00 €
0036/150	69	235,00 €	0164AR	11	64,90 €	0360	15	68,20 €	0545/EF	14	26,40 €
0036/150G	69	259,00 €	0165	21	208,00 €	0362	43	647,00 €	0545/EFAR	11	28,60 €
0038	73	234,00 €	0174/100	69	49,00 €	0363	68	810,00 €	0545/TF	14	28,90 €
0046	24	75,10 €	0174/125	69	62,60 €	0363/30	68	148,00 €	0555	44	101,00 €
0051	24	24,70 €	0174/150	69	78,50 €	0363/36	68	205,00 €	0558/EM	14	14,30 €
0054/10	75	293,00 €	0181	16	126,00 €	0363/48	68	534,00 €	0558/GE	14	11,30 €
0054/4	75	245,00 €	0188/100	53	69,00 €	0366	29	95,80 €	0558/TX	15	14,30 €
0056/1	82	112,40 €	0188/100G	53	116,00 €	0369	76	299,00 €	0560	46	580,00 €
0056/2	82	193,00 €	0188/125	53	97,30 €	0375A	76	232,00 €	0564	50	228,00 €
0059	25	27,20 €	0188/125G	53	130,00 €	0378/1510	26	126,00 €	0567	76	84,20 €
0060	76	62,20 €	0188/150	53	126,00 €	0385	28	46,50 €	0569	72	64,80 €
0062/10	81	48,00 €	0188/150G	53	148,00 €	0386	28	33,80 €	0571	23	119,00 €
0062/15	81	69,00 €	0189/05C	28	30,20 €	0387A	36	52,70 €	0574	24	83,10 €
0062/2	81	22,30 €	0189/10C	28	33,30 €	0390	67	39,70 €	0575	71	635,00 €
0062/20	81	77,60 €	0189/20C	28	33,90 €	0395	67	48,70 €	0578/36	72	103,00 €
0062/32	81	116,00 €	0190AR	11	68,30 €	0399	21	129,00 €	0578/80	72	103,00 €
0062/5	81	34,20 €	0195	16	38,70 €	0400	14	57,00 €	0579/30	72	41,20 €
0062/50	81	244,00 €	0199AR	11	40,80 €	0401	30	59,60 €	0579/80	72	41,20 €
0063	77	578,00 €	0199P	13	51,80 €	0413	23	26,70 €	0581	72	70,30 €
0064	84	568,00 €	0200	12	22,70 €	0414	23	27,00 €	0582/36	71	81,40 €
0065A	76	206,00 €	0201AR	11	50,90 €	0416	23	46,60 €	0582/80	71	81,40 €
0066	83	29,60 €	0203	72	453,00 €	0417	23	51,50 €	0585	22	82,80 €
0067	77	25,00 €	0204	12	126,00 €	0418	23	45,60 €	0586	22	68,40 €
0069/10	77	160,00 €	0208	12	94,10 €	0419	24	79,00 €	0587	22	55,40 €
0069/3	77	41,30 €	0209	29	30,30 €	0421	24	84,70 €	0588/6	22	61,30 €
0069/6	77	77,00 €	0211	73	387,00 €	0430	79	229,00 €	0590	84	62,90 €
0070	83	27,60 €	0215	14	9,30 €	0434	21	76,00 €	0591/100	69	122,00 €
0070/C	83	39,40 €	0215P	14	9,30 €	0441	27	59,10 €	0591/125	69	175,00 €
0073	13	14,90 €	0217	80	162,00 €	0443	27	46,30 €	0594	78	120,00 €
0075	81	643,00 €	0218/50T	29	74,80 €	0444	27	71,30 €	0595	78	241,00 €
0085	20	10,10 €	0220	14	9,90 €	0445/20	30	114,00 €	0596	78	392,00 €
0094	77	293,90 €	0220/C	14	6,70 €	0453	19	34,50 €	0597	30	24,50 €
0102	47	275,00 €	0221	13	13,50 €	0455	18	80,90 €	0600	83	261,00 €
0105	21	217,00 €	0222	13	28,90 €	0458	24	79,00 €	0602	83	236,00 €
0105T	21	239,00 €	0223	13	59,90 €	0460	24	91,80 €	0603	19	84,40 €
0106	44	79,40 €	0232	73	294,00 €	0462	71	653,00 €	0607	25	5,60 €
0107	30	6,60 €	0235	46	194,00 €	0467	81	828,00 €	0608	25	13,00 €
0109	34	41,10 €	0236	82	77,90 €	0469	18	44,60 €	0609	25	35,90 €
0110	21	176,00 €	0237/05	82	156,00 €	0474/PA	28	60,20 €	0610	25	12,10 €
0110T	21	201,00 €	0237/15	82	234,00 €	0476	13	53,90 €	0615	70	3.420,00 €
0112	34	88,40 €	0242	40	750,00 €	0477	13	24,00 €	0618	16	153,00 €
0113	47	277,00 €	0255	43	1.280,00 €	0481/15	26	107,00 €	0620	16	76,80 €
0123	30	52,10 €	0256/05	80	45,00 €	0482/3	29	45,40 €	0621/A3	31	92,00 €
0125	25	29,20 €	0256/10	80	81,70 €	0483	47	191,00 €	0624	16	57,50 €
0126	19	11,30 €	0256/20	80	103,00 €	0487	71	248,00 €	0630/0900	79	242,00 €
0132	43	411,00 €	0256/30	80	115,00 €	0495	52	339,00 €	0630/2200	79	395,00 €
0133	43	122,00 €	0256/50	80	151,00 €	0496	51	625,00 €	0630/2720	79	495,00 €
0135/100	68	96,10 €	0260	40	655,00 €	0497/250	48	514,00 €	0632	73	671,00 €
0135/125	68	136,00 €	0268A	15	76,20 €	0497/300	48	570,00 €	0632/D	73	117,00 €
0135/150	68	217,00 €	0271	76	110,00 €	0502	45	72,10 €	0632/DA	73	156,00 €

Art.	Pag.	Promo
0632/DCF	73	80,80 €
0632/DCF05	8	21,00 €
0634	18	9,50 €
0635	83	21,30 €
0641	25	41,50 €
0642	43	280,00 €
0645/C	80	52,60 €
0645/CC	80	73,10 €
0645/CP	80	56,60 €
0645/S	80	43,20 €
0645/SS	80	57,40 €
0648	48	789,00 €
0649/1500	78	313,00 €
0649/1800	78	381,00 €
0650	83	29,80 €
0656/254	49	2.130,00 €
0656/310	49	2.500,00 €
0657	38	2.370,00 €
0658	77	703,00 €
0659	29	26,20 €
0662	46	579,00 €
0664	75	289,00 €
0665	49	2.640,00 €
0672/B	20	6,40 €
0675	83	174,00 €
0677	28	34,50 €
0677/500	27	15,40 €
0678	20	14,80 €
0680	67	106,00 €
0681	67	96,20 €
0683	67	124,00 €
0686/200	49	481,00 €
0687	70	1.784,00 €
0688	55	159,00 €
0690/07P	12	73,60 €
0690/12P	12	105,00 €
0691/400V	46	2.090,00 €
0693A	30	65,60 €
0700/07P	12	54,30 €
0700/12P	12	101,00 €
0708	38	1.900,00 €
0712/009	60	64,10 €
0712/010	60	149,00 €
0714	13	92,80 €
0716	38	1.240,00 €
0716S	38	1.430,00 €
0717A	50	199,00 €
0719	48	851,00 €
0721	47	258,00 €
0722	48	1.030,00 €
0723	48	301,00 €
0749	48	1.680,00 €
0750	40	714,00 €
0751	48	700,00 €
0752	39	769,00 €
0752CM3	39	842,00 €
0754/230V	39	1.280,00 €
0754/400V	39	1.280,00 €
0755	28	85,80 €
0757	39	576,00 €
0758	48	1.050,00 €
0765	51	209,00 €
0773/05	47	135,00 €
0773/10	47	204,00 €
0775	46	1.320,00 €
0776	46	995,00 €
0776/610	46	395,00 €
0782	84	932,00 €

Art.	Pag.	Promo
0784	25	60,30 €
0791/08	83	264,00 €
0791/16	83	389,00 €
0791/32	83	689,00 €
0806/020	15	90,80 €
0809/030	15	89,60 €
0809/080	15	96,00 €
0809/100	15	101,00 €
0818/250	20	8,30 €
0831/175	19	5,50 €
0831/250	19	6,10 €
0831/300	19	9,60 €
0834	19	4,10 €
0834/200	19	3,50 €
0834/250	19	4,30 €
0834/280	19	5,40 €
0841	19	18,70 €
0847	19	57,60 €
0849	68	191,00 €
0855	49	848,00 €
0857	39	719,00 €
0861	20	14,80 €
0870/250	49	299,00 €
0871	49	508,00 €
0880/307	18	13,10 €
0888	18	16,90 €
0889	30	50,60 €
0891A	9	105,00 €
0893	47	455,00 €
0897/M10	9	55,10 €
0897/M12	9	62,70 €
0897/M3	9	10,30 €
0897/M4	9	15,50 €
0897/M5	9	20,40 €
0897/M6	9	26,40 €
0897/M8	9	37,70 €
0900	31	65,60 €
A003/13A	45	674,00 €
A003/32	45	2.100,00 €
A004/14	45	1.190,00 €
A004/20	45	1.750,00 €
A007A	64	2.940,00 €
A007B	64	2.890,00 €
A007C	64	1.410,00 €
A007D	64	1.940,00 €
A007E	64	1.970,00 €
A007F	64	797,00 €
A007G	64	1.910,00 €
A007H	64	3.670,00 €
A007I	64	1.550,00 €
A007L	64	3.780,00 €
A007M	65	1.110,00 €
A007N	65	1.680,00 €
A007P	65	3.040,00 €
A007Q	65	1.630,00 €
A007R	65	692,00 €
A007S	65	2.050,00 €
A007T	65	1.570,00 €
A007U	65	2.100,00 €
A007UF	65	2.200,00 €
A007V	65	3.040,00 €
A008A	64	2.990,00 €
A008B	64	2.940,00 €
A008C	64	1.490,00 €
A008D	64	1.990,00 €
A008E	64	2.040,00 €
A008F	64	839,00 €
A008G	64	1.950,00 €

Art.	Pag.	Promo
A008H	64	3.780,00 €
A008I	64	1.590,00 €
A008L	64	3.880,00 €
A008M	65	1.150,00 €
A008N	65	1.730,00 €
A008P	65	3.150,00 €
A008Q	65	1.670,00 €
A008R	65	734,00 €
A008S	65	2.100,00 €
A008T	65	1.680,00 €
A008U	65	2.200,00 €
A008UF	65	2.310,00 €
A008V	65	3.150,00 €
A0132A	45	962,00 €
A020	33	111,00 €
A024/10	73	39,90 €
A024/602	74	225,00 €
A025/30	74	81,10 €
A040/30A	74	154,00 €
A040/60A	74	243,00 €
A040/802	74	423,00 €
A040/803	74	542,00 €
A059	45	92,30 €
A100	68	234,00 €
A300	68	378,00 €
A481/10	26	57,30 €
A481/15	26	88,60 €
A481/15H	26	105,00 €
A481/30H	26	156,00 €
AP01	22	192,00 €
AP02	22	205,00 €
AP03	22	213,00 €
AP04	22	220,00 €
AP05	23	494,00 €
AP06	23	198,00 €
B003/5/1	37	19,80 €
B004/150	37	587,00 €
B004/30	37	308,00 €
B004/7	37	308,00 €
B005	57	18,50 €
B005/16	57	31,20 €
B005/20	57	40,00 €
B007/10	56	88,20 €
B007/12	56	90,00 €
B007/16	56	115,00 €
B009/A1	63	428,00 €
B009/A2	63	633,00 €
B009/B1	63	476,00 €
B009/B2	63	666,00 €
B015	63	467,00 €
B015/10	63	246,00 €
B018	37	99,00 €
B022/10	63	290,00 €
B022/15	63	417,00 €
C002	32	43,60 €
C002/42	32	27,40 €
C006/150	31	35,20 €
C006/200	31	52,90 €
C006/300	31	83,20 €
C009	82	328,00 €
C019/150	31	14,00 €
C020/1000	32	292,00 €
C020/1500	32	749,00 €
C020/2000	32	1.290,00 €
C020/500	32	83,60 €
C021/1000	31	414,00 €
C021/300	31	95,70 €
C021/500	31	162,00 €

Art.	Pag.	Promo
C022/100	46	1.930,00 €
C023	32	16,50 €
C033/150	31	46,50 €
C033/200	31	70,90 €
C033/300	31	109,00 €
C039/15	76	179,00 €
C039/25	76	248,00 €
C041/150	31	23,10 €
C048	32	55,90 €
C057/150	31	17,10 €
C061	33	194,00 €
C065/2	81	158,00 €
C067	37	69,70 €
C069	36	74,50 €
C070	36	123,00 €
C075/2	81	208,00 €
C076/30	47	3.360,00 €
C086/01C	66	13,10 €
C086/01T	66	13,10 €
C086/02C	66	14,80 €
C086/02T	66	15,20 €
C086/04C	66	15,60 €
C086/04T	66	17,30 €
C086/12C	66	18,10 €
C087	68	181,00 €
C1102	82	62,60 €
C150	82	57,00 €
C182	82	157,00 €
C189	82	78,10 €
C300	82	154,00 €
C650	81	146,00 €
C750	81	262,00 €
C800	68	808,00 €
C880/006	17	13,90 €
C900/A	3	179,00 €
C900/B	3	299,00 €
C900/BAR	11	319,00 €
C900/CC03	7	619,00 €
C900/CC04	7	849,00 €
C900C3B	7	499,00 €
C900C6	7	629,00 €
C960/AM01	6	839,00 €
C960/CC03	6	779,00 €
C960/CC04	6	969,00 €
C960/F6	5	389,00 €
C960/F7	5	419,00 €
C960/F8	5	449,00 €
C960/MP	4	22,70 €
C960/PC	4	12,00 €
C960/PD	4	23,50 €
C960/PF	4	62,60 €
C960/PG	4	8,30 €
C960/PL	4	43,80 €
C960C3B	6	629,00 €
C960C6	6	749,00 €
CF08	32	6,50 €
CI80/006	18	18,50 €
CN450N1/2A	15	24,40 €
CN450N1/4A	15	20,10 €
CN450N3/8A	15	22,10 €
D010/0100	37	443,00 €
D010/0300	37	533,00 €
D010/0500	37	623,00 €
D010/1000	37	779,00 €
D012/0100	37	712,00 €
D012/0300	37	836,00 €
D012/0500	37	968,00 €
D012/1000	37	1.160,00 €

Art.	Pag.	Promo
D018	37	3.800,00 €
D880/006AR	11	23,70 €
E010	62	104,00 €
E190/080	17	25,20 €
E190/130	17	28,90 €
E190/160	17	36,30 €
E190/200	17	39,50 €
E191/120	17	50,20 €
E191/200	17	89,50 €
F001/10	61	172,00 €
F001/20	61	162,00 €
F002/6	60	235,00 €
F008/3	61	47,10 €
F008/6	61	84,70 €
F008DC	61	51,80 €
F008SC	61	51,80 €
F011/6	59	153,00 €
F015/008S	60	114,00 €
F019/008	60	114,00 €
F232	61	55,20 €
F238	61	58,80 €
F430	60	43,70 €
F639	60	61,60 €
FC94/245	50	513,00 €
FC94/350	50	1.050,00 €
G003/1	9	9,10 €
G003/2	9	10,00 €
G003/3	9	14,00 €
G003/4	9	15,90 €
G008	35	41,90 €
G090/1/2	15	25,80 €
G090/1/4	15	17,50 €
G090/3/8	15	22,30 €
G900	30	11,40 €
I217	17	264,00 €
I340	17	200,00 €
K001/12	55	90,00 €
K001/14	55	97,40 €
K001/16	55	118,00 €
K001/18	55	149,00 €
KICAN	57	185,00 €
KISCLCR	57	154,00 €
KISER	57	147,00 €
KISER25	57	177,00 €
KISNR	57	165,00 €
KISNR25	57	206,00 €
KISTCMT	57	212,00 €
KISTFCR	57	168,00 €
KIT0123	71	308,00 €
KIT0128	51	361,00 €
KIT0129	51	589,00 €
KIT0194	73	711,00 €
KIT0226	71	216,00 €
KIT0229	52	269,00 €
KIT0231	70	3.060,00 €
KIT0233	70	1.290,00 €
KIT0234	72	656,00 €
KITCKJ20	56	101,00 €
KITCKJ25	56	115,00 €
L080	34	44,60 €
L085	35	71,00 €
L090A	34	93,40 €
L200	35	156,00 €
M001/100	53	50,80 €
M001/120	53	61,10 €
M001/150	53	76,50 €
M006/1000	69	59,70 €
M006/200	69	22,90 €

Art.	Pag.	Promo
M006/300	69	28,80 €
M006/400	69	31,70 €
M006/500	69	31,80 €
M006/600	69	40,00 €
M006/800	69	43,90 €
M007/250	70	39,00 €
M007/300	70	47,40 €
M007/400	70	48,70 €
M007/500	70	53,80 €
M007/600	70	64,00 €
M011/125/150	52	873,00 €
M011/150/210	52	995,00 €
M011/150/300	52	1.260,00 €
M012/038	52	71,80 €
M012/050	52	75,00 €
M012/080	52	165,00 €
M012/100	52	227,00 €
M014/080	53	78,90 €
M014/100	53	107,00 €
M014/125	53	143,00 €
M014/160	53	198,00 €
M014/200	53	290,00 €
M015S	61	45,20 €
M020	62	25,80 €
M021/00/25	33	75,10 €
M021/25/50	33	94,30 €
M021/50/75	33	113,00 €
M021/75/100	33	131,00 €
M023/100	52	147,00 €
M023/125	52	184,00 €
M023/160	52	266,00 €
M023/200	52	350,00 €
M024/136	53	150,00 €
M024/160	53	196,00 €
M024/200	53	292,00 €
M024/250	53	417,00 €
M027/100	53	124,00 €
M027/140	53	174,00 €
M027/200	53	283,00 €
M028/100/100	52	635,00 €
M028/125/150	52	691,00 €
M028/150/200	52	819,00 €
M028/150/300	52	883,00 €
M028/150/400	52	1.020,00 €
M028/175/200	52	1.020,00 €
M028/175/300	52	1.040,00 €
M028/175/400	52	1.140,00 €
M028/175/500	52	1.320,00 €
M028/200/300	52	1.560,00 €
M028/200/400	52	1.620,00 €
M028/200/500	52	1.840,00 €
M028/200/600	52	2.130,00 €
M032	62	85,20 €
M033	33	156,00 €
M036	62	50,10 €
M042/08	55	36,40 €
M042/10	55	37,30 €
M042/13	55	42,60 €
M042/16	55	51,30 €
M042/20	55	68,30 €
M051/08	55	44,30 €
M051/10	55	45,40 €
M051/13	55	53,00 €
M051/16	55	63,20 €
M051/20	55	74,10 €
M052/10	55	11,50 €
M052/13	55	15,10 €
M052/16	55	18,00 €

Art.	Pag.	Promo
M052/20	55	27,30 €
M059/07	55	382,00 €
M059/12	55	461,00 €
M059/20	55	513,00 €
M100	62	117,00 €
M101	62	86,90 €
M218	62	196,00 €
M312/C	62	50,20 €
M312/P	61	47,00 €
M430/B	67	100,00 €
M540/BT	67	243,00 €
MD01	36	97,80 €
ML40	36	49,10 €
ML80A	36	65,90 €
P001/04	75	252,00 €
P001/10	75	365,00 €
P001/12	75	446,00 €
P001/20	75	758,00 €
P001/30	74	901,00 €
P001/45	74	2.330,00 €
P009	68	157,00 €
P010/41	58	106,00 €
P010/51	58	40,20 €
P014	53	232,00 €
P015	53	137,00 €
P017	54	101,00 €
P023/19	58	30,60 €
P023/25	58	62,00 €
P028/07	75	111,00 €
P028/14	75	191,00 €
P045	58	12,20 €
P046	58	20,40 €
P056/10S	59	27,80 €
P057	59	85,00 €
P058/170	58	141,00 €
P061	59	19,10 €
P062	58	51,30 €
P064/19A	59	66,60 €
P064/25A	59	138,00 €
P067	59	56,20 €
P069	59	107,00 €
P075	35	112,00 €
P077/1525	55	541,00 €
P077/1530	55	645,00 €
P077/2040	55	1.140,00 €
P077/3050	55	2.150,00 €
P077/3060	55	2.580,00 €
P078/1525	55	352,00 €
P078/1530	55	417,00 €
P078/1535	55	469,00 €
P078/1540	55	525,00 €
P078/1545	55	611,00 €
P078/2045	55	859,00 €
P078/2050	55	1.000,00 €
P078/2060	55	1.170,00 €
P080	35	67,30 €
PI063	18	20,10 €
R001/04	43	275,00 €
R001/07	43	387,00 €
R003/09	43	381,00 €
R015	78	140,00 €
R060	32	59,10 €
R100	32	83,60 €
S001	60	79,50 €
S008/M	79	786,00 €
S009	51	1.120,00 €
S013	79	1.540,00 €
S017	80	191,00 €

Art.	Pag.	Promo
S018	18	74,10 €
S019	78	124,00 €
S023	44	112,00 €
S024	78	117,00 €
S029	79	2.060,00 €
S029P	79	2.190,00 €
S0300	83	435,00 €
S033	77	133,20 €
S042/1	33	43,50 €
S042/2	33	58,40 €
S042/3	34	75,20 €
S045	34	47,80 €
S049	33	22,00 €
S054	33	20,70 €
S056/150	34	69,40 €
S056/200	34	87,10 €
S057/125	34	14,90 €
S0600	83	621,00 €
S068	78	169,90 €
S1000	83	969,00 €
S108	16	153,00 €
S179	16	262,00 €
S2/800	84	990,00 €
S328	16	111,00 €
S383	44	139,00 €
S503	44	125,00 €
S510	43	120,00 €
SI413M006	17	41,20 €
SI4E3N013	17	42,80 €
SKT10B	42	48,00 €
SKT10F	42	96,20 €
SKT12B	42	130,00 €
SKT12F	42	219,00 €
SKTEB	42	43,40 €
SKTEF	42	68,80 €
SKTF3B	42	92,90 €
SKTF3F	42	186,00 €
T004/250	54	300,00 €
T004/380	54	481,00 €
T004/600	54	863,00 €
T007	32	57,50 €
T007G	32	49,90 €
T008	54	255,00 €
T00A1	56	199,00 €
T013	54	979,00 €
T014G	54	838,00 €
T015/E	54	216,00 €
T018/330	54	68,60 €
T018/350	54	126,00 €
T034/105	47	1.980,00 €
T050	35	29,10 €
T051	35	13,90 €
T053	35	77,90 €
T058	39	1.449,00 €
T059/16V	39	1.670,00 €
T059/28V	38	3.190,00 €
T061A	38	2.290,00 €
T064	36	77,20 €
T068	36	80,20 €
T088	57	79,70 €
T202	9	46,00 €
T203	9	65,90 €
T660	38	3.470,00 €
UC01/100	8	332,00 €
UC01/150	8	438,00 €
UC01/20	8	121,00 €
UC01/32	8	166,00 €
UC01/65	8	264,00 €

FERVI IS CERTIFIED QUALITY

A quality that stems from responsibility.

A sense of Fervi's social and business responsibility is at the root of each initiative and activities undertaken by those in the Fervi Group and those involved.

FERVI IS CERTIFIED

ISO 9001 for Quality

ISO 14001 for Environment

ISO 45001 for Health and Safety Management System

FERVI IS SUSTAINABLE

Our concern for environmental sustainability has prompted us to produce an eco-sustainable promotional offer, using lighter and less treated PEFC paper, with a single goal in mind: to care for our planet by saving, in our own small way, as much CO2 as we possibly can.



info@fervi.com



FerviProSmartEquipment



FerviTools